


BYTE

THE SMALL SYSTEMS JOURNAL

FEBRUARY 1985 VOL. 10, NO. 2


\$3.50 IN UNITED STATES
\$4.25 IN CANADA / £2.10 IN U.K.
A MCGRAW-HILL PUBLICATION
0360-5280

COMPUTING
AND THE SCIENCES



marcus b

ROBERT
84-TINNEY



Why every kid should ha

Today, there are more Apples in schools than any other computer.

Unfortunately, there are still more kids in schools than Apples.

So innocent youngsters (like your own) may have to fend off packs of bully nerds to get some time on a computer.

Which is why it makes good sense to buy them an Apple® IIc Personal Computer of their very own.


The IIc is just like the leading computer in education, the Apple IIe. Only smaller. About the size of a three-ring notebook, to be exact.

Even the price of the IIc is small — under \$1300*.

Of course, since the IIc is the legitimate offspring of the IIe, it can access the world's largest library of educational software. Everything from Stickybear Shapes™

programs in all. More than a few of which you might be interested in yourself.

For example, 3-in-1 integrated business software. Home accounting and tax



With a IIc, your kid can do something constructive after school. Like learn to write stories. Or learn to fly. Or even learn something slightly more advanced. Like multivariable calculus.

for preschoolers to SAT test preparation programs for college hopefuls.

In fact, the IIc can run over 10,000

programs. Diet and fitness programs.

Not to mention fun programs for the whole family. Like "Genetic Mapping" and



Have an Apple after school.

"Enzyme Kinetics."

And the Apple IIc comes complete with everything you need to start computing in one box.

Including a free 4-diskette course to teach you how—when your kids get tired of your questions.

An RF modulator that can turn almost any TV into a monitor.

As well as a long list of built-in features that would add about \$800 to the cost of a smaller-minded computer.

128K of internal memory—twice

the power of the average office computer.

A built-in disk drive that would drive up the price of a less-senior machine.

And built-in electronics for adding accessories like a printer, a modem, an AppleMouse or

an extra disk drive when the time comes.


So while your children's shoe sizes and appetites continue to grow at an

alarming rate, there's one thing you know can keep up with them. Their Apple IIc.

To learn more about it, visit any authorized Apple dealer. Or talk to your own computer experts.


As soon

as they get home from school.




*The FTC is concerned about price-fixing. So this is only a Suggested Retail Price. You can pay more if you really want to. © 1984 Apple Computer Inc. Apple and the Apple logo are registered trademarks of Apple Computer Inc. Stickybear Shapes is a trademark of Optimum Resource. For an authorized Apple dealer nearest you call (800) 538-9696. In Canada, call (800) 268-7796 or (800) 268-7637.

C·O·N·T·E·N·T·S



96



174

FEATURES

- INTRODUCTION** 96
- THE HP INTEGRAL PERSONAL COMPUTER** *by Phillip Robinson* 98
Hewlett-Packard's new all-in-one system makes UNIX truly portable.
- CIARCIA'S CIRCUIT CELLAR: BUILD A SERIAL EPROM PROGRAMMER**
by Steve Ciarcia 104
Steve devises an affordable version of an essential tool for hackers.
- THE MACINTOSH OFFICE** *by John Markoff and Phillip Robinson* 120
AppleTalk networks the Macintosh and its new laser printer.
- C TO PASCAL** *by Ted Carnevale* 138
This program can make the conversion process less tedious.
- SIMULATE A SERVO SYSTEM** *by Don Stauffer* 147
Model complex engineering problems on personal computers.
- INTRODUCTION TO IMAGE PROCESSING** *by Jeffrey L. Star* 163
Manipulate images to make them more informative.

THEMES

- INTRODUCTION** 174
- THE BIRTH OF A COMPUTER** *conducted by John C. Nash* 177
In this interview, James H. Wilkinson discusses the building of a computer designed by Alan Turing.
- A LOW-COST DATA-ACQUISITION SYSTEM**
by Kiyohisa Okamura and Kamyab Aghai-Tabriz 199
A compromise between cost and quality, this system is adequate for many research projects.
- FOURIER SMOOTHING WITHOUT THE FAST FOURIER TRANSFORM**
by Eric E. Aubanel and Keith B. Oldham 207
The authors present an in-depth look at a technique for removing noise from your data.
- PARANOIA: A FLOATING-POINT BENCHMARK** *by Richard Karpinski* 223
Test the quality of your software, not just its speed.
- MODELING MASS-ACTION KINETICS** *by Alan Curtis* 239
In the future, microcomputers may have a substantial role in major scientific computations.
- VIEWING MOLECULES WITH THE MACINTOSH** *by Earl J. Kirkland* 251
A BASIC program provides 3-D images of complex molecules.
- LABORATORY INTERFACING** *by Lincoln E. Ford, M.D.* 263
A medical researcher examines the capabilities and limitations of an important laboratory device.
- INTERFACING FOR DATA ACQUISITION** *by Thomas R. Clune* 269
Three interfaces are compared.

REVIEWS

- INTRODUCTION** 286
- REVIEWER'S NOTEBOOK** *by Glenn Hartwig* 289
- NEWWORD** *by John Heilborn and Nanci Reel* 291
A word processor from some of the creators of WordStar.

BYTE (ISSN 0360-5280) is published monthly by McGraw-Hill Inc. Founder: James H. McGraw (1860-1948). Executive, editorial, circulation, and advertising offices: 70 Main St., Peterborough, NH 03458, phone (603) 924-9281. Office hours: Mon-Thur 8:30 AM - 4:30 PM, Friday 8:30 AM - 1:00 PM, Eastern Time. Address subscriptions to BYTE Subscriptions, POB 590, Martinsville, NJ 08836. Postmaster: send address changes, USPS Form 3579, undeliverable copies, and fulfillment questions to BYTE Subscriptions, POB 596, Martinsville, NJ 08836. Second-class postage paid at Peterborough, NH 03458 and additional mailing offices. Postage paid at Winnipeg, Manitoba. Registration number 9321. Subscriptions are \$21 for one year, \$38 for two years, and \$55 for three years in the USA and its possessions. In Canada and Mexico, \$23 for one year, \$42 for two years, \$61 for three years. \$69 for one year air delivery to Europe, 17,100 yen for one year surface delivery to Japan, \$37 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$3.50 in the USA and its possessions, \$3.95 in Canada and Mexico, \$4.50 in Europe, and \$5 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue. Printed in the United States of America.

BYTE February


VOLUME 10, NUMBER 2, 1985

JANUS/ADA by Mark J. Welch	295
A nonstandard subset of Ada for MS-DOS and CP/M-80.	
THE EPSON GENEVA PX-8 by Rich Malloy	302
It weighs five pounds and features a CMOS Z80 microprocessor.	
TWO MODULA-2 COMPILERS FOR THE IBM PC by Kevin Bowyer	311
Price is but one of the differences between these implementations.	
E-MAIL FOR THE MASSES by Wayne Rash Jr.	317
Comparing two electronic-mail services, MCI Mail and EasyLink.	
MANNESMANN TALLY MT 160 by Mark J. Welch	325
A dot-matrix unit with a variety of print modes.	
REVIEW FEEDBACK	331
Readers respond to previous reviews.	


KERNEL

INTRODUCTION	337
COMPUTING AT CHAOS MANOR: TROUBLES by Jerry Pournelle	339
Jerry's usual look at a variety of products includes a section on the proliferation of computer books.	
CHAOS MANOR MAIL conducted by Jerry Pournelle	359
Jerry's readers write, and he replies.	
BYTE JAPAN: DISKS AND PRINTERS by William M. Raike	367
Our correspondent in Japan describes important new peripherals displayed at the 1984 Data Show.	
BYTE WEST COAST: WHAT NEXT?	371
by John Markoff, Phillip Robinson, and Ezra Shapiro Our West Coast editors report on Thunderscan, the ins and outs of windowing, new workstations, and more.	
BYTE U.K.: REALIZING A DREAM by Dick Pountain	379
The Whitechapel Computer Works MG-1 personal workstation is almost a dream computer—and it costs less than its competitors.	
COMPUTERS AND LAW: COPYING MASS-MARKETED SOFTWARE	387
by Robert Greene Sterne and Perry J. Saidman This column debuts with a look at two Lotus lawsuits settled out of court.	
CIRCUIT CELLAR FEEDBACK conducted by Steve Ciarcia	393
Steve answers project-related queries from readers.	

EDITORIAL: SERVICE AND SUPPORT	6	BOOK REVIEWS	65
MICROBYTES	9	EVENT QUEUE	83
LETTERS	14	PROGRAMMING INSIGHT	399
FIXES AND UPDATES	33	BOOKS RECEIVED	409
WHAT'S NEW	39, 421	UNCLASSIFIED ADS	477
ASK BYTE	48	BYTE'S ONGOING MONITOR BOX	478
CLUBS & NEWSLETTERS	59	BOMB RESULTS	478
		READER SERVICE	479



286



337


Address all editorial correspondence to the Editor, BYTE, POB 372, Hancock, NH 03449. Unacceptable manuscripts will be returned if accompanied by sufficient first-class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE. Copyright © 1985 by McGraw-Hill Inc. All rights reserved. Trademark registered in the United States Patent and Trademark Office. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 29 Congress St., Salem, MA 01970. Specify ISSN 0360-5280/85. \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill Inc. is prohibited. Requests for special permission or bulk orders should be addressed to the publisher. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London WC1R 4EJ England. Subscription questions or problems should be addressed to: BYTE Subscriber Service, POB 328, Hancock, NH 03449.



MicroTime




800-MICRO 84



SAVE
ON
ZENITH


THE BEST **IBM** COMPATIBLE

PC160
PORTABLE




SANYO COMPUTERS

ALL MODELS AVAILABLE



WE HAVE ALL **EPSON**
PRINTERS IN STOCK
AT LOW PRICES



**IBM
PC**

IOmega



**BERNOULLI
BOX**

20 MEGABYTE
ULTRA FAST
REMOVABLE
STORAGE

EVE(APPLE)
PORTABLE
2 DRIVES
6502+Z-80

CITOH
OKIDATA
BROTHER
DIABLO

WE SPECIALIZE IN SYSTEM SALES

CALL US FOR THE LOWEST PRICES
ON ALL COMPUTER PRODUCTS

800-642-7684

IN ARIZONA 602-791-9030

IBM is a registered trademark of International Business Machines, Corp.

411 West Grant Road
Tucson, Arizona 85705



BYTE

EDITOR IN CHIEF

PHILIP LEMMONS
MANAGING EDITOR
GENE SMARTE

CONSULTING EDITORS

STEVE CIARCIA
JERRY POURNELLE

SENIOR TECHNICAL EDITORS

G. MICHAEL VOSE, *Themes*
GREGG WILLIAMS

TECHNICAL EDITORS

THOMAS R. CLUNE
JON R. EDWARDS
RICHARD GREHAN
GLENN HARTWIG, *Reviews*
RICHARD KRAJEWSKI
KEN SHELTON
RICHARD S. SHUFORD
JANE MORRILL TAZELAAR
EVA WHITE
STANLEY WSZOLA
MARGARET COOK GURNEY, *Associate*
ALAN EASTON, *Drafting*

WEST COAST EDITORS

EZRA SHAPIRO, *Bureau Chief, San Francisco*
JOHN MARKOFF, *Senior Technical Editor, Palo Alto*
PHILLIP ROBINSON, *Senior Technical Editor, Palo Alto*
DONNA OSGOOD, *Associate Editor, San Francisco*
BRENDA McLAUGHLIN, *Editorial Assistant, San Francisco*

NEW YORK EDITOR

RICHARD MALLOY, *Senior Technical Editor*

MANAGING EDITOR

ELECTRONIC PUBLISHING AND COMMUNICATIONS

GEORGE BOND

USER NEWS EDITORS

ANTHONY J. LOCKWOOD, *What's New*
MARK WELCH, *Microbytes*

CONTRIBUTING EDITORS

DENNIS ALLISON, *at large*
MARK DAHMKE, *video, operating systems*
MARK HAAS, *at large*
RIK JADRNICKEK, *CAD, graphics, spreadsheets*
MARK KLEIN, *communications*
ALAN MILLER, *languages and engineering*
JOHN C. NASH, *scientific computing*
DICK POUNTAIN, *U.K.*
WILLIAM M. RAIKE, *Japan*
PERRY SAIDMAN, *computers and law*
ROBERT STERNE, *computers and law*
BRUCE WEBSTER, *software*

COPY EDITORS

BUD SADLER, *Chief*
DENNIS BARKER
ELIZABETH COOPER
ANNE L. FISCHER
NANCY HAYES
LYNNE M. NADEAU
PAULA NOONAN
JOAN VIGNEAU ROY
WARREN WILLIAMSON

ASSISTANTS

PEGGY DUNHAM
MARTHA HICKS
BEVERLY JACKSON
FAITH KLUNTZ, *Copyrights and Permissions*
LISA JO STEINER

ART

ROSSLYN A. FRICK, *Art Director*
NANCY RICE, *Assistant Art Director*

PRODUCTION

DAVID R. ANDERSON, *Production Director*
DENISE CHARTRAND
MICHAEL J. LONSKY
JAN MULLER
SHERRY MCCARTHY, *Chief Typographer*
NAN FORMAL
LEN LORETTE
KATHY QUIST
DONNA SWEENEY

Editorial and Business Office: 70 Main Street, Peterborough, New Hampshire 03458, (603) 924-9281.

West Coast Offices: McGraw-Hill, 425 Battery St., San Francisco, CA 94111, (415) 362-4600.

McGraw-Hill, 1000 Elwell Court, Palo Alto, CA 94303, (415) 964-0624.

New York Office: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-2000.

Officers of McGraw-Hill Information Systems Company: President: Richard B. Miller. Executive Vice Presidents: Frederick P. Iannotti, Construction Group; Russell C. White, Computers and Communications Group; J. Thomas Ryan, Marketing and International. Senior Vice Presidents: Francis A. Shinal, Controller; Robert C. Violette, Manufacturing and Technology. Vice Presidents: Fred O. Jensen, Planning and Development; Margaret L. Dagner, Human Resources.

Officers of the Corporation: Harold W. McGraw, Jr., Chairman; Joseph L. Dionne, President and Chief Executive Officer; Robert N. Landes, Senior Vice President and Secretary; Ralph J. Webb, Treasurer.

SENIOR VICE PRESIDENT PUBLISHER

HARRY L. BROWN
ASSISTANT PUBLISHER
MICHELE P. VERVILLE
PUBLISHER'S ASSISTANT
DORIS R. GAMBLE

ADVERTISING SALES

J. PETER HUESTIS, *Sales Manager*
SANDRA FOSTER, *Administrative Assistant*

ADVERTISING

LISA WOZMAK, *Supervisor*
ROBERT D. HANNINGS, *Senior Account Manager*
MARION CARLSON
KAREN CILLEY
LYDA CLARK
MICHELE GILMORE
DENISE PROCTOR

ADVERTISING/PRODUCTION

WAI CHIU LI, *Quality Control Director*
JULIE NELSON, *Advertising/Production Coordinator*
LINDA J. SWEENEY, *Advertising/Production Coordinator*

CIRCULATION

GREGORY SPITZFADEN, *Director*
ANDREW JACKSON, *Subscriptions Manager*
CATHY A. R. DREW, *Assistant Manager*
LAURIE SEAMANS, *Assistant Manager*
SUSAN BOYD
PHIL DECHERT
MARY EMERSON
LOUISE MENEGUS
AGNES E. PERRY
JENNIFER PRICE
JAMES BINGHAM, *Single-Copy Sales Manager*
LINDA TURNER, *Assistant Manager*
CAROL AHO
CLAUDETTE CARSWELL
KAREN DESROCHES

MARKETING COMMUNICATIONS

HORACE T. HOWLAND, *Director*
VICKI REYNOLDS, *Marketing Associate*
PRISCILLA ARNOLD, *Marketing Assistant*
STEPHANIE WARNESEY, *Graphic Arts Supervisor*
SHARON PRICE, *Graphic Arts Designer*
DOUG WEBSTER, *Director of Public Relations*
WILBUR S. WATSON, *Operations Manager, Exhibits*
PATRICIA AKERLEY, *Research Manager*
CYNTHIA DAMATO SANDS, *Reader Service Coordinator*

ACCOUNTING

DANIEL RODRIGUES, *Business Manager/Controller*
KENNETH A. KING, *Assistant Controller*
VICKI WESTON, *Accounting Manager*
LINDA SHORT, *D/P Manager*
EDSON WARE, *Credit*
MARILYN HAIGH
DIANE HENRY
VERN ROCKWELL
JOANN WALTER

BUILDING SERVICES/TRAFFIC

ANTHONY BENNETT, *Building Services Manager*
BRIAN HIGGINS
MARK MONKTON

RECEPTIONIST

L. RYAN MCCOMBS

PERSONNEL

CHERYL A. HURD, *Office Manager*
PATRICIA BURKE, *Personnel Coordinator*

BYTE BUSINESS PHONES

PETE HUESTIS, 603-924-6137
HORACE HOWLAND, 603-924-3424
DOUG WEBSTER, 603-924-9027
BRAD BROWNE, 603-924-6616
ADVERTISING, 603-924-6448
CIRCULATION, 800-258-5485

CROMEMCO COMPUTERS: DESIGNED TO MAKE UNIX SYSTEM V EVEN BETTER...

UNIX System V, the new standard in multi-user microcomputer operating systems, gives you high performance features along with the portability and flexibility of a standard.

Cromemco computers can make UNIX System V even better. Because our systems are designed with UNIX in mind. First of all, we offer UNIX System V with Berkeley enhancements. Then, our hardware uses advanced features like 64K of on-board cache memory and our high speed STDC controller to speed up disk operations—very important with UNIX.

More capability and expandability

We have a high-speed, 68000-based CPU that runs at 10 MHz, coupled with a memory manager that uses demand-paging and scatter loading to work *with* UNIX, not for it.

We provide room for expanding RAM to 16 megabytes—with error detection and correction—for running even the most sophisticated and advanced microcomputer programs. And the power to accommodate up to 16 users—all with plenty of memory.

But we give you even more.

A complete solution

We give you a choice in systems: the System 100 series, expandable up to 4 megabytes of RAM, and the System 300 series, expandable to 16 megabytes. A high speed 50 megabyte hard disk drive is standard on the systems. And you can expand the hard disk capacity up to 1200 megabytes using standard SMD drives. You can add floating point processing. High resolution graphics. Video digitizing and imaging. Communications through

standard protocols. Mainframe interface.

And software support is here to meet your needs. We offer major programming languages, database management systems, communications software, including SNA architecture, X.25 protocol, and Ethernet; even a program to interface to an IBM PC if you need to. And, of course, access to the broad range of standard UNIX applications programs that is growing dramatically every day.

Easy to use.

We also make our systems easier to use, because we install the operating system before we ship your computer. No complicated installation procedures. And the Berkeley enhancements give you the standard UNIX System V operating system, but with the added convenience of these widely acclaimed improvements.

Cromemco's System 100 and System 300 computers: designed to be the highest performance UNIX systems available anywhere.

Just call or visit one of our UNIX System V Official System Centers to see for yourself. They'll also give you a copy of our new publication, "What you should know before you buy a UNIX system." Or contact us directly.

We'll be glad to show you how to get a better UNIX system.

Corporate Headquarters: Cromemco, Inc.,
280 Bernardo Avenue, P.O. Box 7400, Mountain
View, CA 94039. (415) 969-4710. In Europe:

Cromemco
GmbH, 6236
Eschborn 1,
Frankfurter Str.
33-35, P.O. 5267,
Frankfurt Main,
Germany.



UNIX is a trademark of Bell Laboratories.
IBM is a trademark of International Business Machines Corp.

Cromemco®

SERVICE AND SUPPORT

When computers are working they keep us entertained, or at least occupied. That's why happy customers seldom praise the retail stores and mail-order businesses that sold them their computer equipment, and why we hear much more criticism of computer dealers. Often retail salespeople are decried for knowing little about the computers and software they sell and mail-order firms for providing less customer support than retail stores.

But the reality varies from store to store and transaction to transaction. I have had nothing but good experiences with mail-order companies, including free replacement of 100 floppy disks when three of ten in the first box wouldn't format properly. I've bought software, a modem, a printer, and various supplies through phone orders to mail-order businesses.

My experiences in retail stores have been mixed. I once heard a salesman tell a customer that Pickles and Trout were programming languages (they actually were two people who produced a version of CP/M for the Tandy Model II). On another occasion the sales staff of a retail store refused to go through the bother of taking an order for VisiCalc or to hold a copy for me from the next shipment. I went back several times only to find VisiCalc sold out again and no one willing to take my order. (Finally, I bought VisiCalc through mail order and had no problems.) On the other hand, the retail salespeople at the computer store where BYTE made some recent purchases not only know what they are doing but also give technical support when things go wrong.

STREET ADDRESSES

There is room for improvement in both mail-order and retail computer

sales practices. The great concern with mail-order businesses is well expressed in a letter we received from John C. Gunn, director of consumer affairs for Priority One Electronics of Chatsworth, California: "Although we are primarily an industrial distributor, a measurable portion of our revenue comes from our 'mail-order' ads. We frequently hear horror stories about some poor soul who sent his money to a mail drop or post office box somewhere... and never saw any product or a dime of his dough. Incidents such as this hurt all of us."

Priority One took an interesting practical step to counteract this problem. "To assist in protecting unwitting consumers from unscrupulous advertisers," Gunn writes, "we lobbied strongly for the passage of a bill introduced by California Assemblyman Jack O'Connell. This law requires all advertisements in our state to carry the street address of the company placing the advertisement." We commend Priority One for its efforts to protect the interests of customers of mail-order businesses.

REMOTE DIAGNOSTICS

The convergence of computer and communications technologies offers an unprecedented opportunity for improving customer support. When a personal computer is connected to the telephone system through a modem, and if the operating system and hardware are still capable of taking input from the serial port, then someone at the other end of the telephone line should be able to take control of the computer and put it through a series of diagnostic tests.

The availability of such remote diagnostics would be a great convenience for computer users, retail stores, mail-order businesses, and

manufacturers. Remote diagnostics would be much less expensive than shipping costs and would reduce or eliminate the problems sometimes caused by the consumer's inability to describe a problem in a way meaningful to technicians. Instead of lugging the machine back to the store or packing it up for shipment, the consumer could just connect the computer to the telephone and watch the diagnostics at work. In many instances, the consumer could learn what was wrong and how much it might cost to fix before sending out the equipment. The service organization would know what type of repair was coming and be prepared to fix it. In some cases the machine wouldn't have to be sent out at all; there could be a software fix or a board swap.

Some companies already furnish diagnostic disks. These disks are valuable, but because of a lack of information needed to interpret the results of the tests, they tend to leave the customer poorly informed. Remote diagnostics would permit the service organization to use additional tests to identify the problem more precisely and then to tell the customer more about the extent of the repairs and potential costs.

Since repair bills can range from \$75 to more than \$1000, mystery breeds distrust. Consumers often express suspicion about repair costs of the automobile and other familiar machines. Similar feelings of distrust about repairs of computer equipment could become much more pervasive. Remote diagnostics could reduce mystery and improve consumer confidence in the computer industry. We hope the use of remote diagnostics becomes standard industry practice.

—Phil Lemmons, Editor in Chief



Maxell Gold. The floppy disk that turns Apples[®] golden, keeps AT&T on-line, and makes every Texas Instrument[®] a gusher.


Whether you're exploring for profits, reaching out for projections, or polishing your argument, there's a Maxell floppy disk perfect for your computer. Consider the unique way we pack and bind our oxide particles for quality over the long run. Or our lifetime warranty. Maxell. The Gold Standard in floppy disks. Precious metal for virtually every computer made.

maxell[®]
IT'S WORTH IT.



SEEQUA SHOWS YOU HOW TO GET AN IBM PC FOR JUST \$1595.

BUY A CHAMELEON BY SEEQUA.



The Chameleon by Seequa does everything an IBM PC does. For about \$1000 less than an IBM.

The Chameleon lets you run popular IBM software like Lotus® 1-2-3™ and dBase II.® It has a full 83 key keyboard just like an IBM. A disk drive like the IBM. And a bright 80 × 25 character screen just like an IBM.

But it's not just the Chameleon's similarities to the IBM that should interest you. Its advantages should, too. The Chameleon also has

an 8 bit micro-processor that lets you run any of the thousands of CP/M-80® programs available. It comes complete with two of the best programs around, Perfect Writer™ and Perfect Calc.™ It's portable. And you can plug it in and start computing the moment you unwrap it.

So if you've been interested in an IBM personal computer, now you know where you can get one for \$1595. Wherever they sell Chameleons.

The Chameleon by



SEEQUA
COMPUTER
CORPORATION

8305 Telegraph Road
Odenton, MD 21113

Chameleon shown with optional second disk drive.

To learn more about Seequa or for the location of the Seequa dealer nearest you, call (800) 638-6066 or (301) 672-3600.

IBM is a registered trademark of International Business Machines Corporation.

CP/M for the Macintosh

IQ Software, Fort Worth, TX, is selling a version of CP/M-68K for Apple's 128K-byte Macintosh for \$395, including Digital Research's C Compiler and Macro Assembler. CP/M 2.2 emulation is available for \$195 extra but runs only on a 512K-byte Macintosh. A 512K-byte Macintosh is also required to access the mouse and pull-down menus. CP/M-68K disks are not compatible with other Macintosh disks.

Superex, Micromax Unveil Macintosh Business Software

Superex Business Software, Yonkers, NY, announced 25 new products for the Macintosh, priced from \$20 to \$800. The least expensive item is also the only hardware product introduced: MacSpeak is a \$19.95 external speaker. All products should be available this month.

Also included are business programs for cost estimating, time billing, inventory, finance, business letters, sales, and wholesaling. A complete accounting package with Accounts Payable and Receivable and General Ledger modules is \$750. A Home Executive program is \$90.

Four engineering packages—for civil, mechanical, chemical, or electrical engineers—are \$100 each. A MacScience series includes Physics or Chemistry formulas for \$100 each. Statistics and job-hunting programs were also announced.

Micromax, San Diego, CA, introduced Gallery, a business-accounting software series. The Finance module, which includes General Ledger, Accounts Payable and Receivable, and Cash Disbursement, is \$795; industry-specific vertical applications are also planned.

Conetic Introduces Desktop Management Software

Conetic Systems Inc., San Leandro, CA, introduced Higgins, a specialized relational database program for the IBM PC XT or PC AT that includes an appointment calendar, telephone/address file, expense report, and message features. Information entered into the program is linked to related files; for example, the telephone directory is checked when an appointment is made. Information for up to seven people can be tracked on one computer. A local-area-network version that exchanges nonprivate schedule information is also available. The single-user version of Higgins is \$395.

Lantech Offers UNIX-like Operating System for \$129

Lantech Systems Inc., Dallas, TX, announced uNETix 2.0, a multitasking operating system for the IBM PC that it says is compatible with AT&T's UNIX operating system but costs just \$129. Using optional \$100 window-management software, PC users can execute up to 10 applications concurrently; one of those could be a PC-DOS application running under Lantech's \$50 PC Emulator.

While a hard disk is recommended, Lantech says the operating system can run on a two-disk system. A separate version of uNETix is available for use in local-area networks.

Smalltalk for PCs

Digitalk, Los Angeles, CA, introduced Methods, a Smalltalk-80 object-oriented development system for the IBM PC. The \$250 system includes a compiler, debugger, and text editor; it uses a text-based windowing system with pop-up menus. Methods requires an IBM PC with 512K bytes of RAM and two 360K-byte disk drives.

Software Systems, San Francisco, CA, is also developing a Smalltalk for the Apple II, with later versions planned for 8088- and 68000-based systems.

(continued)

Software Teledelivery Efforts Falter

At last year's Winter Consumer Electronics Show, several companies announced or discussed plans for electronic delivery of software. Some, including Xante, Romox, and Cumma Technology, planned to download to erasable programmable read-only memory (EPROM) cartridges at dealer terminals. Others, including Control Video's GameLine and the Nabu Network's cable service, downloaded programs directly to computers or video games.

Xante, Romox, and Cumma have all ceased operations, mainly because of poor dealer response and the general collapse of the cartridge video-game market. Nabu's cable-TV-based software-downloading service continues to operate in Ottawa, Ontario, despite financial troubles. Control Video Corp., Vienna, VA, said poor distribution and the general video-game slump led it to cancel its GameLine service for the Atari 2600 VCS.

Control Video is now testing a new service which allows subscribers to play 20 games available each month as often as they wish for a \$14.95 monthly fee, which includes rental of a 2000-bps modem from BellSouth. MasterLine is now available for Apple II and Commodore 64 owners in Atlanta, Los Angeles, Houston, and Washington, DC.

Separately, NBC announced that it would cancel the NBC Teletext service in late January.

NANOBYTES


Intel introduced the 82588 single-chip local-area-network controller. The 82588 can be used in low-cost baseband or broadband networks—including such IEEE 802.3 protocols as IBM's PC Network and the developing STARLAN—at speeds up to 2 megabits per second. Initial pricing will be \$45 each in large quantities. . . . **Laserstore**, Princeton, NJ, plans to sell a 2.5-gigabyte write-once optical streaming-tape drive. The drives should be available in large quantities in mid-1986 for about \$2500. . . . **Multi Solutions** announced a licensing agreement with **Computer Engineering & Consulting** of Tokyo, under which CEC will translate Multi Solutions' S1 operating system for Japanese computers. Currently, S1 runs on several 68000-based computers and is being translated by MSI for the IBM PC AT. The agreement guarantees a minimum of \$40 million in royalties, according to Multi Solutions. . . . **WATCOM Products Inc.** has released two products developed at the University of Waterloo in Canada. WATFILE is a \$295 data-management system for the IBM PC; JANET/2 is networking software for IBM's PC Cluster system. . . . **Alphacom** announced a 133-character-per-second printer at \$249 that it says is compatible with Epson's RX-80. . . . **Corvus** and **NEC** have agreed to jointly develop a single-chip controller for Corvus's Omninet local-area network. Currently, an Omninet controller requires three chips developed by Corvus. . . . **Advanced Micro Devices** now offers a 10-MHz version of the 80186 processor. . . . **Phoenix Software**, Norwood, MA, has developed an IBM PC XT-compatible ROM BIOS and is developing software compatible with IBM's PC AT. Phoenix's earlier IBM PC-compatible ROM BIOS code has already been licensed by **AT&T**, **Kaypro**, **Tandy/Radio Shack**, **Wyse Technology**, and **Zaisan**. . . . Rumors that **Tandy** would begin selling **ACT** computers in its Radio Shack stores are apparently false. Instead, the two companies announced a joint venture to operate a chain of computer stores in Europe, called **TA ComputerWorld**. The stores will sell both Tandy and ACT computer products. . . . **AST Research** announced RamStak, a memory-expansion board for the Apple Lisa computer. The board can add up to 2 megabytes of memory to the Lisa; with 512K bytes, it's priced at \$1395. . . . **Mosaic Electronics**, Oregon City, OR, announced Access-M, an expansion card for the Commodore 64 adding up to 1 megabyte of memory. The standard \$195 card includes 64K bytes of RAM and RAM-disk software; additional memory is plugged into the card. . . . PortaAPL, a \$275 APL interpreter for the Macintosh, was introduced by **Portable Software**, Cambridge, MA. PortaAPL adds a full-screen editor and access to many Macintosh ROM toolbox routines to the standard APL language but requires a 512K-byte Macintosh. . . . **C Line Inc.**, Chicago, IL, announced a dBASE II-to-cEnglish converter. The \$795 program converts standard dBASE II source code into cEnglish, which is then translated by the \$900 cEnglish program into C, which is in turn compiled into machine language by a C compiler.

**The TI 855 is
the only printer
with letter quality,
draft speed,
graphics,
plug-in font
modules...
all for under
\$1000.** (suggested retail price)




Finally, the printer for all PC needs.

The TI 855 printer. The
printer for all major PC's.
See for yourself today.
Call 1-800-527-3500
for the dealer
nearest you.



**TEXAS
INSTRUMENTS**
Creating useful products
and services for you.

Slide Cat FROM KODAK INTRODUCES:
**THE CAT-QUICK
SLIDE-MAKERS
THAT WILL
MAKE YOU GRIN.**



Turn CRT Data Into A Slide, Cat-Quick.

"Now you can make presentation-quality *instant* slides from CRT screens, one at a time. Slides that integrate beautifully into the rest of your show. It's like having your own instant slide department. And you don't have to be an audio-visual professional to do it.

"Kodak's new cat-quick slide-makers are a versatile group of



KODAK INSTAGRAPHIC CRT Slide Imager
Contains KODAK INSTAGRAPHIC Camera Back, KODAK INSTAGRAPHIC Slide Module, and KODAK INSTAGRAPHIC CRT Cone. Just add the appropriate CRT adapter to make instant presentation-quality slides that integrate beautifully into the rest of your show. There's even an optional module that lets you make prints.



KODAK CRT Adapters
Make an instant slide or print from your screen, any screen—9-, 12-, 13-, even 19-inch—with your choice of adapter to fit between the imager and the CRT screen.

conversion from CRT to slide can save you time, and money! For slides from hard copy use our

sleek copy stand. Both methods are easy and affordable.

"Your options are many. You can buy one product, or the entire line. Make a single slide or an entire presentation. Prove a point, or wow an audience.

Even use our camera back, module, and film to photograph images electronically transferred with many manufacturers' video image recorders! And get results that make a grin begin.



KODAK INSTAGRAPHIC Slide Mounter and Mounts
Last step. Mount your slide quickly and easily with this simple-to-use device. Eases film into the slide mount automatically, so you never have to snap the mount together or touch the image area.

"To learn more about these new state-of-the-art products, call 1 800 44KODAK, Ext 233 (1 800 445-6325, Ext 233), or use the coupon below. Or contact your local dealer in Kodak audiovisual products, listed in the Yellow Pages under 'AV equipment and supplies.'"




KODAK INSTAGRAPHIC Copy Stand

Use this well-designed unit to make slides of pictures, printed material, and artwork up to 11" x 17". Or small, three-dimensional objects. Right in your office. In ordinary room light.

state-of-the-art products designed to convert computer-generated material into slides, fast!

"With our new imager, you can make instant slides (or prints) from just about any data that appears on your CRT screen...pie charts, bar charts, organization charts, etc. And you can use just about any size terminal—9-, 12-, 13-, even 19-inch screens. Direct



KODAK INSTAGRAPHIC Color Slide Film

Shoot just one slide or an entire presentation. One-at-a-time exposure means you waste no film, waste no money. If you need instant color prints of CRT displays, use KODAK INSTAGRAPHIC Color Print Film and substitute the KODAK INSTAGRAPHIC Print Module.



New cat-quick slide-makers from Kodak.

**THEY'RE GONNA
MAKE YOU GRIN.**

Eastman Kodak Company, Dept 412L
Motion Picture and Audiovisual Markets Division
Rochester, NY 14650

- ☐ Please have a representative call me. A8071
☐ Please send me your informative Slide Cat brochure. A8072

NAME _____
TITLE _____
COMPANY _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____
PHONE _____

L·E·T·T·E·R·S

CP/M PLUS FOR THE MODEL 4

Editor's note: In the following sequence of letters, reader William F. Crowell addresses Tandy Corporation Chairman John Roach, BYTE (having received a copy of Crowell's letter) responds to Crowell, and David Krebs of Tandy replies to Crowell.

Dear Mr. Roach,

I am a longtime computer customer of Tandy Corporation. I presently own two Model 1s, a Model 4, and a Model 4P. For over 18 months now, since it was first announced, I have been waiting to receive a working version of Model 4 CP/M Plus.

First, I had to wait 13 months after Tandy announced the product before it was even released. (However, this didn't stop Tandy from advertising the product as available during this entire period of time, presumably to sell more Model 4s to customers who want to run CP/M Plus.) I immediately bought a copy. As you know, however, the original release was full of bugs.

I volunteered to beta-test the new preliminary version 1.1, which I did. I immediately discovered that random access failed miserably. Then I observed from the source code, RANDOM.ASM, that virtually nothing had been done to implement random access on the Model 4 hardware environment.

Tandy calls this an operating system? How could the company even release it in the first place without random access? Also, the BIOS is supposed to emulate a DEC VT-52 terminal, but it doesn't. Many of the VT-52 control codes don't work. Further, the promised CBASIC has never been released, and there is no release date that I am aware of.

How is it that Tandy is able to release so much other TRS-DOS software, but it takes over 17 months now to merely write a correct BIOS for CP/M Plus? This rather obviously represents a violation of the antitrust laws.

Why haven't the popular magazines reported this irresponsible and reprehensible conduct by Tandy? Are they afraid of losing your advertising?

You are hereby placed on notice that I will attempt to file a class-action suit against Tandy Corporation for consumer

fraud, breach of contract, antitrust, and possibly other causes of action unless working versions of CP/M Plus and CBASIC are available for purchase and the working version of CP/M Plus is provided to purchasers of the original version within 30 days of this date.

I am sorry to take such an unfriendly tone in this letter, but apparently threats of legal action are the only thing that Tandy understands.

WILLIAM F. CROWELL
Attorney
Oakland, CA

BYTE replies:

We called Mark Yamagata of Tandy regarding CP/M Plus for the Model 4. Mr. Yamagata quickly admitted that there were bugs in the product. He added that the new version was almost ready but that one more bug had to be worked out. He said the new version would be available by the end of October. He also said that all registered users would be advised of the new version, which will be available to them at no charge. We hope the new version solves the problems you've encountered with CP/M Plus; if not, or if Tandy fails to ship the new version, please let us know so we can report on it.

As to magazine policies on publishing letters to the editor, we receive far more letters than we can publish. We try to choose those of greatest interest to the greatest number of readers. When we receive copies of complaints like yours, we generally call the company involved and try to obtain information about how the problem can be solved. If a solution appears imminent, we call the author of the letter and inform him or her. By the time we could publish the letter, the reason for the complaint will have disappeared.

In this case, the solution appears to have been "imminent" for a long time. We hope that CP/M Plus is now fully functional on the Model 4.

Tandy replies:

Dear Mr. Crowell,

I regret your problems with Model 4 CP/M Plus, but I can do no more than to

repeat some of the points that I mentioned during our previous telephone conversations. You are correct in observing that Model 4 CP/M Plus got onto the market later than we originally intended and that the initial release had bugs. This, as you know, is not at all unusual with software. Virtually all software packages do contain bugs when they are first released, and these bugs are subsequently removed as later versions of the software packages come into the market.

From your letter I infer that you do not regard the version of Model 4 CP/M Plus that we are now selling as a "working version." I must respectfully disagree. It is the position of Tandy Corporation that our Model 4 CP/M Plus software package is quite adequate for the purposes for which it is intended, and retail sales to date, as well as user feedback, indicate that the public agrees with us. I am sorry if this particular software package is not suitable to you in some way or ways, but you will understand, I trust, that it is not possible for us to design our products so that they are perfectly acceptable in every respect to every single member of the buying public.

Regarding your comments on the VT-52, please note that the first release of the Model 4 CP/M Plus manual did contain errors on the decimal values assigned to the VT-52 emulation codes. The correct codes have been sent to you by Mr. James Brown, of this office, and a Publication Change Notice has been submitted for future editions of the manual. You will find that the VT-52 control codes will work correctly with the information that Mr. Brown sent to you.

(continued)

LETTERS POLICY: To be considered for publication, a letter must be typed double-spaced on one side of the paper and must include your name and address. Comments and ideas should be expressed as clearly and concisely as possible. Listings and tables may be printed along with a letter if they are short and legible.

Because BYTE receives hundreds of letters each month, not all of them can be published. Letters will not be returned to authors. Generally, it takes four months from the time BYTE receives a letter until it is published.


Portable

Backup!




Back Up All the Hard Drives in Your Office.

The MaynStream offers fully portable hard drive backup employing the latest software technology. It is compatible with IBM, Compaq, and NCR personal computers* and comes with an industry-leading 1-year warranty.



MAYNSTREAM
TAPE BACKUP SYSTEM
BY MAYNARD ELECTRONICS



*IBM is a trademark of International Business Machines. Compaq is a trademark of Compaq Computer Corporation. NCR is a trademark of NCR Corporation.

Maynard Electronics

430 E. SEMORAN BLVD., CASSELBERRY, FL 32707

305/331-6402

Inquiry 202

R·E·A·P™

REAL ESTATE

ANALYSIS SOFTWARE

A New Tool For Real Estate Profits!

Real Estate Investment has become a complex and sophisticated challenge. Today's investor is faced with an ever-increasing difficulty in forecasting expenses and value, and a bewildering array of financing options and tax laws.

Now, **R·E·A·P™** gives you a powerful analytical tool for making rapid and informed decisions on the income potential and liquidation value of a property.

Although written by financial professionals to the exacting specifications of the sophisticated investor, **R·E·A·P™** remains easy to use by anyone buying or selling property.

R·E·A·P™ forecasts expense, loan, tax, and depreciation data, enabling you to build a comprehensive financial model of any real estate investment.

Some Special Features:

- Allows all data categories to be altered and recalculated for true "what if" analysis.
- Saves data for future analysis or manipulation.
- Automatically adjusts for calendar year.
- Forecasts expenses by 3 user selected methods.

Printed Reports:

- Adjusted tax basis
- Capital gain at sale
- Sales proceeds, after taxes
- Calculated value of investment
- Income and expense analysis
- Cash flow analysis
- Net benefit analysis
- Net equity analysis

SPECIAL INTRODUCTORY PRICE \$149.00

MANUAL ONLY: \$15 PLUS SHIPPING
Mass. residents add 5% sales tax.
10 DAY MONEY-BACK GUARANTEE
VISA OR MASTERCARD

R·E·A·P™ is available for: IBM-PC/XT* and
COMPATIBLES (including 80186 micro-
processor), APPLE III*, APPLE II* and IIe*.
Requires 128K of RAM and 2 disk drives.

*Trademarks of Micro-Soft and Apple Computer.



TOLL-FREE ORDER LINE 1 • 800 • 637 • 0012

Call or write today!

COMPUDEC, Inc.™
124 St. Mary's Street
Boston, MA 02215
(617) 267-3592

LETTERS

Enclosed please find a BASIC program that utilizes random-access procedures to retrieve and store data. At this time, we are not able to duplicate any inherent flaws with random-access procedures in CBASIC under CP/M Plus.

Let me advise you as well, by the way, that the catalog number for Model 4 CBASIC is 26-2217, and it is now available in our stores at a retail price of \$99.95. In fact, it was released in June of this year. I repeat my previous offer to you: if you wish to have a full refund on the Model 4 CP/M Plus package that you purchased, just send me the complete package (media and manual) together with a copy of your sales receipt. I shall then see that a check is cut and sent to you at once. I make this offer to you in an effort to retain your goodwill.

I do not pretend that our position, as I have stated it above, will be perfectly acceptable to you, but I trust that at least you now understand it clearly. We do appreciate your past business, and I hope that we shall be favored with more of it in the future.

DAVID KREBBS
Radio Shack Computer
Customer Services

A PIRATE CONFESSES

This is an open letter to software vendors and dealers. It has been prompted by various letters and articles that I have read recently concerning why otherwise ethical people would "pirate" software.


I do not advocate the piracy of software. It is nothing short of theft. However, I have been guilty of pirating a package or two for one reason: I refuse to spend my money on software that I cannot be sure will run on my machine. No vendor that I know of will offer you a money-back guarantee on its software package. I work on mainframe computers for a living, and very few vendors of mainframe software will not let you have a 30-day trial on one of their packages.

I understand that the volume of dollars spent on a mainframe package is considerably more than what personal computer users spend for their software packages; however, we personal computer users do not work with the same size budgets as mainframe users.

Some software vendors do in fact offer demonstration disks, but the disks that I've seen flash lots of colors and text describing the products but do not give you an opportunity to use the products and

(continued)

What every Apple owner should know about **WORD JUGGLER.**TM



If you own an Apple IIe or IIc—or you're planning to buy one—here are a few things you should know about Quark's Word Juggler word processor.

First of all, Word Juggler is the only word processor that gives you a powerful spelling checker *and* a built-in telecommunications feature. So you can create a document—check it for spelling errors—and then send it via electronic mail. All with just one program.

Plus, Word Juggler is the most easy-to-use, professional word processor you can buy for your Apple. Virtually every function—even complicated “cut-and-paste” tasks—can be accomplished with a single keystroke.

There's nothing to memorize, either. Because Word Juggler comes with replacement keycaps—and a special keyboard template—which identify principal editing and formatting commands. So you can focus your efforts on using the program, not learning it.

Fact is, no other word processor for your Apple IIe or IIc gives you this unique combination of power, functionality and ease of use. And if all these advantages aren't compelling enough, check the price. Suggested retail is only \$189.

So visit your favorite dealer today. Ask for a complete demonstration—and for a copy of our brochure, “What Every Apple Owner Should Know About Word Juggler.” If you don't have a favorite dealer, but would like one, just call 1 (800) 543-7711. We'll fix you up.

QuarkTM
INCORPORATED
Inquiry 264

2525 West Evans, Suite 220
Denver CO 80219

Quark and Word Juggler are trademarks of Quark Incorporated. Apple is a registered trademark of Apple Computer, Inc.

Ask about our specially-priced educational version.

Copyright 1985. Quark Incorporated

Photography by Barbara Kasten

FINALLY! MAIL ORDER SERVICE YOU CAN DEPEND ON!

EXPRESS**BUSINESS SOFTWARE**PROFESSIONAL SUPPORT **PLUS** RELIABLE PERSONALIZED SERVICE
AND WE'LL STILL BEAT MOST PRICES IN THIS MAGAZINE!

WORDSTAR PROPAK	SYMPHONY	SIDEKICK (C.P.)	MULTIMATE	TURBO PASCAL (C.P.)	LOTUS 1-2-3
\$243	\$409	\$39	\$253	\$39	\$295
AID		HARVARD SOFTWARE		MONOGRAM	
Typequick	85 85	Harvard Project Mgr	395 240	Dollars and Sense (IBM)	179 149
ALPHA SOFTWARE		HERITAGE		Dollars and Sense (Mac)	149 119
Data Base Manager	295 179	Smart Key	90 65	OASIS	
ANDERSON-BELL		IUS		Word Plus	150 105
Abstat	395 267	Easy System II	395 184	Punctuation and Style	150 95
ASHTON-TATE		General Ledger	595 319	PACIFIC DATA SYSTEMS	
D Base II	265	Accounts Payable	595 319	Money Track	295 219
D Base III	363	LEXISOFT		PEACHTREE	
Framework	363	Spellbinder	495 239	Peachtext 5000	425 185
Friday	169	LIFETREE		Calendar Management	195 165
ATI		Volkswriter Deluxe	295 158	Decision Manager	625 495
Training Word Star	75 45	LIVING VIDEO TEXT INC.		Business Graphics System	295 219
Training dBase II	75 45	Think Tank (IBM)	195 149	Peachpak 4	395 199
BORLAND INTERNATIONAL		Think Tank (Mac)	150 109	PETER NORTON	
Toolbox	49 40	MDBS		Norton Utilities	100 65
COEX		Knowledgeman	500 299	PRENTICE-HALL	
Advanced Lotus 1-2-3	70 45	MECA		Execuision	395 299
CHANG LABS		Managing Your Money	199 135	SELECT INFORMATION SYSTEMS	
Rags to Riches Ledger	99 79	MICROPRO		Select Word Processor	295 199
CONDOR		WordStar	350 195	SORCIM	
Condor 3	650 249	SpellStar	99 79	SuperCalc 2	295 154
CONTINENTAL SOFTWARE		CorrectStar	145 99	SuperCalc 3	395 199
Home Accountant Plus	150 99	MailMerge	99 79	SOFTWARE PRODUCTS INT'L	
DIGITAL MARKETING		InfoStar	495 248	Open Access	695 349
Writers Pak	295 199	WordStar 2000	CALL	TYLOG	
Footnote	99 84	WordStar 2000 Plus	CALL	dBase Window	249 155
Datebook II	295 179	MICRORIM		WARNER SOFTWARE INC.	
Notebook	150 98	R Base 4000	495 299	The Desk Organizer	195 129
Proofreader	50 38	Extended Report Writer	150 119	WOOLF SYSTEMS	
Grammatik	75 65	MICROSOFT		Move It	150 85
ENERTRONICS		Multiplan	250 139		
Energistics W/Plot.Opt.	450 297	Word/Mouse	475 319		
FOX & GELLER		Chart (Mac)	125 99		
DGraph or Quickcode	295 159	Cash Plan (IBM)	150 50		
dUtil	99 58	MICROSTUFF			
FOX RESEARCH		Crosstalk	195 98		
10 Base	495 399				
FUNK					
Sideways	60 45				

Free UPS shipping on orders over \$1,000.00

CALL FOR PRODUCTS YOU DON'T SEE HERE!

CALL FOR OUR FREE CATALOG

TO ORDER CALL TOLL-FREE:

(800) 235-3020 (USA)

(800) 235-3021 (CA)

(415) 382-9085

EXPRESS
BUSINESS SOFTWARE448 IGNACIO BLVD., STE. 332
NOVATO, CA 94947**TERMS:**

- Call for shipping charges and support policies
 - Full guarantee against manufacturers defects
 - Allow 3 weeks for checks to clear
 - Prices may change
 - Call for availability
 - No cash refunds!
- Due to our low prices, all sales final.

- SAME DAY SHIPMENT ON MOST ORDERS
- Prompt UPS service
- Authorized purchase orders accepted
- Dealer, institutional and quantity discounts available
- No surcharge for credit card purchases
- VISA & Mastercard accepted
- COD

determine if they will satisfy your needs. I try to study a product as much as I can from reviews in the trade publications. I then select one or two similar packages and attempt to find people who are using them. I obtain a copy (or the original) and the product's documentation, and I try the package out for a month or so. If I like the product, I then purchase a "legitimate" version of it, or else I erase my copy or return it to the lender. In this respect I am probably more ethical than most in that I will buy a legitimate copy of any software that I intend to use on my machine for any length of time after I have already obtained a pirated version of it.

I seek only to protect my investment, and I will discontinue this practice when I can obtain a full-function demonstration disk of a package that I intend to purchase. I somehow expect that quite a number of software vendors would be opposed to a 30-day trial arrangement because their products wouldn't stand up to head-to-head competition.

NAME AND ADDRESS WITHHELD

NO SUPPORT FROM APPLE

I would like to confirm the lack of available Apple documentation noted in Dennis Doms's letter ("A Call for Better Apple Support," September 1984, page 14).

After purchasing an Apple IIc in May to complement my IIe while I was traveling, I was immediately confronted with a lack of technical details needed to connect my "non-Apple" peripherals to the IIc. What are the pin connections on the serial ports? What are the memory locations that control baud rate, characters per line, ACIA status, etc?

Since I travel extensively I thought I could pick up the *Apple IIc Reference Manual* in one of the many authorized Apple dealers I visit when out of town. After visiting over 30 stores in New York, New Jersey, southern California, and Oregon, I have been unable to find the reference manual.

I hope that letters like Dennis's and mine will stir Apple into getting the publications into the hands of the thousands of Apple users who want to know all there is to know about one of the most revolutionary products of our times.


GEORGE W. ZIEGLER, JR.
Mahwah, NJ

I read with interest Dennis Doms's letter describing his problems obtaining Apple documentation.

(continued)


And you thought there was only one "Graphics Card."

AST introduces Preview!™ for \$100 Less.




SYMPHONY™


WORD™



1-2-3™



FRAMEWORK™



MetaWINDOW™

Now you have a choice for bit-mapped graphics. Priced at \$399—\$100 less than what you'd expect—AST's Preview! brings high resolution bit-mapped graphics and clear, crisp text to your IBM® PC, XT or AT monochrome screen. And there's no standard like AST quality.

Preview! provides all the features and functions you'd expect, like bit-map addressing the maximum supported 720 horizontal pixels by 348 vertical lines for two pages of full-screen high resolution graphics, an IBM PC-compatible parallel printer port and Hercules™ bit-mapped graphics card compatibility.

It works with all kinds of software too, no other card offers more. New generation integrated business programs, bit-mapped text processing and advanced windowing applications are specialties.

Then there's the nonstandard features AST is famous for—consistent quality, reliability, comprehensive documentation, service, support and extra value. We include our

SuperPak™ RAM disk simulator and printer spooler utility diskette. Judged by PC WORLD readers as a World Class Winner for the past two years, it's worth \$45 by itself.

The leadership strength that makes our consistent quality so affordable is carried throughout our complete line of PC enhancement products. We offer a family of graphics products which provide a variety of features from serial ports to expansion memory, as well as multifunction boards, micro-to-mainframe communications, local area networks and disk subsystems.

So you can settle for the common, ordinary graphics card and hope for the best. Or you can pay \$100 less and know you have the best—Preview! only from AST. For more information and dealer locations call our Customer Information Center (714) 863-1333, Ext. 5249. Or write, AST Research, Inc., 2121 Alton Avenue, Irvine, CA 92714 TWX: 753699AST UR.


FEATURES

- 64K Screen Memory
- Two Pages of High Resolution 720 Horizontal PELS by 348 Vertical Line Bit-Mapped Monochrome Graphics
- 80 Character By 25 Line IBM PC-Compatible Text Display
- Standard IBM Character Set
- Compatible With Popular Bit-Mapped Graphics, Text and Windowing Applications Software
- Parallel Printer Port
- SuperPak Utility Diskette
- Hercules Compatible

Preview! and SuperPak trademarks of AST Research, Inc. IBM trademark of International Business Machines Corp. Hercules Graphics Card trademark of Hercules Computer Technology. Lotus 1-2-3 and Symphony trademarks of Lotus Development Corp. Framework trademark of Ashton-Tate. Word trademark of Microsoft, Inc. MetaWINDOW trademark of Metagraphics.

Inquiry 5 for Dealers.
Inquiry 6 for End-Users.

AST RESEARCH INC.



Available for the IBM PC, AT, XT, jr,* and true compatibles

CLEAR THE DESK, SIDEKICK'S HERE! *The Super Organizer*

ALWAYS JUST A KEYSTROKE AWAY . . .

No matter what software you're running!

WHETHER YOU'RE RUNNING LOTUS, WORDSTAR,
dBASE OR WHATEVER . . .

JUST A KEYSTROKE AND A SIDEKICK WINDOW OPENS . . .

- A CALCULATOR
- AN APPOINTMENT CALENDAR
- A NOTEPAD
- AN AUTO DIALER
- A PHONE DIRECTORY
- AN ASCII TABLE



"IF YOU USE A P
GET SIDEKICK. YOU'LL SOO
BECOME DEPENDENT ON IT

Jerry Pournelle, BYT

Here's Sidekick in action. That's Lotus 1-2-3 running underneath. In the Sidekick Notepad you can see data that's been imported from the Lotus screen. On the upper right, that's the Sidekick Calculator.

ES: (C2) 400


	A	B	C	
REVENUE				
Sales	\$700.00	\$440.00	\$40	
Royalties	\$55.00	\$60.50	\$6	
Other	\$15.00	\$16.50	\$1	
TOTAL REVENUE	\$470.00	\$517.00	\$56	
EXPENSES				
Cost of Materials	\$20.00	\$22.00	\$2	
Rent	\$5.00	\$5.50	\$5	
Advertising	\$45.00	\$49.50	\$5	
Salaries				
Total Expens	\$11:39:23	9/14/1984		
Cost of Materials	\$20.00	\$22.00	\$24.20	\$
Rent	\$5.00	\$5.50	\$6.05	\$
TAX	\$45.00	\$49.50	\$54.45	\$
Net Profit	\$35.00	\$38.50	\$42.35	\$

\$54.95

copy-protected

\$84.95

noncopy-protected



NOW... Whether you're working in dBase, Lotus, Wordstar or whatever... you can unleash the full power of your computer... and make a lot of extra space on your desk at the same time.

Whenever you're using your computer... from start to finish of your session... Sidekick™ will be there... ready to serve. And it's as lightning-fast and compact as only Borland knows how to make it.

There's a notepad that has a full-screen editor that can time and date stamp your notes, and then save them to disk. You can even pull information into the notepad directly from the screen of your "underlying" software.

Suppose you're working in Lotus and the phone suddenly rings. Give your Sidekick a call and it pops right up over Lotus with the notepad you need. Or an appointment calendar... one you can never misplace.

What if you need to do a quick calculation? A keystroke instantly brings up the calculator. And the results of your calculations can even be transferred to your "underlying" software.

Need to make a phone call? Up pops your personal phone directory. Type in the name you want... and Sidekick jumps right to the phone number. Another keystroke, and the phone is automatically dialed for you.†

There's lots more, too. You can move the Sidekick windows anywhere on the screen you like. And you can have as many on screen at a time as you need. There's even an on-line help window for each of Sidekick's features.

We designed it because we needed it. If you've ever been writing a report and needed to do a quick calculation, or jot down a note, then you need Sidekick, too.

†Only with Hayes Smartmodem and compatibles.

GOT YOUR SIDEKICK™ YET?

SIDEKICK IS AVAILABLE AT YOUR NEAREST SOFTWARE DEALER, OR DIRECT FROM BORLAND.

For VISA and MasterCard orders, call 1(800) 255-8008; in California call (800) 742-1133.

Lines are open 24 hours a day, 7 days a week.

Inquiry 33

_____ \$54.95 SideKick
copy-protected
_____ \$84.95 SideKick
noncopy-protected
(Prices include \$5 shipping and handling per order.)

Check ☐ Money Order ☐
VISA ☐ MasterCard ☐
Card # _____

Expiration Date _____

Please be sure your system is an IBM PC, AT, XT jr. or a true PC-compatible. PCjr. users must order noncopy-protected version.

NAME _____

ADDRESS _____

CITY/STATE/ZIP _____

TELEPHONE _____

California residents add 6% sales tax. Outside USA add \$10; payment must be by bank draft payable in the US and in US dollars. COD and purchase orders will not be accepted.

BORLAND
INTERNATIONAL

Borland International
4113 Scotts Valley Drive
Scotts Valley, California 95066
TELEX: 172373

After several years of CP/M experience, I purchased an Apple IIc in May. I have written and phoned Apple in Cupertino, the Apple distributor in Charlotte, and two Apple dealers. The response I have gotten is difficult to accept. Based on the information I have to date, the *Apple IIc Technical Manual*, *ProDOS Technical Manual*, *ProDOS Users Kit*, and *AppleSoft Technical Manual* volumes 1 and 2 are unavailable and there is no official date for delivery.

My choice of the IIc was based on the promise of true portability by the end of 1984. The present availability of carrying cases and portable power supplies coupled with the continued assurance, by Apple, of the flat-screen display in 1984 will provide the hardware I expected when I chose the IIc. The total lack of technical information for the IIc and the operating system will make software development almost impossible.

DON OVERTON
Atlanta, GA

I found the letter by Dennis Doms concerning the lack of technical support by Apple for its new ProDOS System very true. I am one of those newcomers to computers. It is indeed a nightmare trying to make sense out of Apple ProDOS from the scant instructions supplied with the Apple IIe.

For months I have been trying to buy several of Apple's manuals on ProDOS, especially *BASIC Programming with ProDOS*. The authorized Apple dealer has no idea when his shipment will come in.

In my opinion any machine, no matter how excellent it may be, is no better than the instructions that teach the operator how to use it. It seems a pity that a company that can spit out machines at such a terrific rate cannot supply the bare tools the operator needs to operate that machine. Imagine that same company's concern if, when its new production line was ready to roll, it found it had few instructions on how to operate it.

DAVID D. PERRY
Ridgecrest, CA

TAKE BACK YOUR MAC

I am outraged. Apple's original descriptions of the Macintosh, as quoted in the press, made it clear that the Macintosh was a 512K system that was being released in a temporary 128K version due to failures on the part of Apple's suppliers. Now we are told (in defiance of the experience of any user of the machine) that the 128K Macintosh is a useful computer

and will continue to be sold at the original price, while a 512K version will cost \$1000 more. What's more, any purchaser of the earlier 128K machine who desires to upgrade to 512K must pay the \$1000 difference in price. This policy is as blatantly unscrupulous a case of bait-and-switch as was ever practiced.

As a professional programmer, I was intrigued and excited by the concept of the Macintosh and eagerly awaited the release of the real, 512K, machine. As a consumer, I am disgusted by Apple's business practices and have no intention of throwing good money after bad. I am especially frustrated by this decision of Apple's, since I am sure that it will strangle the Macintosh in its cradle, and so my already substantial investment in the machine will have been for nothing.

KIRK RADER
Los Angeles, CA

I openly plead for a programmer or programming team somewhere to develop RAM-disk software to use the 512K RAM on the "fat Mac" as a RAM disk as well as for memory.

A logical configuration to emulate the 128K Mac would be 128K memory with a 384K RAM disk. Later, variable options of more memory and less RAM would be nice, but they are not essential initially. Good programs like Microsoft Word can use disk I/O to make files larger than memory and would not be limited by the main-memory constraint, but rather only by the RAM-disk memory constraint.

Such a RAM disk must permit copying data to and from it, programs to and from it, and opening it. So designed, the system and major programs that use disk overlays could be loaded into RAM, with consequent lightning-speed operation. I believe such software is essential for the Mac to appeal to business. It would also make software development itself easier and faster.

I've checked, and apparently Apple's own programming philosophy is opposed to this concept. If someone does do this, I hope he or she sells it for a reasonable price (\$50 or less) or else releases it accessibly into the public domain. Without such a development, my company will probably never buy a Mac and will probably never develop software for it.

DON SLAUGHTER
MicroCost Software
Seattle, WA

Perhaps two of the most often used words throughout articles dealing with the

Macintosh are "potential" and "wait." The Macintosh was introduced over nine months ago, and still there is a lack of varied and practical software available for the computer. On the day of its introduction Apple announced that "hundreds" of software companies had already had the Macintosh for up to two years. Software for the machine would be available in a torrential flood in a matter of weeks. Nine months later a real word processor (i.e., capable of handling more than eight or nine pages) is still not available, nor can I find a spelling checker, a true database manager, or a high-level language. If software companies have had over two years to work on their products and still have not fully developed what could be considered "standard" software products, just how long is the Macintosh software-development cycle? Is Apple truly supporting its software developers?

Added to the problem of third-party software is the lack of support software from Apple itself. Nine months after the computer was introduced, an assembler has not even been made available, nor is a communication program like MacTerm available yet. Neither of these programs is particularly tricky to write, and, in fact, Apple must have had a 68000 assembler in house for quite a while (rehosting an assembler from the Lisa to the Macintosh takes over nine months?).

Many trade magazines and journals apparently wonder about these same problems. Often an attempt is made to rationalize Apple's tardiness and lack of support. The most common story is: "The Macintosh is a radically new computer requiring programmers to adapt to a completely different kind of style, and besides, 128K of memory makes for a tight squeeze on programs. When the 512K Macintosh is available, all kinds of fancy programs will appear and life will be wonderful again."

Well, the 512K Macintosh was recently announced. Now I can easily find several stores advertising the 128K Macintosh for \$1600 and the 512K Macintosh for \$2400. Yet Apple wants the people who have already paid \$2500 to fork over another \$995 for the 512K upgrade. The entire computer obviously costs far less than \$1000 to make, since that is the price the university consortium schools pay, and you can be certain that Apple is not so dedicated to education that it would pass up this additional source of profit.

If 128K is such a burden on software developers, why wasn't the computer released *after* the expanded memory was

available? This would have given developers more time to work on their software as well. If Apple felt it just had to be in the market with a machine like the 128K Macintosh, why was it priced so high? At least Apple could have promised all the early purchasers a fair price (or even no cost) on the upgrade.

I truly feel that Apple has treated its customers unfairly and with a certain amount of contempt. Prior to owning any Apple product I had a great deal of trust and respect for the company. In fact, it was that trust and respect that convinced me to buy a Macintosh even though I was aware of its limitations. I felt certain that Apple would take care of its customers. However, since buying a Macintosh, that trust and respect has gone. Even though I could recommend no alternative, I would not advise anybody to buy a Macintosh. Instead, I would recommend waiting until Apple straightens up or until another company recognizes the void and fills it.

R.S. LUEBKEMAN

Rancho Cucamonga, CA

CHOOSING A CAMPUS COMPUTER

.....
We have recently undertaken a project to introduce the use of microcomputers in the junior/senior Physical Chemistry course at the University of Florida. Although the students are reasonably mature and mathematically sophisticated, they have shown a surprising reluctance to "get their feet wet" via hands-on work with the microcomputers available for the course (six Sanyo MBC 555 units, chosen for their low price, reasonably good graphics, and ability to use the 8087 math coprocessor).

There are several problems in introducing a microcomputer course as described above at a large state institution such as the University of Florida (35,000 students), where no requirement exists that students purchase a microcomputer (not to mention a specific brand of microcomputer). Even if money were available to fund purchase of sufficient machines to handle approximately 4000 technical students per year, along with space to house them, there remains the possible objection that the entire enterprise would be at least "type-specific." Thus we might select MS-DOS, Microsoft BASIC, and WordStar, which would slant the situation toward IBM PCs and/or compatibles. This might lead to a loud chorus of objections from Macintosh supporters, for example.

(continued)

BAY TECH'S MULTIPORT-FOLIO

**YOUR BEST SOURCE
FOR HIGH QUALITY,
HIGH PERFORMANCE,
DATA COMMUNICATIONS
PRODUCTS**

PORT NETWORKING

Star network capable of any port-to-port connection with up to 18 ports communicating simultaneously.

PORT MULTIPLEXING

Allows up to 8 computers to use the same data communication line simultaneously.

PORT SWITCHING

Expands your single RS232C serial port to 4 or 8 ports. Even more ports by cascading.

PORT CONTENTION

Adds terminals to your computer. For example: 12 terminals can contend for 6 ports on a first come, first serve basis.

PRINTER SHARING

Enables up to 8 computers to automatically share a single printer.

Multiport models with 5 to 18 ports, \$279 to \$1,750.



BAY TECHNICAL ASSOCIATES

P. O. BOX 387
BAY ST. LOUIS, MS 39520

CALL US TOLL-FREE
1-800-523-2702

Telex: 910-333-1618 (BAYTECH)
EasyLink: 6277-1271



While some may disagree, I feel that the situation is more acceptable if reasonable alternate-brand selections do exist, such as the IBM PC, Seequa Chameleon, Eagle, Zenith 150, Tava, Tandy 2000, etc. However, selection of a unique machine such as the Macintosh is virtually an endorsement of a specific brand rather than type, to the exclusion of all others.

I would be interested in hearing from

others concerning this dilemma. Please write to me at the Chemistry Department, University of Florida, Gainesville, FL 32611.

ROBERT J. HANRAHAN
Gainesville, FL

ICONS ARE ARCAINE

.....
Circa 5000 years ago, writing was invented in ancient Mesopotamia. This earliest

known script, cuneiform, was derived from pictographic symbols that became stylized and standardized in form. Eventually it became mixed with phonetic elements until it was almost entirely phonetic. Our alphabet is most probably ultimately derived from ancient Egyptian—also originally a pictographic system. The point is this: Over thousands of years a phonetic and finally alphabetic system was developed. To anyone who has gone through the painful process of learning cuneiform or Egyptian, the superiority of the alphabet is readily apparent. A pictographic system (Apple's "icons") requires that the user learn many, many symbols. My contention is that though users may find icons more "user friendly," ultimately, as systems and software become more complex, the icon system will become more unwieldy and arcane than present systems.

As a humanist who uses computers extensively in my work, I would like to see user interfaces developed for micros that are faster, more streamlined ("elegant"), and smarter ("knowledge-based") to aid in the learning process. It doesn't take the uninitiated user long to grow impatient with the Mac.

ANN MARCHANT
Berkeley, CA

BRAVO, BORLAND!

.....
This is the kind of letter I would like to be able to write more often. It's about the people at Borland International, who distribute Turbo Pascal and, if we are lucky, a lot of other programs.

I've already spoken to Borland's programmers about a problem, and with a completely satisfactory result. The latest event was my ordering of the Commodore 64 CP/M version of Turbo Pascal. When it arrived, it was an MS-DOS disk, which I couldn't use. I scribbled a note on the invoice and mailed the whole package back the same day, the same way it arrived, at a cost of about a dollar in postage.

Today the United Parcel Service truck pulled up and delivered the correct replacement package—Second Day Air. It cost Borland \$4. That is class.

WILLIAM T. POWERS
Northbrook, IL

SAGE DEFENDED

.....
I wish to respond to Dr. Richard Peskin's appraisal of Sage computers ("A Second Opinion on the Sage," September 1984,

(continued)

Graphics Takes A Quantum Leap Forward!




THE INOVION PERSONAL GRAPHICS SYSTEM FEATURES:

- The most advanced color mapping capabilities available.
- 250,000 simultaneously displayable colors.
- A palette of 2.1 million colors.
- Frame Grabber/Digitizer to capture TV, VCR or Video Camera pictures.
- Quality three-dimensional texture capabilities.
- Built-in Icon/Menu software.
- Completely Mouse/Trackball driven.
- Fonts, Brushes, Microscope, Patterns, and Rotations.
- A complete stand alone system.
- A 19" enhanced color monitor.
- 780K Graphics Memory.
- 512 x 480 pixel display with 24 bits per pixel.
- RS232C port allows access to all system functions and memory.
- NTSC composite video and NTSC RGB signal.
- 1-year warranty on graphics generator and 90-day warranty on enhanced monitor.
- Special introductory 30-day satisfaction guarantee.
- Complete system for \$4,495

INOVION

195 East Gentile Street
Layton, Utah 84041
(801) 546-2850



Introducing the Hercules Graphics Card[™] for the technical user.

OK. We confess. The Hercules Graphics Card in the picture above isn't a special version for the technical user.

In fact, it's exactly the same as the standard Hercules Graphics Card running programs like 1-2-3[™] and Symphony[™] in more than 100,000 IBM[®] PCs.

We just wanted to make the point that the Hercules Graphics Card is not only big with business users—it's also the most popular high resolution graphics card for the technical user.

Why? We run more software than anyone else.

The Hercules Graphics Card is supported by more technical software than any other hi-res graphics card.

There are word processors that can produce publication quality documents with mathematical formulas.

There are programs that enable your PC to emulate a graphics terminal

and run mainframe graphics software.

There are toolkits of graphics utilities that can be linked to popular programming languages.

There are CAD programs that can provide features normally associated with \$50,000 systems.

And we supply free software with each card to do hi-res graphics with the PC's BASIC. No one else does.

Hardware that set the high performance standard.

When we introduced the Hercules Graphics Card in August, 1982, it set the standard for high resolution graphics on the PC.

But we didn't stop there. In the past two years, we've continually refined the original design.

Today's Graphics Card gives you two graphics pages, each with a resolution of 720h x 348v, and a parallel printer port—standard.

A 2K static RAM buffer elegantly eliminates scrolling flicker. And our exclusive safety switch helps prevent damage to your monitor.

Convinced? Good. Now, how about a little color?


Should you want IBM compatible color graphics for your system, then the new Hercules Color Card is the smart way to go.

It gives you a parallel printer port and a size small enough to fit in one of the XT's or *Portable's* short slots.

And both Hercules cards are compatible with the new AT[™] and backed by our two year warranty.

Call 800 255-5550 Ext. 408 for the name of the Hercules dealer nearest you and we'll rush you a free info kit. See why the company that made the first graphics card for the IBM PC still makes the best.

Hercules.
We're strong on graphics.



page 18) as lacking "many architectural features needed for multiuser, multitasking applications." This is a gross distortion of the facts, since, from the beginning, Sage has supplied an excellent multiuser BIOS capable of supporting not only multiple users but multiple operating systems running simultaneously. I know of no other supermicro that can make this claim. Even single-user operating systems such as Softech's UCSD p-System appear to be multiuser on the Sage as multiple copies are run in memory partitions isolated by the Sage MU BIOS. The BIOS allows easy configuration of each user's time slice and priority, flexible mapping of RAM disks (yes, more than one!), memory and disk partitions, and serial ports and peripheral devices. Different operating systems may be allowed access to shared disk space.

At last count, at least 11 operating systems are supported, including CP/M 68K, Volition's Modula-2 system, HyperFORTH, and Whitesmiths's UNIX-like multiuser Idris. The Idris implementation currently available was ported to the Sage by Rakon, an Australian company. Rakon's version re-

portedly runs 2.5 to 5 times faster on the same hardware as Logos Information Systems' (Dr. Peskin's firm). In this light, Dr. Peskin's opinion about Sage can hardly be characterized as "objective technical assessment."

The new products announced in September by Sage (now Stride Micro) will have a hardware memory-management option to support UNIX System V with Berkeley enhancements. They also run faster (10 MHz standard, 12 MHz optional), support hardware floating point, utilize the industry standard VME bus, come standard with Omninet networking hardware, and are even lower in cost.

JAI GOPAL SINGH KHALSA
Millis, MA

IMPROVING THE IBM KEYBOARD

Where I work we have IBM PCs and XT's in abundance. People are always griping about the poorly designed keyboard, i.e., the long reach to the Return key and the dual-function 10-key pad/cursor controls

that perform only one of their roles at a time. The complaints peaked around budget time, when data entry to spreadsheets became a paramount hassle. We found a partial remedy, however. Instead of switching between the 10-key pad and the cursor controls by using the Num Lock key, we found it easier to divide the labor between our two hands by locking in the 10-key pad for data entry and then, to move to another cell, holding the left shift key down with our left hands and moving the cursor with the 10-key pad that then functions as a cursor control.


Granted, this is not a perfect solution, but the roar did quiet. Now we'd like to know how to solve the problem of the reach to the Return key.

W. TRAVIS GOOD
Summit, NJ

SOFTWARE SWAPPING

In response to "Dear Thieves" (August 1984, page 18), William Wright has expressed the opinion that it is entirely

(continued)




MicroSim's **Probe** is an interactive, comprehensive graphics post processor program option that gives outstanding visual enhancement to your **PSPice** work.

PSPice.

The circuit simulator that brings mainframe advantages to your micro.

Now the industry-standard Spice, minus Spice's original "bugs" has been brought to the IBM-PC. With **PSPice**, the electrical engineer can try out a circuit right at his or her desk without having to build it. Design and check in 20 minutes what normally takes four to eight hours and the wiring of two dozen transistors on a breadboard. Take chances. Explore. Re-work. Without the worry that someone's waiting for the mainframe.

- AC, DC and Transient Analysis
- Up to 120 transistors per circuit
- One-fifth the speed of VAX-11/780
- Affordably priced at \$950 (Quantity price breaks)



MicroSim Corporation


14101 Yorba Street • Tustin, CA 92680 • (714) 731-8091

VAX is a trademark of Digital Equipment Corporation.

IBM-PC is a trademark of International Business Machine Corporation.

Apple Owners: Increase your Display up to 455% and Get The Big Picture!

COMPUTER EXPENSE														
	A	B	C	D	E	F	G	H	I	J	K	L	M	N
	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC		
BILLINGS:														
PRODUCT A	16907	19259	17459	21623	25928	32179	45071	21093	23769	23225	15227	18269		
PRODUCT B	6777	3818	5477	6888	7188	12338	15298	6375	6687	3318	8818	4537		
PRODUCT C	36235	32527	29892	38133	31828	31818	32688	34358	34651	36454	37818	42459		
TOTAL	59919	54884	52828	57844	64848	75527	93849	61826	65187	62989	68247	65265		
CASH RECEIVED	48523	43257	45928	51433	65965	88564	96218	69835	79782	75964	73358	75788		
CASH PAID OUT:														
AUTO TRAVEL	118	118	118	118	118	118	118	118	118	118	118	118		
INSURANCE	388	-	-	388	-	-	388	-	-	388	-	-		
INTEREST	1588	1588	1588	1588	1588	1588	1588	1588	1588	1588	1588	1588		
INVENTORY COST	41943	38363	36988	48491	45394	52869	32567	21639	22787	22846	21886	22843		
ENTERTAINMENT	318	318	318	318	318	318	318	318	318	318	318	318		
PAYROLL COST	18288	18288	18288	18288	18288	18288	18288	18288	18288	18288	18288	18288		
RENTAL - \$12,388	-	-	-	-	379	-	-	-	-	-	-	-		
RENT	1458	1458	1458	1458	1458	1458	1458	1458	1458	1458	1458	1458		
TELEPHONE	2588	588	588	588	588	588	588	588	588	588	588	588		
UTILITIES	375	375	375	375	375	375	375	375	375	375	375	375		
TOTAL EXPENSES	56768	52888	51585	55316	68298	67394	47392	36164	37312	36871	35611	37368		
NET CASH FLOW	-8245	-9631	-5577	-3883	5667	13178	48818	33671	42398	39893	37747	38412		
CASH BALANCE:														
BEG. OF MONTH	100000	91755	82124	76547	72665	78332	91582	148328	173991	216388	255473	293228		
END OF MONTH	91755	82124	76547	72665	78332	91582	148328	173991	216388	255473	293228	331632		



You know the importance of “Bottom Line” and cash-flow management in your daily operations. Original 40-column spreadsheets were adequate, 80-column spreadsheets were better, but even with 80-columns you still waste valuable time scrolling your spreadsheet searching for data. The Videx UltraTerm will provide you the tool you need to reduce wasteful searching, and free up your time to make important business decisions.

Just look at the actual display photo above. The dark green portion of the spreadsheet represents the amount of information you get with a standard Apple display. The medium green area shows you what you get with ordinary 80-column displays. Nice. But not enough. With UltraTerm, your business "Big Picture" is exploded up to a full 128-columns by 32-lines (as shown by entire photo above), or 455% more data than you've previously had to work with.

In addition to the obvious benefits of using the UltraTerm with your spreadsheet, you can gain depth, breadth, and power when using the new generation of word processors that exploit the UltraTerm's vast array of display capabilities. Word processors that currently use UltraTerm's expanded display formats include WORDSTAR, Word Juggler II/e, Letter Perfect, Executive Secretary, Apple Writer II (with Videx Preboot), and Write Away.

So, contact your local computer dealer today! If they are out of stock you can call Videx directly. Get THE BIG PICTURE today!

Suggested Retail Price—\$379.00



UltraTerm is a trademark of Videx, Inc. Apple is a trademark of Apple Computer, Inc. Visicalc is a trademark of VisiCorp, Inc.

1. Except colors which were added for illustrative purposes only.
2. Assuming VisiCalc and Apple 40 x 24 display.

Inquiry 324

1105 NE Circle Blvd., Corvallis, OR 97330
503-758-0521

NEW from BORLAND!

TURBO TOOLBOX & TURBO TUTOR

*Offer extended by
popular demand!*
*Get your Borland Holiday pack
by March 1st, 1985.*

"TURBO is much better than the
Pascal IBM sells."

Jerry Pournelle,
Byte, July 1984

"TURBO PASCAL appears to violate
the laws of thermodynamics.

You won't find a comparable price/
performance package anywhere. It
is simply put, the best software deal
to come along in a long time. If you
have the slightest interest in
Pascal... buy it."

Bruce Webster,
Softalk IBM: March 1984



BORLAND INTERNATIONAL GIFT PACK

ONLY

\$99.95

A SAVINGS OF \$30!

What a gift for you and your friends! The extraordinary TURBO PASCAL compiler, together with the exciting new TURBO TOOLBOX and new TURBO TUTOR. All 3 manuals with disks for \$99.95.

TURBO PASCAL Version 2.0 (reg. \$49.95). The now classic program development environment still includes the FREE MICROCALC SPREAD SHEET. Commented source code on disk

- Optional 8087 support available for a small additional charge

NEW! TURBO TOOLBOX (reg. \$49.95). A set of three fundamental utilities that work in conjunction with TURBO PASCAL. Includes:

- TURBO-ISAM FILES USING B+ TREES. Commented source code on disk
- QUICKSORT ON DISK. Commented source code on disk
- GINST (General Installation Program)

Provides those programs written in TURBO PASCAL with a terminal installation module just like TURBO'S!

- NOW INCLUDES FREE SAMPLE DATABASE... right on the disk! Just compile it, and it's ready to go to work for you. It's a great example of how to use TURBO TOOLBOX and, at the same time, it's a working piece of software you can use right away!

NEW! TURBO TUTOR (reg. \$29.95). Teaches step by step how to use the TURBO PASCAL development environment—an ideal introduction for basic programmers. Commented source code for all program examples on disk.

30 DAY MONEY BACK GUARANTEE Available at your nearest software dealer.

For VISA and MASTERCARD order call toll free: **1-(800)-255-8008 1-(800)-742-1133**
(Lines open 24 hrs., 7 days a week) Dealer and Distributor inquiries welcome (408) 438-8400

CHOOSE ONE (please add \$5.00 for handling and shipping U.S. orders)

___ All Three-Gift Pack	\$ 99.95 + 5.00	SPECIAL!	___ Turbo Toolbox	\$49.95 + 5.00
___ All Three & 8087	139.95 + 5.00	SPECIAL!	___ Turbo Tutor	29.95 + 5.00
___ Turbo Pascal 2.0	49.95 + 5.00		___ Turbo 8087	89.95 + 5.00

Check _____ Money Order _____ VISA _____ MasterCard _____

Card #: _____ Exp. date: _____ Shipped UPS

My system is: 8 bit _____ 16 bit _____

Operating System: CP/M 80 _____ CP/M 86 _____ MS DOS _____ PC DOS _____

Computer: _____ Disk Format: _____

Please be sure model number & format are correct.

NAME: _____

ADDRESS: _____

CITY/STATE/ZIP: _____

TELEPHONE: _____

California residents add 6% sales tax. Outside U.S.A. add \$15.00 (if outside of U.S.A. payment must be by bank draft payable in the U.S. and in U.S. dollars). Sorry, no C.O.D. or Purchase Orders. 15



4113 Scotts Valley Drive
Scotts Valley, California 95066
TELEX: 172373

Inquiry 34



Eco-C Compiler

Release 3.0

We think Rel. 3.0 of the Eco-C Compiler is the fastest full C available for the Z80 environment. Consider the evidence:

Benchmarks*

(Seconds)

Benchmark	Eco-C	Aztec	Q/C
Seive	29	33	40
Fib	75	125	99
Deref	19	CNC	31
Matmult	42	115	N/A

*Times courtesy of Dr. David Clark

CNC - Could Not Compile

N/A - Does not support floating point

We've also expanded the library (120 functions), the user's manual and compile-time switches (including multiple non-fatal error messages). The price is still \$250.00 and includes Microsoft's MACRO 80. As an option, we will supply Eco-C with the SLR Systems assembler - linker - librarian for \$295.00 (up to six times faster than MACRO 80).

For additional information, call or write:



ECOSOFT, INC. (317) 255-6476
6413 N. College Ave. • Indianapolis, Indiana 46220



NEW RELEASE

PC FORTH™
IBM PC & XT,
HP-150,
Macintosh,
Apple II,
CompuPro,
Sage & CP/M-68K,
Wang PC,
All CP/M and
MSDOS computers.

Try the professional language offering the utmost performance in the shortest development time. Transport your applications between any of our enhanced 83-Standard compilers or expanded 32-bit versions. Choose from our wide selection of programming tools including native code compilers, cross-compilers, math coprocessor support, and B-Tree file managers. All fully supported with hotline, updates, and newsletters.

Laboratory Microsystems Incorporated
Post Office Box 10430, Marina del Rey, CA 90295
Phone credit card orders to (213) 306-7412



LETTERS

wrong and dishonest to copy software, even for one's own use. He is absolutely right. But his statement is incomplete.

The software industry, in general, has shown a total disregard for honesty in its marketing. A large portion of the available software is sold without proper testing. It is tested by us, after we pay a ridiculous price for it. Customer support just does not exist, and the documentation is often a joke. According to the "rules" I must buy WordStar for each machine in the office. And I do not have backup protection with some software. Even after paying their price I am held ransom!

My complaint is not against all software publishers. Lotus, for example, has done a wonderful job of documentation and service.

Mr. Wright is right. But incomplete. Two wrongs don't make a right. But as long as the publishers are so blatant in their dishonesty, software swapping will be with us.

DAVE CHURCHER
Rye, NH

SWIFT REMARK

I really got a big laugh out of Paul Bernstein's letter ("Computers and Lawyers," August 1984, page 16) about the "argument" between him and his fellow lawyer Robert Wilkins over whether lawyers need to know "terms such as RAM, bps, . . . and other foreign, often unnecessary technical terms." That from lawyers, ". . . a Society [that] hath a peculiar Cant and Jargon of their own, that no other mortal can understand, and wherein all of their Laws are written, which they take special Care to multiply; whereby they have wholly confounded the very Essence of Truth and Falsehood, of Right and Wrong."

No comment could better be made on the subject than that by Jonathan Swift in *Gulliver's Travels*, Part 4: A Voyage to the Country of the Houyhnhnms, Chapter 5.

WILLIAM E. WHITE
Miami, FL

MODULA-2: OVERRATED?

After reading all those pro Modula-2 and Ada articles in BYTE (August 1984), I at first feared I was the only one who harbors mixed feelings concerning these languages. I was relieved to find David V. Mofat's "UCSD Pascal vs. Modula-2: A Dissenting View" (page 428).

While I don't agree with all of Mr. Mofat's views (e.g., that the lack of publications on Modula-2 will become less

(continued)

from MicroComputer Accessories, Inc.

TOP DRAWER!




Absolutely first class. Our Keyboard Storage Drawer is tops—it can turn your narrow credenza or typewriter return into a perfect work station. From a reinforced platform on protective felt pads, the cantilever drawer extends on industrial strength ball bearing glides and locks into working position. The scratch resistant finish matches IBM colors. Optional locking device. Also available—an under-desktop suspension model—the bottom drawer. But still “top drawer!”

MicroComputer Accessories, Inc.


5721 Buckingham Parkway
P.O. Box 3725
Culver City, California 90231
Telephone 213/641-1800

In Europe: Inquiry 355.
Inquiry 356 for Dealers.
N.V. Microcomputer Accessories Europe S.A.
Rue de Florence 37
1050 Bruxelles, Belgique
Telephone 02/538.61.73


These and other fine products are available at Sears Business Systems Centers, Computerland, Businessland, IBM Product Centers and other computer/software retail locations.



Tilt 'n Turn



Computer Security Alarm



Rolltop Disk File

distinct in the future), I'd like to point out a couple of items that have escaped mention so far.

The improved readability of Modula-2 source, achieved by the no-longer-needed BEGIN...END brackets that contain Pascal compound statements, is obviated because of the END statement that terminates all control structures apart from REPEAT. I would have preferred a specific

end statement for each control statement, like ENDDO, ENDWHILE, ENDLOOP, ENDIF, etc.

Pascal's lamented rigid order in which declarations have to be made shows its main advantage when it comes to software maintenance. I wouldn't want to look for that doubly defined global variable that crept in when an existing program was extended, were it possible to declare

said variable anywhere near the procedure that used it first, let alone in some external module.

I find Modula-2's IF not much of an improvement over that of Pascal as far as nested IFs are concerned, the latter of which I tend to avoid and use logical expressions instead. Taking Robert J. Paul's recipe example ("An Introduction to Modula-2," August 1984, page 195), wouldn't you agree that

```
IF (oregano IN recipe[1])
  AND
  (thyme IN recipe[1])
THEN
  Writeln( 'Use oregano & thyme' )
ELSE
  Writeln( 'Use only thyme' );
```

is easier to understand than what appeared on page 198?

EDMUND RAMM
Kaltenkirchen, West Germany

What a shame that you did not include the article "UCSD Pascal vs. Modula-2: A Dissenting View" by David V. Moffat in the theme section of your August issue; it would have provided some balance in what was an informative but rather biased section.

I write to support Mr. Moffat's thesis that Modula-2 has yet to be proved a significant improvement over UCSD Pascal. Having used UCSD Pascal since 1980, I can link in assembly-language routines, build libraries, and write units with hardly a second thought. For programmers, the inequality of

Benefits of Modula-2 > Cost of
software +
time to re-
learn + time
to rewrite old
routines


must be clearly shown to be true. I have yet to be convinced that the benefits outweigh the value of Pascal experience. Could it be that those software companies that have sold thousands of Pascal compilers in the past few years now fear that they are beginning to saturate the market and are promoting Modula-2 as a means of maintaining company profits?

One small point: Am I the only one who finds that dozens of ENDS, some for IFs, some for FORs, some for LOOPS, make Modula-2 programs less easy to read than Pascal programs?


STUART A. BELL
Sidmouth, Devon, England
(continued on page 416)



or



+



=



"Nothing I have ever seen is so powerful, so fast, and so easy. \$95 is too little." - Many, many CPA's

Taxtime is a highly integrated tax preparation program for use as a template with Lotus 123 and Symphony. It takes only 10 seconds to recalculate all forms, is easy to use, and is IRS approved. Federal 1040 and state forms are \$95.00, corporate returns are \$195, and annual updates are only \$45 to \$75. All programs require Lotus 123 version 1A and 256Kb or more memory. To order programs or free detailed catalog phone

800-227-2634 ext 998, or in Calif 800-772-2666 ext 998.

TaxTime
FOR 1-2-3

A product of Austin Scientific, Inc.
1259 El Camino, Suite 260
Menlo Park, CA 94025
Dealer inquiries welcome.

123 and Symphony are trademarks of Lotus Development Corporation.

FIXES AND UPDATES

BYTE'S BUGS

C Listing Bug

Bob Bonomo picked out a bug in the C source listing for the quicksort function in the October BYTE Japan. (See "Bits and Pieces" by William M. Raikes, page 369.)

In listing 1 on page 374, the third WHILE statement should read:

```
while (j > i && strcmp(base[j], pivot) >= 0)
```

Our thanks to Mr. Bonomo.

A Case of Misidentification

A caption in our product description of the Tandy 1000 incorrectly identifies a screen display. (See "The Tandy 1000" by G. Michael Vose, December, page 98.)

On page 101, the caption identifies the screen display on the right as being produced by DeskMate. The photo actually depicts a screen from IBM's HomeWord, a word-processing program that also runs on the Tandy machine. HomeWord is produced by IBM's Entry Systems Division in Boca Raton, Florida.

Penny Wise, Pound Foolish?

A note arrived from Paul Hills of Launceston in Cornwall, England, telling us that we misstated the annual subscription fee for his club's newsletter. (See Clubs & Newsletters, August, page 68.)

The 6809 User Group Newsletter is available for £3 annually. Overseas subscriptions are \$4.70 in the U.S. and \$6 in Canada.

Weather Report Incorrect

Charles S. Barnaby, vice president of the Berkeley Solar Group, sent us a clarification concerning the computer service that his company offers. In Matthew Lesko's article "Low-Cost On-Line Databases" (October, page 167), it was incorrectly stated that the Berkeley Solar Group offers "the latest weather."

The Berkeley Solar Group has a large collection of weather data; however, this data is based on records at least several years old. The data is suitable for use with building energy-analysis software. Portions of this information are available through

interactive inquiry but the bulk of it serves as input for hour-by-hour building simulation programs.

The weather data is available for users of the Berkeley Solar Group's building energy-analysis software, which includes such programs as DOE-2, CALPAS3, and FCHART. The data can be used for other purposes, but its purchase must be negotiated on a case-by-case basis.

We thank Mr. Barnaby for clarifying this inaccuracy on our part. The Berkeley Solar Group can be reached at 3140 Martin Luther King Jr. Way, POB 3289, Berkeley, CA 94703, (415) 843-7600.

Books Have American Distributor

Jeffrey A. Blackman of the Computer Science Press in Rockville, Maryland, sent us some information about five books mentioned in the November Books Received section (page 495).

The books, *A First Course in Formal Language Theory, From Logic to Computers*, *LISP Programming*, *Microcomputers and Their Commercial Applications*, and *UNIX for Users*, are all published by Blackwell Scientific; however, they are distributed in North America by the Computer Science Press.

If you wish to order these books, contact Computer Science Press Inc., 11 Taft Court, Rockville, MD 20850, (301) 251-9050.

Windy Day Bug

Mark R. Parker of Seattle, Washington, saw an error in listing 1, the Module Windy-Day, in Eric Eldred's review "Volition Systems' Modula-2" (June, page 353).

In the procedure OpenWindow (page 356), the line:

```
Open (wind, 0, 1, 39);
```

should read:

```
Open (wind, 0, 0, 1, 39);
```

because a call to open requires five parameters. The omitted second zero places the message at the upper left-hand corner of the screen.

Also, the comment "Phony" should be changed to "little busy bee."

New Telephone Number

Microserve in Tyler, Texas, which was mentioned in the October BYTE, has a new telephone number for its network. (See "Low-Cost On-Line Databases" by Matthew Lesko, page 167.)

The new telephone number is (214) 581-3722.

Photo Credits Due

We inadvertently neglected to credit Lee Wright, a freelance photographer based in Medford, Massachusetts, for snapping the photos that accompanied Henry Brugsch's article in the *Guide to the Apple Personal Computers*, a special supplement to the December BYTE. (See "Apple's New Modem and Access II," page A58.)

We apologize for this oversight.

Address Change

Sinclair Research, whose ZX Spectrum+ was featured in the December BYTE What's New, has relocated. (See page 435.)

The new address is Sinclair Research, Berkeley Square House, London W1X 5LB, England; tel: 01-499 2666; Telex: 265212.


FEEDBACK

More on POPLOG

In the October BYTE U.K., we inadvertently listed Aaron Sloman as the distributor for POP-11 and POPLOG, a pair of tools available to researchers in artificial intelligence. (See "Pop and Snap" by Dick Pountain, page 381.)

Mr. Solman informs us that POPLOG is marketed in the U.S. by Systems Designers Ltd. International, Suite 201, 5203 Leesburg Turnpike, Falls Church, VA 22041, (703) 820-2700. In the U.K., it's available from Systems Designers Ltd., Systems House, 1 Pembroke Broadway, Camberley,

(continued)



GPIB

IEEE-488 Interfaces and
Bus Extenders For:

**IBM PC, PCjr
& COMPATIBLES**

**DEC UNIBUS, Q-BUS
& RAINBOW 100**

**MULTIBUS, VMEbus
STD & S-100**

Full IEEE-488 functionality, with the most comprehensive language and operating system coverage in the industry. It takes experience to make IEEE-488 systems work with nearly 4000 devices available from more than 500 different manufacturers, and experience is what enables National Instruments to take the GPIB to the second power and beyond.



2

Your personal guarantee of unsurpassed customer support and satisfaction. CALL 1-800-531-GPIB for instant access to 100+ man-years of GPIB experience.

**NATIONAL
INSTRUMENTS**
12109 Technology Blvd.
Austin, TX 78727
1-800-531-5066 512/250-9119
Telex: 756737 NAT INST AUS

IBM and PCjr are trademarks of International Business Machines. MULTIBUS is a trademark of Intel. DEC, UNIBUS, Q-BUS, and Rainbow 100 are trademarks of Digital Equipment Corporation.

FIXES & UPDATES

Surrey, GU15 3HX; tel: 0276 62244.

Mr. Sloman has informed us that "POPLOG is now the main official AI software development environment in the U.K. for Prolog and POP-11. The existing 'toy' LISP component (suitable for teaching) is being replaced by COMMON LISP."

POPLOG, according to Mr. Sloman, comes with a large collection of on-line help files, teaching files, and libraries of utilities and demonstration programs. Mixed languages are supported, and a multiwindowed screen editor VED can be used with all three main languages. It runs

on VAX computers under VMS and Berkeley UNIX. It's also available "on a growing number" of M68000-based UNIX machines. In North America it's \$10,000, with a ninety-percent (90%) discount for educational institutions.

"At present," writes Mr. Sloman, "POPLOG is too big for most personal computers. Our hope is that it will not be long before machines with at least 2 megabytes of RAM and 40 to 100 megabytes of backup storage will be cheap enough to make POPLOG much more widely available for educational use."

Speaking of Least Squares

Steven A. Ruzinsky saw a number of doubtful statements in Marco Caceri and William Cacheris's article "Fitting Curves to Data" (May, page 340). He cites these remarks:

This is called the least-squares criterion. For random errors randomly generated (usually a reasonable assumption), this is the best criterion of all.

"This is simply untrue," says Ruzinsky. "In order for least squares to be the best criterion, the errors must have independent and identical normal (Gaussian) distributions. In situations meeting this requirement, least squares can be a maximum likelihood estimate of the parameters. For situations where the errors are not Gaussian, least squares is suboptimal. A good counter example to the authors' statement is the case where the errors have a binary distribution, e.g., a random sequence of 1s and -1s. In this case, I

believe one will find a minimax fit (also called "Chebyshev" or " l_∞ ") much more statistically efficient than least squares."

Mr. Cacheris notes that the first statement was intended to be broad and that least-squares analyses are often used under less than optimal conditions since the results can be checked by various methods, such as sensitivity analysis.

"Least-squares method is certainly best when the errors have identical distributions . . . [which] we mentioned towards the end of our article when describing sensitivity analysis. We state that several synthetic data sets . . . are made by *adding identical normal distributions* to the errorless curve. Thus, the least-squares fits to these synthetic data sets are the best fit to these data sets and the values of the parameters obtained should approach the experimental data's values of the parameters if the error in the experimental data has identical normal distributions."

Electronic Yellow Pages in LA

The vice president of Buy-Phone Inc., David Lappen, sent us information about his company's database, which was left out of Matthew Lesko's article "Low-Cost On-Line Databases." (See October, page 167.)

Buy-Phone is an "electronic yellow pages" system serving the Los Angeles area. It has more than 10,000 listings in 25,000 search categories, ranging from current movie listings, restaurant and department store offerings, to computer outlets.

Access is free of charge to users. Businesses pay \$150 for a year's worth of advertising; ads can be changed daily at no extra cost. Personal ads, which are also free, can be posted for two weeks.

At 300 bps, call Buy-Phone at (213) 474-0270. At 1200 bps, call (213) 470-4679.

BYTE'S BITS

Public-Domain Software Library

The Houston Area League of PC Users (HAL-PC), a group of 1000-plus IBM Personal Computer fans, maintains a library of public-domain and "shareware" (i.e., pay if you like it) software. Disks are available from the library for \$2 per disk. For a listing of titles, send a self-addressed, stamped envelope to Nelson Ford, HAL-PC Librarian, c/o The Public Library, POB 61565, Houston, TX 77208.

Software authors wishing to share their public-domain or shareware programs are encouraged to contact the group president, Duane Hendricks. Other users groups interested in trades should contact Jack McClure at POB 610001, Houston, TX 77208. ■

THE NCR PC IS COMPATIBLE WITH PEOPLE, TOO.

Getting along with all kinds of people is one of the most endearing qualities of the NCR PC4.

It gets along with bosses, secretaries, accountants, engineers, lawyers, everybody.

Even first-timers take a liking to this computer the moment they take it out of the box.

Perhaps its good looks have a lot to do with this. But its beauty is more than skin deep.

Its smart, integrated cabinet takes up precious little space on your desk.

There are no complicated wires or clumsy boxes to set up. All you have to do is plug it in.

The keyboard is the same familiar layout your fingers know and love. Plus a couple of nice touches. Like separate

cursor keys and a separate numeric keypad to make it easier to work with programs that have long lists and lots of numbers.

The NCR PC even comes with two special self-teaching programs that will have you computing in a matter of minutes. NCR PAL shows you how to use the computer itself. NCR TUTOR introduces you to word processing, spreadsheets and other popular business programs.

And if you get lost along the way, there's a built-in HELP command you type in to get you back on track.

Add all this up and you start to see why the NCR PC is so compatible with people.

Of course, it's also compatible with thousands of programs available at computer stores everywhere.

And it's compatible with industry standard hardware. Which means you

can add on all sorts of helpful accessories. Like a printer, a modem for electronic mail, a mouse for even easier operation and all the memory you need—up to 640K.

If you'd like to meet this terrific computer, go to your nearest Authorized NCR Personal Computer Dealer.

Just ask for the computer everybody gets along with.

For the name of your nearest dealer, call toll-free: 1-800-544-3333. In Nebraska call: 1-800-343-4300.

Inquiry 230



**A BETTER PERSONAL COMPUTER.
IT'S EXACTLY WHAT YOU'D
EXPECT FROM NCR.**




Great Ideas look even better on a Princeton monitor

Your Great Ideas deserve the best image you can give them. But, just as a music system's performance depends on the speakers, your computer system is limited by the quality of your monitor.

Monitor performance can be measured. That's something you should know about.

In other words, your Great Ideas should be seen, not blurred.



W. Shakespeare composing Great Ideas on a Princeton Monitor

Things you should know about monitors

Resolution The quality of a color monitor's image is directly related to its resolution. The greater the number of dots available within a given area for displaying an image the greater the resolution.



The PRINCETON SR-12 monitor features an extraordinary 640x480 (non-interlaced) resolution. The result is an extremely high quality, flickerless image with text that approaches monochrome quality. When used in conjunction with the PRINCETON Scan-Doubler card, the SR-12 runs from a standard IBM or equivalent color card, maintaining complete compatibility with all IBM software.

Dot pitch The image on an RGB color monitor is made up of a series of tiny dots. Dot pitch measures the distance between those dots. Anything finer than .38mm is considered high resolution.

The PRINCETON HX-12 RGB color monitor, with a dot pitch of .31mm, offers the finest resolution in its class. The HX-12 delivers 16 crisp, sharp colors including clean whites without color bleed—a not-so-easy accomplishment in an RGB monitor.

Price All Princeton monitors set the price/performance standard in their class. The SR-12 at \$799 compares favorably with monitors costing hundreds more. The HX-12 is in a class by itself at \$695.

The PRINCETON MAX-12, with easy-on-the-eyes amber phosphor, sets the standard for monochrome monitors at \$249. The MAX-12's dynamic focusing circuitry ensures sharpness not only in the center but also in the edges and corners. And it runs off the IBM PC mono-card—no special card is required.



All three monitors feature a non-glare screen and an IBM compatible cable. A PCjr adapter cable is also available for the HX-12. And to see your Great Ideas from the best possible angle, you can put your Princeton monitor on the Princeton Undergraduate Tilt and Swivel Base for only \$39.95. **Or, while supplies last, get the Undergraduate FREE with the purchase of a MAX-12 monitor.**

Image The ultimate test of any monitor is how the image looks to your own eyes. Compare the Princeton monitors side-by-side with the competition at Computerland, Entre or your local independent dealer.

Do it soon. You and your Great Ideas deserve the best.

Inquiry 255

For more information call
toll-free:
800-221-1490 Ext. 804

PRINCETON
GRAPHIC SYSTEMS
AN INTELLIGENT SYSTEMS COMPANY

170 Wall Street
Princeton NJ 08540
TLX 821402 PGS Prin

Technologically tuned for excellence

FEBRUARY 1985 • BYTE 37

FOR PEOPLE WHO THOUGHT THEY'D NEVER MEET THE PERFECT 10

We've got one to knock your socks off. The StarWriter™ Y10 from C. Itoh.

What sets this letter quality daisy wheel apart is its fabulous figure. Priced at only \$595.

This little beauty prints 22 letter perfect characters per second. And like the rest of C. Itoh's fine printers, the StarWriter Y10 acts without acting up.

That's because it has been thoroughly tested and proven on the job to assure reliability. And it comes with a full year's warranty, backed by over 400 authorized service centers coast to coast.

The Y10 is an awful lot of printer for very little money. But that's not surprising when you consider that C. Itoh's been producing superior printers for over a decade. What's more, it has the strong backing of our 126-year-old parent company with over \$60 billion in annual sales.

And the StarWriter Y10 is compatible with most of the popular PCs. It has a 256-byte buffer. And there is a full line of accessories available such as a cut sheet feeder and tractor feed.

Little wonder C. Itoh printers are No. 1 worldwide, with over 2.2 million sold annually. And with the StarWriter Y10 we're aiming to keep it that way.


To meet your own perfect 10, just see your local C. Itoh printer dealer. Or for more information call 1-800-423-0300.

Or write C. Itoh Digital Products, Inc. 19750 South Vermont Avenue, Suite 220, Torrance, CA 90502.



hart © 1984 News Group Chicago, Inc.

C. Itoh
DIGITAL PRODUCTS



™ StarWriter is a Trademark of C. Itoh Digital Products, Inc.
© 1985 C. Itoh Digital Products, Inc.



Tandy Unveils \$999 Notebook Computer

Radio Shack's battery-powered notebook-size Model 200 has a flip-up 16-line by 40-column LCD and a built-in 300-bps auto-dial modem. The Model 200

comes with 24K bytes of RAM and 72K bytes of ROM, and it includes word-processing, spreadsheet, telecommunications, and address-book programs.

Memory can be expanded with two 24K-byte banks of RAM, for a total of 72K, and a 32K-byte ROM chip.

The system's keyboard has 60 full-travel sculptured keys, 12 special- and general-purpose function keys, and a power switch that is automatically depressed when the LCD/cover is closed. A cassette interface and parallel and serial ports are standard. The Model 200 weighs 4½ pounds and measures 11¼ by 8½ by 2¾ inches.

Although the Model 200 uses the same processor as the Model 100, changes in ROM will prevent Model 100 machine-language programs from running on the Model

200; BASIC programs will work on both. Other differences are a modified cursor key cluster, enhanced word-processing features, Microsoft's Multiplan spreadsheet in ROM, calculator function available from any program, and optional pulse or tone dialing. Normal battery life is 10–16 hours depending on RAM size, or you can install rechargeable nickel cadmium (nicad) batteries.

The Model 200 will retail for \$999; 24K-byte add-on modules cost \$249.95 each. Contact Tandy/Radio Shack, One Tandy Center, Fort Worth, TX 76102, or your local Radio Shack store. Inquiry **600**.

Datavue Portable Includes Disk Drive, 80 by 25 Display

Quadram's Datavue 25 is a 14-pound portable computer with a 360K-byte 5¼-inch disk drive and a pivoting 80-character by 25-line LCD. It features an 83-key keyboard that communicates with the computer through infrared signals. The Datavue 25 has an 80C88 microprocessor, a real-time clock, 128K bytes of memory, and serial and parallel ports. It is powered either by an AC adapter/recharger or by built-in batteries that last up to four hours.

Monochrome graphics are available in either 640 by 200 resolution or 320 by 200 resolution with four levels of gray. An internal 300-bps modem is an option. Memory can be expanded to 256K bytes using 64K-byte chips or to 1

megabyte using 256K-byte chips. Quadram also plans to release an external IBM PC-compatible bus-expansion chassis and an external second floppy-disk drive.

The Datavue 25 should be available in March for \$2195. Contact Quadram, 4355 International Blvd., Norcross, GA 30093, (404) 923-6666. Inquiry **601**.



Model 1131 Compass Has 128-column LCD

GRiD Systems' Model 1131 Compass is a portable computer with a 25-line by 128-column electro-luminescent display (ELD). GRiD says that the durable 10-pound computer is built to stand a shock equal to 130 Gs. The Model 1131 features 256K bytes of RAM (expandable to 512K bytes), 384K bytes of nonvolatile bubble memory, a 300/1200-bps auto-dial/auto-answer modem, and the MS-DOS operating system in ROM.

The Compass Model 1131 costs \$6795; with 512K bytes, it's \$7995. The price of the original Model 1100 is now \$4250. Contact GRiD Systems Corp., 2535 Garcia Ave., Mountain View, CA 94043, (415) 961-4800. Inquiry **602**.

(continued)


Visage Videodisc Software Development System

Visage has introduced a series of products for developing interactive videodisc software. Using an IBM PC or compatible personal computer, a standard videodisc player, and Visage's controller card and software, developers can create interactive programs for educational applications using images from videodiscs overlaid with computer-generated text and graphics.

Visage's V:Link 1000 includes an IBM PC expansion card and language-interface software, which together support NTSC graphics with 256 by 192 overlay capabilities. The V:Link 1500 adds the ability to switch between a 256 by 192 overlay and a 320 by 200 nonoverlay image, while the V:Link 1550 allows both 256 by 192 and 320 by 200 graphics to be overlaid on videodisc images. Prices range from \$1150 to \$2150.

The V:Station 2000 family all feature IBM PC-compatible computers with 256K bytes of RAM, one or two floppy disks, the V:Link 1550 graphics board, and a 13-inch RGB color monitor. Some of the V:Station configurations also include medium- or high-resolution touchscreens, 10-megabyte hard disks, and 512K bytes of memory. Prices range from \$5995 to \$10,850.

Visage's products support the KoalaPad, Bit Pad, and Microsoft Mouse as graphics input devices. Optional support packages allowing the Visage software and hardware to be used with BASIC, Pascal, dBASE II, and 8088 assembly language cost \$295 each. V:Paint I and II, \$500 each, use the Microsoft Mouse (\$125 extra) to create images. Cables are available to link the V:Link



NEC Introduces Four-Color Plotter

Briterwriter is a four-pen color plotter that NEC says is compatible with Hewlett-Packard plotters. The Briterwriter can plot at a speed of 60 millimeters per second (mm/s) in low-speed

mode and 112 mm/s in high-speed mode. Characters can be drawn at 4.6 cps in one color or 2.6 cps in four colors. The plotter comes with black, blue, green, and red felt-tip pens; an optional set

of colors includes violet, orange, brown, and pink pens. The plotter can be used with plain paper or transparencies up to 8½ inches wide.

The Briterwriter is available with parallel or RS-232C serial interfaces. It features a 256-byte character and instruction memory and supports the ASCII character set. Because it uses the same commands as Hewlett-Packard 7470 and 7550A plotters, it works with most graphics programs that support Hewlett-Packard plotters.

The Briterwriter plotter will retail for \$599. Contact NEC Information Systems Inc., 1414 Massachusetts Ave., Boxborough, MA 01719, (617) 264-800. Inquiry **604**.

Commodore Announces 128K Computer

Commodore's B128 runs any program written for the Commodore 64 and has a number of additional capabilities. This system has 128K bytes of memory, expandable to 512K, and it can display 80 columns by 25 lines of text in color on an optional monitor. In addition to the 8500 processor,

which is used to run Commodore software, the B128 includes a 2-MHz Z80 coprocessor to run most CP/M-80 programs.

The 92-key keyboard has a numeric keypad, 4 cursor keys, 4 numbered shiftable function keys, and 4 special-purpose function keys. Like the 64, the B128 can display

16 colors and 8 independently movable sprites and can generate sound in three voices each with a range of eight octaves. The B128 comes with the same serial, expansion, user, and joystick ports as the 64; it also includes video interfaces for a standard television or an RGB or NTSC monitor.

Commodore also introduced a faster disk drive for the Commodore 64 and B128. It transfers data to the 64 at 320 cps, or to the B128 at 2000 cps, or, when running CP/M, 3200 cps.

The Commodore B128 will sell for less than \$400. Contact Commodore, Computer Systems Division, 1200 Wilson Dr., West Chester, PA 19380, (215) 431-9100. Inquiry **605**.



card to Sony, Pioneer, RCA, and Hitachi videodisc players.

Visage supplies its V:EXEC

and V:Draw software and one language interface with all V:Link and V:Station products. Contact Visage

Inc., 12 Michigan Dr., Natick, MA 01760, (617) 655-1503. Inquiry **603**.

(continued)

NEW PRODUCT NEWS FROM TELETEK

Systemaster II. Responding to market demand for speed and increased versatility, Teletex is proud to announce the availability of the next generation in 8-bit technology — the new Systemaster II! The Systemaster II will offer two CPU options, either a Z80B running at 6 MHz or a Z80H running at 8 MHz, 128K of parity checked RAM, two RS232 serial ports with on-board drivers (no paddle boards required), two parallel ports, or optional SCSI or IEEE-488 port. The WD floppy disk controller will *simultaneously* handle 8" and 5¼" drives. A Zilog Z-80 DMA controller will provide instant communications over the bus between master and slave. Add to the DMA capability a true dedicated interrupt controller for both on-board and bus functions, and the result is unprecedented performance. Systemaster II will run under CP/M 3.0 or TurboDOS 1.3, and fully utilize the bank switching features of these operating systems.

SBC 86/87. As the name indicates, Teletex's new 16-bit slave board has an Intel 8086 CPU with an 8087 math co-processor option. This new board will provide either 128K or 512K of parity checked RAM. Two serial ports are provided with individually programmable baud rates. One Centronics-compatible parallel port is provided. When teamed up with Systemaster II under TurboDOS 1.3, this 5MHz or 8MHz multi-user, multi-processing, combination cannot be beat in speed or feature flexibility!

Teletex Z-150 MB. Teletex is the first to offer a RAM expansion board designed specifically for the Z-150/Z-160 from Zenith. The Teletex Z-150 MB is expandable from 64K to 384K. Bring your Z-150 up to its full potential by adding 320K of parity checked RAM (or your IBM PC, Columbia, Compaq, Corona, Eagle, or Seequa to their full potential). The Teletex Z-150 MB optionally provides a game port for use when your portable goes home or a clock/calendar with battery backup!


Evaluate the Systemaster II, SBC 86/87 or Teletex Z-150 MB for 30 days under Teletex's Evaluation Program. A money-back guarantee is provided if not completely satisfied! All Teletex products carry a 3-year warranty.

(Specifications subject to change without notice.)



TELETEK

4600 Pell Drive
Sacramento, CA 95838
(916) 920-4600
Telex #4991834
Answer back — Teletex
Inquiry 310



Yes,
I'm interested
in information
regarding:

- ☐ Systemaster II
- ☐ SBC 86/87 ☐ Z-150 MB
- ☐ Evaluation Program
- ☐ Teletex's S-100 Board Line

Name _____

Company _____

Address _____



Modular Robot Kit

Cybot's Tutor is a modular robot with a five-axis arm designed for educational and training uses. Because the robot can be dismantled and reassembled many times, it helps you understand how robotics work.

The package includes the robot arm, complete with five motors and a gripper, and the Controller module, which has one free S-100 card slot for custom applications, a standard RS-232C serial port, and an interface for an optional "teach pendant." You can control the robot arm by sending ASCII commands from a personal computer through the RS-232C port or by directly

manipulating the arm with the teach pendant.

Also available is an Optical Encoder Set. Since the set indicates the actual position of one of the motors (five are needed to monitor all five axis motors), a full feedback loop can be used to make sure the robot arm is precisely where it's supposed to be.

The complete Cybot Tutor robotics kit costs \$3395. The optional teach pendant is \$129.95. Each Optical Encoder Set is \$70. Parts of the robot kit can be purchased separately. Contact Cybot Inc., 12510 128th Ave. NE, B-5, Kirkland, WA 98034, (206) 823-4156. **Inquiry 606.**

Computer Satellite Service

Satellite Broadcast Network has announced a satellite service that will transmit financial and news information to personal computer owners. SBN plans to have the service operational in May. You will need a 12-GHz satellite-receive antenna, a low-noise amplifier, a solid-state receiver, and SBN's demodulator; all are available from SBN for \$695. SBN will also charge a fee for access to each type of information, starting at about \$25 per month.

SBN will use multiple 9600-bps channels. Some channels will broadcast news and weather information, others will transmit stock and commodity prices. One channel might permit downloading of software sample programs, while another could include special-interest database information. A user could place a request for special database information with modems and telephone lines, but the response could be broad-

cast via satellite to avoid phone charges. A special header code would ensure that only one person could decode the information.

Contact Satellite Business Network Inc., 212 West Superior St., Chicago, IL 60610, (312) 266-9844. **Inquiry 607.**



Sord Adds 80 by 25 Display to IS-11

Sord has released a version of its IS-11 Consultant computer with an 80-character by 25-line liquid-crystal display and a built-in 300-bps modem. The 6½-pound IS-11C has 80K bytes of RAM (expandable to 144K), 72K bytes of ROM, a 128K-byte microcassette tape drive, 62 full-travel sculptured keys plus 8 special function keys, and a CMOS Z80A microprocessor running at a speed of 3.4 MHz. In addition to parallel and serial ports, the IS-11C can interface with a bar-code reader, a separate numeric keypad, and optional 64K-byte ROM cartridges. Word-processing and communications software are standard in ROM.

The IS-11C should be available this month for \$1495. For more information, contact Sord Computer of America Inc., 645 Fifth Ave., New York, NY 10022, (212) 759-0140. **Inquiry 608.**

(continued)

PERSONALITY PROBLEM?

UNIX™ and DOS™ At the Same Time!



Looking at an IBM PC/AT? Happy with DOS but want UNIX? Happy with UNIX but want DOS? Want them working together?

Get The Connector!™

The Connector is a revolutionary product that allows DOS applications to run on the IBM PC/AT or XT under VENIX/86 (the first licensed AT&T UNIX operating system for the IBM PCs) or PC/IX. That means you can add one or more terminals to your AT which run programs using multi-user VENIX/86 to share the disk and printer. Switch between UNIX and DOS at the console with a single command. And run more than one task simultaneously. Like running a spelling check in the background while you print a report and run Lotus 1-2-3™ or dBaseII™.

Get yourself an AT and load it with VENIX. Collect your DOS and/or UNIX applications. We'll supply The Connector. The right solution to your software personality problems.

Call for complete details.

Unisource Software Corp., Department 4109,
71 Bent Street, Cambridge, MA 02141.
Telex 92-1401/COMPUMART CAM.
617-491-1264

Also
available
on the
PC/XT and
compatibles.



**Getting UNIX Software
Down to Business**

* UNIX is a trademark of AT&T Technologies, Inc. DOS is a trademark of Microsoft, Inc. PC/AT and PC/XT are trademarks of IBM. The Connector is a trademark of Unisource Software Systems, Inc. VENIX/86 implementation by VenturCom, Inc. 1-2-3 and LOTUS are trademarks of Lotus Development Corp. dBaseII is a trademark of Ashton-Tate.

Digital Filtering Chip for Speech Processing

Kurzweil Applied Intelligence has introduced the KSC 2408 digital filter chip for use in sound-processing applications.

Each of the eight filters in the KSC 2408 processes 24 bits of information (with 48 bits accumulated at a time). Each of the filters processes

information in a given frequency range; Kurzweil says that dozens of filters—or many 2408 chips—would be needed to divide up the frequency spectrum of the human voice enough to make speech recognition possible.


The 2408 can process sound up to a sampling frequency of 125 kHz (125,000 cycles per second) if only two filters are activated; if all eight filters are activated, the maximum sampling rate is 32 kHz. Since the chip is programmable, it can be used for other types of digital filtering, including high-pass, band-pass, or low-pass.

Kurzweil plans to market a

10,000-word vocabulary speech-recognition system and is working on development of a voice-activated typewriter. Company founder Raymond Kurzweil earlier developed the Kurzweil Reading Machine, which can read text for the blind regardless of the typeface, and the Kurzweil 250 digital keyboard (music synthesizer).

The Kurzweil 2408 digital filter chip costs \$81 for a 3-MHz version or \$101 for a 6-MHz version; quantity discounts are available. Contact Kurzweil Applied Intelligence Inc., 411 Waverley Oaks Rd., Waltham, MA 02154, (617) 893-5151.

Inquiry **609**.



Twelve Million Instructions per Second

According to Cromemco, its Maximizer coprocessor subsystem executes an average of 12 million instructions per second. The Maximizer features a 2900-series ECL (emitter-coupled logic) bit-slice processor running at 48 MHz. It also has 16K bytes of 50-ns RAM, 16 dual-port registers, and 4096 48-bit words for downloaded microcode instructions. Cromemco says the chip's speed is enhanced by the use of a 60-ns multiplier chip and a doubly pipelined instruction path. Most instructions execute in 62.5 ns, though some may take as long as 125 ns.

The Maximizer comes on two S-100 (IEEE-696) bus boards that plug into Cromemco's microcomputers. The system runs under the company's Cromix operating system, and it will soon run under UNIX System V as well.

The Maximizer supports FORTRAN, Pascal, and C. Also available is MAXASM,

a microcode assembler used to write custom microcode for applications where execution speed is critical.

The Maximizer retails for \$3495; the MAXASM Microcode Assembler costs \$2995. Contact Cromemco Inc., 280

Bernardo Ave., POB 7400, Mountain View, CA 94039, (415) 964-7400.

Inquiry **610**.

Data Access Enhances Database Program


Data Access Corporation's DataFlex 2.1 is a 16-bit version of the company's multiuser relational database programming system. It permits over 16

million records per file, up to 250 files, each as large as the operating system will handle (up to 2 gigabytes, 32 megabytes in MS-DOS), and use of unlimited RAM.

The package includes a relational database command language, a custom menu system, and an application generator. Versions of the program are available for such operating systems as MS-DOS/PC-DOS 1.1 through 3.1, CP/M, CP/M-86, Concurrent CP/M-86, MP/M, MP/M-86, and TurboDOS. DataFlex also operates under a number of networked systems.

Pricing depends on the computer, operating system, and number of users; a single-user IBM PC version is \$995. A separate run-time version is available. For details, contact Data Access, 8525 Southwest 129 Terrace, Miami, FL 33156-6565, (305) 238-0012.

Inquiry **611**.




(continued on page 421)

Need RGB color and TTL monochrome support from a single board?




There's
only one
INTELLIGENT
decision!


INTELLIGENT B-450 Mono/Color Display Card



Color Graphics Mode: 640 dots × 200 lines



TTL Monochrome Mode: 640 dots × 350 lines



Interlace Mode: 640 dots × 400 lines

Look no further, the INTELLIGENT B-450 has it all. Designed to work with the IBM PC, PC XT, and PC AT, the INTELLIGENT B-450 is also suitable for IBM PC look-alikes. In addition to a parallel printer port, the B-450 has fourteen different screen modes which cover everything from medium-resolution monochrome text to high-resolution color graphics with interlace.

Everyone from the ordinary user to the CAD/CAM specialist will find the B-450 is just right.

Sound good? With a suggested retail price of only \$294, it's nothing less than great!

IBM and IBM PC are registered trademarks of International Business Machines Corporation.

INTELLIGENT DATA SYSTEM

Intelligent Data System, Inc.

14932 Gwenshris Ct., Paramount, CA 90723

Toll Free Tel: (800)325-2455 Calif. Tel: (213)633-5504 Telex: 509098

COMPUPRO SYSTEM COMPONENTS

Components are the essence of your computer. Without the right components, you're restricting your system's potential for maximum productivity.

CompuPro components enable you to make the most of your computer's capabilities. Choose from more than 25 boards to build or expand your system . . . to any of our ten fully integrated models. You can add more users to your CompuPro system, increase its memory, add a hard disk drive—all with modular components that mesh perfectly with your existing system.

Since 1973, our design team has been recognized for creating the highest performing, most reliable products at the lowest possible price. For the toughest business, scientific and industrial computing environments—across the country and around the world—make CompuPro IEEE 696/S-100 components the essence of your system.

CPU BOARDS

CPU 68K™ 68000-based board with sockets for memory management unit and up to 8K×16 (16 Kb) of EPROM.

CPU 86/87™ 8086-based board with sockets for 8087 math processor and 80130 firmware chips. Compatible with 8- and 16-bit memory.

CPU 8085/88™ The original, much imitated dual processor board delivers 8-bit, 16-bit, or 8- and 16-bit computing capability.

CPU-Z™ Includes all standard Z80B features. Downward compatibility with the vast library of 8080 software.

CPU 32016™ A true 32-bit processor for the desktop micro-computer. Compatible with 8- and 16-bit memory.

CPU 286™ Based on the high-performance iAPX 80286/10 16-bit processor. 100% software compatible with 8086 and 8088 processors for unprecedented speed and power.


CMOS STATIC 12 MHZ MEMORY BOARDS

RAM 22™ 256K×8 or 128K×16—works automatically with 8- or 16-bit processors. A low-power, high-density RAM board.

RAM 23™ 128K×8 or 64K×16—works automatically with 8- or 16-bit processors. A low-power, high-density RAM board.

MDRIVE®/H

512K or 2 Mb disk memory board. Emulates disk drive operation and runs under CP/M® or MP/M™. Can increase operating speeds up to 3500%. Expandable up to 4 Mb for even more storage.



DUAL FLOPPY DISK SUBSYSTEM

Two 8" floppy drives provide up to 2.4 Mb of formatted storage. With all-metal enclosure, Disk 1A™ controller, rugged power supply, cables, and software: Digital Research's CP/M-80™ and CP/M-86®.

8" FLOPPY HARD DISK SUBSYSTEM


One or two 8" floppy disk drives and one 20 Mb, 40 Mb or 80 Mb hard disk drive in all-metal enclosure with controller, rugged power supply, cables and software. CP/M-80 and CP/M-86.

DISK CONTROLLER BOARDS

Disk 1A™ High-performance, high-speed floppy disk controller for 8" and 5¼" drives; reads and writes most popular formats.

Disk 2™/Selector Channel™ A high-performance 8" Winchester disk controller with high operating speed and flawless DMA.

THE ESSENCE OF COMPUTING



SYSTEM SUPPORT 1™

Clock/calendar; math processor option; RS-232C serial port; interval timers and interrupt controllers; plus many more useful features.

SYSTEMS

CompuPro's extensive System 816 series of fully integrated single- and multi-user microcomputers includes eleven IEEE 696/S-100 bus models offering 8-, 16- or 32-bit operation, and our CompuPro 10 and CompuPro 286 business computers.

All are CP/M or MP/M based, enabling users to access more than 3,000 industry standard application programs.

DESKTOP ENCLOSURE 2

With shielded/terminated 21-slot motherboard, power supply, fan, dust filter, rugged all-metal construction.

DOCUMENTATION

"Bits, Bytes and Buzzwords" is a primer for those who want to get started right in business computing. 25 pages.

"CompuPro Product User Manuals," Volume 1. 250-plus pages.

"CompuPro Product User Manuals," Volume 2. 300-plus pages.

"Interfacing to S-100/IEEE 696 Microcomputers," by Mark Garetz and Sol Libes. 321 pages.

Individual technical manuals also available.

WARRANTY

All CompuPro products are backed by a one year limited warranty with a two year option. We also offer nationwide on-site service by Xerox Americare™-free with the purchase of designated systems.

Disk 3™ A high-performance Winchester disk controller for 5¼" hard-disk drives. High speed "burst mode" DMA transfers each disk sector in a block.

INTERFACE BOARDS

Interfacer 3™ Eight RS-232C serial ports (2 synchronous/asynchronous, 6 asynchronous).

Interfacer 4™ Three RS-232C serial ports, one parallel port, one Centronics parallel port.

MPX 1™

Multi-user system front-end processor with 16K on-board RAM. Intended for OEM applications only.

HIGH-PERFORMANCE MOTHERBOARDS

Quiet, fast and reliable. Shielded with active termination. A variety of formats (6, 12 or 21 slots) offers maximum flexibility.

Inquiry 58

THE ESSENTIAL COMPUTER™

CompuPro®

3506 Breakwater Court, Hayward, CA 94545

For further information and the location of the participating **Full Service CompuPro System Center** nearest you, call **1-800-367-7816**. In California call **(415) 786-0909** ext. 206.

©1984 CompuPro

CP/M and CP/M-86 are registered trademarks and MP/M and CP/M-80 are trademarks of Digital Research Inc. SuperCalc is a trademark of Sorcim Corp. dBASE II is a registered trademark of Ashton-Tate. Americare is a trademark of Xerox Corp. MDRIVE is a registered trademark and CPU 68K, CPU 86/87, CPU 8085/88, CPU-Z, CPU 32016, CPU 286, Disk 1A, Disk 2, Selector Channel, Disk 3, RAM 22, RAM 23, Interfacer 3, Interfacer 4, System Support 1, MPX-1 and The Essential Computer are trademarks of CompuPro.

Conducted by Steve Ciarcia

CORONA COMPATIBILITY

Dear Steve,

I've had my Corona PC for about a year now, and for the first time I've run into an incompatibility with the IBM PC. The problem is that the IBM PC has an extra open socket built into it to add a ROM or EPROM, and the Corona doesn't. A few programs on the market make use of this socket, including a genetics program I am interested in. Is there a fairly simple way to add an extra ROM chip?

Another problem is that my BIOS is written on a 28-pin 2764, while the chip for the genetics program is on a 24-pin 2732A. How can I use the 2732 in my Corona, and what is the difference between a 2732 and 2732A anyway?

Yet another problem is the Corona's incompatibility with IBM graphics. To get graphics on the IBM, you must buy a graphics color card, which uses memory locations B800 to BC00 hexadecimal. On the Corona, different RAM locations are used for graphics. Is there a way to modify programs that need the color card (e.g., Flight Simulator) so that they will work on the Corona? It may not be that difficult because there is a graphics driver by HST, which if loaded before Lotus 1-2-3, enables 1-2-3 to draw graphs perfectly on my screen.

RICHARD BERMAN
King of Prussia, PA

You should be able to add a ROM to the Corona by installing it on an expansion board with the proper interfacing circuitry. This could be built on a PC prototyping board, such as those produced by Vector Electronic Co., POB 4336, 12460 Gladstone Ave., Sylmar, CA 91342, (818) 365-9661. Since all 20 address lines are available in the I/O channel (expansion slots), you can set up the addressing as required for the ROMs with your genetics program. There could be interference between the Corona's BIOS ROM and the add-on ROM. IBM uses 40K bytes out of the 48K bytes of reserved ROM space, and I suspect that the Corona uses the same space to preserve compatibility with IBM.

The 2732s are programmed at +25 V,

while the 2732As require only 21 V.

A possibility exists that the HST graphics-driver program you mention may allow you to run the new Microsoft Flight Simulator on your Corona but not the original version. The new version can be loaded from DOS with the command FS, so a driver can be loaded ahead of the program. The original version could be loaded only by rebooting, which of course wipes out the graphics driver. See your dealer for a demonstration before you buy because there may be other incompatibilities not fixed by the HST driver.—Steve

SOURCE BOOK NEEDED

Dear Steve,

As a computer counselor, I help clients with hardware and software purchases, checking sources and buffering clients from high-pressure salespeople. Since I am not affiliated with any computer manufacturer or outlet, I do not limit my clients to the selections of a particular store. However, this lack of affiliation means that I do not receive promotional materials, which limits my effectiveness. Can you recommend any source book that lists various computer manufacturers and gives at least minimal specifications on their products?

PATRICIA SELK
Stafford, VA

Many sources of information of the type you need are available. First, most computer magazines, including BYTE, publish reviews of microcomputers, peripherals, and accessories. These are a good source of unbiased information.

Second, you can get promotional information from manufacturers by writing to them on your letterhead, explaining your needs. Their addresses are available in ads in BYTE and other magazines and are frequently published in buyers guides and directories available at most computer stores and many bookstores.

A third source is companies that specialize in publishing survey reports on this type of equipment. One of these is Data-pro Research Corporation, 1805 Under-

wood Blvd., Delran, NJ 08075, (800) 257-9406.—Steve

DRIVE-HEAD PROBLEM

Dear Steve,

I bought an Atari 800 and two Atari 810 disk drives three years ago. Some time ago, one of the drives began to have problems. Before realizing that it was only a burned-out IC, I measured the head's resistance with a digital tester. Since then, the drive seems to be able to write but does not read. I think I've magnetized the head. I tried to demagnetize it with various methods (including the use of a commercial head demagnetizer for cassette recorders), but I haven't had any success. If you think I must replace the head, could you tell me where I could buy it?

ODINO CIAI
Buenos Aires, Argentina

Digital testers normally do not supply enough current to damage a disk-drive read/write head. You did not say whether you could write to a disk and read it from the other drive. It is possible that the alignment of the head was disturbed when you were making your tests. Try some cross-checks to see if that is the case. Also, check the obvious things, such as dirt on the head and a worn head-load pad. The head-load pad is a little felt pad that keeps the disk in contact with the head. If it is worn, data may not be properly read or written. Check the continuity of the read head with an ohmmeter or your digital tester. If the head coil is open, see if there is a mechanical break in the wiring.

If you are convinced that the head is defective, a replacement can be obtained from Micro Peripherals Inc., 9754 Deerling Ave., Chatsworth, CA 91311, (213) 709-4202.—Steve

SHARING FILES

Dear Steve,

We have several Eagle PCs in our analytical laboratory, all of which use two pieces of software: pfs:File and Lotus

(continued)

Four score and seven years ago our fathers brought forth, upon this continent, a new nation, conceived in liberty, and dedicated to the proposition that "all men are created equal."



The picture in this ad is actually an 18" by 24" collector's item—an originally commissioned museum-quality print. This month, the Gettysburg print is yours, absolutely free, at most computer stores that carry Leading Edge Word Processing.

For the name of the dealer nearest you, give us a call at 1-800-343-3436, (617) 449-4655.



LEADING EDGE™

LEADING EDGE PRODUCTS, INC.
SOFTWARE DIVISION
21 HIGHLAND CIRCLE
NEEDHAM HEIGHTS, MA 02194

WORD PROCESSORS AT THE LEADING EDGE

Ah, the great ones . . .

They organized their ideas, their intuitions, their idioms. They set them down, sorted them out, arranged them and re-arranged them till they came out right.

They used small scraps of paper to record huge hunks of Truth; primitive tools to produce profound prose. But when the words finally went forth, they

made indelible marks on all who read them.

The amazing thing is that these monumental processors of words, did it without the benefit of monumental help.

Like Leading Edge Word Processing: the easiest to use, yet most potent piece of software ever created to take full advantage of all the power inherent, but until now un-tapped, in today's

most sophisticated personal computer. (Like the IBM® PC and the even faster and more powerful Leading Edge™ & AT&T.)

The heart and soul of it is a 5 1/4" floppy disk, elegantly logical instruction manual and documentation . . . everything. And what you end up with is word processing at the leading edge.

LEADING EDGE™ WORD PROCESSING FROM \$100

IBM IS A REGISTERED TRADEMARK OF INTERNATIONAL BUSINESS MACHINES CORPORATION.
LEADING EDGE IS A TRADEMARK OF LEADING EDGE PRODUCTS, INCORPORATED.



MINORITY HI-TECH INDUSTRIES

CALL TOLL FREE
1-800-428-7979
Call on Other Items Not Listed

PRINTERS • PLOTTERS

Epson	Call
Enter	
Sweet-P 6 Pen Plotter	\$739
Infomrunner	
Riteman Blue Plus 140CPS IBM	\$272
Riteman Plus 120CPS	229
Riteman 15 160CPS 8K Buffer	490
Riteman Blue Mac 140CPS	383
Riteman L.Q.	215
Juki	
5500	Call
6100	\$400
6300	Call
Legend	Call
Okidata	Call
Silver Reed	
EXP400 P or S	\$240
EXP500 P or S	303
EXP550 P or S	395
EXP770 P or S	769

MODEMS • MONITORS • DRIVES

Anchor	
Mark XII	\$235
Express 1200 Baud (Hayes Exact)	272
Volksmodem 1200 Baud	180
Hayes	
Smartmodem 1200	\$469
Smartmodem 1200B (IBM)	405
Novation	
Smart Cat Plus 2400 Baud	\$695
Smart Cat Plus 1200 Baud	299
Access 1-2-3 w/Crosstalk (IBM)	359
Apple Cat II	195
Zoom	
Netmaster (Ile, II+)	\$115
Amdek	Call
Taxan	
Amber 12" 116	\$115
Amber 12" 122 (IBM)	131
RGB 12" 425 (IBM)	415
RGB 12" 440 (IBM-ULTRA-RES)	566
Persyst Bob Board (for 440)	390
NEC	Call
Team-Mate	
1110 Internal 3.3MEG Disk (IBM)	\$698

COMPUTERS • CARDS

NEC	
PC-8401A Computer	\$839
PC-8201A Computer	299
PC-8201A-90 Battery Pack	17
PC-8206A 32K Ram	173
PC-8271A AC Adapter	17
Paradise	
Modular Graphics Card	\$269
MGC with A & B Module	526

SOFTWARE • DISKETTES

Enable	Call
Lotus 1-2-3	Call
Micropro	
WS Pro (IBM)	\$235
WS 2000	245
WS 2000+	295
Practicorp	
Practicorp/Base/Calc III (IBM)	\$189
Above each separate	69
Maxell	
MD-1 (Qty 100)	\$172
MD-2 (Qty 100)	220
MF-1 3.5" (Qty 100) HP & MAC	303
Fuji	
MD-1 (Qty 100)	\$159
MD-2 (Qty 100)	199
MF1 3.5" (Qty 100) HP & MAC	299
MD2HD (Qty 100) IBM-AT	546

SOFTWARE NON-RETURNABLE

MINORITY HI-TECH INDUSTRIES

5021 N. 20th Street, #10261
Phoenix, Arizona 85064

Other Information: (602) 890-0596



★ WE BUY ★
SURPLUS GOODS



Prices reflect 3-5% Cash Discount. Shipping on most items \$3.00. Prices and availability subject to change without notice. Send cashier's check or money order. All other checks delay shipping 2 weeks. ADD #185

ASK BYTE

1-2-3. Because each computer is producing data that is eventually compiled into the same reports, it would be a great time-saver to have the systems all sharing a common hard disk containing the basic software as well as the data files.

Does this type of data-file sharing require an elaborate LAN (local-area network) setup? It seems that a simple multiple linking of the PCs to a large hard disk would serve our purpose nicely, or are we greatly oversimplifying the problem?

We are considering moving up to a true relational database-management system such as dBASE II (or III) or Condor but are still unsure that the file-sharing system we have in mind will work.

Your advice on just how complicated (or simple) such a system could be would be greatly appreciated and would surely help us out of a real quandary.

CHARLES HARPER
Dallas, TX

Your situation appears to be one that does not require an LAN—yet! But you would probably be better off if you did plan for one, especially if you intend to move up to a true relational database system. Even your simple file sharing could cause some potentially disastrous problems without the "safety net" of true LAN software. I am referring to problems that occur when two individuals access the same file simultaneously. Under certain conditions, it is quite probable that when two people write to the same file at nearly the same time, the resulting file will be incorrect from either's point of view. Worse yet, a condition called "fatal embrace" can essentially hang up the entire system until it is manually reset. Another point to remember is that not all software is ready for multiple users, although most LANs provide some mechanism to make it usable while avoiding the problems I've mentioned.

Two suppliers featuring LAN hardware and software are Corvus Systems and Orchid Technology. Another possibility is to purchase an IBM PC AT and IBM's networking software (when it becomes available).

Corvus can be reached at 800-4-CORVUS. Orchid Technology is located at 47790 Westinghouse Dr., Fremont, CA 94539, (415) 490-8586.—Steve

TRACK BALLS ARE BETTER

Dear Steve,

I use my Z-100 almost exclusively for word processing and other nonnumerical

data-manipulation tasks. I find the number pad to the right of the keyboard useless except for the cursor-control keys, which I think are tedious and clumsy.

What about this: replace the number pad with a track ball for cursor control. Or even better, an upside-down mouse (I never could understand why they had to run around on a tabletop—mine is always too cluttered) with one or two appropriate function buttons.

Is this possible? Am I the only one who would use such a gizmo? Where can I go for information on how this might be done?

MICHAEL R. THOMAS
Port Arthur, TX

Some people who use track balls and mice claim that they would never go back to using cursor-control keys again. That is why several companies are making these devices for micros. Your idea to incorporate such a device into a keyboard is a good one, but it will have to be done by keyboard manufacturers. There is no easy or economical way to modify your Z-100 keyboard, due to the differing natures of keyboards and mice and their interaction with a particular program. A keyboard sends a unique code to the computer for each key as it is pressed. A mouse or track ball does not generate the same code when it is used, and the information it does generate usually enters the computer through a different port.

Add-on mice are sold with utility software that translates the signals from the mouse into usable information. A word processor, for example, has been written to accept the control codes generated by certain keys (the cursor keys) and always expects those codes to come from the keyboard. Most current software is not written to take advantage of mice or track balls and would have to be modified to use these devices. Of course, Microsoft's Word program was written specifically for a mouse. Other programs are appearing that also use mice.—Steve

POWER-LINE POLLUTION

Dear Steve,

I greatly appreciated your article "Keep Power-Line Pollution Out of Your Computer" (December 1983, page 36). A nearby lightning flash once damaged a transistor board in my RCA television.

To protect my IBM PC, I am using the Radio Shack filter strip (cat. #26-1451).

(continued)



IMSI Presents PC Paintbrush™

With PC Paintbrush, you'll now be able to do things that you once only dreamed about.

Because, like your dreams, you'll be working with a palette of up to 256 vibrant colors and shades, depending on your color card.

And, as you'll notice, you'll also have drawing tools, drop-down menus, and a range of brush widths and shapes. Plus your choice of mouse or joystick.

In addition to freeform drawing, you'll be able to draw precise triangles, rectangles, boxes, circles and ellipses.


You'll be able to cut, paste, and move things around. Even enhance graphs, text, and images from other programs like Lotus 1-2-3, Microsoft Word, and SuperCalc 3.

But don't stop with painting. PC Paintbrush also gives you an electronic type shop to work with. Several fonts, from Olde English to Computer. Each in seven styles (boldface, italics, underline, etc.) and even sizes.

All of which makes it great for designing everything from fliers and report covers to greeting cards and birthday banners. (For a wall-sized work of art, just print sideways.)

The possibilities are endless. But the best way to see for yourself is to see for yourself. Get a demonstration at your nearest computer store.

Then, draw your own conclusions.



SOFTWARE PUBLISHERS

Inquiry 352

INTERNATIONAL MICROCOMPUTER SOFTWARE, INC.
633 Fifth Avenue • San Rafael, CA 94901 • 415/454-7101

RUNS ON:	IBM PC/compatibles, and Corona PC, 192K RAM. IBM PCjr., and Mindset, 256K RAM. HP 150, 320K RAM. All require DOS 2.0 and up and 1 drive.
MICE:	Summagraphics, Mouse Systems, Microsoft.
JOYSTICKS:	Any IBM compatible.
GRAPHICS CARDS:	Amdek, Hercules, IBM, PCjr., Quadram, Scion, Tecmar, STB, Paradise.
MONITOR:	Color or black and white.
OUTPUT:	Printers: IBM/Epson graphics, Epson FX-80 and 100, MX 80 and 100, IDS Non-Color, IDS Prism Color, NEC 8023, C-Itoh 8510, Okidata 8X or 9X series, Radio Shack CGP-220, Xerox 1770, PrintaColor TC1040, Quadram Quadjet, Transtar Color, Diablo C150, Tektronix 4695, HP Thinkjet, Star Micronics, Epson JX-80, Data Products 8050, IBM Color printer. Plotters: HP 7475A and 7470A.

PC Paintbrush is a registered trademark of ZSOFT CORP.

Would you please answer the following questions?

Is it necessary to connect my IBM PC Color Display Monitor to the 0.5-A monitor outlet on the filter, as recommended for Radio Shack monitors?

My PC is connected to the 1.25-A processor outlet. Is this all right?

I could not determine from your article where the MOVs are to be soldered on this unit. Could you tell me where they go?

Is it advisable to remove disks from drives before turning the main power switch on?

I also need your help on a different problem. We have often found that our telephone bills contain calls we did not make. The telephone company doesn't charge us for these calls, but this involves an examination of each bill and checking with Ma Bell to determine whether we made suspect calls.

The computerized telephones being introduced are becoming more sophisticated, but none, as yet, keeps a record of outgoing calls. Is it possible to modify such a unit or to inexpensively build a device that would do this?

I have one Touch-Tone and two rotary-dial telephones, and I would like the new unit to be attached to one of them that would record outgoing calls on all three.

SIDNEY BELMAN
Teaneck, NJ

The Radio Shack filter strip was originally designed for the TRS-80 Model I computer, and the filters for each outlet were designed to handle different types of noise. The outlets have current limitations because the filters have current limitations. As long as the current ratings are not exceeded, any socket can be used.

The IBM PC is rated at 200 W at 120 V AC. This works out to 1.66 A, which is in excess of the 1.25-A rating of the filter.

It is not necessary to remove disks from the drives before turning on the PC. It was a problem on the TRS-80 Model I, but the PC has an autoboot feature that allows the disk to be inserted prior to it being turned on.

Recording outgoing telephone calls can be accomplished by a simple pulse-counter circuit connected to a computer. The computer would poll the line to see if a call were being made and then read and store the output of the pulse counter. A suitable pulse-counter circuit can be found in Telephone Accessories You Can Build by Jules H. Gilder (Hayden, 1976).

(continued)

The 'C' for the Macintosh

AZTEC C68K-C \$499
commercial software development system

• Full Version 7 'C' Compiler • Fast and Compact Code • Linker (overlay) • Resource Editor • No Royalties • Source Editor • Compatible with AZTEC 'C' for PC DOS, CP/M-86, CP/M-80, APPLE II, TRS-80, COMMODORE 64 • 68000 Macro Assembler • Extensive Run Time Support • Utilities • Shell Environment • Requires 128K MACINTOSH • Compatible with LISA MACWORKS and 512 MACINTOSH • Full access to MACINTOSH TOOLBOX (ROM & OS)

AZTEC C68K-P \$199
personal software development system

AZTEC C68K TOOLS \$249
(make, grep, diff, Z editor)

**MAC CROSS COMPILER
HOSTS & TARGETS**
LISA, PC DOS, MS DOS,
CP/M-80, APPLE II, VAX,
PDP 11



MANX

TO ORDER OR FOR INFORMATION
CALL OR WRITE:

MANX SOFTWARE SYSTEMS
Box 55
Shrewsbury, NJ 07701
TX 4995812



CALL:
800-221-0440
201-780-4004 (NJ)

NJ RESIDENTS ADD 6% SALES TAX

TRS-80 IS A TRADEMARK OF TANDY CORP. MACINTOSH IS A TRADEMARK OF APPLE.
CP/M-86 & CP/M-80 ARE TRADEMARKS OF DIGITAL RESEARCH. PC DOS IS A TRADEMARK OF IBM.



C COMPILERS FOR PC DOS MS DOS CP/M-86 CP/M-80 APPLE II, IIe, IIc COMMODORE 64 RADIO SHACK and MACINTOSH

AZTEC C86

NEW RELEASE

Optimized "C" compiler for PC DOS, MS DOS & CP/M-86
PC DOS, UNIX I/O, math, screen, graphics libraries
8086 assembler, linker & librarian, overlays
/PRO—library source, debug, ROM, MASM & RMAC, 8087, large model



NEW C COMPILERS AZTEC C68K for MACINTOSH VAX cross compilers



AZTEC C II

NEW RELEASE

Optimized "C" compiler for CP/M, TRSDOS & LDOS
assembler, linker & librarian, overlays, utilities
UNIX I/O, math & compact libraries
/PRO—library source, ROM, M80 & RMAC

C TOOLS & AIDS

Z editor (like Vi), C TUTOR compiler, PHACT database,
C GRAFX, UNI-TOOLS I, QUICK C, BABY BLUE for PC
to CP/M cross, QUADLINK for PC to APPLE cross



AZTEC C65

"C" compiler for APPLE DOS 3.3, ProDOS or COMMODORE 64
VED editor, SHELL, UNIX & math libraries
/PRO—library source, ROM, overlays



CROSS COMPILERS

Compile & link on HOST—test on TARGET machine
HOSTS: UNIX, PC DOS, CP/M-86, CP/M-80, VENIX, PCIX, APPLE
TARGETS: PC DOS, CP/M-86, CP/M-80, APPLE, RADIO SHACK,
COMMODORE 64, other hosts and targets available



PRICES

AZTEC C86 C COMPILER

PC DOS MSDOS	249
CP/M-86	249
BOTH	399
C86/PRO	499
/PRO UPGRADE	250
Z (VI EDITOR)	125
C TUTOR COMPILER	99
PHACT DATABASE	299
C GRAFX	99
SUPERDRAW	299
UNI-TOOLS I	99
QUICK C	125

AZTEC C II C COMPILER

CP/M	199
CII/PRO	349
/PRO UPGRADE	150
TRS 80 MODEL 3	149
TRS 80 MODEL 4	199
TRS 80 PRO (3 & 4)	299

AZTEC C65 C COMPILER

APPLE DOS 3.3	199
PRODOS	CALL
E EDITOR	99

AZTEC C CROSS COMPILERS

PDP-11 HOST	2000
PC DOS HOST	750
CP/M-86 HOST	750
CP/M-80 HOST	750
APPLE HOST	750
VAX HOST	CALL
MACINTOSH	CALL

TARGETS

PC DOS
CP/M-86
CP/M-80
APPLE
RADIO SHACK
COMMODORE 64
MACINTOSH

TRS 80 RADIO SHACK TRS DOS is a trademark of TANDY.
APPLE DOS MACINTOSH is a trademark of APPLE.

MANX SOFTWARE SYSTEMS
Box 55
Shrewsbury, NJ 07701
TELEX: 4995812



TO ORDER OR FOR INFORMATION:
CALL: 800-221-0440 (outside NJ)
201-780-4004 (NJ)

Australia: Blue Sky Industries — 2A Blakesley St. — Chatswood NSW 2067 — Australia 61-2419-5579
England: TAMSYS LTD — Pilgrim House — 2-6 William St. — Windsor, Berkshire SL4 1BA — England — Telephone Windsor 56747
Shipping: per compiler next day USA \$20, 2 days USA \$6, 2 days worldwide \$75, Canada \$10, airmail outside USA & Canada \$20
UNIX is a trademark of Bell Labs. CP/M, CP/M-80 and CP/M-86 are trademarks of DRI. PC DOS is a trademark of IBM. MS DOS is a trademark of MICROSOFT.
N.J. residents add 6% sales tax.

Achieve laboratory automation at low cost—connect a DAISI™ (Data Acquisition and Instrument Systems Interface) to your Apple® II or IIe Computer.

DAISI peripheral devices...

- Interface with Apple II and Apple IIe Computers and their lookalikes
- Work with all popular language systems
- Come with cable, instructional diskette and comprehensive manual

DAISI and Apple work together as a single system to measure, monitor, time, analyze, control and record a wide variety of research and testing functions.

DAISI peripherals plug easily into any Apple expansion slot, ready to be used in chromatography, environmental data collection, evoked response, gas analysis, spectroscopy, signal processing, solar heating, mechanical measurement, structural testing, and many more functional applications.

The AI13 analog-to-digital converter reads instruments and sensors and has its own external unit for easy cable access.

DISCOVER NEW HORIZONS IN LABORATORY AUTOMATION AND KEEP YOUR COSTS DOWN TO EARTH

Here's a rundown on the DAISI Peripherals:

- AI13 12-Bit Analog Input Interface**\$550
- 16 input channels
 - 20 microseconds conversion time
- DI09 Digital Interface with Timers**\$330
- timing and interrupt capability
 - direct connection to BCD digits, switches, relays
- AO03 8-Bit Analog Output Interface**\$195-\$437
- up to 8 independent channels
 - range and offset adjustable

- AI02 8-Bit Analog Input Interface**\$299
- 16 input channels
 - 70 microseconds conversion time

Plus the SC14 system for front-end signal conditioning and amplification, the UI16 isolation system for AC or DC power input or output, and more...

AND NOW . . . AMPRIS™

An easy add-on to Applesoft® BASIC.

With AMPRIS you can:

- Read and store analog and digital inputs
- Send out analog and digital outputs
- Set, read and control the DI09 counters
- Set, read and control the DI09 shift registers
- Make full use of the DI09 interrupt capability

Using AMPRIS is as easy as inserting an ampersand (&) command where you would normally insert an Applesoft command. For more information about the complete line of DAISI peripheral devices and the full spectrum of their applications, write or phone:



Interactive Structures, Inc.
146 Montgomery Avenue
Bala Cynwyd, PA 19004
Telephone: (215) 667-1713

(Designed and manufactured in the USA)

ASK BYTE

A simpler circuit, not requiring a computer, would consist of a tape recorder to record the pulses. The tape could then be played back through the pulse counter to see what numbers were dialed. The tape recorder could be controlled by the pulse detector.—Steve

COMPUTERIZED HOME

Dear Steve,

I am planning to build a house and would like to provide for computer control in my home. Can you offer any suggestions?

PAUL W. MARSH
Urbana, IL

With the almost daily announcement of some computerized device, it makes sense to provide a means for installation in the home. However, it is difficult to know what devices will ultimately be required.

I will be presenting a series of three articles, beginning in April, covering the construction of the Circuit Cellar home-control system.—Steve ■

Between Circuit Cellar Feedback, personal questions, and Ask BYTE, I receive hundreds of letters each month. As you might have noticed, at the end of Ask BYTE I have listed my own paid staff. We answer many more letters than you see published, and it often takes a lot of research.

If you would like to share the knowledge you have on microcomputer hardware with other BYTE readers, joining the Circuit Cellar/Ask BYTE staff would give you the opportunity. We're looking for additional researchers to answer letters and gather Circuit Cellar project material.


If you're interested, let us hear from you. Send a short letter describing your areas of interest and qualifications to Steve Ciarcia, POB 582, Glastonbury, CT 06033.

IN ASK BYTE, Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to

Ask BYTE
c/o Steve Ciarcia
POB 582
Glastonbury, CT 06033

Due to the high volume of inquiries, personal replies cannot be given. All letters and photographs become the property of Steve Ciarcia and cannot be returned. Be sure to include "Ask BYTE" in the address.


The Ask BYTE staff includes manager Harvey Weiner and researchers Bill Curlew, Larry Bregoli, Dick Sawyer, and Jeannette Dojan.



INPUT/OUTPUT TECHNOLOGY, INC.

25327 Avenue Stanford, Unit 113, Valencia, CA 91355 • [805] 257-1000


Uncompromising Additions to your S-100/IEEE-696 BUS



DUAL GPIB-488 INTERFACE BOARD

A Stand-Alone, Independently Controlled Dual Channel IEEE-488 I/O Processor. Interface Activity Modes for Controller-in-Charge, Controller Assigned or Terminal Bus Slave, and all Interface Functions are handled transparent to Host System CPU through an on-board CPU and DMA controller. User Friendly operation.


A&T, P/N 52748-800-102



RGB COLOR GRAPHICS BOARD

Programmable resolution up to 512 x 512 pixels with 4 local video planes and on-board graphics processor. Color mapper allows 16 colors from a palette of 4096. Light pen input. Plus more ...

A&T, P/N 52748-300-101




12-BIT A-D-A CONVERTER BOARD

8 Channel A-D: 12 microsec. Conversion, 50KHz Sample Rate, Programmable Gains, Offset and Diff./Single Modes.

8 Channel D-A: 2 microsec. Settling, Bipolar V or Unipolar I Output. Programmable Reference levels, Dual-Ported Channel Refresh RAM. **16/8-Bit Data Transfers** via I/O or Memory Mapped

A&T, P/N 52748-900-101




BAR CODE PROCESSOR BOARD

The BarTender is a stand-alone I/O Processor that reads and prints most common Bar Codes. Includes bi-directional reading, wand interface, clock/calendar with battery. Extensive documentation and software.

A&T, 52748-500-101 Without Wand


A&T, 52748-500-201 With Wand



PERIPHERAL SUPPORT BOARD

Two Serial SYNC/ASYNCR Ports with RS-232, TTL or Current Loop Outputs, three 8-Bit Parallel Ports, three Timers, Real Time Clock/Calendar and Response Programmable Interrupt Controller. Small Proto Area with +5 and $\pm 12v$.

A&T, P/N 52748-150-101






MULTI-PURPOSE PROTOTYPING KIT





Industrial Quality with Plated-Thru holes for Wire-Wrap or Solder projects. Complete with +5, $\pm 12v$ Regulators, Bus Bar, Filter Capacitors, and Manual.

P/N 52748-450 Inquiry 148

ALSO AVAILABLE: MULTI-FUNCTION I/O BOARD, SMART PROTOTYPING KIT, 128Kx8/64Kx16 STATIC RAM MODULE

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.






AND NOW FOR SOMETHING INCOMPLETELY DIFFERENT!

Incomplete, yes. But it's not just because we're always bringing out new stories in the Infocom interactive fiction collection. Nor is it simply due to the fact that with all the writing and re-writing, honing and perfecting that we put into every one of our stories, our work is seemingly never done.


The real reason is: an Infocom work of fiction can never be complete until you become a part of it.

You see, as hard as we work at perfecting our stories, we always leave out one essential element—the main character. And that's where you enter in.


Once you've got Infocom's interactive fiction in your computer, you experience something akin to waking up inside a novel. You find yourself at the center of an exciting plot that continually challenges you



In **CUTTHROATS**™ the plot involves a motley band of hardbitten salts who get wind of a shipwreck laden with sunken treasure near the remote island where you live. In exchange for your diving skills, they offer you a piece of the action. Your challenge: survive them, the perils of the deep, and escape with the treasure and your life. Good luck!



THE HITCHHIKER'S GUIDE TO THE GALAXY™ by Douglas Adams is the most mind-boggling story we've ever published. In the person of Arthur Dent, you'll chortle as your planet is demolished. You'll yelp with laughter as your life is threatened by a galaxy of horrors. Your sides will positively split as you search the universe for... well, you'll find out. Maybe.



In **SUSPECT**™ our newest mystery thriller, you're a reporter who gets the scoop on the society event of the year—the murder of a Maryland Blue Blood at a fancy costume ball. Great! Except you're the prime suspect. And if you can't find the real killer, your next by-line could be in the obituaries.

you have hundreds, even thousands of alternatives at every step. In fact, an Infocom interactive story is roughly the length of a short novel in content, but because you're actively engaged in the plot, your adventure can last for weeks and months.

In other words, only you can complete the works of Infocom, Inc. Because they're stories

that grow out of your imagination.

Find out what it's like to get inside a story. Get one from Infocom. Because with Infocom's interactive fiction, there's room for you on every disk.

INFOCOM™

Infocom, Inc., 55 Wheeler Street, Cambridge, MA 02138

For your: Apple II, Atari, Commodore 64, CP/M8*, DECmate, DEC Rainbow, DEC RT-11, IBM PC* and PCjr, KAYPRO II, MS-DOS 2.0*, NEC APC, NEC PC-8000, Osborne, Tandy 2000, TI Professional, TI 99/4A, TRS-80 Models I and III.

*Use the IBM PC version for your Compaq, and the MS-DOS 2.0 version for your Wang or Mindset.

CUTTHROATS and **SUSPECT** are trademarks of Infocom, Inc. **THE HITCHHIKER'S GUIDE TO THE GALAXY** is a trademark of Douglas Adams.

with surprising twists, unique characters (many of whom possess extraordinarily developed personalities), and original, logical, often hilarious puzzles. Communication is carried on in the same way as it is in a novel—in prose. And interaction is easy—you type in full English sentences.

But there is this key difference between our tales and conventional novels: Infocom's interactive fiction is active, not passive. The course of events is shaped by the actions you choose to take. And you enjoy enormous freedom in your choice of actions—

Master Piece[™] puts the power at your fingertips.

Master Piece is the most versatile accessory ever made for IBM Personal Computers. Master Piece combines the four most popular IBM[®] accessories into one elegant accessory offering the most convenience and best value available.

A SWIVEL BASE

The Master Piece has a swivel so you can adjust the viewing angle of your monitor with just the touch of a finger. Since the Master Piece swivels with your monitor, its switches and static control are in front of you at all times.

FIVE SWITCHED OUTLETS

Stop searching for outlets to plug in your peripherals. Master Piece's five outlets put your entire system at your fingertips. Power up with the "Master" switch, then use the individual switches to control your peripherals. Touch the "Master" switch to shut down and you'll never accidentally leave your peripherals running overnight.

SURGE SUPPRESSION CIRCUITRY

Power surges, spikes and line noise are responsible for 70–90% of all PC malfunctions. They can wipe out memory in your PC, taking hours of hard work with them. They can zap your delicate chips, sending your PC in for costly repairs. Master Piece clips surges and spikes at a safe level. You end up with an IBM that's more accurate and reliable.

STATIC PROTECTION

Even you are a threat to your IBM. During the day you build up static charges—as much a threat to your PC as surges and spikes. Master Piece offers an elegant alternative to expensive and unsightly static mats. Just touch its nameplate before you begin work and static charges are grounded.

If you bought these accessories separately, you could spend more than \$200. Master Piece's recommended retail price is under \$150. Available now from IBM dealers everywhere.

Inquiry 169

**K KENSINGTON[™]
MICROWARE**

251 Park Avenue South
New York, NY 10010
(212) 475-5200 Telex: 467383 KML NY

Trademarks: Master Piece/Kensington Microware Ltd
IBM/International Business Machines
© 1984 Kensington Microware Ltd.



CLUBS & NEWSLETTERS

● VISIT WITH APPLE

USERS—Ideas, information, and the latest computer news are available to members of the Arkon Infosystem, a 24-hour 300-bps bulletin-board system operating in Toronto, Canada. Upload, download, electronic mail, and public messages are a few of its features. Also included are 20 conferences, 10 megabytes of storage, and on-line help. The annual fee for using the system is \$19.95, but inquirers can log on under the "Guest" user function. Questions about the system can be sent through the (F)eedback-to-sysop function of the Arkon Infosystem at (416) 593-7460. Other details are available from David Fingold, Arkon Infosystem, 409 Queen St. W, Toronto, Ontario M5V 2A5, Canada, (416) 593-9653.

● CHAMELEON ADVOCATE

The National Chameleon Users Group (NACHUG) produces a newsletter, *The 80/88 National Newsletter*, that contains hardware and software reviews, updates, and a users forum. Member discounts are provided on peripherals and accessories. Membership is \$12 a year. Contact Steven Bender, NACHUG, POB 28360, Queens Village, NY 11428.

● SIG, NEWS FOR PUBLIC-DOMAIN SOFTWARE

PC-SIG News, a newsletter from the PC Software Interest Group (PC-SIG), is devoted to public-domain or user-supported software for the IBM PC and compatible computers. It lists the disks in the library, updates recent

disk arrivals, and encourages patches and feedback from users. The members have compiled a directory with a subject index and listings. Contact the PC Software Interest Group, Suite 130, 1556 Halford Ave., Santa Clara, CA 95051.

● C-CLUB IN RIVER CITY

The River City Commodore Club is a nonprofit organization that meets twice a month to promote interest in all Commodore computers. The group features a large club library, help groups, and basic and advanced tutorials. For details, write River City Commodore Club, POB 4298, North Little Rock, AR 72116.

● COMPUTER AND SOFTWARE LAW

—The Center for Computer/Law, a nonprofit educational institution, provides research and educational services in computer law. The Center produces *Computer/Law Journal*, an international journal on the legal issues of computers, telecommunications, and the information industries. It also publishes a quarterly law review, *Software Law Journal*, that contains scholarly articles from computer law experts, as well as a bibliography of software law and a directory of recent cases. Contact the Center for Computer/Law, POB 3549, Manhattan Beach, CA 90266.

.....
CLUBS & NEWSLETTERS is a forum for letting BYTE readers know what is happening in the microcomputing community. Emphasis is given to electronic bulletin-board services, club-sponsored classes, community-help projects, field trips, and other activities outside of routine meetings. Of course, we will continue to list new clubs, their addresses and contact persons, and other information of interest. To list events on schedule, we must receive your information at least four months in advance. Send information to BYTE, Clubs & Newsletters, POB 372, Hancock, NH 03449.

● MANY SHARED

BENEFITS—The First Attache/2001 User Group (FAUG) produces a monthly newsletter titled *Where It's At*. Members meet quarterly, have access to public-domain library disks, and receive support by telephone and networking. The club can be reached on CompuServe at 70346.63. Annual dues are \$35. Contact Charles Raisch, FAUG, 1827 Haight, San Francisco, CA 94117-2791, (415) 221-3415.

● NO TIME LIMITS SET

YET—In northern Idaho a 24-hour bulletin-board system called I-PACE features Atari downloads. Passwords are not required, no time limits are set, and people add to it frequently. The BBS number is (208) 772-9421. Contact Robert Marshall, POB 5123, Coeur D'Alene, ID 83814, (208) 772-5922.

● CHRISTIAN COM-

PUTERISTS—Christian programs, a member's exchange, a monthly newsletter, and discounts on computer supplies are available from the Elect Christian Computer Club. For details and a free issue of the newsletter, *E₃C Electletter*, write to the Elect Christian Computer Club, Department LA1, POB 31022, Chicago, IL 60631-0022.

● TRIANGLE dBASE USERS

GROUP—Members of a users group for dBASE II and III meet at 7:30 p.m. on the second Wednesday of each month in the Dreyfus Auditorium of the Research Triangle Institute in Research Triangle Park, North Carolina. A bimonthly newsletter is available on CompuServe (70156.404), and a public-domain library of application disks is planned. Annual dues are \$10. Send a self-addressed, stamped envelope for a sample newsletter to Rich Slatta, Triangle dBASE Users Group, 2618 Davis St., Raleigh, NC 27608, (919) 782-8926.

● NEWSLETTER WITH

FOCUS—Users of Lotus 1-2-3 and Symphony can focus on applications with *Learn Mode*, a monthly newsletter from Systems Consulting. Among its features are book reviews, solutions to problems, questions and answers, and updates on Lotus products. Article contributions are welcome. *Learn Mode* is \$30 for 12 issues. Request a complimentary copy of the first issue from Systems Consulting, POB 982, Palo Alto, CA 94302, (415) 326-8605.

● FRIENDLY USERS

Business computer users in the Chicago metropolitan area form the Tandy Business Users Group, which meets on the third Wednesday of each month. The monthly newsletter, *T-BUG*, contains a schedule of coming events, workshops, and forums, profiles, meeting notes, news releases, and product announcements. An-

(continued)

BANC ON U\$

GET SERIOUS. STOP PAYING HIGH PRICES NOW!

THOUSANDS OF AVAILABLE ITEMS. CALL FOR COMPLETE PRICING.

SYSTEMS

IBM PC
256K, Two 360KB Disk Drives, Color
Graphics/Monochrome Graphics board,
Parallel Printer Port, Monochrome Display
(Amber/Green), DOS 2.1.
LIST PRICE \$2950.00 — ONLY \$2095.00
SUPER XT 10 Meg Upgrade — \$2795.00
IBM AT — 11% OFF

IBM SOFTWARE

LOTUS 1-2-3 \$295.00
LOTUS Symphony 449.99
MICROPRO Wordstar 249.00
ASCII Express For IBM 125.00
Wordstar Professional 359.00
Infostar 249.00
Multimate 269.00
MICROSOFT Word 229.00
Word W/Mouse 279.00
Multiplan 139.00
Project 159.00
ASHTON TATE Friday 179.00
dBASE II 280.00
dBASE III 349.00
Framework 359.00
LIFETREE SOFTWARE Volkswriter 119.00
Volkswriter Deluxe 169.00
FOX & GELLER Quickcode 139.00
dUtil 59.00
dGraph 149.00
MICRORIM Rbase-4000 295.00
PFS Write 89.00
File 89.00
Report 89.00
Proof 79.00
Access 79.00
ENERGRAPHICS 269.00
NORTON UTILITIES 59.00

IBM HARDWARE

AST Six Pack Plus 64K 259.00
MegaPlus II 259.00
PC Net 1 Starter Kit 830.00
QUADRAM Quadboard O-K 219.00
Quadcolor I or Microfazer 64K 205.00
Quadlink 479.00
MICROSCIENCE
10MB Winchester 799.00
HERCULES Mono Graphics 329.00
Color Card 199.00
PLANTRONICS Colorplus 389.00
STB Rio plus 64K 249.00
Super Rio 259.00
Graphix +II NEW 309.00
TEAC 55B 124.00
55F 180.00
TANDON TM100-2 179.00
IBM Floppy 1.2 Meg CALL
TALL GRASS 12MB W/Tape 2799.00
RAM 64K upgrade 35.00
RAM 256K upgrade 26.00
MOUSE SYSTEMS Optical Mouse 189
ALSO - XCOMP, PERSYST, ORCHID,
TITAN AND OTHERS

PRINTERS LETTER QUALITY

BROTHER HR-15 375.00
HR-25 629.00
HR-35 859.00
JUKI 6100 429.00
NEC 2030 659.00
2050 799.00
3530 1229.00
3550 1539.00

PRINTERS DOT MATRIX

STAR MICRONICS Gemini 10X 259.00
Gemini 15X 389.00
EPSON RX-80 F/T 329.00
FX-80 349.00
FX-100 649.00
LQ1500 1299.00
OKIDATA 92A 389.00
93A 649.00
84A 949.00
PANASONIC 1091 CALL
TOSHIBA 1350-P 1399.00

MONITORS

AMDEK 300 129.00
300A 145.00
310A 169.00
Color I+ 269.00
Color II 459.00
TAKAN Composite Amber 119.00
121/122 149.00
420 (RGB) 439.00
415 (RGB) 489.00
PRINCETON GRAPHICS HX-12 469.00
SR-12 625.00
MAX-12 189.00
ZENITH ZVM-122 Amber 95.00
ZVM-123 Green 95.00
NEC 1201 Hi Res Green 125.00
1205 Hi Res Amber 125.00
1206 Green 85.00
JC1215 Composite Color w/audio 215.00
JC1216 Color RGB 334.00

MODEMS

HAYES 1200 469.00
1200B 389.00
300 199.00
Micromodem //e 219.00
ANCHOR Mark X 109.00
Mark XII 249.00
Volksmodem 59.00
NOVATION Smart Cat Plus CALL
Access 1-2-3 419.00
Apple Cat II 239.00
J-Cat 99.00
U.S. ROBOTICS PC Modem 365.00
Password 349.00
PROMETHEUS Promodem 1200 329.00

APPLE PRODUCTS

MICRO SCI AZ drives 179.00
RANA ELITE 1 219.00
TEAC drive 189.00
APPLE Compatible drive 169.00
WESPER Interface 69.00
BUFFERED 16K 139.00
SYSTEM SAVER Fan 69.00
MICROSOFT Premium //e 279.00
Softcard CP/M 29.00
Multiplan 129.00
MAC Multiplan (Macintosh) 129.00
Basic (Macintosh) 109.00
APRICORN Serial Card 69.00
Z-80 Card 59.00
ASCII Express Professional 89.00
MAXELL S/S 19.00
D/S 27.00
KOALA Touch Tablet 79.00
HAYES Mach III JoyStick 39.00
THUNDERCLOCK 119.00
MOCKINGBOARD CALL
APPLEMOUSE II 129.00
VIDEX Ultraterm 179.00
80 COLUMN/64K Interface //e only 99.00
80 COLUMN Card II+ only 59.00

WE SUPPORT THESE FINE SYSTEMS:
Apple, Compag, IBM, Sanyo and many
more.

TELEX #550757/ANSWER BACK—COMPUTERBANK UD



Orders Only
800/332-BANC
OUTSIDE CALIFORNIA

16783 Beach Blvd., Huntington Beach, CA 92647

714/841-6160

Inquiry 70

All products are in factory sealed packages. We guarantee all items for 30 days. Within this period, defective merchandise returns must be accompanied by RMA number. All other returns will be subject to a 10% restocking fee. For prepaid orders, there will be a 3% shipping charge. 5% for UPS. Blue Label. \$5.00 minimum, all orders outside U.S.A. at 15% shipping. There will be an additional \$4.00 surcharge on C.O.D. orders. Cash or Cashiers check is required on C.O.D. orders. California residents add 6% sales tax. Prices subject to change without notice.

© Copyright 1984 COMPUTERBANK All Rights Reserved

CLUBS & NEWSLETTERS

nual dues are \$35 and include a one-year subscription to the newsletter. For an application and further details, write Carlos Hidalgo, T-BUG, 311 Longview Rd., Waukegan, IL 60087, (312) 623-9661.

● EXCHANGE ATARI NEWS

The Atari Computer Club of the Palm Beaches produces a monthly newsletter, *The Pokey Press*, that features club news, pen pals, participating businesses, news from shows, and software and product reviews, and welcomes the exchange of newsletters with other Atari groups. Contact Jim Woodward, Atari Computer Club of the Palm Beaches, Apt. B-101, 15993 Southwest 8th Ave., Delray Beach, FL 33444.

● SPECIALIZED NEWS FOR

ACADEME—Theories in the field of word processing are addressed in *Research in Word Processing Newsletter*, a nine-month publication from the Liberal Arts Department of the South Dakota School of Mines and Technology. It functions as a clearinghouse of information relevant to computer-based writing instruction at all educational levels and contains original research, article abstracts, bibliographies, and software evaluations. Article submissions are welcome. Contact The Editors, *Research in Word Processing Newsletter*, Liberal Arts Department, South Dakota School of Mines and Technology, Rapid City, SD 57701-3995.

● FOR NEW VENTURES

A monthly newsletter, *Compu-Venture*, contains software reviews and information on how to make money using your microcomputer. Subscriptions are \$20 a year. Contact Microcomputer Software & Consultants, POB 1039, Mount Vernon, NY 10550.

● MORE FOR ENCORE

Encore 100 and 200, two software-based portable network analyzers that are designed for data-communications monitoring, diagnostics, and emulations, now have a users group sponsored by its manufacturer, Digitech Industries. A newsletter, *Encore Communicator*, serves to solve user problems or print user programs. Application engineers answer hardware and software questions and supply needed information. To receive a business-reply registration form, contact Joseph Luciano, Digitech Industries Inc., 66 Grove St., POB 547, Ridgefield, CT 06877, (203) 438-3731.

● COMMODORE IN SILVER

The Silver State Commodore Users Group of Las Vegas, Nevada, meets at 7:30 p.m. Wednesday nights at the local YMCA. The \$4 per month dues entitle members to vote and to copy any of 35 public-domain programs. Though most members use Commodores, the group is not limited to a particular computer. The club offers ongoing classes in BASIC, program demonstrations, and assistance. Contact Karen Douglas, Silver State Commodore Users Group, POB 81075, Las Vegas, NV 89180.

● FOR THE FORTUNE

Users of the multiuser *Fortune 32:16* can join /u/fortune, a group that meets in Cambridge, Massachusetts, on the first Thursday of each month. Meetings include presentations of new software, small group discussions, and user support. A monthly newsletter is produced. For complete information, contact Josh Lobel or Mark Palmerino, /u/fortune, Suite 28, 20A Prescott St., Cambridge, MA 02138, (617) 876-4763. ■

When all else fails.

Most diskettes are pretty good.

And some of the time that's good enough.

But next time you throw away one that won't format or you lose the cash flow analysis you've been working on for weeks, make a mental note to try a box of Dysan diskettes.

They're better.

So much better, in fact, that major computer manufacturers put their names on our diskettes and sell them as their own.

Without fear of failure.

You see, we make our diskettes better with advanced manufacturing processes that our competitors have yet to figure out.

And we test them.

Almost to the point of absurdity.

Dysan diskettes are inspected almost a hundred times as they come down the line. They're tested to performance levels way beyond industry standards. And each one is certified to be 100 percent error free.

Then our corporate quality assurance fanatics come along and check them all over again. For all

the same things. Plus some things only they understand.

When we're done, you get exactly what you wanted in the first place. Diskettes that will record and retain all your data all the time.

We don't expect you to keep all that in your mental note, but we would like you to remember your last diskette failure.

And when your computer products dealer offers you another box of pretty good diskettes, tell him you're ready for something better.

Dysan.

Call toll free for the name of the Dysan dealer nearest you. (800) 551-9000.

Dysan Corporation, 5201 Patrick Henry Drive, P.O. Box 58053, Santa Clara, CA 95050, (408) 988-3472.

Dysan®


**Somebody has to be better
than everybody else.**

Inquiry 98

Dysan is a registered trademark of Dysan Corporation. © 1984, Dysan Corporation.

Dysan

Flexible Diskette



Sooner or later, you'll have to face this computer problem.

PC MAGAZINE • MAY 15, 1984

Do your eyes itch, burn, or tear? Are they tired and sore? Do you get headaches, occasional dizziness, or blurred or double vision? If you have any of these symptoms, you're probably suffering from eyestrain and fatigue, and it may be from using your PC.

Eye fatigue and other vision problems are common for regular users of PCs and other kinds of video computer displays. This visual stress can also contribute to general tension and tiredness. Fortunately, the vision problems experienced by video display users have

Better sooner.

Better Sooner.

Computers don't ever get headaches.

But the people who use computers do.

Quite clearly, as PC Magazine spells out, that's not the only trouble they're having.

In case you're tempted to dismiss this as trivial, there are two things you should be aware of:

First, more than twenty states are already preparing legislation to force some improvements.

Second, if computer users suffer, so does business.

Because computers are only as fast and accurate as the people who operate them.

You are not a machine.

Computers are designed by engineers.

They usually know a lot about technology but very little about people.

Which is why so many computers are technically impressive but strangely unnatural to use.

Computer-induced problems (%)	
Eye strain	55%
Back pain	43%
Headaches	30%
Shoulder	25%
Hand/wrist	18%
Neck pain	15%
(Source: "Ergonomic Principles in Office Automation" Pub. 1983 by E.I.S. AB, Sweden.)	

Ericsson, in its very Swedish way, has always believed that excellent ergonomic design isn't a privilege. It's a right. That it isn't a noble gesture but demon-

strably good for business.

It's an attitude that has made Ericsson No. 1 in Europe twice over:

First, as the giant of European telecommunications.

Then again as Europe's biggest workstation company by far.

(You couldn't ask for a better marriage of technology for the future.)

Here is one example of how they got there.

It's the first of a whole range of computers to be introduced in the U.S.A.

The Ericsson P.C. It's Ergo-Intelligent.™

Ericsson has spent \$300 million finding ways to make people and computers work better together.

Here are some of the results.

Ergo-Screen.™

Aspirin gets rid of a headache. Ergonomics gets rid of the cause.

The Ericsson PC monitor has a non-glare screen.


With restful amber characters on a specially developed, low-fatigue background color.

Even the shape of the actual characters was specially developed to allow easier recognition of difficult to distinguish letters like O and Q.

On the monochrome monitor, the resolution is double that of IBM's, so clarity is remarkable.

You can even have characters and graphics on the same screen.

Ergo-Arm.™



Thousands of people get neck and muscle pain from inadequate height and angle adjustment. The Ericsson Ergo-Arm lets you move your screen exactly where you want it.

Better than back pain, wouldn't you agree?

Ergo-Touch.™

The keys are full-size and the layout is ergonomically planned for greater accuracy and speed.

Yet the keyboard is 20% more compact and less than half the weight of IBM's.

Even the cord is adjustable to suit left- or right-handers.

Ergo-Color.™


Even the color of the case is ergonomically selected to be restful to the eye over many hours.

Ergo-Space.™

The system unit is one-third smaller than IBM's.

It even fits under your desk in a vertical rack.

So your desktop is your own again.



IBM Compatible.

Many companies claim to be compatible.

Some are. Some are stretching the truth.

The Ericsson PC boasts the highest compatibility rating there is.

It's operationally compatible.

You can take advantage of thousands of PC-compatible programs already available.

In fact, with the best-selling software, the program and data disks are interchangeable with those of the IBM PC.

Service. Not Excuses.

Ericsson wouldn't give you anything less than on-site or carry-in service. The choice is yours.

3 Free Offers.

Ericsson will send you revealing literature on ergonomics.

Also a detailed brochure on the Ericsson P.C.


And arrange a hands-on test if you ask for it.

Call toll-free 1-800-FOR-ERGO.



ERICSSON

IBM is a trademark of International Business Machines Corp.



Sanyo 555-2's Now 51 Dollars Less

For months a competitor has been selling Sanyo 555-2's for a bit less than Scottsdale Systems' no more. Of course, we still include more free software like (1) Sketch, (2) 15 Games, (3) Datamart, (4) Diagnostics and Utilities, (5) P.C. Filer, and (6) I.S. Manager. And now we have the best price for the 555-2, as well as the other models.

Plus if you mention this ad when you buy your Sanyo from Scottsdale you can buy an RS-232 port or an extra 128K of RAM at the same time for a mere \$69.

To paraphrase Bogey, if you don't buy your Sanyo from Scottsdale Systems you'll regret it: maybe not today, maybe not tomorrow, but soon and for the rest of your life.

Ask about our open access package



Columbia's

If you're looking for maximum compatibility, minimum prices, nationwide service, you should consider buying a Columbia from Scottsdale Systems. Each system comes with MS-DOS 2.1, Basic 2.0, Perfect Writer, Calc, Speller, Filer, Fast Graphs, Home Accountant Plus, Space Commanders, ATI Tutorials, and T.I.M. IV data base manager. We have the best prices on all Columbias including the new 1600-1V Plus or VP Plus with 256K, keyboard, and video card for:

\$1717

TERMINALS



Ampex 210
w/14 emulations \$434
Wyse 50 \$499

Also great prices on other Ampex and Wyse terminals, as well as ADDS, Televideo, Qume, and Zenith.

PLOTTERS

HI DMP-29 \$1795
HI DMP-40 \$745
HI DMP-41 \$2340

MODEMS

Password \$308
Prometheus \$339

Compatible Drives Teac Slimline

FD54A (160K) \$69
FD55B (360K) \$139
FD55F (720K) \$159

DIABLO LG SALE

Diablo 630 API \$1499
Diablo 620 \$715



Closeout Sanyo 1100's

Sanyo MBC 1100 computers with two built-in 360k drives, 12" green phosphor monitor, 80 column/25 line display, plus over \$2000 of the best-selling Micropro software including WordStar, CalcStar, MailMerge, SpellStar, ReportStar, DataStar, CP/M and BASIC. Not a souped up Commodore or a portable with unknown software - but a powerful combination of hardware and software for business use, while they last.

\$848

Altos Systems ... big discounts, local installation



Scottsdale Systems Ltd.

617 N. Scottsdale Road, Suite B, Scottsdale, Arizona 85257



(602) 941-5856

Call 8-5 Mon.-Fri.



We participate in arbitration for business and customers through the Better Business Bureau of Maricopa County.

SINCE 1980

TELEMARKETING ONLY: If you plan to visit please call first for an appointment. Prices listed are for cash and include a 3% discount. We sell on a Net 30 basis to Fortune 1200 companies and universities. No C.O.D.'s or A.P.O.'s. P.O.'s add 2%. Visa, Mastercard add 3%. Az. residents add 6%. Prices subject to change, product subject to availability. Personal/company checks take 3 weeks to clear. All items listed are new with manufacturers warranty, 0-20% restocking fee for returned merchandise. Shipping extra-products are F.O.B. point of shipment. Software is not warranted for suitability. Registered trademarks: Televideo-Televideo Systems, Inc.; Silver Fox™, HAGEN-DOS-Scottsdale Systems, Ltd.; Commuter-Visual Computer Incorporated.



The Silver Fox™ Trots Through Lotus like 1,2,3

The Silver Fox has always run hundreds of programs originally written for the IBM-PC. Now with its new compatible video board and GW Basic it runs the most popular and powerful software in microcomputing, including Lotus 1 2 3, dBASE II, Multiplan, the PFS series, and even Flight Simulator. Yet you still get an incomparable combination of hardware and software at a price that invites comparison.

MORE HARDWARE

Each Silver Fox comes with an 8088 CPU, 256K of RAM, monochrome and color video, and a printer port all on a single board. Plus you get more than twice the storage of a standard PC, 1.6 Megabytes on dual 5 1/4" floppies, and the Fox will read and write to all popular PC formats.

Standard equipment also includes a better keyboard, and a 12" high-resolution, green monochrome monitor, with a full 25x80 column display. And although the Silver Fox doesn't have "compatible" expansion slots you can add serial ports, modems, plotters, printers, joysticks, and 8087 co-processor, and/or a hard disk.

Because the Silver Fox is born on a totally automated line in Japan it is simply more reliable than PC's that are assembled by hand. So we back each Silver Fox with a one year limited warranty, four times the industry standard.

FREE SILVERWARE

Were this not enough, each Fox comes with the best free software bundle in the business including:

MS-DOS 2.11	Sketch	Spell
Color BASIC	15 Games	Mailit
GW BASIC	WordStar	FILEBASE
HAGEN-DOS	CalcStar	PC File III
Qwikdisc	Easy Writer	PD Disk
Datamart		


If you didn't think your

\$1397

could buy you this much computer, give us a call and we'll rush you a brochure that will tell you how it can.

ColorFox \$1688

PRINTERS



Epson FX-80+ ... ~~\$180~~ off
Epson RX-80FT ... ~~\$100~~ off
Tally Spirit 80 ... \$254
Okidata 92 ~~\$125~~ off
Okidata 93 ~~\$210~~ off
Okidata 84 Call
Dataproducts
8050 "loaded" \$1344
Tally 160L \$589
Panasonic 1091 \$298
Toshiba 1340 \$707
Toshiba 1351 \$1222

LETTER QUALITY

Juki 6100 \$398
Juki 6300 \$719
Silver Reed 400 \$249
Silver Reed 500 \$299
Silver Reed 550 \$409
Silver Reed 770 \$724
NEC's Call
Daisywriter 2000 \$824

STAR MICRONICS SALE

Gemini 10X \$244
Power Type \$299
Radix 15 \$589



BOOK REVIEWS

ALAN TURING:
THE ENIGMA
Andrew Hodges
Simon & Schuster
New York: 1983
600 pages, \$24.95


COMPUTER GRAPHICS
PROGRAMMING
Günter Enderle, Klaus
Kansy, and Günther Pfaff
Springer-Verlag
New York: 1984
560 pages, \$39

DATA STRUCTURES AND
PROGRAM DESIGN
Robert L. Kruse
Prentice-Hall
Englewood Cliffs, NJ: 1984
486 pages, \$29.95

ALAN TURING:
THE ENIGMA
Reviewed by
G. Michael Vose

And thus it was that . . . thinking in his spare time, an English homosexual atheist mathematician . . . conceived of the computer." This startling claim is at the heart of the first major biography of Alan Mathison Turing (1912-1954), a man whose legacies include the Turing machine and the Turing test. Andrew Hodges has uncovered the genius of this complicated man and recorded the evolution of his ideas within the unique context of the tumultuous times in which he lived. Hodges's fascinating study adds new information to the history of computer science, counters its all-American bias, and claims a rightful place for the eccentric Alan Turing.

Revising history is a risky endeavor. The task demands rigorous scholarship and the courage to successfully challenge the assumptions of the past. Hodges's *Alan Turing: The Enigma* brims with painstaking research and emphatic interpretation. No less an authority than the *New*



York Times (December 4, 1983, section 7, page 80) has labeled this volume a work of major literary importance.

This praise derives from the wealth of ideas exposed and illuminated in the book, from lucid discussions of complex mathematics to revelations about the secret cryptography work accomplished by Turing and others during World War II. Through this work, the fortunes of war contributed significantly to the creation of the British computer.

In Bletchley Park, a London suburb, the cryptography group worked to decipher codes generated by the German army's Enigma machine. While Turing's inventiveness was instrumental in breaking these codes, his life was full of naive contradictions, similar in nature to the Nazis' refusal to believe that the codes of their

cipher machine could ever be broken.

Hodges is sympathetic to the idea that the Allied victory in WWII hinged on the battle in the Atlantic in which Hitler's U-boats tried to isolate Britain by cutting off her sea supply routes to the West. Here, the breaking of the Enigma codes made the difference between victory and defeat because deciphering German naval messages helped transatlantic convoys avoid the U-boat wolfpacks. But it is Hodges's contention that Turing came up with the major formulations of modern computer science that makes this biography so significant.


Of course, the Universal machine (now known as the Turing machine) that Turing conceived in 1935 and described in a 1936 paper called "On Computable Numbers, with an Application to the Entscheidungsproblem" has rightful

(continued)

New 64K SBC

Only

\$375.



4"x6"

- Requires no terminal. Includes Video Controller and CP/M™ 2.2
- Runs any size floppy drive.
- Other models include Hard Disk Controller, CP/M™ 3.0, 128K or 256K RAM, and 8088

64K SBC includes:

- 6MHz Z80B™
- Video Controller
- 2 Serial Ports
- 4 Parallel Ports
- I/O Expansion

CP/M is a trademark of
Digital Research Inc.
Z80B is a trademark of
Zilog Inc.

- Source Code and Drivers included
- CP/M™ 2.2


Call our Toronto
office today.
(416) 745-7214

Or write: Megatel
1051 Clinton St.,
Buffalo, N.Y.
14206

Substantial OEM Discounts Available

SOURCETEK

SWITCHING POWER SUPPLY



IPS-135

EXACTLY FIT TO IBM
PC/XT
OUTPUT
2 DISK DRIVES
2 HARD DISKS
AC INPUT
115V or 220V

1 YEAR WARRANTY

IBM OR COMPATIBLE ADD-ON CARD

DISK CONTROL CARD WITH CABLE	\$99.00
COLOR GRAPHIC CARD	\$145.00
SERIAL INTERFACE CARD	\$60.00
PARALLEL PRINTER CARD	\$60.00
MONOCHROME CARD	\$185.00
IDEAMAX 384 MULTI-FUNCTION CARD	
WITH 384K RAM	\$399.00
IPS-135W POWER SUPPLY	\$160.00
HALF HEIGHT DISK DRIVE	\$129.00



MICTRO (U.S.A.) INC.

1807 S. SAN GABRIEL BLVD. SUITE B
SAN GABRIEL, CA 91776
TEL: (818) 288-8422, (408) 738-3105

DEALER, OEM, DISTRIBUTOR WANTED

IBM is a trademark of I.B.M. Corp.

BOOK REVIEWS

ly taken its place as a seminal computer science idea. It was central to Turing's lifelong inquiry into the idea that machines could be intelligent. However, his later, little-publicized ideas about how computing machines might work form the bulk of the biographer's most interesting revisions to the historical record.

During his Enigma-deciphering work, Turing designed and helped construct a machine called the Bombe, an electromechanical device that calculated the permutations of the Enigma's enciphering rotors. It used relays as switches and was a specialized, high-speed calculating machine. Turing's work on the Bombe enabled others in the Bletchley Park group to develop the Colossus, the machine that some historians consider the first computer. The Colossus began service in December of 1943, but Turing played no part in its design or construction. In conceiving and building the Bombe, however, and later machines like the Delilah (a telephone-voice enciphering device), Turing began fermenting the ideas that he would later develop to construct a version of his Universal machine.

The distillation of these ideas appeared in "Proposed Electronic Calculator," a late-1945 report prepared in conjunction with his new responsibilities as senior scientific officer with the Mathematics Division of the National Physical Laboratory (NPL) in Bushy Park, Teddington. In this report, Turing laid out plans to construct a machine later named the ACE (automatic computing engine), a project in response to the American scientific community's efforts to build a digital computing machine. The plan outlined the construction of a true automatic electronic digital computer with *internal program storage*, a fully developed scheme broader in scope than those conceived by John von Neumann and others. But to Turing it was an old idea.

AN INNOVATOR

The stored-program concept was a natural one to Turing because it was essentially the same idea that he developed in connection with the "instructions on paper tape" idea that was central to his Universal machine. The ACE report described how the stored-program concept would apply to a computer. The report's discussion of how the machine's instruction tables would be created leads to Hodges's claim that Turing "... invented the art of computer programming." This art, in Turing's words, would find that "Instruction tables will have to be made up by mathematicians with computing experience and perhaps a certain puzzle-solving ability." Turing later wrote routines, in conjunction with J. H. Wilkinson (see the interview on page 177), to perform floating-point arithmetic that enabled programmers to multiply two numbers without knowing what was really happening inside the machine, thus presaging the development of high-level languages. His notes for the ACE report talk about "subsidiary" routines and about "burying" and "unburying" an area of memory containing information vital to a program returning from a sub-

BOOK REVIEWS

sidary routine. (This is known today as "pushing" and "popping" the stack.) He even envisioned the use of remote terminals, claiming that "It would be quite possible to arrange to control a distant computer by means of a telephone line."

Although he left the NPL before the ACE machine was built because he was unable to deal with the politics of bureaucracy, Turing nonetheless walked through the front door of British computing. Taking up the post of Deputy Director, Royal Society Computing Laboratory at Manchester University, he arrived in time to witness the fruition of the other English attempt to build a computer. Driven by the efforts of M.H.A. Newman (a former professor of Turing's and the first reader of "Computable Numbers") and Cambridge mathematician M.V. Wilkes, the university assembled a team of wartime electronics engineers and Bletchley Park mathematicians to work on developing a computing machine. The major difference between the Manchester machine and Turing's ACE was the type of memory used. The ACE used acoustic delay lines made of thin tubes filled with mercury, capped on each end by piezoelectric crystals. A signal traveling between crystals through the mercury was "stored" for a microsecond. The Manchester machine used electrostatic tubes, primarily cathode-ray tubes that stored information as a charged phosphor, refreshed every millisecond, on the tube's screen.

Less encumbered by bureaucratic entanglements than the NPL, the university's computer, later called the Mark 1, executed its first program on June 21, 1948. Turing became a programmer of the Mark 1; for the rest of his life, which presumably ended by his own hand a scant six years later, he worked on research that interested him but led to no significant discoveries. But during this time he exchanged ideas with other Manchester faculty members, including Michael Polyani, whose disdain for the idea of intelligent machines gave rise to the debate that spurred Turing's creation of the test that later carried his name. The Turing test was put forth in an article called "Computing Machinery and Intelligence" in the October 1950 issue of *Mind*. Its now-famous central thesis was that if a machine's response to interrogation was indistinguishable from a human's, then the machine exhibited intelligent behavior.

Hodges's treatment of the intellectual accomplishments of Turing's life is a major contribution. The book is a fountainhead of stimulating thought—discussing Turing's ideas on the determinism/free-will dialectic, for example—and historical minutiae. Hodges reveals, for example, that Mark 1 program code was written in base 32 arithmetic notation, a modification of Baudot teleprinter conventions. Turing found it easy to think in this notation and confused his colleagues by writing base 32 numbers on the blackboard when explaining an idea. A slash (/) was the symbol that represented the number 0 in this notation and is the likely origin of today's convention of writing 0s with

(continued)

64K S100 STATIC RAM

\$159⁰⁰
KIT

NEW!

LOW POWER!
150 NS ADD \$10

BLANK PC BOARD
WITH DOCUMENTATION
\$49.95


SUPPORT ICs + CAPS
\$17.50

FULL SOCKET SET
\$14.50

FULLY SUPPORTS THE
NEW IEEE 696 S100
STANDARD
(AS PROPOSED)

FOR 56K KIT \$145

ASSEMBLED AND
TESTED ADD \$50




FEATURES: PRICE CUT!

- * Uses new 2K x 8 (TMM 2016 or HM 6116) RAMs.
- * Fully supports IEEE 696 24 BIT Extended Addressing.
- * 64K draws only approximately 500 MA.
- * 200 NS RAMs are standard. (TOSHIBA makes TMM 2016s as fast as 100 NS. FOR YOUR HIGH SPEED APPLICATIONS.)
- * SUPPORTS PHANTOM (BOTH LOWER 32K AND ENTIRE BOARD).
- * 2716 EPROMs may be installed in any of top 48K.
- * Any of the top 8K (E000 H AND ABOVE) may be disabled to provide windows to eliminate any possible conflicts with your system monitor, disk controller, etc.
- * Perfect for small systems since BOTH RAM and EPROM may co-exist on the same board.
- * BOARD may be partially populated as 56K.

256K S-100 SOLID STATE DISK SIMULATOR!

WE CALL THIS BOARD THE "LIGHT-SPEED-100" BECAUSE IT OFFERS AN ASTOUNDING INCREASE IN YOUR COMPUTER'S PERFORMANCE WHEN COMPARED TO A MECHANICAL FLOPPY DISK DRIVE.

PRICE CUT!



BLANK PCB
(WITH CP/M* 2.2
PATCHES AND INSTALL
PROGRAM ON DISKETTE)
\$69⁹⁵
(8203-1 INTEL \$29.95)

- FEATURES:
- * 256K on board, using + 5V 64K DRAMS.
 - * Uses new Intel 8203-1 LSI Memory Controller.
 - * Requires only 4 Dip Switch Selectable I/O Ports.
 - * Runs on 8080 or Z80 S100 machines.
 - * Up to 8 LS-100 boards can be run together for 2 Meg. of On Line Solid State Disk Storage.
 - * Provisions for Battery back-up.
 - * Software to mate the LS-100 to your CP/M* 2.2 DOS is supplied.
 - * The LS-100 provides an increase in speed of up to 7 to 10 times on Disk Intensive Software.
 - * Compare our price! You could pay up to 3 times as much for similar boards.


\$229⁰⁰

#LS-100 (FULL 256K KIT)

THE NEW ZRT-80 CRT TERMINAL BOARD!

A LOW COST Z-80 BASED SINGLE BOARD THAT ONLY NEEDS AN ASCII KEYBOARD, POWER SUPPLY, AND VIDEO MONITOR TO MAKE A COMPLETE CRT TERMINAL. USE AS A COMPUTER CONSOLE, OR WITH A MODEM FOR USE WITH ANY OF THE PHONE-LINE COMPUTER SERVICES.

- FEATURES:
- * Uses a Z80A and 6845 CRT Controller for powerful video capabilities.
 - * RS232 at 16 BAUD Rates from 75 to 19,200.
 - * 24 x 80 standard format (60 Hz).
 - * Optional formats from 24 x 80 (50 Hz) to 64 lines x 96 characters (60 Hz).
 - * Higher density formats require up to 3 additional 2K x 8 6116 RAMS.
 - * Uses N.S. INS 8250 BAUD Rate Gen. and USART combo IC.
 - * 3 Terminal Emulation Modes which are Dip Switch selectable. These include the LSI-ADM3A, the Heath H-19, and the Beehive.
 - * Composite or Split Video.
 - * Any polarity of video or sync.
 - * Inverse Video Capability.
 - * Small Size: 6.5 x 9 inches.
 - * Upper & lower case with descenders.
 - * 7 x 9 Character Matrix.
 - * Requires Par. ASCII keyboard.



BLANK PCB WITH 2716
CHAR. ROM, 2732 MON. ROM

\$49⁹⁵

SOURCE DISKETTE - ADD \$10
SET OF 2 CRYSTALS - ADD \$7.50

WITH 8 IN.
SOURCE DISK!
(CP/M COMPATIBLE)

\$99⁹⁵ (COMPLETE KIT,
ZRT-80 2K VIDEO RAM)

Digital Research Computers


P.O. BOX 461565 • GARLAND, TEXAS 75046 • (214) 225-2309

Call or write for a free catalog on Z-80 or 6809 Single Board Computers, SS-50 Boards, and other S-100 products.

TERMS: Add \$3.00 postage. We pay balance. Orders under \$15 add 75¢ handling. No C.O.D. We accept Visa and MasterCard. Texas Res. add 5-1/8% Tax. Foreign orders (except Canada) add 20% P & H. Orders over \$50 add 85¢ for insurance.

ShuffleBuffer™

RAPS!



Print

- **spreadsheets**
 - **text**
 - **graphics**
- in any order!**



- **Has Random Access Printing** . . . an intelligent processor which stores phrases, passages, entire letters, spreadsheets, graphics and commands, then prints the information in whatever order you want, as many times as you want.
- **Has FIFO printing (first-in, first-out)** . . . acts as a reservoir, accepts data at computer speed, prints on its own, freeing the computer for further tasks.
- **Has BYPASS Printing** . . . permits interruption of long-term buffer operations for straight-thru short-term printing.

PLUS

Data compression . . . expands memory storage to 4 times. Infinite copy capability. Simple erase feature to clear buffer. Compatible with virtually any serial or parallel computer, serial or parallel printer (letter quality or dot matrix) as well as plotters and modems.

WRAP it all up with SHUFFLE/BUFFER!

Call or write for the dealer nearest you:



Interactive Structures Inc.
146 Montgomery Avenue
Bala Cynwyd, PA 19004
Telephone: (215) 667-4713



BOOK REVIEWS

a slash through them (also a good way to differentiate 0 from the letter "O"). Turing was also fascinated throughout his life by the natural occurrences of flower petals, fir-cone florets, and sunflower seeds in a Fibonacci number sequence.

Aside from its contributions to the historical record, this book is a fascinating human story. Turing's disdain of social conventions, his lack of social graces, and his individuality brought him both pleasure and pain. Though not a psychological history, *Alan Turing: The Enigma* explores the human side of the man who gave life to some remarkable ideas. Equally important, the study remains aware of the role played by the circumstances of a man's life in the development of his thought. Turing's ideas could have taken a much different tack were it not for a world war and a German cipher machine.

The major unanswered question about Alan Turing is why he took his life. There was a homosexual scandal, resulting in a conviction for violation of sexual decency laws, and a subsequent agonizing year of drug treatment with female hormones. But his suicide came a full year after the end of the treatments and probation for his offense. Hodges closes his book with a 15-page discussion of government debates about excluding homosexuals from sensitive scientific and research posts for fear of their susceptibility to blackmail and coercion. But he never satisfactorily answers the question, Why suicide? Turing's mother never accepted this verdict, claiming that Alan's death was accidental. If Hodges explored the other possibilities, he doesn't reveal his findings.

Though minor, there is one flaw in this book: it is plagued with editing and typographical errors, no doubt a result of the complexity of the manuscript. Anyone interested in the idea of intelligent machines should have no problem overlooking these errors. The book is nevertheless a major work in the history of computer science. Well indexed and containing 28 pages of bibliographic notes, it is a valuable resource for information about the people who created the technology and the papers they wrote describing their ideas.

G. Michael Vose is BYTE's senior technical editor for theme articles. He can be contacted at POB 372, Hancock, NH 03449.

COMPUTER GRAPHICS PROGRAMMING

Reviewed by Judith L. Maggiore

The Graphical Kernel System (GKS) is the international standard for computer-graphics software. *Computer Graphics Programming* is an important addition to the standard document defining GKS because it explains concepts, examples, and figures that could not be included in the standard document. Günter Enderle, Klaus Kansy, and Günther Pfaff are in a good position to write about that

(continued)

WHY INVEST \$90 IN MODULA-2? BECAUSE YOU'RE COMPETING WITH PEOPLE WHO BELIEVE THE BEST PROGRAMMING METHOD IS THE ONE THEY ALREADY KNOW.

Whoever decided to make the switch from Roman Numerals to a more efficient notation for doing arithmetic should be a hero. His friends probably reacted as if he'd asked them to learn a *whole new language*. We think you'll see the parallel with Modula-2, especially after you try it.

Niklaus Wirth, creator of Modula-2, asserts that Modula-2 is an abstract tool for the control of computing machinery: "In my opinion, the term *programming language* is ill chosen and misleading. *Program notation* would be eminently more appropriate."

We're not proposing that you learn a "new language." That would be like arguing the merits of English versus French. But it does make sense to avail yourself of the most efficient known technology for controlling computing machinery -- while your competition is left in the dark ages.

Compared to Modula-2, whatever program notation you're now using is like doing your arithmetic in Roman Numerals.

In this limited space, we won't try to prove that Modula-2 is *the best available competitive tool for the serious computer entrepreneur*. "Such matters," according to Frank Herbert (*DUNE*), "can only be tested in the crucible of survival, not in the play of symbols."

The question is, for \$90, can you afford not to test our claim? No other company in history has made it as easy for you to do business. Our entire object-program licensing agreement is on this page.

So put some distance between yourself and those who believe the best programming method is the one they already know.

MODULA-2 COMPILERS FOR IBM PCs, MACINTOSH, LISA AND APPLE IIs — \$90

Modula-2 compiler and interpreter with enhanced, bit-mapped graphics are available for Apple's Lisa, Macintosh and II computers; IBM's PC, XT and compatibles (MS-DOS 2.0); and others to be announced.

ABOUT MACMODULA-2™

MacModula-2 is what 128KB Macintosh users have been waiting for. Over 400 of the ToolBox ROM routines are supported, including pull-down menus, multiple windows, multiple fonts, QuickDraw graphics, the ROM-based serial driver, the sound driver, mouse support, etc. The M-code interpreter reduces memory requirements for 128KB Mac systems, yet executes at up to 75% of native-mode speeds if extensive use is made of the ROM routines.

Also included with MacModula-2 is a full-screen, mouse-driven editor, a Transfer Menu facility that reduces the need for returning to the desktop between compiles, links and edits, and a Resource Maker that allows the entrepreneur to ship modifiable menus to customers, without shipping the actual MacModula-2 source code.

THE IDEAL MODULA-2 ENGINE

We'd love to introduce you to the Lilith. It's a workstation computer with bit-map graphics, three-button mouse and a bit-slice processor. The Lilith was designed by the original Modula-2 team at the Swiss Federal Institute of Technology (ETH) as the ideal Modula-2 engine. Over 200 have been placed into academic and research environments. Now Modula Corporation makes a commercial version for your more demanding problems. Just call 800/LILITH2 to hear about customer benchmark reports.

SOFTWARE LICENSE

Join us in a commitment to personal integrity. Our prices are fair. Unlike program license agreements you can't help but violate, we've tried *reTHINKing* a few things. Perhaps we can start a trend that makes violation of another's intellectual property *unfashionable*. Without all the "whereas" and "herewith" language, here's our attempt to transfuse integrity into the entrepreneurial bloodstream:

You agree to treat the information we send you as if it were a book, with the exception that you are granted the right to make backup copies. Simple. Pournelle logic!

In the spirit of the "book" analogy, you are free to take your book to another house (or computer) with you. This, of course, means someone at your own house (or computer) cannot simultaneously read it. Similarly, you can loan your book to a friend. But there can be no possibility you can read it at the same time. You may sell your book, only if the new owner agrees to these same conditions (which means a copy of this agreement, signed by the new owner, must be sent to us). Finally, just as in a book, it lacks integrity to substitute your name for that of the legitimate author.

As for our warranties: Defective software may be returned within thirty days for a replacement. But just like any other self-help book, its value to you is what you make of it. No matter how badly it damages your life, or that of your customers, we're not obligated to do anything whatsoever about it.

Now, it's time to play "How'd- you-like-to-see-something-*really*-scary?" When you send us your check or credit card authorization, enclose this page (or a copy) with an original signature. Violate this agreement of integrity, and you'll get a doozer of a course in integrity at the claws of our attorneys; and they'll tell your mother.

MODULA
CORPORATION
reTHINK

1673 West 820 North, Provo, UT 84601
801/375-7400 or 800/LILITH2

In addition to information on the Lilith, please send me the Modula-2 Compiler at \$90 for the ☐ IBM PC or XT, or the Apple ☐ IIs, ☐ Lisa or the ☐ Macintosh.

Utah residents include 6% sales tax.

\$10 handling and postage for all orders.

\$ _____ Total amount enclosed/authorized.

My signature below, besides being a possible credit card authorization, indicates my agreement to all the above terms.

☐ My check is enclosed.

☐ Please bill my ☐ VISA / ☐ MASTERCARD

Card number _____

Expiration _____

Signature _____

Date _____

Print/type full name _____

Title _____

Company _____

Phone _____

Address _____

City _____

State _____

Zip _____

Medical and Dental Systems

- Appointment Scheduling
- Private Patient Billing
- Third Party Claim Form Preparation
- Medical Diagnostic Records
- Word Processing
- Continuous Financial History

IBM™

MAC™

WANG™

MS-DOS™

Lisa


apple®

CMA

MICRO COMPUTER DIVISION

55722 SANTA FE TRAIL
Yucca Valley, Ca. 92284

(619) 365-9718



Macintosh meets Epson.

For under \$130, HanZon can enhance any Epson printer to Apple® standards. The HanZon Universal Interface Card plugs into your Epson MX, FX or RX. This combination delivers total compatibility with any software—even MacPaint™ and AppleWorks—that you run on the Macintosh™ or Apple IIc. Ask your Epson dealer or call (206) 487-1717.



Computer Enhancements

18732 142nd Ave. N.E., Woodinville, WA 98072

Apple and MacPaint are trademarks of Apple Computer, Inc.
Macintosh is a trademark licensed to Apple Computer, Inc.

BOOK REVIEWS

standard because they have been involved in its design and review for several years.

The history of computer graphics has been one of fragmentation and separation. The subject is broad, covering areas including computer-aided design (CAD), business graphics, mapping, video games, and more. Each area had its own preferred hardware for displaying pictures. CAD applications used vector-refresh devices, while business graphics used storage tubes and pen plotters. The introduction of raster devices led to even more diversity. Software was tailored to take advantage of the capabilities of a particular device. As well as being device-dependent, computer-graphics software was also application- and system-dependent. There was little relation between the software used to design circuits and the software used to draw histograms. This situation meant that graphics programs were useful only for the application, operating system, and device for which they were specifically designed.

As graphics devices became less expensive, more people discovered computer graphics. The advantages of being able to display data as pictures are obvious. Once the prohibitive cost was removed, computer-graphics users proliferated. These new users of computer graphics were not interested in designing whole new systems—they were interested in using computers to draw pictures.


At this point, the field was ripe for a standard. The development of this standard began in the mid 1970s, with many organizations participating. In the United States, standardization was initiated in 1974 by the Association for Computing Machinery's Graphics Standards Planning Committee, part of the special-interest group on computer graphics. This work was taken over by ANSI (American National Standards Institute) committee X3H3, one of the major contributors to the review of GKS. The work of all the committees in various countries was consolidated under the auspices of the International Standards Organization (ISO) and eventually led to the development of GKS. The authors estimate that there were 50 man-years of effort devoted to the development of the graphics standard.

Computer Graphics Programming has something for everyone. The novice to computer graphics will find the definitions of graphical terms and concepts very valuable. Experienced graphics users and experts will find the book the best help available for understanding GKS. Applications programmers who plan to use an implementation of GKS will probably use this text daily as a reference. Implementors of GKS will find the sections on device and language interfaces and implementation styles invaluable. Students and teachers on either the undergraduate or graduate level can use *Computer Graphics Programming* as a text or reference for a course in computer graphics.

WELL ORGANIZED

The authors have organized this book very well. Section I contains an overview of the standard's general concepts

(continued)



The first 3-in-One printer with a good head for graphics. The Toshiba P1351.

The Toshiba P1351 is the ultimate 3-in-One printer. Other printers try to approach our level of graphics sophistication. Other dot matrix printers can come close to us on speed. And there are even a couple of printers with a 24-pin dot matrix print head similar to ours. But our combination of graphics, speed and letter quality makes the Toshiba P1351 stand alone.

Intelligence with an eye for detail. The Toshiba P1351 comes with one of the most advanced print heads in the industry. A unique high-density 24-pin dot matrix print head that produces amazingly sharp 180 x 180 dot-per-square inch, fully dot-addressable graphics. So you get unbeatable high-resolution charts, graphs and illustrations no one can duplicate. And it's supported on popular graphics software like Lotus 1-2-3™.


Intelligence that's unlimited. The Toshiba P1351 does more than give you access to three resident typefaces for word processing. It also gives you the ability to download an unlimited variety from a growing library of IBM-compatible software typefaces. They're all stored on floppy disk. And you get programming access to five typefaces at any time.

Intelligence that's letter-perfect. Our unique print head gives you letter-quality results from any typeface you choose. And with Qume SPRINT 5™ emulation, the Toshiba P1351 can give you those results from almost every popular word processing program. Of course, it's fully IBM-compatible. And there's even an optional forms tractor or sheet feeder for paper handling versatility.

Intelligence and speed. You won't have to sacrifice speed for letter-quality printing. Because the Toshiba P1351 gives you the best of both. Sharp, clean letter copy at 100 cps. And even faster draft copy at 192 cps.

Intelligent and dependable. The Toshiba P1351 3-in-One™ printer is also engineered and built with a very intelligent attitude toward dependability. And optional third party 24-hour service is also available. That's why, over the past four years, more than 200,000 intelligent buyers have depended on Toshiba 24-pin printers.

So make the intelligent move. To the Toshiba P1351, the first 3-in-One printer with a good head for graphics. And everything else. For more information, call 1-800-457-7777, Operator 32.


Lotus and 1-2-3 are trademarks of Lotus Development Corporation. SPRINT 5 is a trademark of Qume Corporation.

In Touch with Tomorrow

TOSHIBA

TOSHIBA AMERICA, INC., Information Systems Division

Micros. Mice.

When you can't stop by your local Micro Mart Store, call us direct.
ORDERS ONLY


1-800-241-8149

At Micro Mart, we've got our finger on the pulse of the microcomputer industry. And, from our retail stores to our telemarketing divisions, we're in touch with the very latest developments, the newest products and the cutting edge of expert advice.

When you need the right product at the right price, remember the sales, service and support our local store experts and national distribution center can give you.

So if you can't drop by your local Micro Mart Store, let us point you in the right direction. Ask for your best price and expert advice.

AT&T Personal Computer. Innovative hardware for a wide range of business applications.



128K expandable to 640K, 2-360K, DS/DD Disk Drives, Monochrome Display, IBM Compatible. Special introductory price.

LEADING EDGE Color PC, 256K, 2-360K DS/DD Disk Drives, Amdek Color 600. \$1995
MINDSET Personal Computer, 256K, 2-360K DS/DD Disk Drives, W/Mindset Mouse. \$1795

Networking/Protocol Conversion

SNA & BISYNC 3780, 5251, 3274, 3278. PC TURBO 186 by ORCHID, 80186 coprocessor board. \$829
IRMA/IRMA LINE Replaces 3278's w/PC's. \$899/\$1099
FORTEGRAPH for IRMA, upgrades IRMA to 3278 graphics capability.
IRMAPRINT Enhances IRMA graphics.
PCnet By ORCHID, complete line. Start @ \$299
BLUE LYNX 5251 Mod 12 & 3276 Emulators by TECHLAND.
SANTA CLARA PC Terminal.

Printers & Plotters

Thousands in stock.
HOUSTON INSTRUMENTS Plotters and Digitizers.

TOSHIBA P-1351 & 1340. \$1295/\$799

DATAPRODUCTS

PRISM 8050 Color, 132 col., 200 cps. \$1295

STAR MICRONICS

Complete line.

TEXAS INSTRUMENTS

855. \$729

NEC Pinwriters, P2 & P3, 180 cps.

DIABLO C-Series C-150. Color ink jet, IBM color compatible. \$985

Letter Quality

NEC Spinwriters 2050, 3550, 8850.

DIABLO 630/630ECS. \$1395/\$1795

C-ITOH Starwriter, (40 cps), Printmaster, (55 cps). \$950/\$1299

We carry a full range of form handling options.

Floppy Disk Drives

TANDON TM 100-2, DD/DS, 360K. \$185

1/2 HEIGHT DISK DRIVES From SHUGART, TEAC. PC, XT & AT compatible. \$119

Hard Discs

Micro Mart carries all the major brands.

If you don't see it—ask for it.

PEACHTREE PERIPHERALS

P-10, 20 & 50, auto boot, int. & ext. Start @ \$845

SYSGEN 10 & 20 Meg w/streamer tape. \$2395/\$2795

SYSGEN Image & Quickfile, streamer tape back-up for your IBM XT & AT.

BERNOULLI TECHNOLOGY Hard Disc Subsystems.

\$2895

MAYNARD Complete line of hard disc subsystems.

EMERALD Hard disc drives w/back-up.

Chips

INTEL 8087 High speed coproc. \$169

64K RAMCHIPS. \$35/64K

256K RAMCHIPS.

Multifunction Boards

We have a complete line of multifunction bds. compatible with the Portable, AT, XT, & Jr.

SIX PAK 64-384K, multifunc.

MEGAPLUS 64-512K, max. 8 func.

I/O PLUS Ser., Clk., Splr., Ramdisk, opt. 2nd Ser., Par. & Game.

QUADRAM QUADBOARD, 64-384K, multifunc. \$259

TECMAR CAPTAIN, 64-384K, multifunc. \$249

TALLTREE J-RAM II, 0-512K, w/software.

TALLTREE J-RAM IIX, 0-512K, w/software. \$129

MICROLOG BABY BLUE II, 64-256K, Z80 coproc., + software.

ORCHID PC Blossom, 64-384K, w/opt. PCnet Piggy-Back. \$259

Dot Matrix

EPSON FX80/100.

EPSON RX80/100.

EPSON LQ1500.

EPSON JX80, color printer.

OKIDATA 92 & 93, ML84, (200 cps.), w/opt. IBM

PROMS, Pacemark 2410, (350 cps).

MAYNARD Complete line.

Graphic Cards

STB Graphics Plus II, color & mono, w/par. port & software. \$369

HERCULES Mono & color graphics cards support Lotus.

PLANTRONICS ColorPlus +, HiRes color bd., par. port w/software.

TECMAR Graphics Master, HiRes color & mono supports Lotus. \$459

QUADRAM QUADCOLOR I & II, color cards.

PARADISE SYSTEM Multi-display or Modular Graphics Cards, color & mono, par. port. Starting @ \$299

Software

Accounting

SORCIM/IUS Complete line including windows.

BPI ACCOUNTING Complete line.

Spreadsheets & Integrated Packages

ASHTON-TATE Framework. \$345

LOTUS Symphony and Lotus.

MICROSOFT MultiPlan, w/templates.

MDBS Knowledge Man.

SORCIM SuperCalc 3, Vers. 2.0

SPI Open Access.

Enhancements & Utilities

SOFTCRAFT Fancy Font.

FOX & GELLER Complete line of enhancements for dBase II, III & Rbase 4000.

NORTON Utilities. \$65

ROSESOFT ProKey 3.0. \$89

Atlanta, New Orleans, Nashville, Miami, Tampa, Orlando

Advice. Price.

CENTRAL POINT SOFTWARE


Copy II PC. \$35
 ATI Training. \$55
 SOFTSTYLE Set FX + and Printworks. Printer control packages.
 SIDEWAYS Inverts printout. \$45
 BORLAND Sidekick. \$39
 LIVING VIDEO TEXT Think Tank.
 Compilers & Language Tools
 LATTICE C-Compilers. \$299
 MICROSOFT Complete line.
 WORDTECH The dBase compiler.
 DIGITAL RESEARCH Complete line.
 BORLAND Turbo Pascal, Turbo Toolbox and more. \$39/each

Graphics & CAD

Zsoft PC Paint Brush, mouse driven graphics. \$95
 DECISION RESOURCES
 ChartMaster/Sign-Master pkgs.
 AUTODESK AutoCAD. Complete line.

ENERTRONICS Energraphics, graphics & CAD package.
 MICROPRO ChartStar.

Microsoft Mouse. Bus or serial mechanical mouse, comes with Mouse Menu software. Works with WORD and other popular software. \$159



PC Mouse, from Mouse Systems. Serial optical 3-button mouse with Pop-Up™ Menus and PC Paint software. Preconfigured for all the most popular software. \$159

MICROSOFT Chart.
 DIGITAL RESEARCH Presentation Master.
 Communications
 MICROSTUF CROSSTALK XVI. \$99
 HAYES SMARTCOM II.

Word Processors

MULTIMATE w/Spelling checker & tutorial. \$259
 SAMNA III, wd. processor.
 MICROSOFT Word, w/or w/out mouse.
 LIFETREE Volkswriter Deluxe.
 MICROPRO WordStar Pro Pack & Series2000. \$245
 SSI WordPerfect.

WORDMARC Wordmarc.

Office & Project Planning

Call for our Tax and Tax Planning packages.
 HARVARD Harvard Project Manager. \$249
 IUS Easy SalesPro.
 MICROSOFT Project.

Data Base Managers

MICRORIM 4000 or 6000, Report Writer & Clout options.

GMS SYSTEMS Power-base.

WARNER SOFTWARE The desk organizer.
 ASHTON-TATE dBase II & III.
 MICROSTUF Infoscope.

Modems

HAYES Smartmodem 300, 1200, & 1200B.
 RIXON 1200-4800 BAUD sync. & async. models.
 ANCHOR AUTOMATION Signalman Mark XII. \$259
 VEN-TEL 1200 BAUD Half Card for the IBM Portable & XT.
 POPCOM Popcom, int. and ext. w/voice & data comm.

Miscellaneous

Hardware & Accessories

DYSAN Diskettes, PC, XT & AT compatible.
 MICRO MART Diskettes DS/DD, 7 yr. war. \$19/10
 KEYTRONICS 5150 & 5151. Keyboards.

LQ SHEET FEEDERS Sheet feeders.
 CURTIS Accessories.

HAYES Mach II & Mach III joysticks.
 PENCEPT Penpad, software avail. \$775

TOUCHSTONE TECHNOLOGY
 Touchstone I. Ten key pad w/ cursor control.

QUADRAM MICROFAZER, print buffer, 8-128K.

TRIPPELITE Back up power supply 200-1000 watts, and ISOBAR surge protectors, 4 & 8 plug.

Monitors & CRT's

PGS MAX 12, amber, 720h x 350v.
 PGS SR-12, 690h x 480v, w/dual scan cd.
 PGS HX-12, 690 Dot RGB.
 QUADRAM QUADCHROME, 690 Dot RGB. \$439
 AMDEK COLOR 300, 500, 600, 700, 710, 725, new complete line of HiRes RGB's w/new low prices.
 AMDEK 300A/300G, composite monitors. \$139/\$129
 AMDEK 310A, amber w/3 yr. war.
 WYSE Terminals, 100, 75, 50, entire line in stock.



Micro Mart has financing options available. Ask for a Micro Mart Blue Chip Credit Card application today.

Service & Repairs

*On-Site—We have hundreds of service locations nationally.
 *Depot—Our National Service Center is one of the fastest in the US.
 *We have—A wide variety of services available. Just call us.

© Copyright Micro Mart 1984.
 Technology Corporate Campus
 3159 Campus Drive
 Norcross, Georgia 30071

For information or the store location nearest you, call

(404) 449-8089



America's PC Specialist.

MICRO MART™

IBM is a registered trademark of International Business Machines Corporation. AT&T, Leading Edge, Mindset, Microsoft, Mouse Systems and their products, respectively, are trademarks of AT&T Information Systems, Leading Edge Products Inc., Mindset Corporation, Microsoft Corporation and Mouse Systems Corporation. All Prices are subject to change without notice.

Ft. Lauderdale, Louisville, Tyson's Corner, Rockville, Pittsburgh.

Sp COMPUTERS INCORPORATED

**WE SHIP
OVERSEAS**

TEL: (415) 340-1006

851 Burlway Road #303
Burlingame, CA 94010
U.S.A. Telex: 470477 Mons

COMPARE AND SAVE

SOFTWARE

Lotus 1-2-3	\$309
Symphony	440
R Base 4000	309
D Base II	309
SuperCalcVer.	245
D Base III	399
Framework	399
Project Mgr.	230
Wordstar Propak	390
Sidekick/Pascal	75
Home Accountant	110
The Accounting	
Partner GL/Ar/pr 285	
Fortran	269
Multiplan w/budget	149
Microword w/Mouse	284
C Compiler	310
PFS Holiday Pak	199
Multimate	275
Wordstar Propak	390
Knowledgeman	299
Fit simulator	37

HARDWARE

AST 6 pack Plus 64K	\$265
AST Megapack 256K	395
64K (9 set) Chips	44
Hercules	
Monochrome	370
Tallgrass 12 to 70 MB call	
PCnet Blossom 64K	450
Modem 300/1200/1200	
Hayes \$199, \$499, \$425	
USI Monitors Green/	
Amb	130

PRINTERS

Juki 6100	410
Epson Fx 100	690
Okidata 92	399
NEC 3550	1625
Qume Pro 20	599

We also carry Hundreds
of Other Products at
Discounts

TERMS: Prices reflect 3% Cash Prepaid Discount on Cashier's Check, M.O., Bank Transfer. California residents add sales tax. All prices subject to change. Shipping UPS surface minimum \$4.00 within USA continent. Monday thru Friday 9 a.m. to 5:30 p.m. We ship overseas.

BOOK REVIEWS

and vocabulary. The precise and clear definitions of graphical terms and concepts presented in this section should go a long way toward clarifying the vocabulary we need to talk about computer graphics. These basic terms and concepts form the basis of the more formal description of GKS found later in the book. Included in this section are chapters on the principles and goals used in the design of GKS and the interfaces to GKS. Since GKS is designed to be device- and system-independent, it must be interfaced on one side to a specific language and on the other to the graphical hardware. Chapter 6 is especially useful because here the authors provide concise definitions of all the main ideas used in GKS. These definitions are followed by chapters that supply additional detail and amplification about each concept.

The second section describes the process of the development of the GKS standard. The authors sketch briefly the history of computer graphics and the events that led up to the final GKS document. The most interesting part of this section is chapter 3, which presents some of the issues the developers of GKS had to resolve. Arguments pro and con on each issue and the ultimate decision of the committee are discussed.

Section III, the largest part of the book, is a detailed description of the functional capabilities of GKS. Enderle, Kansy, and Pfaff explain all the functions and data structures relevant to GKS.

The definitions of the functions are presented in two parts. First is the language-independent version, taken directly from the GKS standard document. Next is the FORTRAN definition. Following the function definitions are examples of programs or program fragments using GKS. The examples are presented in both Pascal and FORTRAN and very clearly show typical uses of GKS by applications programmers. The book also includes some exercises intended to help students and teachers.

Section IV will be most useful to the implementors of GKS, those people who will write the subroutine package that makes GKS available to applications programmers. This section covers methods of implementation, implementation styles, interfaces to devices, and interfaces to specific languages. A mapping of the abstract data structures of GKS to FORTRAN data structures is included. Other topics in this section are graphics metafiles, validation of GKS implementations, and three-dimensional extensions to GKS.

EVALUATION

This book clarifies an area that is often confusing and obscure. Terms and concepts are excellently presented. Anyone seriously involved in the use of GKS will find this book invaluable.

More pictures and illustrations should have been included. A book on computer graphics needs lots of pictures. The second problem is minor. The use of the English language seems awkward at times.

(continued)




Real-Time Multitasking Executive

- ROMable (< 3K)
- No royalties
- Source code included
- Language interfaces
- Low interrupt overhead
- Inter-task messages

Options:

- C, Pascal, PL/M, Fortran Interfaces
- CP/M-80 BDOS interface
- IBM PC DOS interface
- Extended memory (> 64K)
- Configuration Builder Utility
- Resource Manager
- Buffer Manager
- Integer Math Library
- Real-Time C Library

AMX (for 8080) \$800 U.S.
(for 6809) \$950 U.S.
(for 8086) \$950 U.S.
Manual only \$ 75 U.S.
(specify processor)



AMX, AMX86, Real-Time C are TM of
KADAK Products Ltd.
Z80 is TM of Zilog Corp.
CP/M-80 is TM of Digital Research Corp.
IBM, PC DOS are TM of IBM Corp.

KADAK Products Ltd.

206-1847 W. Broadway
Vancouver, B.C., Canada
V6J 1Y5
Telephone: (604) 734-2796
Telex: 04-55670

Available
for IBM PC

What C did for Programming

Mark Williams has done for C Programming

The C Programming System from Mark Williams

MWC86 gets your C programs running faster and uses less memory space than any other compiler on the market. Then *csd*, Mark Williams' revolutionary C Source Debugger, helps you debug faster. That's The C Programming System from Mark Williams Company.

MWC86

MWC86 is the most highly optimized C compiler available anywhere for the DOS and 8086 environment. The benchmarks prove it! They show MWC86 is unmatched in speed and code density.

MWC86 supports large and small models of compilation, the 8087 math coprocessor and DOS 2.0 pathnames. The compiler features common code elimination, peephole optimization and register variables. It includes the most complete libraries. Unlike its competition, MWC86 supports the full C language including recent extensions such as the Berkeley structure rules, voids, enumerated data types, UNIX* I/O calls and structure assignments.

Quality is why Intel, DEC and Wang chose to distribute MWC86. These industry leaders looked and compared and found Mark Williams to be best.

User Friendly

MWC86 is the easiest to use of all compilers. One command runs all phases from pre-processor to assembler and linker. MWC86 eliminates the need to search for error messages in the back of a manual. All error messages appear on the screen in English.

A recent review of MWC86 in *PC World*, June, 1984, summed it up:

"Of all the compilers reviewed, MWC86 would be my first choice for product development. It compiles quickly, produces superior error messages, and generates quick, compact object code. The library is small and fast and closely follows the industry standard for C libraries."

csd C Source Debugger

Mark Williams was not content to write the best C compiler on the market. To advance the state of the art in software development, Mark Williams wrote *csd*.

csd C Source Debugger serves as a microscope on the program. Any C expression can be entered and evaluated. With *csd* a programmer can set tracepoints on variables and expressions with full history capability and can single step a program to find bugs. The debugger does not affect either code size or execution time. *csd* features online help instructions; the ability to walk through the stack; the debugging of graphics programs without disturb-

ing the program under test; and evaluation, source, program and history windows.

csd eases the most difficult part of development — debugging. Because *csd* debugs in C, not assembler, a programmer no longer has to rely on old-fashioned assembler tools, but can work as if using a C interpreter — in real time.

**The C Programming System
from Mark Williams now supports
the following libraries:**

Library

Windows for C
Halo
PHACT
The Greenleaf Functions
Btrieve


Company

Creative Solutions
Media Cybernetics
PHACT Associates
Greenleaf Software
SoftCraft

The C Programming System from Mark Williams

The C Programming System from Mark Williams delivers not only the best C compiler for the 8086 but also the only C source level debugger. That's why it does for C programming what C did for programming. The Mark Williams C Programming System gives the programmer the MWC86 C compiler and the *csd* C Source Debugger for only \$495. Order today by calling 1-800-MWC-1700. Major credit cards accepted.


Technical support for The Mark Williams C Programming System is provided free of charge by the team that developed it.



Mark Williams Company
1430 W. Wrightwood Ave.
Chicago, IL 60614

*Unix is a Trademark of Bell Laboratories.

Powerful Single Board Computer Includes CP/M Plus™ on Disk



\$599
Assembled, Tested
Includes CP/M 3.0 on disk

New Items:
• MSDOS Coprocessor
• 68000 Coprocessor
• 80X24 LCD Driver
• HardRAM Disk
• 3 1/2" Single Board

Mountain Side Computer **MSC-ICO** Video, 128Kb, CP/M Plus™, and more

280 CPU

MSC-ICO uses the most popular microprocessor, the 280, as its main CPU. MSC-ICO runs at 4 MHz without any wait states. The whole system is incorporated into a high quality four layer PC board measuring only 145mm X 250mm (10" x 6"). The system requires only 1.2 Amps at +5 Volts and 0.1 Amps at ±12 Volts.

Banked CP/M Plus Included
CP/M Plus (3.0 banked) is included on disk with all manuals. CP/M Plus is upwardly compatible with CP/M 2.2 and includes the SD debugger, the MAC, and RMAC macro assemblers, and the LINK-80 loader. MSC-ICO's custom BIOS provides support for multiple disk formats and I/O device control. System specific software for disk formatting, disk copying, defining function keys and modifying screen attributes is also included.

128Kb RAM

One 64K bank of memory is devoted to CP/M and its disk cache blocks, while the other 64K bank is devoted to applications programs. This arrangement not only provides more memory for programs, but it significantly increases the speed of disk I/O.

Internal Floppy Disk Controller
MSC-ICO handles Shugart/ANSI standard floppy disk drives in a variety of sizes and formats:

- 8" 5DD, 243Kb
- 8" DSD, 1.2Mb
- 5 1/4" DSD, 320Kb
- 5 1/4" DSD, 800Kb
- 5 1/4" QHD, 1.2Mb

Up to four drives of any density or size can be connected to MSC-ICO. Both 5 1/4 and 8 inch connectors are on-board to make disk drive connections easy.

High Speed CRT Controller

MSC-ICO contains an 80 x 24 line memory mapped CRT controller. Video output is composite or separate to match any monitor. Attributes such as insert and delete line, reverse video, and semigraphs are supported. Cursor escape sequences are an extension of DEC's VT52 and can be easily reprogrammed to emulate most standard terminals.

CP/M Plus™ of Digital Research, Inc.

Two RS232C Ports

MSC-ICO communicates with printers, modems, plotters, and other standard RS232C devices through its two serial ports. These ports are independently programmable for baud rates, stop bits, data format and parity. Synchronous communication on Port A is jumper selectable.

Centronics Parallel Port

A standard Centronics parallel port allows MSC-ICO to communicate with printers and other parallel devices.

Parallel Keyboard Port

MSC-ICO connects to any ASCII parallel keyboard of positive or negative polarity with a negative strobe. A type-ahead buffer and programmable function keys are provided by MSC-ICO's custom BIOS.

16 Bit TTL I/O Port

This port allows you to access printers, relays, LEDs, DACs, ADCs, switches, EPROM programmers and many other devices.

Clock Calendar

The battery backed up clock calendar provides time and date information to CP/M for file stamping. The clock can also be accessed from applications programs.

External Bus

MSC-ICO's 50 pin bus connector provides expansion for a hard disk controller, RAM disk, graphics or a 68000 system. Please call or write for more information on these options.

MSC-ICO Saves Time and Money

With MSC-ICO's low cost and quality workmanship, why spend time, energy and money to design, debug and test your own system. Whether you require single units or large volume quantities we can meet your needs. Order your evaluation unit today!

Manufactured by
Southern Pacific Limited
1-118 Tsurumichuo Tsurumi, Yokohama, JAPAN 230
☎ 045-501-8842, Telex 3827320 SPACIF J
USA Distributor:
ARTISOFT, Inc.
P.O. Box 41436, Tucson, Arizona 85719 ☎ (602)327-4305

BOOK REVIEWS

It's too early to tell what effect GKS will have on the computer-graphics industry. It will be interesting to see how GKS stands up in light of recent developments. Whatever the future of GKS, it is a very important development now, and *Computer Graphics Programming* is indispensable to anyone wishing to understand and use GKS.

Judith L. Maggiore programmed graphics for three years prior to teaching computer science classes and computer-graphics seminars at Keene State College (Mathematics Dept., Keene, NH 03431).

DATA STRUCTURES AND PROGRAM DESIGN Reviewed by Edward Brent

The boundary between writing programs that merely get by and designing programs that perform complex tasks efficiently is one that many programmers never cross. Yet it is a boundary that is fundamental to the development of programming as a discipline. People who program by the seat of their pants and hold their programs together with the electronic equivalent of spit and baling wire must give way to trained programmers who develop finely crafted, efficient, and maintainable programming solutions to difficult problems. The selection and design of appropriate data structures and algorithms is a crucial element of professional-quality programming. The central role of data structures in professional programming is insightfully examined by Robert L. Kruse in *Data Structures and Program Design*.

AUDIENCE

In the preface Kruse indicates this book includes all the topics of specific courses recommended and offered by ACM (Association for Computing Machinery) Curriculum '78. The prerequisite for the book is a first course in programming, or equivalent experience, and elementary experience with Pascal.

I find the book suitable for a second course in computer programming. However, it could also be of value to programmers not enrolled in a computer science course but interested in upgrading their programming skills.


But the issues of selecting appropriate data structures should not be relegated to a second course on computing. Because the selection of data structures is such an important aspect of quality programming, it should not be left for more advanced books.

Kruse consistently highlights the distinction between abstract structures and their implementations. He begins by addressing the programming principles of top-down refinement, program design, and review and testing; he illustrates these principles with extended examples.

In chapters 2 and 5, Kruse discusses the more important structures: stacks, queues, and other lists in both contiguous and linked representations and binary trees. He

(continued)

TIME



Time is money! Moore helps you save both with the most complete catalog selection of computer supplies and the kind of old fashioned service only modern technology can provide.

Request your FREE catalog today!

Mail this coupon to:
Moore Computer Supplies Catalog
P.O. Box 20, Wheeling, IL 60090

Or call toll-free:
1-800-323-6230

YOUR NAME _____		TITLE _____	BUSINESS PHONE _____
COMPANY NAME _____			
ADDRESS _____			
CITY _____	STATE _____	ZIP CODE _____	
COMPUTER MAKE AND MODEL _____			
TYPE OF BUSINESS _____	NO. OF EMPLOYEES _____	Dept 164921	

GenTech

COMPUTERS

IBM SYSTEM SPECIALS

256K, 2 Drives	\$Call
256K, 2 Drives, color graphics, printer adaptor & PGS HX-12 monitor	\$2499
256K, 1 Drive & 10 MB Hard Disk	\$2459
TWO USER SYSTEM (incl. 10 MB, Advanced Digital PC Bd & Terminal)	\$3859

COLUMBIA

MPC 4220 (256K, 2 Drives)	\$Call
PROFESSIONAL (10 MB, w/tape backup)	\$Call
VP 2220 (Portable w/256K)	\$Call
COMPUPRO 10 (10 MB, Multi-user)	\$Call



CORONA PC-22 (256K, 2 Drives)	\$Call
Portable PC-22 (256K, MS-DOS 2.0)	\$Call
FUJITSU MICRO 16s (8086/Z80A)	\$1995
MORROW DESIGNS Pivot, MD2, MD3, MD5, MD11	\$Call

NEC

PC-8801A (Z80A, 64K, 2 Drives, 12" Monitor, WordStar, MailMerge, Multiplan, NBASIC)	\$1149
APC-III Specials w/ printer & Software	\$Call
SANYO MBC 550-2 (8088, 128K, 1 DSDD Drive (320K), WordStar, CalcStar, EasyWriter)	\$Call
MBC 555-2 (550-2 Plus 1 Add. Drive, Mailmerge, SpellStar & Infostar)	\$Call
SEQUA Chameleon/Plus (8088/Z80)	\$Call
SWP Micro Computer Products Co-Power-88 Board (8088 w/ 256K, 1 MB)	\$Call

For **KAYPRO 2, 4 & 10**

TELEVIDEO

1605 (8088, 128K, 2 Drives, DOS 2.0)	\$Call
TPC-II (Portable Version of Above)	\$Call
ZENITH Z-151-52 (8088, 2 Dr. 320K RAM)	\$Call
ZW 151-52 (1 Dr. 10 MB Hard Disk)	\$Call

FOR IBM PC/XT/AT & COMPAQ

ADVANCED DIGITAL Multi User Bd (8086)	\$Call
AST RESEARCH INC. ADVANTAGE II (Multi Ftn Bd for AT)	\$Call
MEGA PLUS II (64K, Ser & Ck)	\$279
SIX PACK PLUS (64K, Ser/Par, Ck)	\$259
MONO GRAPH PLUS Card	\$Call

QUADRAM

EXPANDED QUADBOARD (S, P, Clock, Game)	\$429
64K \$259 384K	
QUAD 512+ (Serial Port, Maximum 512K)	\$349
64K \$229 256K	
QUADCOLOR I (Video Board)	\$199

HERCULES

Graphics Board (720x384)	\$339
Color Card (RGB, Composite, Parallel)	\$169
INTEL 8087/80287 Math Co-Processor	\$Call
KEYTRONIC Deluxe IBM Keyboard (515)	\$199

MA SYSTEMS

PC Peacock (RGB & Composite, Parallel Port)	\$209
---	-------

MICROLOG

Baby Blue II (Z80B, 64K, Parallel & Serial Ports, Clock/Calendar)	\$529
---	-------

ORCHID

PC Turbo (80186 CPU, 8 MHz)	\$149
-----------------------------	-------

PANASONIC

JA 551-2 (DSDD Thinline Drive)	\$299
--------------------------------	-------

PARADISE SYSTEMS

Multi-Display Card	\$289
Modular Graphics Card	\$299

PLANTRONICS

ColorPlus	\$Call
-----------	--------

STB SYSTEMS

Graphix Plus II	\$319
Super Rio w/64K	\$289
TANDON TM 100-2 (DSDD Disk Drive)	\$179
TEAC FD-55B (DSDD Thinline Drive)	\$159
TECMAR Graphics Master (640x400 RGB)	\$489
The Captain (w/ OK)	\$239
1st Mate (w/ OK)	\$219
TSENG LABS Ultra Pak	\$489

HARD DISK

APPLE MACINTOSH HARD DISKS NOW AVAILABLE! CORVUS, DAVONG & TECMAR... CALL FOR PRICES!

AMPEX 20 MB W/25 MB Tape Back-Up	\$Call
EVEREX 10 MB Internal for IBM	\$795
MITAC 10 MB Internal for IBM	\$699
CORVUS Omnidrive (11 MB)	\$2079
Transporter	\$399 The Bank \$1779
DATAMAC Trustor 10	\$1129



DAVONG

Universal External: 10/21 MB	\$1875/\$2595
------------------------------	---------------

IOMEGA

Bernoulli Box/Bernoulli Plus	\$Call
------------------------------	--------

MAYNARD ELECTRONICS

10/20/30 MB	\$Call
-------------	--------

PEGASUS-GREAT LAKES

10 MB Internal for IBM	\$959
23 MB External (w/ Controller)	\$Call

SYSGEN

10/20 MB w/Tape Back-Up	\$2295/\$2849
Image/Qic-File	\$799/\$1199

TALLGRASS

12 MB External w/20 MB Tape Back-Up	\$2399
20 MB External w/20 MB Tape Back-Up	\$2499

TECMAR

Remov. Cartridge Winchester in PC (5 MB)	\$1569
10 MB w/ 5 MB Cartridge in Chassis	\$3119

XCOMP

16 MB External (For IBM, Apple, Kaypro & Morrow Designs)	\$1749
--	--------

DOT MATRIX PRINTERS

C-ITOH Prowriter 1 8510 AP	\$329
DATA PRODUCTS All Models	\$Call
EPSON JX-80: Color Printer	\$585
LQ-1500	\$1109 RX-100 \$Call
RX-80/80 FT	\$Call FX-80/100 \$Call



MANNESMANN TALLY

MT 160L	\$Call MT 180L \$789
Sprint-80	\$249 MT 1602 \$Call

MPI

Sprinter/SX (Portable, 300 cps)	\$Call
---------------------------------	--------

NEC

P2 Pinwriter (180 CPS, 10" Carriage)	\$649
P3 Pinwriter (180 CPS, 15" Carriage)	\$869

OKIDATA

Ask for NEW Apple Imagewriter Compatible	
ML 92	\$Call ML 93 \$Call
ML 84(P)	\$Call Pacemark \$Call
PANASONIC KX-P1091/1093	\$299/\$Call

STAR MICRONICS

Gemini 10X	\$249 Gemini 15X \$349
Delta 15	\$459 Radix 10 \$489

TEXAS INSTRUMENTS

850 RD	\$489 855 RD \$759
--------	--------------------

TOSHIBA

P1340	\$Call P1351 \$1289
-------	---------------------

LETTER QUALITY PRINTERS

ABATI LQ-20 (18 CPS, 15" Carriage)	\$359
AMDEK 5040 (40 CPS)	\$1299
BROTHER/DYNAX HR-15 XL (20 cps, Diablo Compat.)	\$379
HR-25/HR-35	\$619/\$869

CORONA

Laser Printer faster than HP	\$2699
------------------------------	--------

DIABLO

620 API	\$779 630 ECS/IBM \$1979
JUKI 6100 (17 CPS, Diablo Compat.)	\$Call
6300 (40 CPS, Diablo Compat., 3K Buf.)	\$Call

NEC

2030	\$659 3510 \$1269
3550	\$Call 8850 \$1879

OLYMPIA

Compact RO2	\$349/\$419
-------------	-------------

QUADRAM

Quadjet (Ink Jet Printer)	\$759
QUME Sprint 1140/1155	\$1299/\$1479
Letterpro 20	\$Call

SILVER-REED

EXP 500 (parallel or serial)	\$369
EXP 550 (p or s, 15" carriage)	\$449

STAR MICRONICS

Power Type (18 CPS)	\$339
TRANSTAR T120/T130	\$409/\$569

PLOTTERS

NEW!! POLAROID PALETTE!! \$Call

AMDEK DXY-100/Amplot II \$599/\$749

ENTER COMPUTERS

Sweet-P	\$Call Six Shooter \$799
---------	--------------------------

HOUSTON INSTRUMENTS

PC-595/PC-695 New!!	\$Call
DMP-40-2	\$749 DMP-29 \$1799
DMP-41/42	\$2349 DMP-51/52 \$3529

DT-11 Digitizer

(1-Button Cursor)	\$679
DT-114 Digitizer (4-Button Cursor)	\$739

PANASONIC

VP-6801A	\$1449
ROLAND DXY-101/800/880	\$Call
STROBE Model 200/Model 260	\$519/\$729

MONITORS

AMDEK

Video 300/300A/310A	\$135/\$45/\$65
---------------------	-----------------

Color

300	\$259 Color 500 \$389
600	\$459 Color 700 \$529

DYNAX

Fortis FC10 (13" RGB)	\$Call
-----------------------	--------

MONITECH

12" Green/Amber	\$80
-----------------	------

PRINCETON

GRAPHICS HX-12	\$469
SR-12 (690x480)	\$609

Max-12


(12" Amber, TTL)	\$179
------------------	-------

QUADRAM

Quadchrome	\$489
Quadchrome II	\$459

ROLAND

MB-121G	\$135 MB-122G \$155
CB-141	\$269 CC-141 \$559



TAXAN

KG-12N	\$109 KG-12N/UY \$119
210 (380x262)	\$259 420 (640x262) \$439

ZENITH

ZVM-123A	\$85 ZVM-122A \$90
ZVM-135/136	\$Call

TERMINALS

ESPRIT

Esprit I	\$Call Esprit II \$479
Esprit III	\$Call ESP-6310 \$559

QUME

102/102A	\$469/\$489
103/108 (Green)	\$849/\$519

TELEVIDEO

914/924	\$519/\$675
950/970	\$Call

Personal Terminal

w/ 300 Baud Modem	\$419
	\$528



VISUAL 50/55/60	\$559/\$689/Call
102/300	\$Call

WYSE

WY-50	\$519 WY-75 \$609
WY-100	\$Call WY-300 \$819

ZENITH

Z-29	\$649 Z-49 \$Call
ZTX-10	\$329 ZTX-11 \$389

COMMUNICATIONS FOR IBM

BLUE LYNX 3278	\$Call
DCA Irma/Irmaline/IrmaKey	\$Call
IDEAcomm 3278	\$Call

ANCHOR

Mark VI	\$179 Mark XII \$249
---------	----------------------

HAYES

Smartmodem 300/1200	\$199/\$Call
Smartmodem 1200B w/SmartCom II	\$399

NOVATION

Smart Cat Plus 300/1200 w/Mite	\$329
PRENTICE POPCOM C100/X100	\$289/\$299

PROMETHEUS

Promodem 1200	\$Call
---------------	--------

QUADRAM

Quadmodem	\$Call
TRANSEND PC Modem Card 1200	\$419
VEN-TEL 300/1200 Half Card	\$439

SOFTWARE

ASHTON-TATE dBase III/Framework	\$Call
PRENTICE HALL VCN ExecuVision	\$Call
REAL WORLD MBSI Accounting	\$Call
LOTUS 1-2-3/Symphony	\$319/\$Call
MICROPRO WordStar 2000/Pro pack	\$Call
MICRORIM R-Base 4000/Clout	\$285/\$Call
MICROSOFT Multiplan	\$129
SAMNA Word III	\$375
SATELLITE SOFTWARE WordPerfect	\$Call
SOFTWARE PUBLISHING PFS:Write	\$97
CENTRAL POINT Copy II PC/PLUS	\$29

FOR APPLE II/IIe

APPLE Macintosh/IIe SYSTEMS	\$Call
ALS CP/M Card	\$279
Smarter II (80 Column Card)	\$129
AST RESEARCH INC. Multi I/O Card	\$Call
DIGITAL RESEARCH CP/M Gold Card w/64K	\$339
FOURTH DIMENSION 16K RAM Card	\$55
80 Column Card w/64K (Ile Only)	\$129
HAYES Micromodem IIe w/SmartCom I	\$239
Smartmodem 300/1200	\$199/\$479
INTERACT STRU. PKASO Universal	\$125
MICROSOFT Premium Softcard (Ile)	\$Call
Softcard (Apple/Franklin)	\$229
MICROTEK Dumping-GX	\$69
NOVATION J-Cat (Auto Orig/Answer, 300 Baud)	\$99
Apple Cat II (300 Baud)	\$209
212 Apple Cat II (1200 Baud)	\$389
103/212 Smart Cat (1200 Baud)	\$389
ORANGE MICRO Grappler+	\$109
Buffered Grappler+ (16K)	\$169
Grappler Interface for ImageWriter	\$Call
PCPI Appicard 6 MHz	\$249
RANA Elite I/II/III	\$Call
TRANSEND ASIO	\$125
Modemcard w/Source	\$239

Get the Picture with PHOTOBASE



PHOTOBASE is a software package that works with data base management systems such as: *dBase II**, *R:Base 4000** and the *IBM Filing Assistant**



PC-EYE is a high speed, high resolution video digitizer board that lets you capture anything you can see.

Now you can open up a whole new dimension in data base applications by merging real-life pictures with popular data base management systems. Pictures of people, products, diagrams, maps, company logos — whatever you want to photograph — can be integrated with your data base. Consider these typical applications:

Security — verify those employees who have authorized clearance to limited access areas. A data base containing employee pictures and personnel records can be searched and displayed for visual verification.

Signature Verification — increase the efficiency of credit checks by adding pictures of customer signatures to your financial data base records.

Real Estate — add pictures of houses to on-line real estate listings for faster property identification and improved sales presentations.

Electronic Cataloging — pictures of products can be combined with a data base system containing product specifications, pricing, availability and much more.

Customers, distributors and sales personnel can quickly search data and view the resulting product/picture information on one screen. Files can be updated easily, quickly.



It's Easy

With a simple keystroke, pop-out of your data base system and into the **PHOTOBASE** menu. Capture images of text, photos, artwork and 3-dimensional objects with an ordinary video camera and our high resolution **PC-EYE**™ video digitizer. Pop back into your data base system and add the picture name to your data base like you would any other piece of information. The full functionality of the data base system is preserved, but the resulting display is text and picture information on one screen.

Pictures are displayed in the upper right quadrant of the screen at a resolution of 320 x 200 with 16 colors or levels of gray. Text information from data base records fills the rest of the screen. Pictures can also be exploded to full screen.

Call or write and we will send you information on **PHOTOBASE**, **PC-EYE**, compatible cameras and other imaging equipment in the **CHORUS** Family of products.

**(603) 424-2900 or
1-800-OCHORUS.**

TM **PHOTOBASE** and **PC-EYE** are trademarks of **CHORUS** Data Systems.

*dBase II is a trademark of Ashton-Tate; R-Base 4000 is a trademark of Microrim, Inc.; IBM Filing Assistant is a trademark of International Business Machines Corporation.

CHORUS

Inquiry 49




SHE'S TEMPORARY. THE DAMAGE IS PERMANENT.

One wrong key.
The slightest slip.
And your accounts receivable
are accounts irretrievable.

It can happen to you—because
a leading cause of data loss is
human error. If you employ people
and computers, you're vulnerable.

Unless you backup your data.
Every day.
No matter what.

The smartest way to do that
is with a Tallgrass HardFile™
Mass Storage System.



*Shown above, the 20 megabyte HardFile
with 20 megabyte tape for \$2,995.*

**TALLGRASS SELLS MORE
HARD DISK STORAGE WITH
CARTRIDGE TAPE BACKUP
THAN ANYONE IN THE WORLD.**

Tallgrass took the industry's
most reliable medium—magnetic
tape—and perfected a format
that's become the standard for
personal computers.

We used a removable tape
cartridge to store data out of



harm's way. And made two versions. Our 3000 Series HardFiles combine tape's accuracy with the enormous capacities of hard disk, providing 12, 20, 35 or 70 megabytes storage with a removable cartridge tape for backup. Our 4060 tape storage system, for personal computers with hard disks built in, supplies 60 megabytes of backup capacity.

Result: the world's best selling mass storage systems with the most reliable data protection.

The only kind to have when facing a permanent problem.

For a free brochure, your nearest dealer, and more good reasons to backup, call 1-800-228-DISK. And solve your problems permanently.



**TALLGRASS
TECHNOLOGIES**

COMMITTED TO MEMORY

Inquiry 307

HardFile™ and Tallgrass® are trademarks of Tallgrass Technologies Corporation. © 1984 Tallgrass Technologies.

THE PROFESSIONAL'S CHOICE

Lotus
1-2-3

\$299

Lotus
Symphony

\$419

dBase III

\$339

FrameWork

\$339

MultiMate

\$259

WordStar
2000+

\$319

Software

Word Processing Editors

EASYWRITER II \$219
SYSTEM \$139
FANCY FONT \$139
FINAL WORD \$189
MICROSOFT WORD \$239
MICROSOFT WORD W/MOUSE \$289
MULTIMATE \$259
PFS: WRITE \$ 95
SAMNA WORD III \$Call
VOLKSWRITER \$159
VOLKSWRITER SCIENTIFIC \$309
THE WORD PLUS (OASIS) \$105
WORD PERFECT \$249
WORDPLUS W/BOSS \$319
WORDSTAR \$199
WORDSTAR 2000 \$269
WORDSTAR 2000+ \$319
WORDSTAR PROFESSIONAL \$259
XWRITE II+ \$229

Spreadsheets/Integrated Packages

ELECTRIC DESK \$209
ENABLE \$459
FRAMEWORK \$339
LOTUS 1-2-3 \$299
MULTIPLAN \$135
OPEN ACCESS \$299
SMART SYSTEM \$559
SPREADSHEET AUDITOR \$ 79
SUPERCALC 3 \$199
SYMPHONY \$419
TKI SOLVER \$269

Desktop Environments

DESK ORGANIZER \$129
GET ORGANIZED \$159
SIDEKICK \$ 45
SPOTLIGHT \$109

Communications/Productivity Tools

CROSSTALK \$105
PROKEY \$ 89
RELAY \$ 99
SMARTCOM II \$109

Database Systems

ALPHA DATA BASE MANAGER II \$179
CLOUD V 2.0 \$139
CONDOR III \$299
DBASE II \$269
DBASE III \$339
INFOSTAR+ \$319
KNOWLEDGEMAN \$269
PFS: FILE/PFS: REPORT \$169
POWERBASE \$219
QUICKCODE III \$169
R BASE 4000 \$259

Languages/Utilities

CONCURRENT DOS \$189
C86 C COMPILER \$299
DIGITAL RESEARCH C COMPILER \$219
DR FORTRAN 77 \$219
LATTICE C COMPILER \$Call
MICROSOFT C COMPILER \$309
MS BASIC COMPILER \$249
MS FORTRAN \$239
NORTON UTILITIES—NEW \$Call
TURBO PASCAL \$45

Project Management

HARVARD PROJECT MANAGER \$219
HARVARD TOTAL PROJECT MANAGER \$299
MICROSOFT PROJECT \$159
SCITOR PROJECT 5000 W/GRAPHICS \$289

Professional Development

MANAGEMENT EDGE \$159
SALES EDGE \$159
THINK TANK \$119

Home/Personal Finance

DOLLARS AND SENSE \$119
FINANCIER II \$119
HOWARD TAX PREPARER 85 \$195
MICROTAX \$Call
MANAGING YOUR MONEY \$129

Graphics/Statistics

ABSTAT \$279
AUTOCAD \$Call
BPS BUSINESS GRAPHICS \$229
CHARTMASTER \$239
CHARTSTAR \$209
DR DRAW \$199
ENERGRAPHICS W/ PLOTTER \$279
EXECUVISION \$259
GRAPHWRITER \$389
COMBO \$159
MS CHART \$139
OVERHEAD EXPRESS \$259
PC DRAW \$ 89
PC PAINTBRUSH \$ 95
SIGMA+STER \$179
STATPRO \$Call
STATPAK-NWA \$329
STATPAC-WALONICK \$299

Accounting Modules

BPI \$329
GREAT PLAINS \$479
IUS EASYBUSINESS \$309
MBA \$389
OPEN SYSTEMS \$399
PEACHTREE \$299
REAL WORLD \$469
STATE OF THE ART \$389
STAR ACCOUNTING PARTNER \$249
STAR ACCOUNTING PARTNER II \$599

Hardware *

Multifunction Boards

AST ADVANTAGE \$Call
AST 6 PAK PLUS (64K) \$249
AST 6 PAK PLUS (384K) \$449
AST MEGAPLUS II (64K) \$269
AST MEGAPAK (256K) \$349
QUADBOARD (64K) \$289
QUADBOARD (256K) \$399
QUADBOARD EXP. (64K) \$289
QUADBOARD EXP. (384K) \$469
QUAD 512 + (64K) \$269
ORCHID BLOSSOM \$Call
PERSYST \$Call
TECMAR CAPTAIN(64K) \$279
TECMAR WAVE (64K) \$209

Display Boards

AST MONOGRAPH PLUS \$Call
EVEREX GRAPHICS \$419
EDGE \$329
HERCULES GRAPHICS CARD \$329
HERCULES COLOR CARD \$179
PARADISE MODULAR GRAPHICS CARD \$285
PARADISE MULTIDISPLAY CARD \$285
PERSYST \$Call
PLANTRONICS COLORPLUS \$419
PRINCETON SCAN DOUBLER \$Call
STB GRAPHICS \$309
TECMAR GRAPHICS MASTER \$489
TECMAR VIDEO VAN \$259
GOGH \$449
TSENG ULTRA PAK \$Call

Displays

AMDEK 300G/300A \$139/149
AMDEK 310A \$179
AMDEK COLOR II + \$459
PRINCETON HX-12 \$469
PRINCETON MAX-12 \$179
PRINCETON SR-12 \$Call
QUADRAM \$179
AMBERCHROME \$145
ZENITH 124 AMBER \$Call
ZENITH 135 COLOR \$Call

Modems

AST REACH 1200 \$Call
HAYES 1200 \$459
HAYES 1200B \$399
HAYES 2400 \$Call
VENTEL 1200 \$Call
HALF CARD \$Call

Accessories

CURTIS SURGE PROTECTORS \$Call
EPD SURGE PROTECTORS \$Call
GILTRONIX A/B SWITCH \$Call
MICROBUFFER INLINE (64K) \$264
MICROFAZER INLINE (64K) \$219
64K RAM SET \$40
256K RAM SET \$Call
8087 MATH \$150

Printers/Plotters

AMPLOT II \$859
C. ITOH \$Call
COMWRITER II \$Call
COMWRITER 420 \$Call
DIABLO 620/630 \$Call
EPSON FX-100+ \$Call
EPSON LQ-1500 \$Call
EPSON JX-80 \$419
JUKI 6100 \$899
NEC P3 \$769
NEC 2050 \$1399
NEC 3550 \$729
OKIDATA 84P \$619
OKIDATA 93P \$1569
QUME SPRINT 1155 \$1279
TOSHIBA P1351 \$899
SWEET P 6 PEN PLOTTER \$899

Emulation Boards

ASTPCOX \$949
AST 3780 \$609
AST SNA \$689
AST BSC \$ 29
BLUE LYNX \$Call
CXI 3278/9 \$Call
IRMA \$869
IRMALINE \$999
IRMAPRINT \$Call
QUAD 3278 \$949

Input Devices

KEYTRONIC 5151 \$189
MICROSOFT MOUSE \$139
PC MOUSE W/PAINT \$159

Mass Storage

ALLOY PC-BACKUP 20MB \$1649
ALLOY PC-DISC 20MB \$1769
IOMEGA 10+10 MB \$2895
MAYNARD WS-1 10MB \$Call
SIGMA \$Call
SYSGEN IMAGE \$Call
TALLGRASS HARDFILE + TAPE \$Call
TEAC HALF HEIGHT \$159

Networks

AST PC NET \$Call
CORVUS NET \$Call
DIGITAL RESEARCH \$1199
STARLINK \$Call
ORCHID PC NET \$Call

*CALL FOR SHIPPING COSTS

Samna
Word III

\$CALL

Chart-Master

\$239

AST 6 Pak
Plus

\$249

Quad Board
Expanded 64K

\$269

Smartmodem
1200B

\$399

Smartmodem
1200

\$459



LOWEST PRICE GUARANTEE!!

We will match current nationally advertised prices on most products. Call and compare.

free!

Diskette Library Case with your order



1-800-221-1260

In New York State call (718) 438-6057

TERMS:

Checks—allow 14 days to clear. Credit processing—add 3%. COD orders—cash. M.O or certified check—add \$3.00. Shipping and handling UPS surface—add \$3.00 per item (UPS Blue \$6.00 per item). NY State Residents—add applicable sales tax. All prices subject to change.



MON.-THURS. 9:00AM-8:00 PM
SUN. & FRI. 9:00AM-4:00 PM

Softline
Softline Corporation
P.O. Box 729, Brooklyn, N.Y. 11230
TELEX: 421047 ATLN UI

E·V·E·N·T Q·U·E·U·E

February 1985

● **AI, EXPERT SYSTEM BRIEFING**—Artificial Intelligence and Expert Systems: What Business Must Know Today to Reap the Benefits Tomorrow. Marriott Copley Place, Boston, MA. A one-day executive briefing. The fee is \$790. Contact Lee Burgess, Professional Development Programs, Rensselaer Polytechnic Institute, Troy Building, New York, NY 12180-3590, (518) 266-6589. February 11

● **SOFTWARE MANAGEMENT CONTROL**—Configuration Management of Software Programs, San Diego, CA. Intended to show those working in software management how to control development, maintenance, and operational costs. The cost is \$730. Contact Stod Cortelyou, Continuing Engineering Education, George Washington University, Washington, DC 20052, (800) 424-9773; in the District of Columbia, (202) 676-8520. February 11-13

● **NETWORK COMPONENTS EXPLAINED**—Data Communications Network Components, Atlanta, GA. A thorough overview of the use, operation, applications, and acquisition procedures of 25 major communications components. The fee is \$795. Contact Elaine Hadden Nicholas, Department of Continuing Education, Georgia Institute of Technology, Atlanta, GA 30332-0385, (404) 894-2547. February 12-14

● **INTERACTIVE INSTRUCTION**—The Third Conference on Interactive Instruction Delivery, Sheraton

Towers Hotel, Orlando, FL. Contact the Society for Applied Learning Technology, 50 Culpeper St., Warrenton, VA 22186, (703) 347-0055. February 13-15

● **COMPUTERS FILL EDUCATORS' TALL ORDER**—The Fifth Annual Conference of the Texas Computer Education Association, Hyatt Regency Hotel, Austin, TX. The theme is "New Directions for Education Using Modern Day Technology." Contact TCEA Conference, POB 2573, Austin, TX 78768. February 13-16

● **PC SYMPOSIUM**—The 1984 UNM Personal Computer Symposium, University of New Mexico, Albuquerque. Exhibits, seminars, and demonstrations of personal computer systems for business, education, and professional offices. Contact the Tau Beta Pi Honor Society, c/o Dr. Randy Truman, Department of Mechanical Engineering, University of New Mexico, Albuquerque, NM 87131, (505) 277-6296. February 15-16

● **COCO CONVOCATION**—RainbowFest, Irvine Marriott, Irvine, CA. A show for users of the Radio Shack TRS-80 Color Computer. More than 50 exhibitors are expected. Contact Falsoft Inc., POB 385, Prospect, KY 40059, (502) 228-4492. February 15-17

● **MICROS FOR EDUCATORS**—Association of

.....
IF YOU WANT your organization's public activities listed in *BYTE's Event Queue*, we need to know about them at least four months in advance. Send information about computer conferences, seminars, workshops, and courses to *BYTE, Event Queue*, POB 372, Hancock, NH 03449.

Teacher Educators National Conference, Riviera Convention and Resort Hotel, Las Vegas, NV. Exhibits and demonstrations of microcomputers, microcomputer products, and communications equipment will be featured. Contact Peter C. West, Learning Center, College of Education, Gabel Hall 8, Northern Illinois University, DeKalb, IL 60115, (815) 753-1241. February 18-19

● **MANAGE YOUR COMPUTER**—Managing Computer Resources, Wintergreen Learning Institute, Wintergreen, VA. Focuses on networking, system design, performance evaluation, and operational difficulties encountered by managers and executives. Rates vary from \$570 to \$769, depending on accommodations. Contact Dr. M. D. Corcoran, Wintergreen Learning Institute, POB 7, Wintergreen, VA 22958, (800) 325-2200; in Virginia, (804) 325-1107. February 18-22

● **COMMUNICATIONS FOR EXECS**—Info/Central, O'Hare Exposition Center, Chicago, IL. A computer and communications show and conference for executives and data-processing managers. Topics: mainframes, microcomputers, telecommunications systems, and micrographics. Contact the Show Manager, Info/Central, 999 Summer St., Stamford, CT 06905, (203) 964-8287. February 20-22

● **MODULA-2 ENGINEERING**—Software Engineering with Modula-2, Atlanta, GA. A course emphasizing methods for building large-scale software systems in Modula-2. Prerequisite: knowledge of Ada or Pascal. The fee is \$495. Contact Elaine Hadden Nicholas, Department of Continuing Education, Georgia Institute of Technology, Atlanta, GA 30332-0385, (404) 894-2547. February 20-22

● **BUSINESS GRAPHICS**—Computer Business Graphics, Bonaventure Intercontinental Hotel, Fort Lauderdale, FL. Contact Carol Every, Frost & Sullivan Inc., 106 Fulton St., New York, NY 10038, (212) 233-1080. February 20-23

● **MAC IN SPOTLIGHT**—MacWorld Exposition, Brooks Hall, San Francisco, CA. A hands-on festival of Macintosh hardware, software, and peripherals. Contact World Expositions, Mitch Hall Associates, POB 860, Westwood, MA 02090, (617) 329-7466. February 21-23

● **COMPUTER FAIRE**—The Fourth Annual IEEE Computer Faire, Huntsville, AL. Sponsored by the Institute of Electrical and Electronics Engineers. Contact Terry Mizell, POB 5188, Huntsville, AL 35805, (205) 532-2036. February 22-23

● **COMPUTERS IN MEXICO**—The First International Computer and Communications Exposition and Conference: MexCom '85, Mexico City,

(continued)

Special Offer

MICRO-TERM, INC.
ERGO® 4000

**A 66-Line
Word Processing
Terminal**

\$595



ERGO® 4000 is the ASCII Terminal featuring 80-column by 66-line format for full-page display capability. Features include: 15 downloadable function keys, four video attributes, pass-through printer port, screen saver, alternate character generator, settable tabs, 24-line display, and user-definable custom mode. (Compatible with VT100 codes.) Most popular word processing packages are already modified to run on the **ERGO® 4000**.

MICRO-TERM, INC.

Call toll-free 1-800-325-9056

512 Rudder Road
Fenton (St. Louis County), Missouri 63026

COMPETITIVE EDGE

P.O. Box 556 • Plymouth, MI 48170 • (313) 451-0665

THUNDER 186™ SYSTEM\$1995.

Includes 256K RAM, 2-5" Floppys and concurrent DOS® expandable to 10 or 40 MB hard disk & up to 4 users.

TELETEK SYSTEMMASTER II® SYSTEM ..\$5895.

With 2 Hi-speed 128K banked slaves, 10MB hard disk and two Qume 102 terminals.

Includes fastest Z80 slaves available.

**WE INTEGRATE SYSTEMS
WITH THE FOLLOWING COMPONENTS**

**CompuPro® Lomas Data Products
Teletek**

Sample Component Prices

CompuPro 286 with 287 chip CPU	\$1199.
Disk 1A	\$459.
RAM 22	\$995.
I/O 4	\$297.
CPU Z™	\$215.
85/88	\$327.
RAM 23-64™	\$309.
LDP 286	\$1116.
LDP Hi-speed 512K	\$899.
Color Magic™	\$496.
Thunder 186™	\$1195.
Teletek Systemmaster II® 8MHZ Z80	\$899.
Teletek HDCTC® Hard Disk Controller	\$525.
QUME 102 GR	\$450.
C. ITOH 8510 PTR	\$350.
DRI FORTRAN	\$250.
COMP. Inovation C	\$299.

All prices subject to change and
stock on hand shipping extra min. \$3.

ALL PRICES CASH PRICES

Concurrent DOS is registered trademark of Digital Research Inc. RAM 23, CPU 286/287, CPU Z, RAM 22, are trademarks of CompuPro a Godbout Company. Thunder 186, Color Magic trademarks of LDP Inc. Systemmaster II & HDCTC are registered trademarks of Teletek Enterprises Inc.

EVENT QUEUE

Mexico. This show features mini- and microcomputers, software, office automation equipment, and communications exhibits. Contact Mex-Com, Suite 219, 3421 M St. NW, Washington, DC 20007, (703) 685-0600.
February 25-28

● FARM AUTOMATION

Agri-Mation, Palmer House Hotel, Chicago, IL. This conference and exposition will focus on the role of automation in agriculture. Contact the Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-1500.
February 25-28

● DYNAMIC COMPUTING

Dynamics on Microcomputers, University of Michigan, Dearborn. A course and workshop for engineers. Contact Professor R. E. Little, University of Michigan, 4901 Evergreen Rd., Dearborn, MI 48128, (313) 593-5241.
February 25-March 1

● HIGH-TECH IN FOCUS

High-Tech '85 Exhibit and Seminar, Thunderbird Motel, Bloomington, MN. More than 100 manufacturers will exhibit terminals, peripherals, data-communications equipment, and digital test instruments. Admission is free. Contact John Bastys or Barb Mueller, Countryman Associates Co., 1821 University Ave., St. Paul, MN 55104, (612) 645-9151.
February 26-27

● MICRO-AIDED MANAGEMENT

Microcomputer-aided Maintenance Management System, Ramada Inn, Airport, Milwaukee, WI. This course shows how computers can help improve the maintenance functions of any organization. The fee is \$60. Contact Unik Associates, 12545 West Burleigh, Brookfield, WI 53005, (414) 782-5030.
February 27

March 1985

● DISCOVER UNIX

Discover UNIX, various sites throughout the U.S. A two-day seminar exploring such topics as the UNIX file system, shell interpreter, text editors, programming languages, and system tools. The fee is \$595. Contact Data-Tech Institute, 57 Lakeview Plaza, POB 2429, Clifton, NJ 07015, (201) 478-5400.
March

● COMPUTERS FOR SALE

Computer Supermarket, San Mateo County Fairgrounds, San Mateo, CA. A gathering of retailers, manufacturers, distributors, and potential consumers of a wide variety of computer-related products. Contact Microshows, Suite 203, 1209 Donnelly Ave., Burlingame, CA 94010, (415) 340-9113.
March 2-3

● FOSE SOFTWARE SHOW

Federal Office Systems Exposition (FOSE) Software '85, Convention Center, Washington, DC. Workshops, symposia, and exhibits of software. Contact Rosalind Boesch, National Trade Productions Inc., Suite 400, 2111 Eisenhower Ave., Alexandria, VA 22314, (800) 638-8510; in Virginia, (703) 683-8500.
March 4-7

● MINI/MICRO

Mini/Micro Southeast-85, Georgia World Congress Center, Atlanta. A conference and exposition. Contact Electronic Conventions Management, 8110 Airport Blvd., Los Angeles, CA 90045, (213) 772-2965.
March 5-7

● DESIGN SHOW

The 1985 National Design Engineering Show, McCormick Place, Chicago, IL. More than 600 CAD/CAM system and electronic component companies will exhibit. Contact the Show Manager, National Design

EVENT QUEUE

Engineering Show, 999 Summer St., Stamford, CT 06905, (203) 964-0000. *March 11-14*

● **DATA COMM FROM ALL ANGLES**—Data Communications: Technology, Techniques, and Applications, Tarrytown Hilton, Tarrytown, NY. This seminar covers existing and emerging technologies, data compression techniques and applications, multiplexers, protocol conversion, data security, and local-area networks. The fee is \$150. Contact Glasgal Communications Inc., 207 Washington St., Northvale, NJ 07647, (201) 768-8082. *March 12*

● **ACM COMPUTER CONFERENCE**—The Thirteenth Annual ACM Computer Science Conference: CSC '85, New Orleans Marriott, LA. An employment register, social events, technical programs, award presentations, and exhibits are highlights of this show. Contact Della T. Bonnette, Conference Chair, Computing and Information Services, University of Southwestern Louisiana, Lafayette, LA 70504, (318) 231-6306. *March 12-14*

● **EDUCATIONAL CONFERENCE**—The 1985 Microcomputers in Education Conference, Arizona State University, Tempe. The theme for this conference is "Tomorrow's Technology." Emphasis will be placed on integrating computer technology and languages into the educational environment. Exhibits will be featured. Contact Donna Craighead, Payne B47, Arizona State University, College of Education, Tempe, AZ 85287, (602) 965-7363. *March 13-15*

● **SIMULATION IN SUNSHINE**—The Eighteenth Annual Simulation Symposium, Tampa, FL. A forum

for the interchange of ideas, techniques, and applications among those working in simulation. Contact Alexander Kran, IBM Corp., East Fishkill Facility, Hopewell Junction, NY 12533. *March 13-15*

● **INTERFACING WORKSHOP**—Personal Computer and STD Computer Interfacing for Scientific Instrument Automation, Virginia Tech, Blacksburg. A hands-on workshop with participants wiring and testing interfaces. The fee is \$450. Contact Dr. Linda Leffel, C.E.C., Virginia Polytechnic Institute and State University, Blacksburg, VA 24061, (703) 961-4848. *March 14-16*

● **SHOW IN DELAWARE**—The Seventh Annual Delaware Computer Faire, Delaware State College, Dover. Current technology for use in the classroom, office, and home will be displayed. Workshops, demonstrations, and sessions on the use of computers in the classroom are planned. Contact Dr. William J. Geppert, State Supervisor, Mathematics, Department of Public Instruction, Townsend Building, POB 1402, Dover, DE 19903, (302) 736-4885. *March 16*

● **CLASSROOM COMPUTING TECHNIQUES**—Instructional Strategies for Integrating the Microcomputer into the Classroom, University of Wisconsin, Madison. A special emphasis is placed on strategies that have already proved successful. Hands-on sessions will be offered. Contact Dr. Judith Rodenstein or Dr. Roger Lambert, University of Wisconsin, 964 Educational Sciences Building, 1025 West Johnson St., Madison, WI 53706, (608) 263-4367 or 263-2704. *March 18-19*

(continued)

100% FLAWLESS COPIES . . .


. . . FAST!

No need to tie up your valuable computer to duplicate diskettes . . . when VICTORY can provide you with a duplicator that will do the job flawlessly, and much faster. One button operation automatically formats, duplicates and verifies up to 8 diskette copies at the same time.

VICTORY can supply you with literally dozens of standardized formats to match the protocol of virtually any current computer. In addition, built-in utilities enable you to read or devise any format you may require. If that's not enough, VICTORY can help you with unusual or unique formatting, serializing or copy-protecting problems.

VICTORY duplicators are designed to be reliable. Each of the copy drives has a separate controller to increase copying throughput and ensure maximum uptime. VICTORY Duplicators use industry proven drives combined with 100% digital technology . . . there are no analog circuits to slowly drift out of tolerance.

Let us help free you from your disk-duplicating bottleneck at a surprisingly attractive price. Write or call: VICTORY ENTERPRISES TECHNOLOGY, INC., 8910 Research Blvd., Suite B2, Austin, Texas 78758—(512) 450-0801.



Victory Enterprises Technology, Inc.

The Little Board™ ...\$349*

The world's simplest and least expensive CP/M computer



NEW
SCSI/PLUS™
EXPANSION
I/O OPTION

CP/M 2.2
INCLUDED

***UNDER \$200 IN**
OEM QUANTITIES

Z80A is a registered trademark of Zilog, Inc.
CP/M is a registered trademark of Digital Research.

- 4 MHz Z80A CPU, 64K RAM, Z80A CTC, 2732 Boot ROM
- Mini/Micro Floppy controller (1-4 Drives, Single/Double Density, 1-2 sided, 40/80 track)
- Only 5.75 x 7.75 inches, mounts directly to a 5 1/4" floppy drive
- 2 RS232C Serial Ports (75-9600 baud & 75-38,400 baud), 1 Centronics Printer Port
- Power Requirement: +5VDC at .75A; +12VDC at .05A/On-board -12V converter
- CP/M 2.2 BDOS • ZCPR3 CCP • Enhanced AMPRO BIOS
- AMPRO Utilities included:
 - read/write to more than 2 dozen other formats (Kaypro, Televideo, IBM CP/M86....)
 - format disks for more than a dozen other computers
 - menu-based system customization
- BIOS and Utilities Source Code Available
- SCSI/PLUS Adapter:
 - Mounts directly to Little Board
 - Slave I/O board control • Full ANSI X3T9.2
 - 16 bidirectional I/O lines • \$99/Quantity 1


AMPRO
COMPUTERS, INCORPORATED

67 East Evelyn Ave. • Mountain View, CA 94041 • (415) 962-0230 • TELEX 4940302

DISTRIBUTORS

Argentina-Factorial, S.A.	1-41-0018
Australia-ASP Microcomputers	613-500-0628
Belgium-Centre Electronique Lempereur	041-53-45-41
Canada-Electronic Sales Assoc.	(604) 986-5447
Denmark-Danbit	03-66-90-20
England-Quant Systems	01-534-3158
Finland-Symmetric OY	358-0-585-392
France-Alain Lequeux	1-525-6960
Israel-Alpha Terminals	03-491695
Spain-Xenios Informatica	3-593-0822
Sweden-AB AKTA	08-54-90-90
USA: Digital Distributors (CA)	408-423-1556
Peripheral Business Systems (WA)	206-823-6661
Dorado Business Systems (NY/NJ)	609-499-2243

When Your Chips Are Down,



Bank on BYTEK's
(E)PROM MultiProgrammer System S15-G
With Less Restrictions & a FREE KEYBOARD
For Only \$995.

Stand Alone or Hook Up to your Terminal,
3 Voltage Devices, Simulation Module,
Supports Bipolar, PALs, 40 Pin Chips.
Also Available: S5 Basic (E)PROM
Programmer, \$690. UV Erasers from \$67.

BYTEK® COMPUTER SYSTEMS CORPORATION
4089 South Rogers Circle, Boca Raton, FL 33431

CALL TO ORDER (305) 994-3520, Telex 4310073 MEVBTC
Distributor Inquiries Welcome

EVENT QUEUE

● **EXPOSING THE MYTH OF MICROS**—Public Awareness Seminars, Hyatt Regency, Los Angeles, CA. A seminar that shows nontechnical businesspeople how a microcomputer could be used to increase productivity. Contact International Microcomputer Industries Association, Suite 175, 21 Tamal Vista Blvd., Corte Madera, CA 94925, (415) 924-1194. *March 18-19*

● **COMPUTERS AND TELECOMMUNICATIONS** COMTEL '85: International Computer and Telecommunications Conference, Informart, Dallas, TX. Contact COMTEL '85, Suite 600, 13740 Midway Rd., Dallas, TX 75244, (214) 458-7011. *March 18-20*

● **TECHNOLOGY AND EDUCATION**—The First Annual Conference on Technologies in Education, University of Arizona, Tucson. This conference will focus on the effective implementation of research in educational technology. Contact Steve Louie, NACCIS, Suite 125, 2200 East River Rd., Tucson, AZ 85718, (602) 323-6144. *March 18-20*

● **ROBOTICS TECHNOLOGY UPDATE**—The Second Annual Robotic End Effectors: Design and Applications Seminar, Holiday Inn Livonia-West, Livonia, MI. More than 25 companies will exhibit. Contact John McEachran, Special Programs Department, Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-1500, ext. 382. *March 19-20*

● **AI FOR ROBOTS** Airon 2: The Second Annual International Conference on Artificial Intelligence for Robots, Stouffville Concourse in Crystal City, Arlington, VA. A conference designed to promote a dialogue between experts and users of artificial-intelligence systems.

The theme is "Toward Intelligent Robots: The Droids Are Coming." Contact Cindy Mega, IIT Research Institute, 10 West 35th St., Chicago, IL 60616, (312) 567-4024. *March 21-22*

● **EDUCATION AND COMPUTING**—Educational Computing Today, Westin Hotel, Renaissance Center, Detroit, MI. Kindergarten, elementary, high school, and college educators will share educational computing experiences. Contact Michigan Association for Computer Users in Learning, MACUL/ICCE Conference, POB 628, Westland, MI 48185, (313) 595-2493. *March 21-22*

● **ELEMENTARY COMPUTING**—University of Delaware Second National Conference: Computers and Young Children, University of Delaware, Newark. The emphasis is on programs for children 4 to 8 years of age. Contact Dr. Richard B. Fischer, Division of Continuing Education, University of Delaware, Newark, DE 19716, (302) 451-8838. *March 21-22*


● **WINTER COMDEX** COMDEX/Winter, Convention Center, Anaheim, CA. One of the largest shows in the microcomputer industry. Contact The Interface Group, 300 First Ave., Needham, MA 02194, (800) 325-3330; in Massachusetts, (617) 449-6660. *March 21-24*

● **DATABASE SYMPOSIUM** The Fourth Annual ACM SIGACT/SIGMOD Symposium on Principles of Database Systems, Portland, OR. This conference covers developments in the theoretical and practical aspects of database

(continued)

Introducing the Most Powerful Business Software Ever!

TRS-80™ (Model I, II, III, or 16) • APPLE™ • IBM™ • OSBORNE™ • CP/M™ • XEROX™



The VERSABUSINESS™ Series

Each VERSABUSINESS module can be purchased and used independently, or can be linked in any combination to form a complete, coordinated business system.

VERSARECEIVABLES™ \$99.95

VERSARECEIVABLES™ is a complete menu-driven accounts receivable, invoicing, and monthly statement-generating system. It keeps track of all information related to who owes you or your company money, and can provide automatic billing for past due accounts. VERSARECEIVABLES™ prints all necessary statements, invoices, and summary reports and can be linked with VERSALEDGER II™ and VERSAINVENTORY™.

VERSAPAYABLES™ \$99.95

VERSAPAYABLES™ is designed to keep track of current and aged payables, keeping you in touch with all information regarding how much money your company owes, and to whom. VERSAPAYABLES™ maintains a complete record on each vendor, prints checks, check registers, vouchers, transaction reports, aged payables reports, vendor reports, and more. With VERSAPAYABLES™, you can even let your computer automatically select which vouchers are to be paid.

VERSAPAYROLL™ \$99.95

VERSAPAYROLL™ is a powerful and sophisticated, but easy to use payroll system that keeps track of all government-required payroll information. Complete employee records are maintained, and all necessary payroll calculations are performed automatically, with totals displayed on screen for operator approval. A payroll can be run totally, automatically, or the operator can intervene to prevent a check from being printed, or to alter information on it. If desired, totals may be posted to the VERSALEDGER II™ system.

VERSAINVENTORY™ \$99.95

VERSAINVENTORY™ is a complete inventory control system that gives you instant access to data on any item. VERSAINVENTORY™ keeps track of all information related to what items are in stock, out of stock, on backorder, etc., stores sales and pricing data, alerts you when an item falls below a preset reorder point, and allows you to enter and print invoices directly or to link with the VERSARECEIVABLES™ system. VERSAINVENTORY™ prints all needed inventory listings, reports of items below reorder point, inventory value reports, period and year-to-date sales reports, price lists, inventory checklists, etc.

VERSALEDGER II™ \$149.95

VERSALEDGER II™ is a complete accounting system that grows as your business grows. VERSALEDGER II™ can be used as a simple personal checkbook register, expanded to a small business bookkeeping system or developed into a large corporate general ledger system without any additional software.

- VERSALEDGER II™ gives you almost unlimited storage capacity (300 to 10,000 entries per month, depending on the system),
- stores all check and general ledger information forever,
- prints tractor-feed checks,
- handles multiple checkbooks and general ledgers,
- prints 17 customized accounting reports including check registers, balance sheets, income statements, transaction reports, account listings, etc.

VERSALEDGER II™ comes with a professionally-written 160 page manual designed for first-time users. The VERSALEDGER II™ manual will help you become quickly familiar with VERSALEDGER II™, using complete sample data files supplied on diskette and more than 50 pages of sample printouts.

SATISFACTION GUARANTEED!

Every VERSABUSINESS™ module is guaranteed to outperform all other competitive systems, and at a fraction of their cost. If you are not satisfied with any VERSABUSINESS™ module, you may return it within 30 days for a refund. Manuals for any VERSABUSINESS™ module may be purchased for \$25 each, credited toward a later purchase of that module.

To Order:

Write or call Toll-free (800) 431-2818
(N.Y.S. residents call 914-425-1535)

- * add \$3 for shipping in UPS areas
- * add \$4 for C.O.D. or non-UPS areas

- * add \$5 to CANADA or MEXICO
- * add proper postage elsewhere

Inquiry 127


DEALER INQUIRIES WELCOME

All prices and specifications subject to change / Delivery subject to availability.

COMPUTRONICS

50 N. PASCACK ROAD, SPRING VALLEY, N.Y. 10977

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. • APPLE is a trademark of Apple Corp. • IBM is a trademark of IBM Corp. • OSBORNE is a trademark of Osborne Corp. • CP/M is a trademark of Digital Research • XEROX is a trademark of Xerox Corp.



A black border may appear around the Palette slide image, which will be imperceptible when projected.

Now last minute presentations can be made from your personal computer. In color. In house. In minutes.

Introducing Polaroid Palette.

Whether your presentation is in 30 minutes or 30 days, the new Polaroid Palette Computer Image Recorder will make it easier. Priced at under \$1800*, it lets you make Polaroid instant 35mm slides or prints from personal computer-generated data. Right at your desk. So now you can create a presentation in minutes. Without sending out for processing, paying premiums for rush service or risking the security of your confidential information.

Works with the graphics packages of the IBM PC or XT, DEC Rainbow or PRO, Apple IIe or II+ and AT&T 6300.

The Polaroid Palette is designed to work with many graphics software packages. In fact, when using such popular programs as Graphwriter, Chart-Master, Sign-Master, DR Draw and DR Graph, Palette can virtually double both the horizontal and vertical resolution of your monitor. Plus, a

"backfill" feature reduces raster lines for a smoother, more finished appearance. The result—presentation quality slides. On-the-spot.

Color 35mm slides, even from a black and white CRT

Think of it as an artist's palette. Because Palette "paints" your graphs, charts and text. You're choosing from up to 72 colors. If you don't want red, press a few keys—it's green. And if you're not the artistic-type, Polaroid has developed a menu of color sets: combinations of colors that have been specially coordinated to complement your presentations. And all of this is yours, even if you have a black and white monitor.

Lets you make last minute changes or add up-to-the-minute information.

The Polaroid Palette is the fast, convenient, low-cost way to prepare slides for your presentation. And perhaps

even more important, Palette allows you to keep confidential information confidential. You won't have to send your work out to anyone again.

So why wait until the last minute to find out about Polaroid Palette? Call this toll-free number or return this coupon. Because with Palette you'll make your deadlines, in no time.

For a demonstration, call toll-free, or mail the coupon to Polaroid Corp., E.I. Marketing, Dept. 604, 575 Technology Sq., Cambridge, MA 02139.

CALL 1-800-225-1618

☐ Send information. ☐ Have representative call.

Name _____ Title _____

Company _____

Address _____

City _____ State _____ Zip _____

Telephone (____) _____


PC make and model _____

 **Polaroid**

B-2/85

*Suggested list price. Polaroid®

PKASO/U®



The Universal Printer Interface

Apple II, IIe, III and Apple compatible.

- Universal for virtually all standard parallel printers.
- Famous for Graphics (LoRes, HiRes, SuperRes) (Logo Compatible)
- Terrific for text (even rotates spreadsheets to print sideways)

One set of commands for all printers. One command changes character sizes. Create your own printing fonts, alphabets and symbols . . . bold face, underline, italics, subscript and superscript, HiRes Zooming.



PLUS:

FREE Utility and Demonstration Software Disk. CLEAR, comprehensive user documentation. PKASO/U . . . for all the reasons you need an interface.

Contact us for a list of Authorized Dealers near you.



Interactive Structures, Inc.
146 Montgomery Avenue
Bala Cynwyd, PA 19004
Telephone: (215) 667-1713

EVENT QUEUE

systems. Contact David Maier, Department of Computer Science, Oregon Grad Center, 19600 Northwest Walker Rd. Beaverton, OR 97006. March 25-27

● **OPTICAL STORAGE TECHNIQUES**—The Third Annual Conference on Optical Storage of Documents and Images, Shoreham Hotel, Washington, DC. Contact Technology Opportunity Conference, POB 14817, San Francisco, CA 94114-0817, (415) 626-1133. March 25-27

● **CAI INVESTIGATED**
The Twenty-Sixth International Conference of the Association for the Development of Computer-based Instructional Systems, Philadelphia, PA. Presentations and panel discussions will explore the research and use of computers for direct instruction. Interest groups for educators. Contact ADCIS International Headquarters, Miller Hall 409, Western Washington University, Bellingham, WA 98225. March 25-28

● **INTEGRATION, COMMUNICATIONS, COMPUTERS**
IEEE INFOCOM '85, Washington, DC. Papers will address such issues as architecture, protocols, gateways, and support. Contact Tom Stack, IEEE INFOCOM '85, POB 639, Silver Spring, MD 20901, (301) 589-8142. March 25-28

● **MACHINE VISION EYED**
The Applied Machine Vision Conference and Vision '85 Exposition, Cobo Hall, Detroit, MI. Contact Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-0777. March 25-28

● **JOINT CONFERENCE IN MINNESOTA**—Udata '85: The Seventh Annual Minnesota Joint Computer Conference, Radisson South

Hotel, Bloomington, MN. A conference for data-processing professionals. The theme is "Meeting Tomorrow's Challenge Today!" Contact Mick Williams, Standard Iron, 4990 North County Rd. 18, New Hope, MN 55428, (612) 533-1110. March 28-29

● **WESTERN EDUCATORS MEET**—Western Educational Computing Workshops, University of California, Santa Cruz. A series of workshops and demonstrations that give educators hands-on experience with computer application packages and computer hardware. Contact Hal Roach, Computer Services, Mount San Antonio College, 1100 North Grand Ave., Walnut, CA 94542. March 28-29

● **WEST COAST FAIRE**
The Tenth Annual West Coast Computer Faire, Moscone Center, San Francisco, CA. This is one of the largest computer shows. Contact Computer Faire Inc., Suite 201, 181 Wells Ave., Newton Falls, MA 02159, (800) 826-2680; in Massachusetts, (617) 965-8350. March 30-April 2

● **COMPUTERFEST**
The 1985 Greater Baltimore Hamboree and Computerfest, Maryland State Fairgrounds, Timonium. Exhibits, flea market, and forums highlight this annual event. Admission is \$4, and the gates open at 8 a.m. Contact Baltimore Amateur Radio Club Inc., POB 95, Timonium, MD 21093-0095, (301) 561-1282. March 31

● **FOCUS ON SOFTWARE**
Softcon, Georgia World Congress Center, Atlanta. The Spring and Fall Softcons have been merged into this event. Nearly 3000 software vendors are expected to participate. Seminars, panel discussions, forums, and

EVENT QUEUE

workshops are planned. Registration is \$35 for exhibits-only admission or \$195 for a four-day conference and exhibits badge. Contact Softcon, Northeast Expositions, 822 Boylston St., Chestnut Hill, MA 02167, (617) 739-2000. March 31-April 3

● **TELECONFERENCING SEMINAR**—Teleconferencing in the Marketplace, International Congress Centre RAI, Amsterdam, The Netherlands. A seminar for users and suppliers of teleconferencing services and facilities. For further information, contact International Congress and Convention Association, POB 5343, 1007 AH Amsterdam, The Netherlands. March 31-April 3

● **MICROPROCESSOR IDEA EXCHANGE**—The 1985 Microprocessor Forum, Bally's Park Place Casino Hotel, Atlantic City, NJ. Tutorials, forums, and exhibits will be held. A robotic maze contest will be held. On April 1 and 2, the 1985 IEEE VLSI Test Workshop will be held. Contact IEEE Computer Society, Suite 300, 1109 Spring St., Silver Spring, MD 20910, (301) 589-8142. March 31-April 4

April 1985

● **GULF COAST SHOW** The Second Annual Gulf Computer & Office Show, Rivergate Convention Center, New Orleans, LA. Seminars, workshops, and product displays. Contact Gulf Computer & Office Show Management, c/o 119 Avant Garde, Kenner, LA 70065, (504) 467-9949. April 2-4

● **MEET SOME NETWORKS** Introduction to Network Architectures, Atlanta, GA. This course provides an

understanding of the role of network architectures and explains their many forms. The fee is \$795. Contact Elaine Hadden Nicholas, Department of Continuing Education, Georgia Institute of Technology, Atlanta, GA 30332-0385, (404) 894-2547. April 2-4

● **ENGINEERING WITH MODULA-2**—Software Engineering with Modula-2, Atlanta, GA. See February 20-22 for details. April 3-5

● **COMMUNICATIONS TECHNOLOGY FOR THE NONVERBAL**—The Fourth Annual Conference on Communication Technology: Technology and Nonspeaking Children, Joseph Stokes Auditorium, Children's Hospital of Philadelphia, PA. Up-to-the-minute information on the use of technology with nonverbal children will be presented. Concurrent sessions will address ongoing research, computers, and treatment strategies. The registration fee is \$95. Contact Joan Bruno, Children's Seashore House, 4100 Atlantic Ave., POB 4111, Atlantic City, NJ 08404, (609) 345-5191, ext. 278. April 12-13

● **GRAPHICS** Computer Graphics '85, Dallas, TX. Tutorials and technical sessions on architectural and engineering computer graphics, artificial intelligence, business graphics, and CAD/CAM. Contact National Computer Graphics Association, Suite 601, 8401 Arlington Blvd., Fairfax, VA 22031, (703) 698-9600. April 14-18

● **OPTICAL STORAGE INVESTIGATED**—The 1985 Materials Research Society: Symposium D, Golden Gateway Holiday Inn, San Francisco, CA. A mass-storage technologies symposium in-

(continued)

High performance to cost ratio...

Programming Chips?

Projects develop profitably with development hardware/software from GTEK.



MODEL 7956
(with RS232 option) \$1099.
MODEL 7956 (stand alone) \$ 979.

GTEK's outstanding Gang Programmer with intelligent algorithm can copy 8 EPROMs at a time! This unit is used in a production environment when programming a large number of chips is required. It will program all popular chips on the market through the 27512 EPROMs. It also supports the Intel 2764A & 27128A chips. It will also program single chip processors.



MODEL 7228 - \$599

This model has all the features of Model 7128, plus *Intelligent Programming Algorithms*. It supports the newest devices available through 512Kbits; programs 6x as fast as standard algorithms. Programs the 2764 in one minute! Supports Intel 2764A & 27128A chips. Supports Tektronics, Intel, Motorola and other formats.

EPROM & PAL

PROGRAMMERS

—These features are standard from GTEK—

Compatible with all RS232 serial interface ports • Auto select baud rate • With or without handshaking • Bidirectional Xon/Xoff • CTS/DTR supported • Read pin compatible ROMs • No personality modules • Intel, Motorola, MCS86 Hex formats • Split facility for 16 bit data paths • Read, program, formatted list commands • Interrupt driven — program and verify real time while sending data • Program single byte, block, or whole EPROM • Intelligent diagnostics discern bad and/or erasable EPROM • Verify erasure and compare commands • Busy light • Complete with Textool zero insertion force socket and integral 120 VAC power (240 VAC/50Hz available) •



MODEL 7324 - \$1199

This unit has a built-in compiler. The Model 7324 programs all MMI, National and TI 20 and 24 pin PALs. Has non-volatile memory. It operates stand alone or via RS232.



MODEL 7128 - \$429

This model has the highest performance-to-price-ratio of any unit. This is GTEK's most popular unit! It supports the newest devices available through 256Kbits.

MODEL 7316 Pal Programmer \$ 599
Programs Series 20 PALs. Built-in PALASM compiler.

DEVICES SUPPORTED

by GTEK's EPROM Programmers

NMOS		NMOS		CMOS	EEPROM		MPU'S	
2758	2764A	2508	68764	27C16	5213	12816A	8748	8741H
2716	27128	2516	8755	27C16H	5213H	12817A	8748H	8744
2732	27128A	2532	5133	27C32H	52B13		8749H	8751
2732A	27256	2564	5143	27C64	X2816		8741	68705
2764	27512	68766		27C256	48016		8742H	

UTILITY PACKAGES

GTEK's PGX Utility Packages will allow you to specify a range of addresses to send to the programmer, verify erasure and/or set the EPROM type. The PGX Utility Package includes GHX, a utility used to generate an Intel HEX file.

PALX Utility Package — for use with GTEK's Pal Programmers — allows transfer of PALASM® source file or ASCII HEX object code file.

Both utility packages are available for CPM,® MSDOS,® PC DOS,® ISIS® and TRSDOS® operating systems. Call for pricing.

AVOCET CROSS ASSEMBLERS

These assemblers are available to handle the 8748, 8751, Z8, 6502, 68X and other microprocessors. They are available for CPM and MSDOS computers. When ordering, please specify processor and computer types.

ACCESSORIES

Model 7128-L1, L2, L2A	XASM (for MSDOS)	\$250.
(OEM Quantity) \$259.	U/V Eraser DE-4	\$ 80.
Model 7128-24	RS232 Cables	\$ 30.
Cross Assemblers	8751 Adapter	\$174.
	8755 Adapter	\$135.
PGX Utilities	48 Family Adapter	\$ 98.
PALX	68705 Programmer	\$299.



Development Hardware/Software
P.O. Box 289, Waveland, MS 39576
601/467-8048
, INC.

GTEK, PALASM, CPM, MSDOS, PC DOS, ISIS, and TRSDOS
are all registered trademarks.

When You Want The Best, Call...

nbs inc.

National Business Software and Supplies

IBM**Macintosh**

MULTIMATE	\$285	FLIGHT SIMULATOR	\$ 35
PFS FILE	89	MULTIPLAN	125
PFS REPORT	79	DESK ORGANIZER	CALL
PFS WRITE	89	BANKSTREET WRITER	CALL
SYMPHONY	CALL	MacFORTH	98
LOTUS 1-2-3	CALL	PRO KEY	59
TURBO GIFT PACK	72	PRO KEY 3.0	82
WORDSTAR	229	NORTON UTILITIES	55
SIDEKICK	35	R BASE 4000	268

TEAC #55-B DRIVES FOR IBM PC & COMPATIBLES DS/DD \$139

Ribbons and Printwheels
EPSON-OKIDATA-NEC-DIABLO, ETC.
 call for prices

(602) 967-5681

500 W. Broadway, Ste. 116
 Tempe, AZ 85282



Mon-Fri
8AM-5PM

No cash refunds—all sales final. 20% restocking fee. Add \$5 for credit card purchases. AZ residents add 6%. Prices subject to change, product subject to availability. Allow two weeks for personal/company checks to clear. All items are new with manufacturer's warranty. Software not warranted for suitability of purpose. Shipping and handling add \$5 per order. Minimum order \$50.

2/85

YOUR MOTHER'S

AT

The Byte Shop

Our New On-line Computer Product Center.

- RUN SOFTWARE DEMOS • SEND ELECTRONIC MAIL
- ACCESS DATA-BASES
- BROWSE OUR PRODUCT CATALOG

for a password and a user name contact:

MASTERBYTE COMPUTERS OF NEW YORK
 SUITE 815, 19 WEST 34TH STREET
 NEW YORK, NEW YORK 10001
 (212) 760-0340

a stride micro dealer © 1984

EVENT QUEUE

vestigating optical data storage. Contact D. H. Davies, Symposium Co-Chair, 3M, 420 North Bernardo Ave., Mountain View, CA 94043. April 15-18

● **INDUSTRIAL SOFTWARE EXPO**—The Second CIMCOM: Industrial Software Conference & Exposition, Disneyland Hotel, Anaheim, CA. Contact Computer and Automated Systems Association of the Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-1500. April 16-18

● **TRAINING AND TECHNOLOGY**—The Third Annual Technology in Training and Education (TITE) Conference, Antler's Hotel, Colorado Springs, CO. A conference designed to facilitate the interchange of ideas and to explore ways that computers and technology can be applied to education and training. Contact Lt. Colonel McCann, 1985 TITE Conference, USAFA/DFSR, USAF Academy, Colorado Springs, CO 80840-5751, (303) 472-4195. April 16-19

● **NETWORK CONTROL AND MANAGEMENT**—Network Management/Technical Control, Marriott Copley Place, Boston, MA. Diagnostic and test instruments will be among the products displayed. Contact Louise Myerow, CW/Conference Management Group, 375 Cochituate Rd., POB 880, Framingham, MA 01701, (800) 225-4698; in Massachusetts, (617) 879-0700. April 18-19

● **PATIENT CARE AND COMPUTERS**—The Second Annual Physicians and Computers: Applications in Patient Care, Las Vegas Hilton, NV. This conference addresses the concerns of

doctors, nurses, dietitians, pharmacists, administrators, and medical record administrators. Contact Beverly J. Johnson, University of Southern California School of Medicine, Postgraduate Division, 2025 Zonal Ave. KAM 318, Los Angeles, CA 90033, (213) 224-7051. April 19-21

● **COMPUTER FESTIVAL**—The Tenth Annual Trenton Computer Festival, Trenton State College, Trenton, NJ. Highlights talks, tutorials, user-group activities, exhibits, computer-graphics theater, games, and a 50-acre outdoor electronics flea market. Contact Ms. Marilyn Hughes, Trenton State College, Hillwood Lakes CN 550, Trenton, NJ 08625, (609) 771-2487. April 20-21

● **AIDS FOR EDUCATORS** AEDS/ECOO '85: The Twenty-Third Annual Convention of the Association for Educational Data Systems (AEDS), Hilton Harbour Castle, Toronto, Ontario. The theme is "Computing Knows No Borders." Contact AEDS/ECOO '85, c/o OISE, 252 Bloor St. W., Toronto, Ontario M5S 1V6, Canada. In the U.S., AEDS/ECOO '85, 1201 16th St. NW, Washington, DC 20036. April 21-27

● **SPEECH IN FOCUS** Speech Tech '85, Vista International Hotel, World Trade Center, New York City. Speakers and exhibitors will focus on voice synthesis and recognition. Registration is \$195. Contact Media Dimensions Inc., POB 1121 Gracie Station, New York, NY 10028, (212) 772-7068 or 680-6451. April 22-24

● **PUBLIC NETWORK OPERATIONS**—X.25 and

(continued)

POWERFUL CP/M® SOFTWARE

Diskette & Manual \$29.95

NEVADA FORTTRAN™ DISKETTE & MANUAL

Nevada FORTTRAN is based upon the ANSI-66 standards (FORTTRAN IV) with some

1977 level features. Advanced features include: IF... THEN... ELSE statement; COPY (Include); CHAINING with COMMON; and TRACE debugging. Package includes a diskette, 214-page manual and 5 sample programs. Included also is an 8080 assembler. Requires 48K RAM.

\$29.95

NEVADA COBOL™ DISKETTE & MANUAL

Nevada COBOL, based upon the ANSI-74 standards, has all the

popular features. Powerful level 2 features include: compound conditionals and full CALL CANCEL. This software package includes a diskette, 165-page manual, plenty of examples and 16 complete COBOL source code programs.

\$29.95

NEVADA BASIC™ DISKETTE & MANUAL

With the built-in, full-screen text editor, you can easily

develop programs for 1/10 the cost of a comparable BASIC interpreter. What's more, Nevada BASIC has full Matrix operations, Single- and Multi-Line functions, and BCD math (no round-off errors). You get a diskette and a 220-page manual. Requires 48K RAM.

\$29.95

NEVADA PASCAL DISKETTE & MANUAL

Advanced features include:

14-Digit precision; BCD math (no round-off errors); Floating point + 63-64; TRACE debugging; Arrays up to 8 dimensions; 64K strings; External procedures; and Dynamic Module loading. You get a diskette and a 184-page manual. Requires 60K RAM and one disk drive with at least 90K storage.

\$29.95

NEVADA PILOT™ DISKETTE & MANUAL

Nevada PILOT, written by Prof. John Starkweather, the language's

creator, meets and exceeds all PILOT-73 standards. See the review in January 1983 MICROCOMPUTING. This package includes a diskette, 131-page manual, and 10 useful sample programs.

\$29.95


WHY WAIT? ORDER YOURS TODAY!

Satisfaction guaranteed—or your money back. If for any reason you're not completely satisfied, just return the package—in good condition—with the sealed diskette unopened, within 15 days and we'll refund your money.

Checks must be in U.S. Dollars and drawn on a U.S. Bank.

California deliveries add 6% or 6.5% sales tax.

SHIPPING AND HANDLING FEES: Add \$4.00 for the first package or manual and \$2.00 each additional. **OVERSEAS:** Add \$15.00 for the first package or manual and \$5.00 each additional. **COD's:** Add \$4.00.



Since 1977

ELLIS COMPUTING™

WE WELCOME C.O.D.'s



(415) 753-0186

ELLIS COMPUTING, INC.

3917 Noriega Street
San Francisco, CA 94122

NEVADA EDIT™ DISKETTE & MANUAL

Nevada EDIT, a full-screen, video-display text editor, is designed specifically for computer program text preparation. Nevada EDIT is completely user-changeable, can be configured to almost any terminal and takes up only 12K of disk space. This package includes a diskette and 59-page manual.

\$29.95

ALSO AVAILABLE:


- ★ EXTRA MANUALS \$14.95
 - ★ COBOL Application Packages, Book 1 \$ 9.95
 - ★ BIG PRINT-Diskette \$19.95
- The CP/M Operating System, an 8080, 8085, or Z-80 (8-Bit) microprocessor, and 32K RAM are required, unless otherwise stated above.

WHEN YOU ORDER, PLEASE SPECIFY ONE OF THE FOLLOWING DISKETTE FORMATS:

- | | |
|--|---|
| ☐ 8" SSD (Standard CP/M IBM 3740) | ☐ Kaypro Double Density (NCR) |
| ☐ 5 1/4" Diskettes for: | ☐ Micropolis Mod II |
| ☐ Access/Actrix | ☐ NEC PC 8001 |
| ☐ Apple CP/M | ☐ North Star Double Density |
| ☐ DEC VT 180 | ☐ North Star Single Density |
| ☐ DEC Rainbow | ☐ Osborne Single Density |
| ☐ Epson QX-10 | ☐ Sanyo 1000, 1050 |
| ☐ Heath Hard Sector (Z-89) | ☐ Superbrain DD DOS 3.X |
| ☐ Heath Soft Sector (Z-90, Z-100) | ☐ (512 byte sec) |
| ☐ IBM-PC (Requires Z-80, Baby Blue II Card) | ☐ Televideo |
| | ☐ TRS-80 Model 1 (Base O Mapper) |
| | ☐ Xerox 820 Single Density |

CP/M is a registered trademark of Digital Research, Inc. Microsoft is a registered trademark of Microsoft Corp. TRS-80 is a registered trademark of Tandy Corp. Apple II is a trademark of Apple Computer, Inc. Osborne is a registered trademark of Osborne Computer Corp. Xerox 820 is a trademark of Xerox Corp. Kaypro is a trademark of Non-linear Sys. Heath/Zenith is a trademark of Heath Corp. IBM is a registered trademark of International Business Machines Corp. Nevada BASIC, Nevada COBOL, Nevada FORTTRAN, Nevada PILOT, Nevada EDIT, Nevada PASCAL, and Ellis Computing are trademarks of Ellis Computing, Inc. © 1984 Ellis Computing, Inc.

BEFORE YOU BUY CABLE ASSEMBLIES,



CHECK UNDER THE HOOD!

DATA SPEC™ cable assemblies are the very best. Each cable is fully shielded to exceed FCC EMI/RFI emission requirements. The unique P.D.T. technique, introduced by DATA SPEC™ and employed beneath the hood shield, insures maximum integrity under the most adverse conditions. DATA SPEC™ has interface cables for all your requirements: Printers, Modems, Monitors, Disk Drives, and much more. And all DATA SPEC™ cable assemblies carry a lifetime warranty. Insist on DATA SPEC™ cables in the bright orange package. Available at better computer dealers everywhere. For more information, call or write:

DATA SPEC™

A Division of Alliance Research Corporation

20120 Plummer Street • Chatsworth, CA 91311 • (818) 993-1202

Copyright © 1984 by Alliance Research Corporation

Patent PND

dBASE II

with 65,000 memory variables,
arrays, 8087 support, high-speed
math functions, windows,
animation, full syntax checking!

Impossible?

Not anymore!

... with GRYPHON
Microproducts' dBASE II
"add-ins". For PC/MS-DOS.
Write or call for details.



GRYPHON™
microproducts

P.O. BOX 6543 SILVER SPRING, MD. 20906
(301) 946-2585

EVENT QUEUE

Packet Switching Networks, Atlanta, GA. This course covers the internal operations of a packet-switching network and its implementation. The fee is \$795. Contact Elaine Hadden Nicholas, Department of Continuing Education, Georgia Institute of Technology, Atlanta, GA 30332-0385, (404) 894-2547. April 23-25

● **TRADE SHOW, CONFERENCE**—Electro/85 and Mini/Micro Northeast-85, New York City. Topics: artificial intelligence, communications and networks, consumer electronics, high-density data storage, and personal computing. Contact Electronic Conventions Management, 8110 Airport Blvd., Los Angeles, CA 90045, (213) 772-2965. April 23-25

● **COMPUTER APPLICATIONS EXPLORED** Perscomp '85, Sofia, Bulgaria. An international conference on the applications of personal computers and the problems encountered in using them. Contact Dr. Marcel Israel, Bulgarian Academy of Sciences, Institute of Industrial Cybernetics and Robotics, 1113 Sofia, Acad. G. Bonchev St., Bl. 12, Bulgaria; tel: 72-46-98; Telex: 22836 ITRK BG. April 23-26

● **MICROS IN EMPIRE STATE**—The Fourth Annual New York Computer Show and Software Exposition, Nassau County Coliseum, Uniondale, NY. Contact Ann Katcef, CompuShows, POB 3315, Annapolis, MD 21403, (800) 368-2066; in Annapolis, (301) 263-8044; in Baltimore, (301) 269-7694; in the District of Columbia, (202) 261-1047. April 25-28

● **VIRGINIA COMPUTING** The Fourth Annual Virginia

Computer Show and Software Exposition, Pavilion, Virginia Beach, VA. Contact Ann Katcef, CompuShows, POB 3315, Annapolis, MD 21403, (800) 368-2066; in Annapolis, (301) 263-8044; in Baltimore, (301) 269-7694; in the District of Columbia, (202) 261-1047. April 25-28

● **EQUIPMENT SALE** Produx 2000: Wholesale Expo '85, Civic Center, Philadelphia, PA. Contact Vertical Marketing Corp., POB 557, Bala Cynwyd, PA 19004, (800) 523-3882; in Pennsylvania, (215) 457-2303. April 26-28

● **C FOR ENGINEERS** C Programming for Engineers, University of Michigan, Dearborn. A short course and workshop. Contact Professor R. E. Little, University of Michigan, 4901 Evergreen Rd., Dearborn, MI 48128, (313) 593-5241. April 29-May 3

● **COMMERCIAL AI, HIGH-TECH CONFERENCE** AI '85: Artificial Intelligence and Advanced Computer Technology Conference/Exhibition, Convention Center, Long Beach, CA. Technical sessions, panel discussions, and product displays are planned. Contact Tower Conference Management Co., 331 West Wesley St., Wheaton, IL 60187, (312) 668-8100. April 30-May 2

● **MEETING ON LINE** National Online Meeting, Sheraton Centre Hotel, New York City. Formal paper presentations, product review sessions, exhibits, and special workshops and seminars transmitted via satellite. Contact Thomas Hogan, National Online Meeting, Learned Information Inc., 143 Old Marlton Pike, Medford, NJ 08055, (609) 654-6266. April 30-May 2 ■

INSTANT LAN

WITH STANDARD MICROSYSTEMS' NEW ARCNET-PC, ARCNET-S100 OR ARCNET-LINK, YOU CAN CREATE YOUR OWN LOCAL AREA NETWORK.

The world's first single-chip local area network controller established Standard Microsystems as a leader in networking technology. Now we're devoting our technical expertise to bring you revolutionary LAN board products, too.

Our **ARCNET-PC** board interconnects up to 255 IBM®-type personal computers, permitting them to share disk files and printer resources



at an extremely efficient 2.5 Megabit data rate.




The **ARCNET-S100** board links up to 255 S100 computer systems, providing the S100 computer user with a high performance local area network.

The **ARCNET-LINK** is a self-contained unit that provides a simplified interface between equipment with a programmable asynchronous RS-232 port and an ARCNET® local area network.

All three products incorporate SMC's industry-standard MOS/LSI local area network chip set to give you a totally integrated and cost-effective LAN solution. Software available from Standard Microsystems and others provides increased capability for your networking applications. Standard Microsystems Corporation, 35 Marcus Boulevard, Hauppauge, NY 11788. (516) 273-3100.

**STANDARD MICROSYSTEMS
CORPORATION**

IBM® is a trademark of the International Business Machines Corporation.
ARCNET® is a trademark of the Datapoint Corporation.



Engineer Michael

Features

THE HP INTEGRAL PERSONAL COMPUTER <i>by Phillip Robinson</i>	98
CIARCIA'S CIRCUIT CELLAR: BUILD A SERIAL EPROM PROGRAMMER <i>by Steve Ciarcia</i>	104
THE MACINTOSH OFFICE <i>by John Markoff and Phillip Robinson</i>	120
C TO PASCAL <i>by Ted Carnevale</i>	138
SIMULATE A SERVO SYSTEM <i>by Don Stauffer</i>	147
INTRODUCTION TO IMAGE PROCESSING <i>by Jeffrey L. Star</i>	163

THIS MONTH BYTE presents a variety of features including two product previews.

Developed under the name "Pisces," Hewlett-Packard's Integral Personal Computer includes UNIX System III in a transportable package. This product preview by Phillip Robinson, technical editor on our West Coast staff, takes an introductory look at the Integral, its major subassemblies, and its capabilities and limitations. The Integral uses a built-in electroluminescent flat screen and ink-jet printer, but the big news is its incorporation of UNIX in ROM.

The Macintosh continues to provoke lots of love/hate feelings. To bolster its attractiveness to business environments, Apple introduced AppleTalk, a local-area network, and the first two in a series of peripherals designed to be networked. AppleTalk, previewed this month by John Markoff and Phillip Robinson, is a departure from what we often consider fundamental to a local-area network concept. With only a printer and file server currently available, AppleTalk is an interesting approach.

If you are ready to commit your code to EPROM but don't have access to an EPROM programmer, or if you would like to learn more about the process, read Ciarcia's Circuit Cellar. This month, Steve shows us how to build an EPROM programmer inexpensively. This unit attaches to your computer's serial port and uses your computer's intelligence. It is also fully documented and is easily expandable to work with future EPROM designs.

Translating programs among various languages (or even between two languages) is a wonderful concept but generally difficult to implement. In "C to Pascal," Ted Carnevale describes some of the conventional approaches and problems he discovered while trying to move a graphics subroutine library in C to a Pascal environment. He also provides us with a program that makes the process less tedious.

The theme of the March 1984 BYTE was simulation, an intriguing topic once relegated only to rooms full of computers. While microcomputers really can't compete with the fast, large-scale simulations that run on the CRAY-1 and other supercomputers, Don Stauffer uses a microcomputer to "Simulate a Servo System," using an electronic weighing scale as an example of servo-system simulation.

Jeffrey L. Star also capitalizes on the power of the microcomputer in his article "Introduction to Image Processing." While commercial broadcast television limits gray-scale reproduction to about 12 levels and human vision covers a restricted spectrum, image-processing systems usually can deal with at least 32 gray levels and over 16 million unique colors. And, interestingly, there are a couple of image-processing programs available for microcomputers.

—Gene Smarte, Managing Editor

THE HP INTEGRAL PERSONAL COMPUTER

BY PHILLIP ROBINSON

The Hewlett-Packard Integral Personal Computer is a complete, transportable computer system designed around UNIX (System III). (See photo 1.) With the UNIX kernel in ROM (read-only memory), an electroluminescent (EL) flat screen, a 3½-inch floppy-disk drive, a built-in ink-jet printer, and Hewlett-Packard's Personal Applications Manager (PAM), the Integral is a marvel of advanced personal computing technology.

HISTORY

A big team worked on the Integral, which, during development, was known by the name "Pisces." Some of the team's members I met were Jon Brewster (user interface), Ray Fajardo (software), Tim Williams (section manager), Doug Collins (hardware manager), and Andy Rood (operating system).

While the hardware development of the Integral began in the fall of 1982, the software development had begun a year earlier. In fact, several projects were merged to come up with the Integral. The original design called for desktop functions in a transportable box: 80 characters by 25 lines on the display, a full-size printer (not thermal), and a real keyboard. When the project began, many of the elements that would meet those requirements didn't exist. To assure that those devices would be ready in time, Hewlett-Packard (HP) had to get intimately involved in the particular technologies. For example, HP decided early on to use an EL screen and an ink-jet printer. At the time, EL technology was in its infancy and HP had to become a major factor in the EL marketplace.

BRASS TACKS

The Integral's logic board is a generic 68000 8-MHz system supplemented by a few special fillips: a memory mapper for UNIX and a proprietary graphics chip. The 68451 MMU (memory-management unit) chip wasn't

*A new all-in-one
system makes
UNIX
truly portable*

used for memory mapping because it slows the memory cycle quite a bit—it would reside between the processor and RAM (random-access read/write memory). Instead, only the top address bits are mapped, and while that mapping is going on, the lower-half addressing of the RAM also

is proceeding. This leaves the RAM's speed unaffected while still giving reasonable page sizes.

The RAM comes as a standard 512K bytes (with 32K more for the display) made up of 256K by 1 bit DRAMs (dynamic RAMs) with no parity chips. You can purchase 256K and 512K RAM boards separately and insert them into the Integral's two internal slots. By using extender boxes (which plug into one of the slots, sit underneath the Integral, and provide five slots) you can have up to 5.5 megabytes of RAM. When the 1-megabyte RAM cards become available (soon after introduction) you'll be able to use the full logical RAM space of 7.5 megabytes. The Integral also has 256K bytes of ROM, which holds the operating system. I'll discuss the Integral's ROM a little more in the UNIX section that follows.

The custom graphics processing unit (GPU) chip was designed and made by HP in Corvallis, Oregon. According to Jon Brewster, a lot of effort went into the chip, which handles window scrolling, window moves, line drawing, and soft character fonts. The GPU is a big chip: it has a 16-bit ALU (arithmetic logic unit), a 16-bit data path, and a barrel shifter.

The engineering and a nearly silent fan enable the Integral to work in some severe environments—up to 40 degrees centigrade and 80 percent humidity. (The humidity limit is 95 percent without the disks, which

are the most susceptible to moisture problems.) According to HP, some of the humidity testing involved just taking the machine outside—remember,

(continued)


Phillip Robinson is a senior technical editor at BYTE. He may be contact at 1000 Elwell Court, Palo Alto, CA 94303.

.....
Editor's note: The following is a BYTE product preview. It is not a review. We provide an advance look at this new product because we feel it is significant. A complete review will follow in a subsequent issue.



Photo 1

Photo 2:
HP's Personal Applications Manager (PAM) and Calculator.



this was all done in moist Oregon.

NO FEATHERWEIGHT

HP says that the Integral is the only complete product around (i.e., with both a full screen and a printer) that you can really carry and that will fit under airline seats or in overhead racks. Regardless, this machine definitely remains in the transportable category. It is smaller than other transportables—such as the Kaypro—but still weighs 27 pounds.

RELIABILITY

I asked what sort of reliability the Integral will have when it is actually carted around. "You'd be amazed," replied an HP spokesperson, who recited numerous tests with glee. For instance, in one test they dropped the system from a meter up: it sustained some cosmetic damage but still ran (although that isn't guaranteed). When something did break during testing, HP made the necessary changes to the components or case. Further testing included vibrating the system, checking for condensation, and giving prototypes to marketing people.

Another ramification of this reliability obsession is that HP won't soon introduce a hard-disk version of the Integral. Though HP engineers admittedly had considered the possibility, it seems they don't trust the ruggedness of the hard disks they've seen. Beyond that, the design team believes that RAM disks and ROM-based operating systems give hard-disk performance without the problems.

SERVICE

Service for the Integral will be available through dealers or HP, with the standard 90-day warranty offered in the U.S. Because of different legal requirements, the warranty period will be one year in Europe. You will also be able to purchase extended service agreements.

I/O CAPABILITIES

The Integral has only a single port on the back, an HPIB (Hewlett-Packard In-

*In one test,
HP dropped the
Integral from a meter
up. It still ran.*

terface Bus) socket. If you need more I/O (input/output) capabilities you have to put I/O boards in the slots (for example, an RS-232C card, which should be immediately available).

Another form of I/O is provided by the keyboard and mouse sockets. These sockets are called Human Inter-

face Loop (HIL) ports and can handle other devices, such as graphics tablets. Hewlett-Packard has standardized the protocol for these ports throughout many of its wide range of products.

DISPLAY

The Integral's electroluminescent, flat-screen display is a centerpiece. Although the display isn't manufactured at HP, the HP engineers worked closely with the vendor to assure readability and reliability. In fact, each time I talked to an HP engineer I was assured that the "slight shadowing" on the prototype screen had been corrected. Unfortunately, I never saw the shadow. Maybe eyes trained on LCDs (liquid-crystal displays) aren't yet ready to analyze an EL flat-screen critically. The screen is also fast—with no phosphors to fade, it could be faster than a CRT (cathode-ray tube). The only color choice is amber.

With 512 by 255 pixels in an area 8 inches wide and 4 inches tall, the Integral screen is twice the size of the Grid Compass screen—the only other well-known example of an EL on a microcomputer. Because the screen is so thin, the Integral could probably be the shallowest system you have ever put on a desk. While transportables of the Osborne and Kaypro variety have to be unbuttoned and then tilted over, taking up much of the depth of a desk, the Integral retains its standing position, with only the keyboard folding down to occupy writing space.

An EL display is clearer than a CRT because there's no focus problem. As project manager Tim Williams noted dryly, "If a dot lights up, a dot lights up."

The Integral has a variety of fonts and a font editor that lets you create your own. An antireflective coating and a circular polarizer for glare reduction combine to improve your

Photo 3:
PAM, with HP's MemoMaker.



view of the already crisp images.

KEYBOARD

The Integral's low-profile keyboard (photo 4) is a compact adaptation of a new HP standard keyboard that will be used with portables, desktops, and terminals. The keyboard has completely soft mapping because it will be used in a number of countries: the Corvallis division of HP gets half of its business from outside the United States, so German, French, Spanish, and British versions of the Integral also were set for introduction in January. Another effect of European sales is that the arrangement of the keyboard (and of other system elements such as the display and fonts) had to meet European ergonomic standards.

The keyboard consists of a full-size QWERTY layout with sculpted keys surrounded by special function keys. My first impression is that the keyboard is not especially quiet but is fast and easy to type with. The numeric keypad on the right side is closer to the alphabetic keys than on many other HP keyboards: the engineers had to squeeze it inward because of the requirements of portability. The cursor keys are below the numeric keypad.

Several of the numeric keys also have special functions, which are printed on the keys, such as Insert Line and Delete Character. The Integral also has: a Select key, used to shift the active window on the screen; Extend keys, which, in conjunction with the alphabetic keys, produce special characters; a Reset/Break key and a Stop key, placed in the extreme top left to prevent frustrating accidents; and eight programmable function keys, part of the standard HP user interface. The bottom lines of the Integral's screen display the changing definitions of the function keys.

MASS STORAGE

The mass-storage capacity of the Integral consists of one HP-standard, 3½-inch floppy-disk drive with hard-shell disks that hold 710K bytes each. One of my first reactions to the machine was, "Why is there only one floppy-disk drive?"

The Integral PC's electroluminescent, flat-screen display is its centerpiece.

"One disk is cheaper than two," says HP's Andy Rood. "So the question is: 'Why two?'"

Normally manufacturers include two disk drives to provide enough total storage, separate storage devices for programs and data, and backup capability.

According to HP, the Integral's single floppy-disk drive, RAM, and ROM meet these needs: the very high density of the floppy-disk drive provides enough total storage; the separation of programs and data is accomplished partly by the ROM and partly by the RAM disk; and because the operating system is in ROM instead of on a disk and the RAM of the Integral automatically includes a RAM-disk function, you can put programs on the RAM disk and data files on the floppy. As an added benefit, RAM-disk programs run faster than those on a floppy disk. Finally, the development team felt that the high-density floppy and the RAM disk made up a perfectly capable pair of devices for backing up files. For those reasons, and to save on space and power, the team decided to leave out a second disk drive.

The use of ROM for the operating system was a big challenge: UNIX likes to have a disk drive at its disposal. The HP team had to "tune" their UNIX so that it didn't do that. The ROM solution provides that the root file is on the RAM disk, so when UNIX comes up, the only file system it presumes to exist is the RAM disk.

You can have more mass storage (externally) if you want it. Through the Integral's I/O interface you can use any of HP's many storage peripherals. All of the software drivers—such as for a hard disk—are already built in.

THINKJET PRINTER

One of the features that makes the Integral unusually "integrated" is the built-in ink-jet printer (see "The Hewlett-Packard ThinkJet Printer" by Mark Haas in the January BYTE, page 337). The ThinkJet is also a product of the Corvallis division of Hewlett-Packard and the Integral team was intimately asso-

(continued)

Photo 4:
The Integral Personal Computer's keyboard.



ciated with its development.

As an ink-jet printer, the ThinkJet is quiet and fast. The characters it produces are near letter quality. The ThinkJet can print in a number of different fonts and can also handle black-and-white graphics. The Integral's keyboard has a Print key that immediately cues a dump of the screen's contents to the ThinkJet.

One small drawback of the printer's placement is that there is no good place to put the paper—that is, if you put the pile of blank paper just behind the computer, the system takes up a lot more room.

The ThinkJet is generally simple to load and use but doesn't have a platen knob. Therefore, you have to be careful not to overrun when using the line-feed and form-feed buttons.

MOUSE

The Integral's optional mouse is HP's standard two-button, mechanical contraption that uses a steel ball beneath a circular palm grip. The plug-in position (on the left side of the unit) is slightly awkward for a right-handed user because the cable must run behind the keyboard. The mouse's left button is called the "clicking" button (for selection) and the right is called the "right" button (for mode changing).

SOFTWARE

The Integral runs HP-UX 2.1, which HP calls a "vanilla" UNIX environment, and the Personal Applications Manager (photos 2 and 3), HP's operating-environment shell (see "The HP 150" by Phil Lemmons and Barbara Robertson in the October 1983 BYTE, page 36, and "The HP 110" in the June 1984 BYTE, page 111). The Integral's windows emulate terminals that report back at 9600 bits per second, have 80 characters by 24 lines, and use normal escape sequences. As Tim Williams puts it, "We think the UNIX wave is just beginning. And as the UNIX wave rolls along we want to roll with it and help it to grow." Ray Fajardo noted

*Although the Integral
is compatible with
UNIX System III, it
emulates other versions.*


that a lot of development time was devoted to making the Integral run most UNIX software without modification. The primary goal was System III compatibility; a secondary goal was flexibility. The system can dynamically configure drivers and make operating-system patches on the fly, so the environment is standard yet can be specialized by independent software vendors. According to HP, HP-UX's flexibility enables it to emulate Venix, System V, and other UNIX derivatives. Over 50 utilities, commands, and standard applications are included with the system.

How hard was it to put UNIX in ROM? "We first did it the same way we do a disk operating system," says Andy Rood. "We just took what would have been our 200K boot image, put it in ROM, and put a little power-on preamble that copied it to RAM just as a bootstrap up for disk." They then embellished the first version by making the code execute directly from the ROM and made some flexibility modifications by linking ROM through RAM jump tables. Any bugs that turn up in the ROM now can be masked by intercepting and isolating ROM routines. The kernel is in the ROM and is treated as another disk device. At the time the machine is started, the ROM disk—which has both the PAM shell and the traditional UNIX init process—is configured. The ROM looks like shared memory for user libraries and programs. There also is a demon in the background to do the disk handling. The HP-UX system is supported by real-time extensions (BCD [binary coded decimal], HPIL [Hewlett-Packard Interface Loop], HPIB, RS-232C, and instrumentation I/O) and device-independent libraries, as well as HP Technical BASIC.

USER INTERFACE

The Integral's user interface (windows, graphics, function keys, and optional mouse) were Jon Brewster's responsibility. He explained that the original reason for windows was to provide users with more than one interface to the product. HP had discovered that even novice users use multitasking

Photo 5:
The Integral PC with keyboard in place.



and keep multiple programs on the display. The windowing system, then, had to allow novices to do multitasking without worrying about foreground, background, priorities, and scheduling. Because the mouse was to be (and is) optional, the windows had to work well with and without it.

Also, unlike the Macintosh, the Integral allows you to move windows while they are being updated: windows are moved by animating a sprite (which resembles a corner of the window) and positioning it—rather than moving the entire window. Thus, you can hide windows (they appear as title lines in the lower left of the display), stretch them (by choosing a new bottom right corner with a sprite), move them (by choosing a new top left corner with a sprite), and shuffle them (the top window being the only one with which you can interface directly, although the others can still be active).

APPLICATIONS

According to HP, a variety of software packages will be available within 60 days of the Integral's introduction. These include Microsoft's Multiplan, Officeware's Script and Plan, Ashton-Tate's dBASE III, HP's MemoMaker, Data and Calculator, HP-UX software development tools, and others.

More software is being developed both at HP's personal software division and by independent vendors who have already been alerted to the Integral's introduction. Also, because of the compatibility of HP Technical BASIC, many programs for other HP systems, such as Series 200 and 500 products, will immediately run on the Integral.

DOCUMENTATION

Although the documentation I viewed was only in the draft stage, HP has given plenty of attention to the literature explaining its system. The documentation is clear and thorough. Beginners will spend the most time with the *Personal Tutor* disk and booklet, a tutorial that takes an estimated eight hours to fully absorb. Lessons include use of the

The Integral's user interface lets you move, hide, stretch, and shuffle windows.

mouse, windows, and the organization, viewing, printing, and creating of files. The Integral's documentation also includes a cartoon booklet that explains how to set up and start up the system, and a reference guide. HP claims that the documentation, user interface, and PAM will have novices


working on the system within 30 minutes.

PRICE AND CONCLUSIONS

The Integral Personal Computer is priced at \$4990 (with HP-UX, PAM, and HP Windows). Although the price is high for a single-disk-drive system, the perceived price/value ratio depends on what class of computer you compare the Integral to. HP would like it to be compared to the higher-performance (and higher-priced) UNIX machines, rather than MS-DOS transportables such as the Compaq.

The big question is, who will buy the Integral? Perhaps business and technical professionals whose requirements push the limitations of today's 16-bit MS-DOS machines. Certainly computer science students and engineers will see many advantages to a complete UNIX system they can take home. And with the benefits of multitasking, HP may pull in more people: imagine having several data-communications cards, each hooked to a different electronic information service, and all communicating while you work on a spreadsheet and a word processor.


The HP Integral Personal Computer's advantages include: state-of-the-art technology; the "everything you need in one box" design; engineering that looks absolutely solid, and a multitasking environment—all from a company with a great engineering track record. On the minus side: the list of software available for the Integral PC is short, and the price may be too high. But for those who need advanced computing power and who want to cast their votes against the IBM PC and its various compatibles, the HP Integral Personal Computer may be the best argument yet for biting the bullet and switching to UNIX. ■



BUILD A SERIAL EPROM PROGRAMMER

BY STEVE CIARCIA

*An inexpensive way to put
your programs on a chip*



Over the years, many articles have been published on programming EPROMs (erasable programmable read-only memories). The number of articles alone indicates the value of an EPROM programmer and the interest expressed in the subject. True-blooded computer experimenters consider an EPROM programmer as essential a tool as a soldering iron and a DVM (digital voltmeter).

Most EPROM programmers designed for personal computers are implemented as bus-dependent I/O (input/output) peripheral cards that use computer-specific, machine-language driver programs. By eliminating the need for an enclosure and using the system power supply, a relatively cost-effective unit can be produced. Unfortunately, if I designed such a unit, it probably wouldn't be for the computer you own.

For computer users who don't have expansion buses or who want their EPROM programmer to be transportable between systems, the only alternative is a stand-alone EPROM programmer attached to a serial port (much like a modem). Making it a separate peripheral device, however, necessarily increases its cost. In fact, external serial-port EPROM programmers are frequently two or three times the cost of

board-level units.

A certain portion of the cost is due to its separate power supply and enclosure, but most of the expense is attributed to the features that manufacturers generally incorporate in the devices. The majority of stand-alone serial-connected programmers are, in fact, designed as intelligent EPROM programmers that have the basic processing power and memory of whole computers. I have taken this approach on previous designs. Such devices perform well and require little assistance from the host system beyond the data to be programmed.

This time I'm approaching the problem differently. I've decided to keep it simple and design the most universally applicable and cost-effective programmer that I can.

The latest Circuit Cellar EPROM programmer is a serial-port programmer that has the speed of a turtle, the intelligence of the mightiest computer (that is, it has absolutely no smarts of its own), and is as functional as a doorstop between uses. On the positive side, it's fully documented, universally applicable, and easily expandable to ac-

(continued)

Steve Ciarcia (pronounced "see-ARE-see-ah") is an electronics engineer and computer consultant with experience in process control, digital design, nuclear instrumentation, and product development. He is the author of several books about electronics. You can write to him at POB 582, Glastonbury, CT 06033.

commodate future EPROM types.

The serial-port programmer can be operated from almost any system with a serial port. The driver software is written completely in BASIC with no machine-language routines. The serial-port programmer offers all the hardware features to program 2716, 2732, 2732A, 2764, and 27128 EPROMs through a serial port, including: RS-232C compatibility, no handshaking necessary, internal power supplies, jumper-selectable EPROM types, and jumper-selectable data rates.

The BASIC-language driver program included offers features such as:

- menu-driven operation using single keystrokes
- a help routine that can be called at any time
- single-byte or burst-write modes
- read or copy EPROM
- optional programming from a disk file
- verify after write
- verify EPROM erasure
- screen-dump routines by page or byte
- single-stepping mode
- software-controlled read/write mode select
- BASIC driver that can be user-modified

REVIEWING EPROM BASICS

A personal computer, even in its minimum configuration, always contains some user-programmable mem-

ory or RAM (random-access read/write memory), usually in the form of semiconductor-memory integrated circuits. This memory can contain both programs and data and can be read or modified as needed.

Any of several kinds of electronic components can function as bit-storage elements in this kind of memory. TTL (transistor-transistor logic) type-7474 flip-flops, bistable relays, or tiny ferrite toroids (memory cores) are suitable, but they all cost too much, are hard to use, and have other disadvantages.

In personal computer and other microprocessor-based applications, the most cost-effective memory is made from MOS (metal-oxide semiconductor) ICs (integrated circuits). Unfortunately, data stored in these semiconductor RAMs is volatile. When the power is turned off, the data is lost. Many ways of dealing with this problem have been devised, with essential programs and data usually stored in some nonvolatile medium.

In most computer systems, some data or programs are stored in non-volatile ROM (read-only memory). A semiconductor ROM can be randomly accessed for reading in the same manner as the volatile memory, but the data in the ROM is permanent. In a mask-programmed ROM, the data that can be read is determined during the manufacturing process. Whenever power is supplied to the ROM, this permanent data (or program) is available. In small computer systems,

ROM is chiefly used to contain operating systems and/or BASIC interpreters—programs that don't need to be changed.

Another type of ROM is the PROM (programmable read-only memory). A PROM component is delivered containing no data. The user decides what data it should contain and permanently programs it with a special programming device. Once initially programmed, PROMs exhibit the characteristics of mask-programmed ROMs. You might label such PROMs as write-once memories.

The EPROM, which is ultraviolet-light-erasable, is a compromise between the write-once kind of PROM and the volatile memory. You can think of the EPROM as a read-mostly memory, used in read-only mode most of the time but occasionally erased and reprogrammed as necessary. The EPROM is erased by exposing the silicon chip to ultraviolet light at a wavelength of 2537 angstroms. Conveniently, most EPROM chips are packaged in an enclosure with a transparent quartz window.

HOW AN EPROM WORKS

EPROMs store data bits in cells formed from stored-charge FAMOS (floating-gate avalanche-injection metal-oxide semiconductor) transistors. Such transistors are similar to positive-channel silicon-gate field-effect transistors, but they have two gates. The lower or *floating* gate is completely surrounded by an insulator layer of silicon dioxide; the upper *control* or *select* gate is connected to external circuitry.

The amount of electric charge stored on the floating gate determines whether the bit cell contains a 1 or a 0. Charged cells are read as 0s; uncharged cells are read as 1s. When the EPROM chip comes from the factory, all bit locations are cleared of charge and are read as logic 1s; each byte contains hexadecimal FF.

When a given bit cell is to be burned from a 1 to a 0, a current is passed through the transistor's channel from the source to the gate. (The electrons, of course, move the opposite way.) At the same time, a relatively high voltage potential is placed on the transistor's upper select gate, creating a strong electric field within the layers of semiconductor

(continued)




Figure 1: Pinouts of the 2716 and 2764 EPROMs.

FEBRUARY 1985 • BYTE 107



material. (This is the function of the +21- or +25-volt [V] V_{pp} charging potential applied to the EPROM.) In the presence of this strong electric field, some of the electrons passing through the source-drain channel gain enough energy to tunnel through the insulating layer that normally isolates the floating gate. As the tunneling electrons accumulate on the floating gate, the gate takes on a negative charge, which makes the cell contain a 0.

When data is to be erased from the chip, it is exposed to ultraviolet light, which contains photons of relatively high energy. The incident photons ex-

cite the electrons on the floating gate to sufficiently high energy states that they can tunnel back through the insulating layer, removing the charge from the gate and returning the cell to the 1 state.

The 2700 family of EPROMs contains bit-storage cells configured as individually addressable bytes. This organization is often called "2K by 8" for a 2716 or "8K by 8" for a 2764. Figure 1 shows the 2716 and 2764. The completely static operation of these devices requires no clock signals. The primary operating modes include read, standby, and program (program-inhibit and program-verify

modes are important primarily in high-volume applications).

Control inputs are used to select the chip and configure it for one of these operating modes. In the program mode, particular bit cells are induced to contain 0 values. Both 1s and 0s are present in the data word presented on the data lines, but only the presence of a 0 causes action to take place. To program the 2716 EPROM, the V_{pp} input is made +25 V and the $\overline{OE}$ input is at a high TTL level. Then, the TTL-level data to be programmed for a specific address is set up on the 2716's data lines, and the address is set up on address lines A0 through A10. After a setup time of at least 2 microseconds (μs), a high TTL-level programming pulse 50 milliseconds (ms) long is applied to the CE/PGM input. Addresses to be programmed may be specified in any order.

The 50-ms programming pulse must be applied once for each location to be programmed (under no circumstances should a constant high level be applied to the CE/PGM input in the program mode). Repeated 50-ms pulses to the same location are acceptable, but any pulse width greater than 55 ms might destroy the chip. The minimum pulse width is 45 ms.

Table 1: Power supply and ground pin numbers for figures 2 and 3.

IC Number	Type	Ground	5 V	12 V	-12 V
IC1	AY3-1015	pin 3	pin 1		
IC2	74LS175	pin 8	pin 16		
IC3,4,5	74LS374	pin 10	pin 20		
IC6	74LS00	pin 7	pin 14		
IC7	74LS14	pin 7	pin 14		
IC8	NE555	pin 1	pin 8		
IC9	74LS02	pin 7	pin 14		
IC10	MC1488	pin 7		pin 14	pin 1
IC11	MC1489	pin 7	pin 14		
IC12	74LS04	pin 7	pin 14		
IC13	CD74HC4040	pin 8	pin 16		




Figure 3: Serial interface and data-rate generator.

CIRCUIT DESCRIPTION

Figures 2, 3, and 4 show the schematic drawings for the serial-port EPROM programmer, the RS-232C interface, and the four-voltage power supply. Table 1 shows the power-supply connections for the schematics. The main element in figure 2 is the AY3-1015 UART (universal asynchronous receiver/transmitter). The UART converts serial information sent from the computer into parallel information used in the programmer. This parallel data appears on pins 5 through 12 of the UART receiver bus. The UART can also pass information back to the computer by converting any parallel information present on pins 26 through 33 of the transmitter bus into serial information. The serial information is received from the computer on pin 20 and transmitted to the computer on pin 25.

A logic high level on pin 21 resets and initializes the UART. This level is generated as a power-on reset (PWR) every time the power to the programmer is turned on or the manual reset button pressed. This PWR also clears

22 to 25.6 V CT is adequate. The secondary output of the transformer is full-wave rectified, filtered, and then regulated to +12 V, +5 V, and -12 V. Only the +5-V supply needs an actual IC regulator; less stringent zener regulation is adequate for the 12-V

supplies to the RS-232C drivers.

The 35-V output consists of components C4, C5, D3, and D4 connected as a cascade voltage doubler with half-wave rectification. This configuration produces an input of approximately 32 to 34 V to the LM317/

338 regulator. The minimum acceptable voltage at the input is 28.5 V (for a 25-V output). If you use a higher-output transformer than 22 V CT, be careful that the input to the V_{pp} regulator doesn't exceed 35 V. If it does, additional preregulation may be necessary to use this circuit.

Figure 6 shows the programmable V_{pp} supply. The 2732A EPROM requires the programming voltage to be pulsed between 0 and 21 V, while a 2716 requires a pulse between 5 and 25 V. The supply is controlled by the jumper connections and the mode select line. With jumper #1 across R6, the supply is configured for a maximum V_{pp} level of 21 V. When it is removed, the supply has a maximum voltage of 25 V.

The minimum V_{pp} level is set by two jumper-selectable programming circuits, which are also connected to the regulator's output set point-adjust line. When jumper #2 is installed, a two-transistor circuit is enabled, which applies -1.2 V to the adjust line. The result is a 0-V output from the regulator. When jumper #3 is installed, the reference-adjust line is set to allow a +5-V regulator output.

INTERACTING WITH HARDWARE

The operation of the serial programmer should become clear by following an example of a write operation followed by a read operation. This is the sequence that would necessarily occur during a standard write-and-verify cycle.

First, the EPROM programmer is cleared and set to the read mode by the power-on reset pulse (which can be generated by pressing a button or by turning the programmer on) so that it is ready to receive the first character. If we plan a write cycle, the first character must contain a logic 1 in bit 8 to activate the write mode. The upper 3 to 6 bits of the EPROM address (the page address that depends on the size of the EPROM) must also appear in the first 3 to 6 bits (bit 0 through bit 5) of this first character. Each character of data to be programmed into the EPROM is sent to the programmer as a 4-byte transmission with the programming address specified each time.

Table 2 indicates the allowable bit patterns for this first character received by the programmer.

For our example, assume that the





Figure 5: Configuration jumpers.

The second character sent contains the lower 8 address bits for the EPROM. To program the first location in page 4, the rest of the address must then be 00000000. This character sets

The read sequence is similar to the write sequence. The first character

Page	Write Mode	Read Mode
0	1x000000	0x000000
1	1x000001	0x000001
2	1x000010	0x000010
3	1x000011	0x000011
4	1x000100	0x000100
5	1x000101	0x000101
6	1x000110	0x000110
7	1x000111	0x000111
.	.	.
.	.	.
64	1x111111	0x111111



sent again contains the upper bits of the address, but bit 8 is now set to logic 0 to put the mode select line high (read mode). A logic 1 on the read/write line deactivates the programming one-shot and tristates the data latch, IC5.

Again, the first character is latched into the page/mode latch, and the second character is latched into the lower address latch. With IC5 tristated, the EPROM's data output is placed on the UART transmitter bus. The third character is a dummy character that is used to clock IC2. This signal causes the UART to transmit the data on the transmitter bus to the computer. The

fourth character is then sent to the programmer to reset the counter.

The four characters that must be sent in the verify sequence of our example are 0x000100, which sets the read mode and upper page address; 00000000, which sets the lower address; xxxxxxxx, which gets the data byte from the EPROM (C3 hexadecimal); and xxxxxxxx, which resets the programmer.

PROGRAMMER SOFTWARE

The driver program shown in listing 1 could have been written in any language that supports input and output ports. [This program is available for down-

loading from BYTenet Listings at (603) 924-9820. You can also receive it by sending an IBM PC-formatted disk and return postage to Steve Ciarcia.] BASIC was chosen because it has wide appeal in the personal computer field and because most systems with serial I/O ports support BASIC. The software (flow-diagramed in figure 7) was written specifically for the IBM PC but can be easily modified to conform to most other systems that also support Microsoft BASIC. The program was written with a short MAIN program module that calls a number of subroutine modules. This modular approach makes modifying, debugging, or ex-




Figure 7: A flowchart of the driver program.

panding the software a much easier task. Examining the driver software should provide enough understanding so that any additions or changes desired can be easily implemented.

The program modules that access the serial port are labeled READ A BYTE and WRITE A BYTE in listing 1. These sections contain the only software modules that are hardware-dependent and that need to be configured to your particular system.

The WRITE module performs the actual program burn of the data into the EPROM. The first statement sends the page address to the serial port with the value of bit 8 set to 1. This

is accomplished by combining the page address with the value 128 (10000000 binary). The page address is calculated elsewhere in the program before entering this module. The next statement sends the lower address contained in the variable BYTE to the serial port. This value is also calculated by the program prior to entering the WRITE module.

The statement "PRINT #3,DATUM" sends the data to be written into the EPROM to the serial port. The last statement in the WRITE module is a timing loop that causes the program to pause while the 50-ms timer in the serial-port programmer times out.

The READ module requests a data byte from the programmer and receives the byte from the serial port. It accomplishes this by sending a page address and byte address to the serial port as in the WRITE module. In this case, bit 8 of the page address is set to 0 to inform the programmer that a read cycle is being performed. The next two lines send a dummy data value and a strobe to the serial port to complete the read sequence. The values of DUMMY and STROBE are set in the INITIALIZATION module. The data sent by the serial-port programmer is received in the variable RDATA.


Once these modules have been configured to your system, it is a simple matter to write and read data from the programmer. Simply define the PAGE and BYTE address variables along with the DATUM value and send them to your serial port by calling the appropriate module. The rest of the program in listing 1 shows methods for doing this.

The approach used in the program is to place any data to be programmed into the EPROM in an array so that it can be reviewed and edited prior to burning it permanently into the EPROM. The array name is appropriately called ARRAY(). The high-order byte of every element in ARRAY() stores a flag bit indicating that the lower-order byte of the element is data to be programmed. This method allows the program to write to only those locations in the EPROM where a valid data value has been entered in ARRAY().

Each time a data value is put into ARRAY(), the value is combined with 256 to set the flag. When it is time to send all the data to the EPROM, the flag is checked in each element, and only those elements with the flag bit set are sent to the EPROM. This process is repeated until all the flagged elements have been programmed. The initial values for ARRAY() are taken directly from the EPROM by reading each location and storing the values in ARRAY().

Several methods of entering data into ARRAY() are used in the program. One method is to enter each data value directly from the keyboard; another method is to fill ARRAY() by reading an already-programmed EPROM. Finally, a disk file previously

(continued)



Listing 1: EPROM programmer routines.

```

1000 REM =====
1010 REM          SERIAL EPROM PROGRAMMER
1020 REM          written in
1030 REM          MICROSOFT BASIC for the IBM PC
1060 REM =====
1070 REM INITIALIZATION ROUTINE
1090 KEY OFF
1100 LINE25$="BAUD RATE=\ \ EPROM=\ \ BASE PAGE=\ \"
1110 BR$="0000":EP$=BR$:BP$=BR$
1120 DEFINT A-Z:ON ERROR GOTO 4600
1130 STROBE=255:DUMMY=255:PAGE=0:BYTE=0:DATUM=255
1140 K$="VPNEOWHDIBSL":FORMAT$="PAGE=\ \ BYTE=\ \ DATA=\ \"
1150 MIMAGE=0:MCRADDR=&H3FC:DELAY=100
1160 REM =====
1170 REM MAIN BODY OF PROGRAM — KEYBOARD SEQUENCE
1190 GOSUB 2250
1200 PRINT"===== SERIAL EPROM PROGRAMMER ====="
1210 PRINT"          BAUD-RATE SELECTION"
1230 PRINT"The SERIAL PORT programmer can operate at several different baud"
1240 PRINT"rates. Select the baud rate for your system from the list below:"
1260 PRINT"    (1) 300 baud"
1270 PRINT"    (2) 600 baud"
1280 PRINT"    (3) 1200 baud"
1290 PRINT"    (4) 2400 baud"
1300 PRINT"    (5) 4800 baud"
1310 PRINT"    (6) 9600 baud"
1330 PRINT"Enter the number of your selection —> ":BAUD$=INPUT$(1)
1340 PRINT BAUD$:BAUD=VAL(BAUD$):IF BAUD>0 AND BAUD<7 THEN 1360
1350 PRINT"<<<<< BAUD-RATE SELECTION ERROR >>>>>":GOTO 1330
1360 BR$=STR$(300*2^(BAUD-1))
1370 GOSUB 2250
1380 PRINT"===== SERIAL EPROM PROGRAMMER ====="
1390 PRINT"          EPROM-TYPE SELECTION"
1410 PRINT"The SERIAL EPROM programmer has the ability to program several"
1420 PRINT"different EPROMS. Select the type of EPROM from the list below:"
1440 PRINT"    (1) 2716"
1450 PRINT"    (2) 2732/2732A"
1460 PRINT"    (3) 2764"
1470 PRINT"    (4) 27128"
1490 PRINT"Enter the number of your selection —> ":ESIZE$=INPUT$(1)
1500 PRINT ESIZE$:ESIZE=VAL(ESIZE$):IF ESIZE>0 AND ESIZE<5 THEN 1520
1510 PRINT"<<<<< EPROM-TYPE ERROR >>>>>":GOTO 1490
1520 DSIZE=1024*2^ESIZE:PAGES=DSIZE/256
1530 EP1$=STR$(16*2^(ESIZE-1))
1540 EP$="27"+RIGHT$(EP1$,LEN(EP1$)-1)
1550 DIM ARRAY(DSIZE)
1560 GOSUB 2250:GOSUB 4790:GOSUB 2250
1570 PRINT"===== SERIAL EPROM PROGRAMMER ====="
1580 PRINT"          CONDITION OF EPROM"
1600 PRINT"If the EPROM you are programming is fully erased then select"
1610 PRINT"EPROM ERASED' from the selection list below. This will save"
1620 PRINT"the time required to read the EPROM into memory. If the EPROM"
1630 PRINT"has been partially programmed then select 'PARTIALLY PROGRAMMED'"
1640 PRINT"and the EPROM will be read into memory prior to programming."
1660 PRINT"    (1) EPROM ERASED"
1670 PRINT"    (2) EPROM PARTIALLY PROGRAMMED"
1690 PRINT"Enter the number of your selection —> ":ERA$=INPUT$(1)
1700 PRINT ERA$:PRINT:ERA=VAL(ERA$):IF ERA=2 THEN 1740
1710 IF ERA<>1 THEN PRINT"<<<<< SELECTION ERROR >>>>>":GOTO 1690
1720 PRINT"<<<<< INITIALIZING MEMORY — PLEASE WAIT >>>>>"
1730 FOR I=0 TO DSIZE-1:ARRAY(I)=255:NEXT I
1740 ON BAUD GOTO 1750,1760,1770,1780,1790,1800
1750 OPEN "COM1:300,n,8,1,rs,cs,ds" AS #3:GOTO 1810
1760 OPEN "COM1:600,n,8,1,rs,cs,ds" AS #3:GOTO 1810
1770 OPEN "COM1:1200,n,8,1,rs,cs,ds" AS #3:GOTO 1810
1780 OPEN "COM1:2400,n,8,1,rs,cs,ds" AS #3:GOTO 1810
1790 OPEN "COM1:4800,n,8,1,rs,cs,ds" AS #3:GOTO 1810
1800 OPEN "COM1:9600,n,8,1,rs,cs,ds" AS #3
1810 GOSUB 2250
1820 PRINT"===== SERIAL EPROM PROGRAMMER ====="
1830 PRINT"          BASE-PAGE INITIALIZATION"
1850 PRINT"The SERIAL EPROM programmer is driven by a keystroke-oriented"
1860 PRINT"program. The keys are defined in a HELP menu. This help menu"
1870 PRINT"can be displayed at any time by typing the letter (H) after"
1880 PRINT"the program has been initialized."
1890 PRINT:PRINT
1900 PRINT"To initialize the program you must enter the base page"
1910 PRINT"address of the EPROM. This address is generally a HEXADECIMAL value"
1920 PRINT"corresponding to the beginning page of an even 2K-byte boundary."

```



```

1930 PRINT"For example 00,08,B0,B8,etc."
1950 GOSUB 3770:REM SET BASE ADDRESS
1960 IF HFLAG=1 THEN HFLAG=0:GOTO 1950
1970 IF ERA=1 THEN 2000
1980 PRINT"A MEMORY IMAGE OF YOUR EPROM IS BEING MADE"
1990 GOSUB 3890:REM MAKE MEMORY IMAGE
2000 GOSUB 2880:REM DISPLAY HELP MENU
2010 PRINT:PRINT
2020 PRINT"YOUR PRESENT LOCATION IS:"
2030 GOSUB 2320:REM READ AND DISPLAY DATA
2040 PRINT"COMMAND -> ";
2050 IKEY$=INPUT$(1)
2060 IF IKEY$>="a" AND IKEY$<="z" THEN IKEY$=CHR$(ASC(IKEY$) AND 95)
2070 K=INSTR(K$,IKEY$):IF K=0 THEN PRINT "WHAT ?":GOTO 2050
2080 HFLAG=0
2090 ON K GOSUB 3430,2380,2440,2160,2500,2660,2880,3550,3760,3980,4240,4400
2100 REM V P N E O W H D I B S L
2110 IF HFLAG=1 THEN GOSUB 2880
2120 IF HFLAG=1 OR IKEY$="H" THEN 2010 ELSE 2030
2130 REM =====
2140 REM BURN EPROM AND END OPTION
2160 GOSUB 3980
2170 IF IKEY$<>"N" THEN RETURN
2180 CLOSE:END
2190 REM =====
2200 REM MAIN BODY ENDS HERE — SUBROUTINE MODULES FOLLOW
2220 REM =====
2230 REM DISPLAY STATUS LINE
2250 CLS:LOCATE 25,1:PRINT USING LINE25$;BR$,EP$,BP$;
2260 PRINT "COMMANDS: ";K$
2270 LOCATE 3,1:RETURN
2280 REM =====
2300 REM DISPLAY LOCATION AND DATA
2320 RDATA=ARRAY(PAGE*256+BYTE) AND 255:REM GET DATUM FROM ARRAY
2330 PRINT USING FORMAT$;HEX$(BIAS+PAGE),HEX$(BYTE),HEX$(RDATA)
2340 RETURN
2350 REM =====
2360 REM DECREMENT ADDRESS
2380 IF PAGE=0 AND BYTE=0 THEN RETURN ELSE BYTE=BYTE-1
2390 IF BYTE=-1 THEN PAGE=PAGE-1:BYTE=255
2400 RETURN
2410 REM =====
2420 REM INCREMENT ADDRESS
2440 IF PAGE=PAGES-1 AND BYTE=255 THEN RETURN ELSE BYTE=BYTE+1
2450 IF BYTE=256 THEN PAGE=PAGE+1:BYTE=0
2460 RETURN
2470 REM =====
2480 REM OFFSET TO NEW STARTING ADDRESS
2500 ADD$=" ":PRINT:PRINT"ENTER NEW LOCATION IN HEXADECIMAL (hhhh) -> ";
2510 L$=INPUT$(1):PRINT L$;
2520 IF L$>="a" AND L$<="z" THEN L$=CHR$(ASC(L$) AND 95)
2530 IF L$="H" THEN HFLAG=1:RETURN
2540 IF L$="Q" THEN PRINT:RETURN
2550 ADD$=ADD$+L$:IF LEN(ADD$)=4 THEN PRINT ELSE 2510
2560 PAGE$=LEFT$(ADD$,2):BYTE$=RIGHT$(ADD$,2)
2570 CON$=PAGE$:GOSUB 3110:IF SUM=-1 THEN 2500
2580 PAGE=SUM-BIAS
2590 IF PAGE>PAGES-1 OR PAGE<0 THEN PRINT"<<<< OUT OF RANGE >>>>":GOTO 2500
2600 CON$=BYTE$:GOSUB 3110:IF SUM=-1 THEN 2500
2610 BYTE=SUM
2620 RETURN
2630 REM =====
2640 REM WRITE TO ARRAY — BYTE BY BYTE
2660 XFLAG=0:DATUM$=" ":PRINT"<<< WRITE MODE >>> ENTER DATA IN HEXADECIMAL (hh) -> ";
2670 D$=INPUT$(1):PRINT D$;
2680 IF D$>="a" AND D$<="z" THEN D$=CHR$(ASC(D$) AND 95)
2690 IF D$="H" THEN HFLAG=1:RETURN
2700 IF D$="Q" THEN PRINT:RETURN
2710 IF D$="X" THEN XFLAG=1:DATUM$=" ":GOTO 2670
2720 DATUM$=DATUM$+D$:IF LEN(DATUM$)<>2 THEN 2670
2730 PRINT:CON$=DATUM$:GOSUB 3110:DATUM=SUM
2740 IF SUM=-1 THEN 2660
2750 IF (ARRAY(PAGE*256+BYTE) AND 255)<>255 AND XFLAG=0 THEN 2830
2760 DATUM=DATUM OR 256:REM TAG LOCATION AS WRITTEN TO
2770 ARRAY(PAGE*256+BYTE)=DATUM:REM WRITE DATUM TO ARRAY
2780 GOSUB 2320:REM DISPLAY WRITE TO ARRAY
2790 IF BYTE=255 AND PAGE=PAGES-1 THEN RETURN
2800 GOSUB 2440:REM INCREMENT ADDRESS
2810 GOSUB 2320:REM DISPLAY NEXT LOCATION
2820 GOTO 2660

```

(continued)


```

3700 PRINT IKEY$:PRINT:IF IKEY$="C" THEN 3560
3710 IF IKEY$="H" THEN HFLAG=1:RETURN
3720 IF IKEY$="Q" THEN RETURN ELSE 3680
3730 REM =====
3740 REM SET BIAS ADDRESS
3760 GOSUB 2250
3770 BIAS$=""$:PRINT:PRINT"ENTER BASE-PAGE ADDRESS IN HEXADECIMAL (hh) -> ";
3780 B$=INPUT$(1):PRINT B$;
3790 IF B$>="a" AND B$<="z" THEN B$=CHR$(ASC(B$) AND 95)
3800 IF B$="H" THEN HFLAG=1:RETURN
3810 IF B$="Q" THEN PRINT:RETURN
3820 BIAS$=BIAS$+B$:IF LEN(BIAS$)<>2 THEN 3780
3830 PRINT
3840 CON$=BIAS$:GOSUB 3110:BIAS$=SUM:PRINT:PRINT:IF SUM=-1 THEN 3770
3850 PAGE=0:BYTE=0:BP$=BIAS$+"00":GOSUB 2250:RETURN
3860 REM =====
3870 REM READ EPROM TO ARRAY
3890 PAGE=0:BYTE=0:GOSUB 2250
3900 GOSUB 3340
3910 ARRAY(PAGE*256+BYTE)=RDATA:IF BYTE=0 THEN PRINT"READING PAGE";PAGE
3920 BYTE=BYTE+1:IF BYTE=256 THEN PAGE=PAGE+1:BYTE=0
3930 IF PAGE<=PAGES-1 THEN 3900
3940 PRINT:PAGE=0:BYTE=0:RETURN
3950 REM =====
3960 REM WRITE ARRAY TO EPROM
3980 GOSUB 2250
3990 PRINT"<<<<<< BURN ALL PROGRAMMED BYTES ?? >>>>>>"
4010 PRINT"TYPE (Y) TO PROGRAM EPROM"
4020 PRINT"(Q) TO RETURN TO PROGRAM"
4030 PRINT"(H) TO DISPLAY HELP MENU"
4040 PRINT"(N) TO RETURN TO PROGRAM FROM 'BURN' MODE"
4050 PRINT"TO ABORT PROGRAM IN 'EXIT' MODE."
4060 PRINT:PRINT"ENTER SELECTION -> ";IKEY$=INPUT$(1)
4070 PRINT IKEY$
4080 IF IKEY$>="a" AND IKEY$<="z" THEN IKEY$=CHR$(ASC(IKEY$) AND 95)
4090 IF IKEY$="N" THEN RETURN
4100 IF IKEY$="H" THEN HFLAG=1:RETURN
4110 IF IKEY$="Q" THEN PRINT:RETURN
4120 IF IKEY$<>"Y" THEN 3990
4130 FOR ADD=0 TO DSIZE
4140   DATUM=ARRAY(ADD):IF DATUM <256 THEN 4190
4150   DATUM=DATUM AND 255:BYTE=ADD MOD 256:PAGE=(ADD-BYTE)/256
4160   PRINT "BURNING ";GOSUB 2320
4170   GOSUB 3240:GOSUB 3340
4180   IF RDATA<>DATUM THEN PRINT "<<<<<< DATA NOT VERIFIED >>>>>>"
4190 NEXT ADD
4200 PRINT:BYTE=0:PAGE=0:RETURN
4210 REM =====
4220 REM SAVE ARRAY IN DISK FILE
4240 GOSUB 2250:PRINT"THE DISK FILE CREATED HERE WILL CONTAIN ALL THE DATA"
4250 PRINT"PRESENTLY CONTAINED IN YOUR EPROM MEMORY IMAGE AND"
4260 PRINT"WILL BE ASSIGNED THE FILE EXTENSION 'PRM'."
4270 PRINT"THE FOLLOWING IS A LIST OF EXISTING DISK FILES WITH"
4280 PRINT"THE FILE EXTENSION '.PRM'.":PRINT:PRINT
4290 FILES "*.PRM":PRINT:PRINT
4300 INPUT"ENTER THE FILENAME OF YOUR NEW DISK FILE -> ",FILENAME$
4310 IF FILENAME$="H" OR FILENAME$="h" THEN HFLAG=1:RETURN
4320 IF FILENAME$="Q" OR FILENAME$="q" THEN RETURN
4330 OPEN "O",#1,FILENAME$+".PRM"
4340 FOR I=0 TO DSIZE-1:PRINT #1,(ARRAY(I) AND 255);
4350   IF I MOD 256=0 THEN PRINT "SAVING PAGE";I/256
4360 NEXT I:CLOSE #1:RETURN
4370 REM =====
4380 REM LOAD ARRAY FROM DISK
4400 GOSUB 2250:PRINT:PRINT"THE FOLLOWING IS A LIST OF FILENAMES WITH THE FILE"
4410 PRINT"EXTENSION '.PRM'.":PRINT:PRINT
4420 FILES "*.PRM":PRINT:PRINT
4430 INPUT"ENTER A FILENAME FROM THE LIST ABOVE -> ",FILENAME$
4440 IF FILENAME$="H" OR FILENAME$="h" THEN HFLAG=1:RETURN
4450 IF FILENAME$="Q" OR FILENAME$="q" THEN RETURN
4460 OPEN "I",#1,FILENAME$+".PRM"
4470 FOR I=0 TO DSIZE-1:INPUT #1,DATUM
4480   IF I MOD 256=0 THEN PRINT "LOADING PAGE";I/256
4490   IF DATUM=255 OR DATUM=(ARRAY(I) AND 255) THEN 4560
4500   IF ARRAY(I)<>255 THEN 4520
4510   ARRAY(I)=DATUM OR 256:GOTO 4560
4520   PRINT"<<<<<< ILLEGAL INPUT DATA FROM FILE >>>>>>"
4530   PRINT"<<<<<< ATTEMPT TO WRITE OVER PROGRAMMED LOCATION >>>>>>"
4540   PRINT"<<<<<< PROGRAM HAS BEEN ABORTED >>>>>>"

```

(continued)


```

4550 CLOSE#1:END
4560 NEXT I:CLOSE #1:RETURN
4570 REM =====
4580 REM DISK-ERROR ROUTINE
4600 IF ERR=53 AND ERL=4290 THEN PRINT"NO PRM FILES":RESUME 4300
4610 IF ERR=53 AND ERL=4420 THEN PRINT"NO PRM FILES":GOTO 4670
4620 IF ERR=53 AND ERL=4460 THEN PRINT"UNKNOWN FILE":GOTO 4670
4630 IF ERR=61 THEN PRINT "DISK FULL":GOTO 4670
4640 IF ERR=57 THEN PRINT"RESET EPROM PROGRAMMER":GOTO 4670
4650 IF ERR=67 THEN PRINT"UNKNOWN FILENAME, DON'T TYPE '.PRM':GOTO 4670
4660 CLOSE#1:PRINT "UNKNOWN ERROR #";ERR;"IN LINE #";ERL
4670 PRINT"PRESS ANY KEY TO CONTINUE -> ";:IKEY$=INPUT$(1):PRINT
4680 IF ERR=57 THEN RESUME 0
4690 HFLAG=1
4700 RESUME 2110
4710 ON ERROR GOTO 0
4720 REM =====
4730 REM CONFIGURATION ROUTINE
4750 DATA 255,255,196,255,196,255,196,255,255,196,255,196
4760 DATA 026,196,255,255,255,196,255,196,196,255,255,196
4770 DATA 196,255,196,196,255,255,196,255,196,255,255,255
4780 DATA 196,255,196,196,255,255,196,255,196,255,196,255
4790 IF ESIZE=1 THEN RESTORE 4750
4800 IF ESIZE=2 THEN RESTORE 4760
4810 IF ESIZE=3 THEN RESTORE 4770
4820 IF ESIZE=4 THEN RESTORE 4780
4830 LOCATE 1,22:PRINT "JUMPER CONFIGURATION"
4840 LOCATE 3,30:PRINT CHR$(201);CHR$(205);CHR$(205);CHR$(187)
4850 FOR I=4 TO 15
4860 LOCATE I,30:PRINT CHR$(199);" ";CHR$(182);"J";I-3
4870 NEXT I
4880 LOCATE 16,30:PRINT CHR$(200);CHR$(205);CHR$(205);CHR$(188)
4890 FOR I=4 TO 15
4900 READ JUMPER
4910 LOCATE I,31:PRINT CHR$(JUMPER);CHR$(JUMPER)
4920 NEXT I
4930 LOCATE 4,38
4940 IF ESIZE=2 THEN PRINT"NOTE: INSTALL J1 FOR 2732A EPROMs"
4950 LOCATE 18,20:PRINT "If jumpers are not properly configured"
4960 LOCATE 19,20:PRINT "shut off programmer and set jumpers,"
4970 LOCATE 20,20:PRINT "then turn programmer back on."
4980 LOCATE 22,20:PRINT "Press any key to continue -> ";
4990 A$=INPUT$(1):RETURN

```

created with a SAVE command in the program can also be used to enter the data.

A help routine is provided in the program to assist the user during the operation of the programmer. It consists of a menu that contains all the choices available in the driver program. The routine can be entered from any location in the program by typing the letter H. A screen-dump routine and an EPROM erasure-verification routine are also provided.

IN CONCLUSION

The serial-port EPROM programmer isn't designed for volume programming. It's intended to be a cost-

effective, transportable programmer that doesn't become outmoded with each new computer and system bus. You'll also find, cleverly embedded in every programming cycle, enough time for you to take a well-deserved coffee break.

CIRCUIT CELLAR FEEDBACK

This month's feedback begins on page 393.

NEXT MONTH

I've always been intrigued by home control and electronic messaging. In March, I'll tackle the subject in earnest, beginning with a Touch-Tone Interactive Message System. ■

Special thanks to Larry Bregoli for his software expertise.

Editor's Note: Steve often refers to previous Circuit Cellar articles. Most of these past articles are available in reprint books from BYTE Books, McGraw-Hill Book Company, POB 400, Hightstown, NJ 08250.

Ciarcia's Circuit Cellar, Volume I covers articles that appeared in BYTE from September 1977 through November 1978. *Volume II* covers December 1978 through June 1980. *Volume III* covers July 1980 through December 1981. *Volume IV* covers January 1982 through June 1983.

To receive a complete list of Ciarcia's Circuit Cellar project kits, circle 100 on the reader-service inquiry card at the back of the magazine.

Your Gateway to Artificial Intelligence

GOLDEN
COMMON
LISP



IBM
Personal
Computer

Gold Hill Computers brings the language of Artificial Intelligence to Your Personal Computer.

You know you want to do more with Artificial Intelligence. Two problems have held you back: the expense of the hardware and the scarcity of LISP programmers. *But no longer.* GOLDEN COMMON LISP® makes it possible for you to learn and use LISP on your personal computer. You will know the excitement of expert systems, intelligent data access, and smart programs.

COMMON LISP is the new LISP standard developed by researchers from universities and corporations such as CMU, MIT, Stanford, UC Berkeley, Digital, LMI, Symbolics, and Texas Instruments. GOLDEN COMMON LISP is the right LISP for you because it is based on COMMON LISP. Programs you develop using GOLDEN COMMON LISP on your personal computer will run in the COMMON LISP environments of larger, more expensive machines.

With GOLDEN COMMON LISP, every programmer becomes a LISP programmer. GOLDEN COMMON LISP comes with the LISP Explorer,™ an interactive instructional system developed by Patrick H. Winston and San Marco Associates. The San Marco LISP Explorer guides you through the steps of LISP programming and makes the full range of LISP's power accessible to both novices and experienced programmers. The new second edition of the classic LISP textbook by Winston and Horn is also included.

GOLDEN COMMON LISP comes complete with the intelligent GMACS

editor (based on EMACS), on-line documentation of all LISP and GMACS functions, a comprehensive user manual, and program debugging tools. In short, GOLDEN COMMON LISP comes with everything you need to program in LISP. Features of GOLDEN COMMON LISP for advanced users include co-routines for multitasking, macros for code clarity, streams for I/O, closures for object-centered programming, and multiple-value-returning functions for efficiency.

GOLDEN COMMON LISP—the intelligent path to Artificial Intelligence.

GOLDEN COMMON LISP (GCLISP™) requires an IBM PC, PC XT, or IBM PC compatible running PC-DOS 2.0. 512K bytes of memory are recommended for program development. A version of GCLISP for the DEC Rainbow is also available. The package includes:

- an intelligent GMACS editor
- program development tools
- the San Marco LISP Explorer
- the new 2nd edition of *LISP* by Winston and Horn
- the *COMMON LISP Reference Manual* by Guy Steele
- on-line documentation of all GCLISP and GMACS functions
- the GOLDEN COMMON LISP Users' Guide and Reference Manual

ORDER GCLISP TODAY using the coupon below. Or call our Customer Service Department at:

(617) 492-2071

Gold Hill Computers
Customer Service
163 Harvard Street
Cambridge, MA 02139

B10-84

Name _____

Organization _____

Address _____

Phone _____

Today's Date _____

Type of computer _____

☐ Enclosed is a check to Gold Hill Computers for GCLISP.

☐ Please bill my ☐ MasterCard ☐ VISA card.

Card # _____

Expiration Date _____

Signature _____

Quantity	Description	Unit Price	Total Price
----------	-------------	------------	-------------

	GOLDEN COMMON LISP	\$495.00	
--	--------------------	----------	--

Subtotal

MA residents add 5% Sales Tax

Total Amount


University purchasers should inquire about our educational discount. We pay shipping on all credit card and pre-paid orders within the United States.


☐ Please send me more information about GCLISP.

G O L D H I L L C O M P U T E R S

163 Harvard Street, Cambridge, Massachusetts 02139

GOLDEN COMMON LISP is a registered trademark of Gold Hill Computers. GCLISP is a trademark of Gold Hill Computers. The LISP Explorer is a trademark of San Marco Associates. LISP is copyrighted by Addison-Wesley Publishing Company, Inc. The *COMMON LISP Reference Manual* is copyrighted by Digital Equipment Corporation. Rainbow is a trademark of Digital Equipment Corporation. IBM is a registered trademark of International Business Machines.





ILLUSTRATED BY JOAN HALL

P·R·E·V·I·E·W

THE MACINTOSH OFFICE

BY JOHN MARKOFF AND PHILLIP ROBINSON

Editor's note: The following is a BYTE product preview. It is not a review. We provide this advance look at this new product because we feel it is significant.

ON THE FIRST ANNIVERSARY of the introduction of the Macintosh, Apple Computer has introduced AppleTalk, which is a new local-area network (LAN), and a series of intelligent networked peripherals, including a laser printer and file server. The company hopes these products will make the "Macintosh office" a popular choice for work groups in large and small corporations.

AppleTalk and the laser printer are scheduled to be shipped in March.

The network was developed to serve as a small-work-group interconnect system, as a tributary to larger high-speed local-area and long-haul networks, and, in its most basic form, as a peripheral bus between an Apple computer and dedicated peripheral devices.

The new Apple LAN concept is a radical departure from common industry thinking about LAN design (for
(continued)

John Markoff and Phillip Robinson (1000 Elwell Ct., Palo Alto, CA 94393) are BYTE senior technical editors.

AppleTalk networks the Macintosh and a new laser printer.

more information on Apple's plans for the future see the text box "Steve Drops By" on page 124). Instead of providing a high-bandwidth channel to link personal computers to each other and to larger remote computers, Apple designed its LAN to be a low-speed, low-cost network for small work groups.

The AppleTalk architecture relies on the distribution of "intelligence" in network peripherals and on the clever use of the network's limited speed. Apple is betting that the principal barrier to networking office microcomputers has until now been cost. By focusing on an LAN that is optimized to share resources among small groups, the company hopes to achieve a better match to the organization of the typical office.

Since the introduction of the Macintosh, Apple has changed the name of its LAN from AppleBus to AppleTalk. When Apple first described the LAN, the company emphasized the network's role in providing the Macintosh with "virtual" serial slots for peripherals as an alternative to the open hardware architecture of the Apple II. As it is released, AppleTalk goes beyond this. However, you may still be able to daisy-chain peripherals by adding a smart network controller. But for now, Apple has decided to leave this option to third parties. One manufacturer, Tecmar Inc. has already demonstrated the ability of its 68000-based hard-disk system to control both an ImageWriter and an Apple modem.

Apple is moving toward putting microprocessors in all or most of its peripherals. This design philosophy, plus the standardization on the Zilog SCC (serial-communications controller) chip that is now used in the Lisa, Macintosh, and Apple IIc computers, will make the task of network-

ing peripherals simpler.

At the time of AppleTalk's introduction, Apple is only demonstrating the LAN with a *prototype* 20-megabyte intelligent file-server hard-disk system, which you will need for network applications such as electronic mail and print spooling. However, we were told that the hard disk will be announced in August 1985 and it will cost \$3500. An electronic-mail communications package for AppleTalk is also scheduled to be announced at the same time.

The company is also discussing a variety of future network products such as a bridge to link individual AppleTalk networks, an interface to the recently announced IBM PC LAN, communication servers, network databases, and as many as 50 third-party hardware and software development projects based on AppleTalk. Details of these products aren't yet available; therefore, it is difficult to assess AppleTalk at present. But after several false starts at developing a LAN, Apple is moving toward making it possible to link its products in office and other workplace settings.

APPLETALK

The heart of AppleTalk is the Macintosh serial-communications chip, a two-channel Zilog 8530 SCC that provides synchronous and asynchronous data communications at up to 230.4K bits per second (bps) using a self-clocking data format. (The 8530 will provide data communications at speeds as high as 1 megabit per second, using an external clock. Corvus Systems Inc. has also used this higher-speed scheme in its Macintosh implementation of the Omninet LAN.)

At the physical level, AppleTalk consists of a shielded twisted-pair trunk cable with modules that are passively connected to computer and peripheral nodes via a short drop cable. An individual AppleTalk network can have up to 32 nodes and has a packet-switching protocol and a data rate of 230.4K bps using FM 0 modulation (a bit-encoding technique that provides self-clocking) over a maximum distance of 300 meters.

Externally, AppleTalk is simple, consisting of the connection modules, each of which has two miniature DIN three-pin connectors, and a DB-9 port that connects to the printer port on the Macintosh via a 2-meter cable. Inside each connection module are resistors, a capacitor, and a small transformer, designed so that the link is transformer-isolated and not susceptible to any kind of radio-frequency interference (RFI) or static discharge.

Apple calls the connector modules self-terminating, which keeps you from worrying about line termination and, in combination with the transformer, lets you add nodes to the network and remove them without disrupting network functions. A 100-ohm terminating resistor is included in each connector box, and there are two switch connections that are opened when the miniature DIN connectors are inserted. If both connectors are used, the switches are open, but if one of the connectors is not used, the terminating resistor is connected across the line.

AppleTalk uses a dynamic-addressing scheme that ensures that each node on the network has a unique 8-bit address (there is also a mechanism for internet communications across bridges and through gateways). The AppleTalk destination address is used to "filter" frames at the data-link layer. Frames are not accepted unless their destination address matches the address of the receiving node. The SCC chip facilitates this process by performing the address-recognition function in hardware.

AppleTalk doesn't require that a particular node's address be permanently recorded or set with jumpers. The advantage of this is that you can move computers and peripherals between networks and install them by simply attaching them to the network. For example, Apple claims you can bring your Macintosh to the network, plug it in, insert a disk, and turn it on. No special network configuration is necessary. Setting of the node address takes place when the

computer first looks at some non-volatile memory to find a previous address it has saved, or when it computes a new address based on the

generation of a pseudorandom number. The computer then tests the address to see if it already exists on the network by sending a special packet

to the address. If the address is already in use, the node there will answer and a new guess must be gen-

(continued)

STEVE DROPS BY

We met Burrell Smith and Bud Tribble and the rest of the Macintosh office design crew in the Macintosh headquarters, one of the many Apple buildings in Cupertino, California. After moving beyond the lobby, we heard someone play a pretty piece of music on a grand piano in the center of a large open area that also had sofas and a Ping-Pong table. On the left was the Matisse room; we used the Picasso room on the right. During the introduction, someone mentioned that Steve would drop by later. When Steve Jobs did drop by, he had some interesting things to say about Apple's plans and strategy.

"We hope to be able to offer people two things based on the Macintosh technology. The first, using the graphics and the power of that box, is radical ease of use. That was the first benefit of the Macintosh and that's the one we've really been trumpeting this last year.

"We are just now beginning to demonstrate the second great benefit of that graphic user interface—capabilities that you can't do on any other computer. You can't do the kind of project management you can do on Mac, you can't do stuff you can do with MacDraw, you can't print out entire forms or create forms on other computers. It will take something like the LaserWriter to really drive that home. As we roll out the next pieces that complement the workstation, I think it's going to become very clear to people why the graphic user interface is so important.

"Ultimately, we think that these products are going to be used to help people communicate with each other. Not analysis, not computationally intensive things for their own sake, but things to help people communicate much as the telephone did. And in terms of communication, look at middle-manager productivity in particular. Yes, we collect information, we analyze it, but then we draw conclusions from it and we need to communicate those conclusions to people around us.

"We communicate in two ways. One, with paper, and the paperless office, which generates more paper than the traditional office; we've all found that out because we give people tools that generate the paper. So we've got to improve the quality of visual communication, improve the ability to communicate via paper. That includes overhead transparencies, which I think are going to be a big use for the printer. We can do that through the software tools on the Mac and through the ability to print them.

"The next way that we can radically improve communication is to electronically link up people. We can start to do things like mail, electronic scheduling, and a variety of things that will improve how we communicate with each other. The result of improving those two ways of communication, I think, is going to be startling, when coupled with the fact that you can learn how to use the system in a half hour.

"I also think we're holding true to our vision of trying to remove the service and support requirements from the equation of success so that we don't have to send out a person at a thousand dollars per half day to help you install your computer system.

"AppleTalk plugs together and you don't have a chance to forget to hook up the terminator plugs because there aren't any, and you don't have to set the thumb-wheel switches because there aren't any, and you don't have to run the network master-configuration program because there isn't any. You just plug it together like a telephone or stereo and it works. And it's very, very difficult to do wrong. Those little things are what keep you from having to go out and hold people's hands, run them through half-day training courses, and things like that.

"We think that networking is going to start from the bottom up in small work groups. If you've got four people on the network, which is a typical number to start with, it will cost \$150 per per-

son for the head end. So you've got to have about \$1000 to hook up a computer to the net. It may be worth it someday when there's a lot of great software. But, right now not many are going to pay a thousand bucks to hook up a \$2000 computer to a network.

"And that's what AppleTalk is all about. Nobody's hooking up to nets because there isn't enough software that makes it worthwhile. There isn't enough software that runs in nets because if you write software to run in a net, there's nobody to sell it to because there aren't any nets. So it's a circular problem. No nets, no software; no software, no nets. We want to break through that logjam with AppleTalk costing 50 bucks a computer.

"We just wish the whole world would standardize on a net. We'd all be happy. Just give us the jacks in the walls everywhere; we'd have no problem calling it the IBM net or the AT&T net, but it's not coming together. Ultimately, we feel that [the standard] network in the office is going to be the digital phone switch and not something that Apple or IBM comes up with. It turns out that the rates at which the digital-phone-switch standards are emerging (the CCITT [Comité Consultatif International Téléphonique et Télégraphique] standards) are very close to AppleTalk rates. They're about anywhere from 64 kilobits per second up to maybe 192 kilobits per second.

"So the rates we have chosen will probably map well to the ultimate rates of what will be the office network. And that's how the voice-data integration will take place, through a digital CBX, not through our network or IBM's network. The decision that we made was fundamental: put intelligence in the peripherals. The really interesting thing that's happening isn't the products themselves, it's the software standards that are being set. As an example, PostScript is more important, in a way, than the printer [the LaserWriter]. "Though we think that particular printer is what's going to make PostScript a standard."

ALL MAIL: Conroy-LaPointe, Inc. 12060 SW Garden Place, Portland, OR 97223

CASH-n-CARRY COMPUTER STORES, INC. — SAN FRANCISCO, PORTLAND, SEATTLE — SEE BELOW

TOLL FREE (800) 547-1289

HARDWARE for your APPLE

SOFTWARE for your APPLE

COMPUTERS

SYSTEMS IN STOCK CALL
LIMITED WARRANTY—100% Parts & Labor for 90 days by us

DISK DRIVES

	LIST	OUR
•CENTRAL PT. Filer, Utility & Apple DOS	\$ 20	\$ 15
•MICRO-SCI, A2, 143K Disk Drive	\$ 345	\$ 199
A2 Controller Card	\$ 100	\$ 79
1/2 Ht. Disk Drive (Ile)	\$ 269	\$ 195
1/2 Ht. Disk Drive (Ile)	\$ 299	\$ 209

TEAC, T40, Direct Drive, 163K	\$ 349	\$ 239
Controller Card by ComX	\$ 110	\$ 49
1/2 HIGH TEAC, T80, Double Sided, 326K	\$ 449	\$ 329
TEAC, Controller Card	\$ 85	\$ 59

Rana, Elite 1, 163K, 40 Track	\$ 379	\$ 239
Elite 2, 326K, 80 Track	\$ 449	\$ 389
Elite 3, 652K, 160 Track	\$ 849	\$ 499
Elite Controller	\$ 145	\$ 89

Video Tech, 1/2 Ht. Disk Drive	\$ 225	\$ 149
--------------------------------	--------	--------

RAM EXPANSION

•ComX, 80 col. +64K RAM for Ile, 1 Yr. Wty.	\$ 199	\$ 99
RAM Card, 1 Yr. Wty. (Ile+)	\$ 179	\$ 39
•Microsoft, RAM Card (Ile+)	\$ 16K	\$ 69
•Titan/Saturn RAM Card 128K (Ile+)	\$ 599	\$ 329
Other RAM Cards & Software in Stock		CALL

VIDEO CARDS

•ComX, 80 col. +64K RAM (Ile) 1 Yr. wty.	\$ 199	\$ 99
•Vide, VideoTerm 80 col. (+ or e)	\$ 279	\$ 175
•UltraTerm (+ or e)	\$ 379	\$ 229
•Soft Video Switch (Ile+)	\$ 35	\$ 22
•Enhancer II (Ile+)	\$ 149	\$ 95
•Function Strip (Ile+)	\$ 39	\$ 25

We Have Full Video Line. Call Up to 35% off

MISCELLANEOUS

•CCS, Serial Interface 7711 (Set BAUD)	\$ 150	\$ 95
•CPS/Endstate, Wild Card 2 (copier, + or e)	\$ 140	\$ 99
Chalkboard, Power Pad (Requires Kit)	\$ 100	\$ 73
Digital Research, CP/M Gold Card (w/64K)	\$ 495	\$ 359
64K to 128K Gold Card Expansion	\$ 325	\$ 239
Kensington, System Saver Fan	\$ 90	\$ 65
Key Tronic, KB200 Keyboard (Ile+)	\$ 298	\$ 219
Koala, Touch Tablet w/ Micro Illustrator	\$ 125	\$ 75
Kraft, Joystick (Ile+)	\$ 65	\$ 49
Kraft, Joystick (Ile+)	\$ 50	\$ 39
M&R, Sup R fan (Ile+)	\$ 50	\$ 30
•Microsoft, 280 Softcard (+ or e)	\$ 345	\$ 235
280 Softcard Premium (Ile)	\$ 395	\$ 275

MISCELLANEOUS

•Orange Micro, Grappler Plus (e or +)	\$ 149	\$ 99
16K Buffer Board for Grappler Plus	\$ 175	\$ 99
Buffered Grappler Plus, 16K	\$ 239	\$ 159
2 Chip Set for Buffered Grappler	\$ 29	\$ 12
Paymar, Lower Case Chip, Rev. 7 (Ile+)	\$ 50	\$ 19
•PCPI, Appicard, 64K w/128K Ext.	\$ 595	\$ 395
Appicard 6MHz, 14 features	\$ 375	\$ 275
RH Electronics, Super Fan II	\$ 75	\$ 59
•Titan/Saturn, Accelerator II	\$ 599	\$ 399
Trackhouse, Numeric Key Pad	\$ 149	\$ 94
Transend/SSM, AIOII, Serial/Para I/F	\$ 225	\$ 169
TG, Tracball or Select-A-Port	\$ 40	\$ 26
Joystick or Game Paddles	\$ 45	\$ 29
•Videx, PSIO I/F Card	\$ 229	\$ 145

Macintosh



Bluechip, Millionaire	\$ 60	\$ 39
Central Point, Copy II MAC	\$ 40	\$ 30
Continental Software, Home Accountant	\$ 100	\$ 65
Creative Solutions, Macforth Level I	\$ 149	\$ 95
Dow Jones, Straighttalk	\$ 79	\$ 50
Electronic Arts, Pinball Construction	\$ 40	\$ 29
Hayden, Sargon III	\$ 50	\$ 33
Human Edge, Sales or Mgmt. Edge, ea.	\$ 250	\$ 159
Infocom, Full Line in Stock		CALL
Kensington, Swivel	\$ 25	\$ 21
Starter Pak	\$ 90	\$ 60
Surge Suppressor	\$ 50	\$ 35
Living Videotext, Think Tank	\$ 145	\$ 85
Main Street, Filer or Writer, ea.	\$ 199	\$ 125
Maxell, Diskettes, SS/SD, 3 1/2", 10 pak	\$ 60	\$ 35
Megahus, Megafiler	\$ 195	\$ 125
Microsoft, Chart	\$ 125	\$ 94
Word or File or Multitask, each	\$ 195	\$ 125
Mirage Concepts, Trivia	\$ 50	\$ 32
Monogram, Dollars & Sense	\$ 150	\$ 95
Novation, Smartcat Plus Modem w/soft	\$ 499	\$ 379
Penguin, Transylvania	\$ 35	\$ 24
Graphics Magician	\$ 50	\$ 32
Prometheus, ProModem 1200 w/cable/soft	\$ 495	\$ 350
Scarborough/Lightning, MasterType	\$ 35	\$ 19
Simon & Schuster, Typing Tutor III	\$ 50	\$ 33
Softie, Touch Tablet w/ PFS. Report, ea.	\$ 125	\$ 79
PFS: File & Report	\$ 195	\$ 125
Stoneware, DB Master	\$ 195	\$ 125
Talos, File Vision	\$ 195	\$ 125
T/Maker, Clickart	\$ 50	\$ 32
Videx, Vegas	\$ 60	\$ 34

BUSINESS & TRAINING

•ALS/Silicon Valley, Word Handler	\$ 80	\$ 39
List Handler	\$ 80	\$ 39
Handler Pak (Word, List Spell)	\$ 130	\$ 85
•Applied Soft Tech., VersaForm	\$ 389	\$ 249
Arkitronics, Jane w/Mouse (Ile+ or Ile)	\$ 295	\$ 195
Jane w/o Mouse (Ile)	\$ 179	\$ 119
Artsci, Magic Window II	\$ 150	\$ 99
Magic Windows	\$ 70	\$ 48
•Ashton-Tate, dBase II (Req CP/M 80)	\$ 495	\$ 269
BPI, Job Cost	\$ 595	\$ 375
ARAP or INV, each	\$ 395	\$ 249
•Broderbund, Print Shop	\$ 50	\$ 34
Bank Street Reporter	\$ 70	\$ 45
Bank Street Writer (specify Ile+ e, c)	\$ 70	\$ 45
Bank St Combo (Writer & Speller)	\$ 140	\$ 85
Continental, GLARAP or PR, each	\$ 250	\$ 165
Home Accountant	\$ 75	\$ 49
CDEX for Visicalc, Multitask, Apple Ile, each	\$ 60	\$ 40
Dow Jones, Market Analyzer	\$ 350	\$ 219
Market Manager	\$ 300	\$ 189
Market Microscope IN STOCK	\$ 349	\$ 219
Hayden, Pe Writer vers. 2.2	\$ 150	\$ 89
•Howard Soft, Tax Preparer, 1984	\$ 250	\$ 185
Human Edge, Sales Edge or Management	\$ 250	\$ 165
Knoware, Knoware	\$ 95	\$ 64
Living Videotext, ThinkTank	\$ 150	\$ 99
Meca, Managing Your Money	\$ 200	\$ 125
Micro Pro, (all require 280-CP/M Card)		
•WordStar	\$ 350	\$ 189
•WordStar w/StarCard	\$ 495	\$ 265
•WordStar Professional, 4 Pak	\$ 495	\$ 265
•MailMerge, SpellStar, or StarIndex, ea.	\$ 99	\$ 54
•InfoStar and StarCard	\$ 595	\$ 295
•Microsoft, Multi-Pak (Apple DOS or CP/M)	\$ 195	\$ 129
•Osborne/ComX, (Apple DOS or CP/M) (Stat. Bus. & Math)		
Some Common Basic Programs (75 ea.)	\$ 100	\$ 49
Practical Basic Programs (40 ea.)	\$ 100	\$ 49
Peachtree, Requires CP/M & MBASIC, 64K		
Series 40 II, 48 & 48 & AP, all 3	\$ 395	\$ 239
•Quark, Word Juggler & Leuchter (Ile)	\$ 189	\$ 129
Sensible, Sen. Spector or Bookends, ea.	\$ 125	\$ 79
Sierra/On-Line, The Dictionary	\$ 100	\$ 69
Gen. Manager II	\$ 230	\$ 155
Screen Writer II, 2 Pak w/Dict.	\$ 130	\$ 89
Homework	\$ 50	\$ 45
Software Arts, TKISolver (for Ile or IIC)	\$ 299	\$ 199
Software Publishing, (specify + or e)		
PFS:File, PFS:Grap, PFS:Report, each	\$ 125	\$ 79
PFS: Write (Ile)	\$ 70	\$ 48
PFS: Proof	\$ 70	\$ 48
Stoneware, DB Master Version 4.0	\$ 350	\$ 225
DB Utility Pak I or II	\$ 129	\$ 82
VaiCorp, Full Line in Stock		CALL

UTILITY & SYSTEM

Beagle, GPLE or Alpha Plot, each	\$ 35	\$ 27
Full Beagle line in stock		CALL
Borland, Turbo Pascal	\$ 55	\$ 35
Central Point, Copy II Plus (bit copier)	\$ 40	\$ 25
Einstein/Alison, Compiler	\$ 129	\$ 95
Epson, Graphics Dump	\$ 15	\$ 9
Funk Software, Sideways	\$ 60	\$ 40
Hayes, Terminal Prog. for Smartmodem	\$ 100	\$ 65
•Insoft, GraFORTH II by Paul Lotus	\$ 90	\$ 65
Microsoft, Full Line in Stock		CALL
Omega, Locksmith	\$ 100	\$ 75
Penguin, Complete Graphics System II	\$ 80	\$ 54
Phoenix, Zoom Graft	\$ 40	\$ 34
Phenix, Bag of Tricks	\$ 40	\$ 29
United SWI, ASCII Express-The Pro	\$ 130	\$ 87
Unico, Essential Data Duplicator III	\$ 80	\$ 49

HOME & EDUCATIONAL

Barrons, Study Program for SAT	\$ 90	\$ 60
Beagle Bros., Full line in Stock		CALL
Bluechip, Millionaire	\$ 60	\$ 32
Broderbund, Print Shop	\$ 50	\$ 34
CBS, Large Inventory in stock		CALL
•Continental, Home Accountant	\$ 75	\$ 49
Davidson, Full line in stock		CALL
Dow Jones, Home Budget	\$ 95	\$ 69
Edu-Ware, Large Inventory in Stock		40% off CALL
Electronic Arts, Full line in stock		CALL
Harcourt, Computer Prep for SAT	\$ 80	\$ 49
Koala, Full line in stock		35% off list
Learning Co., Large Inventory in Stock		35% off list
Microsoft, Typing Tutor II	\$ 25	\$ 17
Monogram, Dollars & Sense or S.A.M., ea.	\$ 100	\$ 59
Scarborough/Lightning, MasterType	\$ 40	\$ 27
Simon & Schuster, Typing Tutor III	\$ 50	\$ 33
Sun Logic, Flight Simulator II	\$ 50	\$ 25
Terrapin, Logo	\$ 99	\$ 65

GAMES

Atari, Large Inventory in stock		CALL
Broderbund, Full line in stock		CALL
Datacube, Aztec or Zaxxon, each	\$ 40	\$ 27
Electronic Arts, Sky Fox or Pinball	\$ 40	\$ 29
Hayden, Sargon III (Chess)	\$ 50	\$ 34
Infocom, Zork I/II/III, ea.	\$ 40	\$ 27
•Insoft, 3 Games, Zarg/Spyder Rnd/Grapple	\$ 82	\$ 25
Muse, Castle or Beyond Castle Wolfenstein	\$ 35	\$ 23
Origin, Ultima III	\$ 60	\$ 40
Penguin, Transylvania	\$ 35	\$ 24
Professional, Trivia Fever	\$ 40	\$ 25
Sierra/On-Line, Ultima II	\$ 60	\$ 40
Si-Tech, Wizardry	\$ 50	\$ 35
Spinaker, Full line in stock		35% off list
Sun Logic, Flight Simulator II	\$ 50	\$ 25

DISKETTES

★ CONROY-LAPOINTE™ DISKETTES

We guarantee these top quality products with the Conroy-LaPointe name. 5 YEAR LIMITED WARRANTY.

10 ea. SS/SD, 35 Track (Apple, etc.)	\$ 14
100 ea. SS/SD, 35 Track (Apple, etc.)	\$ 120
1000 ea. SS/SD, 35 Track (Apple, etc.)	\$ 999
10 ea. DS/DD, 48 Track (IBM, H/P)	\$ 14
100 ea. DS/DD, 48 Track (IBM, H/P)	\$ 140
1000 ea. DS/DD, 48 Track (IBM, H/P)	\$ 1190

CONROY-LAPOINTE™

IBM PRE-FORMATTED DISKETTES

10 ea. DS/DD, 48 Track (IBM-PC Pre-formatted)	NEW \$ 25
100 ea. DS/DD, 48 Track (IBM-PC Pre-formatted)	NEW \$ 210
1000 ea. DS/DD, 48 Track (IBM-PC Pre-formatted)	NEW \$ 1695

	LIST	OUR
CDC, 100 ea. SS/DD, 40T (Apple, IBM)	\$ 550	\$ 195
10 ea. SS/DD, 40T (Apple, IBM)	\$ 55	\$ 21
100 ea. DS/DD, 40T (IBM, H/P)	\$ 750	\$ 295
10 ea. DS/DD, 40T (IBM, H/P)	\$ 75	\$ 32
DYSAN, 10 ea. SS/DD (Apple, etc.)	\$ 40	\$ 27
10 ea. DS/DD 48T (IBM/H/P/et)	\$ 69	\$ 35
MAXELL, 10 ea. SS/DD, 3 1/2" (MAC)	\$ 60	\$ 35
10 ea. DS/DD, HiDensity (IBM-AT)	\$ 90	\$ 55
10 ea. MD, 1 SS/DD	\$ 55	\$ 19
10 ea. MD, 2 SS/DD	\$ 75	\$ 26
MEMOREX, 10 ea. SS/DD, 3 1/2" (MAC)	\$ 65	\$ 37
VERBATIM, 10 ea. MD515-01 SS/DD	\$ 49	\$ 27
10 ea. MD34 DS/DD	\$ 84	\$ 32
10 ea. 3 1/2" SS/DD (MAC)	\$ 65	\$ 35

GENERIK™ DISKETTES
AS LOW AS \$1W/Jackets,
no labels, top quality.
90 day warranty.NO HASSLE
MONEY BACK
GUARANTEE
ON GENERIKS

100 ea. SS/SD, 35 Track (Apple, Atari)	\$ 415	\$ 85
250 ea. SS/SD, 35 Track (Apple, Atari)	\$ 1038	\$ 229
1000 ea. SS/SD, 35 Track (Apple, Atari)	\$ 4150	\$ 750
100 ea. DS/DD, 48 Track (IBM, H/P)	\$ 626	\$ 119
250 ea. DS/DD, 48 Track (IBM, H/P)	\$ 1565	\$ 319
1000 ea. DS/DD, 48 Track (IBM, H/P)	\$ 6260	\$ 995

MODEMS

ANCHOR, Signalman Mark XII	\$ 399	\$ 269
HAYES, IBM-PC Smartmodem 1200B	\$ 599	\$ 409
IBM-PC Smartcom II Software	\$ 149	\$ 99
Micromodem I w/Smartcom	\$ 329	\$ 239
Micromodem 100 (S-100 bus)	\$ 399	\$ 275
Stack Chronograph (RS-232)	\$ 249	\$ 189
Stack Smartmodem 300RS-232	\$ 289	\$ 225
Smartmodem 1200 (RS-232)	\$ 699	\$ 489
IBM-PC to Modem Cable	\$ 39	\$ 19
KENNINGTON, Modem 1200	\$ 595	\$ 385
Smartcat Plus w/software (MAC)	\$ 595	\$ 415
ACCESS 1-2-3 (1200B+Crosstalk XVI)	\$ 499	\$ 379
Apple Cat II 300 BAUD	\$ 595	\$ 369
212 Apple Cat, 1200 BAUD	\$ 389	\$ 249
Cat	\$ 725	\$ 559
I-Cat	\$ 189	\$ 139
212 Auto Cat	\$ 149	\$ 104
PROMETHEUS, ProModem 1200 (MAC)	\$ 695	\$ 579
ProModem 1200B (IBM)	\$ 495	\$ 350
QUADRAM, Quadmodem, Internal IBM	\$ 399	\$ 285
Quadmodem, Stand alone	\$ 595	\$ 429
	\$ 695	\$ 495

MONITORS

•AMDEK, Color Series		
Color 300 Comp/Audio	\$ 349	\$ 259
Color 500 Comp/VCR/RGB/Audio	\$ 525	\$ 395
Color 600 H Res. RGB/Audio	\$ 649	\$ 495
Color 700 Ultra Hi Res. RGB	\$ 749	\$ 595
12" Green, #3000	\$ 179	\$ 119
12" Amber, #300A	\$ 199	\$ 149
12" Amber, #310A for IBM-PC	\$ 230	\$ 159
13" Color IV, RGB, 720Hx400V (IBM)	\$ 795	\$ 685
PRINCETON, RGB Hi Res. HX-12	\$ 795	\$ 499
RGB Hi Res. SR-12	\$ 799	\$ 599
Scan Doubler for SR-12	\$ 249	\$ 179
Amber, MAX 12 (for Mono Board)	\$ 249	\$ 199
QUADRAM, Quadchrome 12" RGBColor	\$ 695	\$ 495
Quadchrome 17" 960x512 w/cable	\$ 995	\$ 795
Quadchrome II, 14" RGB Color	\$ 650	\$ 450
Amberchrome, 12" Amber	\$ 250	\$ 165
•ZENITH, 12" Amber, ZVM122	\$ 159	\$ 95
12" Green, ZVM123	\$ 200	\$ 89
12" Amber, ZVM124	\$ 200	\$ 139
12" Color, ZVM135	\$ 599	\$ 469

PRINTERS

DOT MATRIX:

	LIST	OUR
EPSON, iX80—Color Printer, 160 cps		
LQ1500, 200 & 67 cps	\$ 1395	InStock
RX80—100 cps	\$ 269	InStock
RX80—F/T	\$ 369	InStock
FX100—100 cps, 136 col., pin 4	\$ 499	InStock
FX80—160 cps	\$ 699	InStock
FX100—160 cps	\$ 895	InStock
•MANNESMANN Spirit—80 col., 80cps	\$ 399	\$ 299
TALLY, 180—80 col., 160cps	\$ 798	\$ 568
180—132 col., 160cps	\$ 1098	\$ 778
OKIDATA, 82A—80 col., 120 cps, para.	\$ 349	\$ 319
83A—132 col., 120 cps, para.	\$ 749	\$ 599
84—136 col., 200 cps, para.	\$ 1395	\$ 1095

-LA POINTE

SM

OUR AD
#B14

LOW PRICES TO PROFESSIONALS WHO KNOW WHAT THEY WANT AND KNOW HOW TO USE IT!

FOR YOUR IBM-PC or XT

© 1984 by Conroy-LaPointe, Inc.
All Rights Reserved

DEALERS
WE BUY
EXCESS
INVENTORIES

COMPUTER SYSTEMS

— Call for Details —

256K IBM-PC

360K
Disk Drives
by CDC
90 Day
Limited Warranty
By Us



COMPAG Portable,
256K, 2 360K Disk Drives

CALL

SANYO 555-2,
256K, 2 320K Disk Drives

CALL

TeleVideo PC,
256K, 2 360K Disk Drives, 8088 Chip

CALL

ZENITH 2150,
256K, 2 320K Disk Drives,
MS DOS 2.1, 8088 Chip, 2 S/P

CALL

DRIVES AND ACCESSORIES


for the IBM-PC or XT

AMDEK

Amdek V, 1/2 height, internal, 320/360K \$ 658 \$ 498
Amdek III, 3" Dual Floppies, 500K \$ 299 \$ 249

CONTROL
DATA

DISK DRIVES
320K/360K
DS/DD



Call for Larger
Quantity Prices \$169 FULL HEIGHT
\$149 HALF HEIGHT

30 Day Limited Warranty by Factory Authorized Distributor
CDC, 1/2 Hi Dual Drive Installation Kit \$ 30 \$ 16

MAYNARD, Floppy Cont. w/ParaPort \$ 300 \$ 239
Interface w/Para Port \$ 310 \$ 185
Interface w/Ser. Port. \$ 310 \$ 195

PERFECT DATA, Head Cleaning Kit \$ 16 \$ 12

QUADRAM
Quaddisk Internal Hard Disks w/Controller IN STOCK

HARD DISKS

Convert your PC to 10 meg and to be XT compatible with one of the following INTERNAL HARD DISK SYSTEMS. Kits are quality engineered to work with DOS 2.0/2.1. Completely XT compatible. All you need is your DOS manual. Easy to install. Includes 10 Megabyte Hard Disk, Controller Card and Instructions.

KAMERMAN Labs
Megaflight 100, 10 mbyte Hard Disk Kit \$ 799

MAYNARD
10 meg Hard Disk Kit, WS1 Sandstar
Controller will accept 3 Sandstar modules \$1395 \$1150

★ MEANS A BEST BUY

AST ADVANTAGE Multi. Bd for AT
SixPakPlus, 64K/S/P/CC+S/W \$ 395 \$ 245
SixPakPlus, 256K/S/P/CC+S/W \$ 695 \$ 395
SixPakPlus, 384K/S/P/CC+S/W \$ 895 \$ 465
Game Port for SixPak \$ 50 \$ 39
I/O Plus II, S/P/CC \$ 215 \$ 150
I/O Plus II, S/P/CC/G \$ 265 \$ 185
I/O Plus II, S/P/CC/G \$ 315 \$ 215
MonoGraphPlus/P/CC/Port/Bus \$ 485 \$ 375
PCNet, Starter Kit, PC002 \$ 1490 \$ 795
PCNet, Circuit Board, PC001 \$ 695 \$ 365
ComboPlus Products
MegaPlus Products
UNI-Monitor bit & swivel base \$ 50 \$ 39
3 to 9 Keyboard Exten Cable \$ 40 \$ 30
Vertical CPU "System Stand" \$ 25 \$ 19
Monochrome Ext. Cable Pair \$ 50 \$ 35

CURTIS UNI-Monitor bit & swivel base \$ 50 \$ 39
3 to 9 Keyboard Exten Cable \$ 40 \$ 30
Vertical CPU "System Stand" \$ 25 \$ 19
Monochrome Ext. Cable Pair \$ 50 \$ 35

HAUPPAGE 8087 Chip \$ 175 \$ 159
8087 Math Pak \$ 295 \$ 235
8087 Software Pak \$ 180 \$ 138
8087 Macro Pak \$ 245 \$ 195

HERCULES Color Card w/para. \$ 245 \$ 169
Graphics Card, Mono \$ 499 \$ 329
KAMERMAN, External Power Supply \$ 395 \$ 295
KENSINGTON, Masterpiece \$ 140 \$ 95
PC Saver™ Line Cord w/Filter \$ 50 \$ 39

KeyTronic KB5150, Std. keyboard \$ 209 \$ 159
KB5151, Std. keyboard \$ 255 \$ 199
KB5151 jr, keyboard \$ 255 \$ 199

Koala Koala Pad™ w/PC Design \$ 150 \$ 89
Programmer's Guide \$ 15 \$ 14
Multifunction (6) Card, MFC \$ 89 \$ 79
Memory Card no RAM \$ 159 \$ 149
Memory Card 256K \$ 495 \$ 395

MAYNARD HardDisk I/F Module (HDM) \$ 499 \$ 399
HardDisk Cable \$ 30 \$ 27
SANDSTAR Para Port Module (PPM) \$ 59 \$ 49
Serial Port Module (SPM) \$ 55 \$ 48
Clock Cal. Module (CCM) \$ 55 \$ 48
Game Adapter Module (GPM) \$ 49 \$ 43
Memory Module "DTK (MMIO) \$ 122 \$ 99
Memory Module 256K (MM256) \$ 422 \$ 357
XT10 meg Hard Disk & I/F WS1 \$ 395 \$ 1150

QUADRAM Quadruve, board, Mono S/P/CC \$ 795 \$ 495
Quadchrome, 12" RGB Color Monitor \$ 650 \$ 450
Quadchrome, 12" RGB Color Monitor \$ 650 \$ 450
Amberchrome, 12" Amber Monitor \$ 250 \$ 165
Quad 3278 \$ 1195 \$ 1090
Quadnet VI \$ 2295 \$ 1545
Quadnet IX \$ 1995 \$ 1745
Quadlink \$ 680 \$ 449

TG PRODUCTS, Joystick \$ 45 \$ 29

LIST OUR CALL
MICRON, 4164 Chips, 200 ns \$ 12 \$ 4

MICROSOFT System Card 256K \$ 625 \$ 450
Mouse \$ 195 \$ 139
PC jr Booster with Mouse \$ 495 \$ 329
System Card, 64K \$ 395 \$ 275

MOUSE SYSTEMS, PC Mouse w/PC Paint \$ 295 \$ 189

PARADISE, Modular Graphics Card \$ 395 \$ 285

PLANTRONICS Color Board & Colormagic, 16 color, w/Para \$ 559 \$ 395
Color Board & Draftsman, 16 color, w/Para \$ 559 \$ 395

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

CALL Quadruve, board, Mono S/P/CC \$ 795 \$ 495
Quadchrome, 12" RGB Color Monitor \$ 650 \$ 450
Quadchrome, 12" RGB Color Monitor \$ 650 \$ 450
Amberchrome, 12" Amber Monitor \$ 250 \$ 165
Quad 3278 \$ 1195 \$ 1090
Quadnet VI \$ 2295 \$ 1545
Quadnet IX \$ 1995 \$ 1745
Quadlink \$ 680 \$ 449

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 895 \$ 625
Quadcolor I, board, 16 colors \$ 295 \$ 195
Upgrade Quadcolor I to II kit \$ 275 \$ 199

QUADRAM Quadboard, no RAM, expand to 384K \$ 295 \$ 225
Quadboard 64K, expand to 384K/S/P/CC \$ 395 \$ 245
Quadboard 256K, expand to 384K/S/P/CC \$ 675 \$ 475
Quadboard 384K, S/P/CC/G \$ 795 \$ 525
Quadboard II, no RAM, expand to 256K \$ 295 \$ 215
Quadboard II, 64K, expand to 256K/2S/CC \$ 395 \$ 265
Quadboard II, 256K, 2S/CC \$ 595 \$ 395
Quad 512 + 64K plus serial port \$ 325 \$ 265
Quad 512 + 256K plus serial port \$ 550 \$ 420
Quad 512 + 512K plus serial port \$ 89

erated by the new arrival.

AppleTalk divides node addresses into two classes: server node and user node. The system reserves 255 possible addresses; hexadecimal address FF is a special "broadcast" address used to reserve the line for transmission as part of the network's scheme.

AppleTalk is based on an open system architecture (see figure 1). Apple has published detailed information on the suite of network protocols that comprise AppleTalk and has held a number of seminars to aid third-party vendors that are developing software

and hardware applications for the network.

The AppleTalk protocols implement a packet-switching scheme that provides functional correspondence with the International Standards Organization (ISO) Open Systems Interconnection (OSI) model. Protocols equivalent to the ISO OSI layers 1 through 5 (physical, data link, network, transport, and session) are at the core of AppleTalk.

The access scheme to the network is based on a CSMA/CA (carrier sense multiple access with collision

avoidance) model. Although both AppleTalk and Ethernet are based on a bus topology, they differ in the way they handle the problem of data collisions on the network.

Ethernet provides hardware capability for detecting collisions. AppleTalk, on the other hand, implements collision avoidance in software at the data-link level. The AppleTalk Link Access Protocol (ATLAP) software handles the address-assignment mechanism, the frame format, and the frame transmission and reception process.

In the AppleTalk collision-avoidance scheme all transmitters wait until the line is idle. This time interval is determined by the generation of a pseudo-random number whose range is adjusted based on perceived bus traffic.

As part of this scheme each transmitter can send special broadcast frames (addressed to all nodes in the network) that reserve the line by informing other nodes that it is preparing to send a packet. The transmitters use directed frames (or packets) to send data to a single address on the network.

While a transmitting node is sending to a receiving node, a dialogue takes place. If a collision occurs during the dialogue, the sending node backs off and tries again, adjusting the randomly generated time interval. This adjustment follows a linear back-off algorithm that changes dynamically in response to recent network-traffic history. If the node detects collisions among recently sent packets, this suggests higher loading and greater contention for the bus. Thus, the random wait that is generated is calculated over a larger range, effectively spreading out the different contenders for the line.

Apple reports that it has extensively tested AppleTalk's CSMA/CA protocol and is satisfied with its ability to remain stable under heavy network loads.

In addition to ATLAP, AppleTalk consists of a variety of other protocols that generally correspond to other levels of the ISO OSI model.

(continued)






Figure 1: A diagram of AppleTalk's protocol architecture, printed by the LaserWriter.



TIED UP WITH DATA RECORDING?

Here comes SEED to set you free.

Are you frequently tied up with typing large amounts of data from printouts into your personal computer, or frustrated at not being able to use it while it is being used as an expensive data collection device? If so, then let a SEED set you and your PC free.

These highly portable and cost effective data recording units allow you to continuously record data wherever and whenever you want via an RS-232C serial interface onto a diskette for analysis or editing later on your PC.

SEED 1 is intended for use with an Apple II compatible disk drive (single or dual drive – 120 Kbyte memory per disk) and after recording, the diskette can be loaded into your Apple II, Ile or III personal computer.

SEED 2 is intended for use with an IBM PC and has the additional advantages of a built-in disk drive unit, a 350 Kbyte memory, single or double sided, double density disks, and dip switch selectable baud rate, parity and data bits.

An optional analogue/digital conversion unit is available for each model.



Both SEEDs can be used for a really wide range of data recording applications:

in the office where data can be recorded from mainframe, other computers or serial communication networks

in the laboratory where results can be recorded from samples being measured continuously, including overnight runs

on the factory floor where performance data can be recorded from instruments undergoing quality control testing prior to shipment

So now there's no need to get tied up with data recording. All you need is SEED.



mariachio

Iso-Heikkiläntie 14, SF-20200 Turku, Finland,
Tel. (9)21-307 000, Telex 62665 maroy sf

USA, CMK Associates, Inc., (408) 374 1805; CANADA, Fisher Scientific, (613) 226 8874; W. GERMANY, LKB Instrument GmbH, (89) 85830, Isolab, (05609) 2736; FRANCE, LKB Instruments S.A., (6) 928 6507; AUSTRIA, LKB Instrument Ges.m.b.H., (0222) 92 1607; ENGLAND, LKB Instruments Ltd., (01) 657 8822; SWEDEN, SEED Trading, (08) 768 5595.

Apple is a registered trademark of Apple Computer, Inc. IBM PC is a registered trademark of International Business Machines, Corp.

While ATLAP handles node-to-node delivery of packets on a single AppleTalk network, a Datagram Delivery Protocol (DDP) extends this mechanism to socket-to-socket delivery. Sockets are logical entities in the individual nodes of a network. An individual socket is identified by a 1-byte address. Therefore, there can be as many as 256 different socket addresses on a single node. The DDP is designed to provide addressing and packet delivery between several AppleTalk networks connected by a bridge. A bridge might consist of a single node connected to two AppleTalk networks or it might consist of two nodes, each connected to a separate AppleTalk network, connected by a communications channel.

Additional protocols include a routing table maintenance protocol (RTMP) that permits any AppleTalk node to "discover" network routing information, such as the number of the

LAN to which it is directly attached; a name-binding protocol (NBP) that permits users to access network addresses by names rather than numbers; and the AppleTalk transaction protocol (ATP), designed to ensure loss-free delivery of packets from a source socket to a destination socket.

On the Macintosh, these protocols are implemented as 5.5K bytes of code written in assembly language. Because the SCC chip handles address recognition, the network protocols take no system overhead unless a particular node is directly addressed over the network.

Initially, AppleTalk will link groups of Macintosh computers to the LaserWriter laser printer, an impressive 68000-based electronic printing system that will provide hard-copy output of any text or graphical image that can be displayed on the Macintosh screen. The special significance of the LaserWriter is that it is in-

tegrated with PostScript, a page-image-description language developed by Adobe Systems, a start-up company founded by a group of electronic-printing experts who recently left Xerox Corporation (see the text box "Adobe Systems and the PostScript Language" below). PostScript is essential to the viability of AppleTalk because it permits extensive compression of the information the LaserWriter needs to print bit-map images.

LASER TECHNOLOGY

Laser printers are fast, quiet, and capable of high-resolution printing. Until recently, they have also been very expensive, ranging from \$50,000 to \$400,000.

A laser printer has a raster-scanning laser that projects the print image onto an electrostatically charged photosensitive drum. A set of rotating mirrors manipulates the beam—the laser itself doesn't move. Wherever the laser beam touches the drum, the static charge is nullified. Toner (particles of colored plastic) is then attracted to those points. The printer rolls paper against the drum and the toner sticks to the paper. Finally, a hot fuser permanently affixes the toner by melting it onto the page.

The price of laser printers has dropped dramatically because of developments such as Canon's LBP-CX marking engine. That engine, which is also used in Canon's personal copiers, combines several fundamental printer components into a single, inexpensive, disposable cartridge. Because those same components—including the toner and drum—frequently needed repair and replacement on laser printers, the Canon engine greatly improves reliability.

The LaserWriter's disposable cartridges (made by Canon) cost \$99 each and will print approximately 3000 pages. That puts the price in the range of 3 cents per page. The LaserWriter prints on ordinary copy paper but can also use bond paper, European and legal-size paper, transparencies, envelopes, labels, or even business cards. Several different toner

(continued)

ADOBE SYSTEMS AND THE POSTSCRIPT LANGUAGE

Adobe Systems Inc., of Palo Alto, California, was started by a number of researchers who left Xerox's PARC (Palo Alto Research Center). In particular, John Warnock, president of Adobe, was a principal scientist at PARC for raster-graphic display techniques. Charles Geschke, the executive vice-president, was a manager of the Imaging Sciences Laboratory at PARC.


Adobe is trying to make PostScript—their text and graphics language—a business standard. Unlike most print-file description languages, PostScript is not a static, data-structured written description: it is a programming language. When the Macintosh communicates with the LaserWriter, it actually sends a program across AppleTalk.

According to Geschke, "When the program arrives at the 68000 in the printer and begins executing, it has one very interesting side effect, namely, it drives the video on that laser and produces output. But it is really a program description that is generated on the Macintosh and is executed on the printer." By using PostScript, the

amount of information sent across AppleTalk can be trimmed, in some cases, to just 10 percent more than the raw ASCII (American Standard Code for Information Interchange) data.

PostScript is completely encoded in the printable character subset of 7-bit ASCII code and so is completely invisible across any kind of communications line, not just AppleTalk. PostScript can handle any material: text, line-art, photographs, and even color (for printers that can use it). While photographic images are sent as bit maps, graphics are sent as commands and the fonts are sent as mathematical outlines (based on Bezier cubics) that can be stroked, filled, scaled, oriented, or used as clipping boundaries. And it is flexible, as Geschke pointed out. "If you're really into graphic art you can adjust the shape of the half-tone dot, the shape of the tonal production curve, the orientation of the screen, and its frequency."

Adobe isn't only working with Apple. You'll be seeing PostScript in other systems from other companies.



WHEN YOU BUILD A HOUSE... YOU DON'T NEED TO MAKE THE WINDOWS YOURSELF. NOW... THE SAME IS TRUE WHEN YOU'RE WRITING CODE.

Windows With A View Toward The Future

The Window Machine™ occupies only 12K! Written in tight, fast Assembler, it performs like a racing engine...with more power than you'll probably ever need. Yet, it's an engine designed to fit in the vehicle of your choice...from a "stripped-down" 128K IBM PC to a fully loaded AT. The programs you write today will run on the broadest range of machines possible...now, and in the future.

Windows Bigger Than Your Screen?

Here's where the VSI part of our name fits in. VSI means Virtual Screen Interface. Behind each window, there's a much bigger picture. VSI defines virtual screens rather than just windows. The window itself shows whatever portion of its virtual screen you wish to exhibit at any given point in your program. Each screen can be up to 128 x 255 (columns x rows, or rows x columns). And there are more than 100 screen primitives at your command.

Multilingual Windows

You can order The Window Machine with the language interface of your choice: C, Pascal, Compiled Basic, Fortran, Cobol, or PL1. We've even recently completed

These are coders' windows... designed to be built into the programs you are writing. They can overlap, move anywhere on the screen, grow, shrink, vanish or blink. They can be bordered in anything from a simple line to flashing asterisks...or even no border at all. And you can have up to 255 of them at a time! Color or monochrome...of course!

Why did Simon & Schuster, 3COM, Tymshare, and Revlon choose VSI—The Window Machine?

(and how come you can buy it for such a low price?)

\$59.95

an interface for Turbo Pascal*, so that now true, full-featured windowing can be utilized with this fine compiler. (Turbo's own built-in "windowing" procedure is extremely limited).

Windows That Won't Break You

We decided to save you a lot of money. So, we left behind fancy binders, monogrammed slip cases and plastic presentation boxes. Instead, you'll find an extremely powerful tool and a 200 page manual written with an eye toward simplicity, clarity and completeness. (We

*Turbo Pascal is a Trademark of Borland International

figured if you wanted ribbons and bows you could always add them yourself.)

And by offering you the product ourselves, we were able to cut out all the middlemen and save you a tremendous amount of money.

VSI The Window Machine™

Available for the IBM PC, XT, AT, IBM Compatibles, and the Wang, T.I., HP 150, and Tandy 2000.

The Window Machine Includes:

- Zoom Windows
- Multiple Virtual Screens (up to 255)
- Choice of Borders (including flashing borders)
- Support for all Color and Monochrome Video Attributes (no graphics card required)
- Built-in Diagnostics
- And much, much more

ORDER YOUR COPY OF VSI—THE WINDOW MACHINE TODAY For Visa, MasterCard and American Express orders call toll free: 1-800-227-3800 ext. 986

The Window Machine™ \$59.95 Shipping and handling included

LANGUAGE INTERFACE:

- ☐ Lattice C ☐ Realia Cobol ☐ Microsoft Basic Compiler ☐ Microsoft Fortran
☐ PL1 ☐ Microsoft Pascal ☐ Turbo Pascal (full featured true windowing)

COMPUTER _____

Name _____

Address _____

City _____

State _____

Zip Code _____

☐ Check

☐ Money Order

☐ VISA

☐ MasterCard

☐ American Express

Card # _____

Exp. Date _____

*California residents: tax included. Orders outside the USA: please add \$5 for shipping and handling.



AMBER SYSTEMS
1171 S. Saratoga-Sunnyvale Road
San Jose, CA 95129

AMBER SYSTEMS, INC. 1171 S. Saratoga-Sunnyvale Road, San Jose CA 95129

FOR DEALER INQUIRIES: CALL OUR 800 NUMBER

colors are available.

The Canon engine is used in the LaserWriter and many other new laser printers, from Hewlett-Packard's \$3495 LaserJet to the \$10,000 QMS 800. These laser printers can turn out eight pages a minute and yet make only about as much noise as a copier. All of these machines can print at the same 300-dots-per-inch resolution. While far better than standard dot-matrix printers, they aren't up to the 1200 dots per inch or better that phototypesetters produce (see figures 1 and 2 for samples of the LaserWriter's output). Still, unless you're a graphics expert, it is hard to distinguish this resolution from typeset text. The difference between the various Canon-based laser printers is in the controllers; each manufacturer uses its own controlling computer.

Because the laser scans synchronously across the page, image dots must be fed to the laser at exactly the right time. That requires data storage in the printer itself. Shipping data to the printer memory as a simple bit map would take too much time for most users. An RS-232C port running

at 19,200 bps (bits per second) would take nearly 7 minutes to send the 7,920,000 bits for a single page; even the speedier AppleTalk network would take half a minute. To ease that bottleneck, most manufacturers put some form of intelligence, such as encoded graphics instructions and pre-loaded fonts, into the printer controller. Then the computer need only send a condensed form of the print image to the printer controller.

The least intelligent controllers have limited printing capabilities. The Hewlett-Packard LaserJet, for instance, can only print 6 square inches of graphics per page and has a limited set of character fonts. On the other hand, the expensive QMS printer uses a standard Tektronix terminal emulation (a set of graphics protocols). For example, instead of sending a bit map of a circle to that printer, a computer only needs to send the Tektronix instruction to print a circle of a certain size, shape, and position.

LASERWRITER HARDWARE

The Apple LaserWriter printer can generate a variety of fonts and high-quality graphics with the help of a

powerful built-in computer and the PostScript language.

The LaserWriter's internal computer-controller board was designed by Burrell Smith, a key figure in the Macintosh design group, and is built around an 11.2-MHz 68000 processor, 1.5 megabytes of RAM (random-access read/write memory), and 0.5 megabyte of ROM (read-only memory). The ROM contains the PostScript code.

The laser-printer project's design goals were formed when Adobe Systems suggested that a laser printer could offer graphics without giving up letter-quality text. Part of this involved making the printer controller as intelligent and as fast as possible, so that encoded information could be sent over the AppleTalk LAN to spare the network a huge overhead burden.

Of the LaserWriter's 1.5 megabytes of RAM, half a megabyte is used for temporary scratch-pad buffers and font caching and a full megabyte is devoted to the screen. The LaserWriter has other small memory components, such as a static RAM cache of 4K bytes that allows the 68000 to process faster by executing inner loops without any wait states. In addition, Apple built into the hardware one of the most common input transfer modes. Burrell Smith said, "We do a classical OR between contents of memory and the data you wish to enter to the frame buffer—in a single bus cycle."

Apple is a high-volume producer. To that end, it has kept the component count on the board low—there are only 34 chips plus memory and resistor packs. In comparison, one competing laser-printer controller board has close to 150 chips. The LaserWriter board has been designed, as was the Macintosh, for automatic insertion and test. The chip technology used is generally the same as for the Macintosh: 25-nanosecond PAL (programmable-array logic) chips, 256K-byte dynamic RAM chips, and 256K-byte ROM chips. Smith noted, "What we're trying to do is take relatively expensive technologies and

(continued)





Figure 2: Sample output from the LaserWriter.

A shelf
loaded with
software is
impressive,
but

one simple
program
loaded with
capabilities
is better.



To get a lot out of a printer, you need a lot of
programs, right?

Wrong.

True, your customers want to change type sizes,
create their own characters, and even print sideways.
But you don't need to stock a lot of different
printer utilities. One simple program will blow all
the others right off your shelf.

Printworks. It's loaded.

 **SoftStyle™**

SoftStyle, Inc. • 7192 Kalanianaʻole Hwy • Suite 205
Honolulu, Hawaii 96825 • Phone (800) 367-5600

\$69.95 retail. SoftStyle products are distributed by Softset and Ingram Software.
Simple Menu Control • Pivot Printing™ lets you print sideways quickly and easily • Prints full IBM character set including line graphics, math and science symbols • Foreign language characters • Easily set print modes: condensed, emphasized and more • Create new characters or entire fonts • Many fonts included • Supports thousands of popular software packages including Wordstar, dBaseII and Lotus 1-2-3.
Printworks enhances over 30 dot-matrix printers: C.I.T.O.H Prowriter (8510, 1550, 7500 all with the letter "E" included in the model number), CENTRONICS Horizon (H80), EPSON (FX-80/100, RX-80/100, JX-80, LQ-1500, MX-80/100 III with Grafrax Plus), IBM Graphics Printer, INFORUNNER Riteman (Plus, Blue Plus, II, 15), NEC Pinwriter (P2-3, P3-3), OKIDATA (ML 84 Step 2, ML 92 and 93 with or without Plug 'n Play Kit, Pacemark 2350 and 2410), and STAR (Gemini 10X/15X, Radix 10/15, Delta 10/15). For the IBM PC, PC-XT, PCjr., Compaq and many other IBM compatibles. Needs 128K and DOS 1.1 or later.

make them ourselves."

Once the print image has been completely set in the RAM, the printer needs to ship it out to the laser apparatus as quickly as possible. That task is aided by the 68000, which helps drive the video electronics. The central processor stores the data in two FIFO (first-in/first-out) memories.

That scheme allows a minimum amount of bus contention between the microprocessor and memory. Everything on the board is a slave to the 68000. That flexible architecture is exploited, for example, by the margins of the page to be printed. When the margins move inward, the frame buffer used for generating the

bit map is actually reduced in size—allowing more RAM to cache the fonts.


The Macintosh has nonvolatile parameter memory that allows it to remember certain modifiable control settings between uses. Apple decided to further explore that scheme in the LaserWriter by putting in a 0.5K-byte EEPROM (electrically erasable programmable ROM), which is expandable to 2K bytes. As Smith points out, that is "equivalent to 16,000 DIP (dual-inline package) switches."

The AppleTalk port isn't the only way to drive the LaserWriter. There is also a DB25 connector with completely programmable RS-232C protocols. Adobe indicated that they and others would provide packages that will use translators or emulators to drive Tex, Troff, Scribe, and other mainframe-style composition systems.

What sort of performance does the built-in computer offer for the LaserWriter? According to Smith, when it is combined with perfect hardware, the printer is capable of turning out a page in 6 seconds. With the Apple controller, "We're expecting a 10-second average time per page," he says.

Anything that can be put on the Macintosh screen can be printed by the LaserWriter. When you use the Printer Chooser desk accessory to select the LaserWriter printer instead of the ImageWriter, the Macintosh calls a new printer driver. On the Macintosh, all screen graphics are based on QuickDraw routines called from ROM. Bud Tribble, the Macintosh software manager, says, "The LaserWriter's strategy is different than the ImageWriter's. Even though all the Macintosh's QuickDraw routines are in ROM, every entry point to QuickDraw has a handle on it that allows us to trap out that call and go someplace else. That's what happens during printing to the LaserWriter driver. We trap out all the QuickDraw calls, and when that call comes along, the system translates it to the equivalent PostScript call, which ships it over AppleTalk to the laser printer and prints out." For now, the printer works

(continued)



dBASE II VIDEO MANUALS

LEARN BY SEEING - NOT READING!

Each subject is a 3-tape series. *The Basics* will take you from the beginning and lead you through dBASE II commands. You will soon be creating your own databases, editing files, deleting records, etc. *Application Programming* will teach you program layouts, loops, structures and so much more. You will be writing your own programs within hours.

dBASE

Coming soon...

dBASE III*
WORDSTAR*
MS-DOS*
CP/M*
LOTUS 123*
MULTIPLAN*

* MultiPlan and MS-DOS are registered trademarks of Microsoft, Inc. CPM is a registered trademark of Digital Research. Wordstar is a registered trademark of Micro Pro. dBASE II and dBASE III are registered trademarks of Ashton-Tate. Lotus 123 is a registered trademark of Lotus Corp.

#DB125 - THE BASICS

#DB135 - APPLICATION PROGRAMMING

VHS-BETA

\$149⁹⁵ DB125 OR DB135 **\$279⁹⁵** BOTH DB125 & DB135

COD, CHECKS, M/O

— ORDER BY PHONE —

Call Toll Free
From California

1-800-624-4525
1-916-546-3371

Western Video Productions

P.O. Box 2300
8079 N. Lake Blvd.
Kings Beach, CA 95719

132 BYTE • FEBRUARY 1985

Inquiry 329



Trade over the counter.

Introducing the most complete 24-hour investment service on the market.

Spear Securities has teamed up with The SourceSM to bring you the most comprehensive personal investment service ever introduced.

Now you can use any personal computer to trade stocks, options or bonds quickly and inexpensively. Without software. But that's not all.

Immediate access to market intelligence.

If you're going to compete with professional investors, you need more than instant trading. That's why we give you the ability to analyze and compare thousands of companies. And we provide immediate access to critical business news and price changes as they occur.

We even take care of your portfolio updating and record-keeping. And your account is protected up to \$10 million*.

Get started for \$35-a-trade.

Between now and February 28, 1985, most market orders placed with Spear Securities (up to 1,000 shares) will cost only \$35 each. After that, you'll enjoy our regular discount rates, which will save you up to 70% on stock transactions compared to full-cost broker commissions.

The coupon on the right will get you all the details. Fast. Our toll-free number is even faster. Just dial **(800) 821-1902**. In California, call **(800) 321-6116**.

*Combination of SIPC protection and private insurance. See brochure for details. Available exclusively via The Source **SIPC** Member NASD

SPEAR SECURITIES

The Electronic Investment Center

626 Wilshire Boulevard
Los Angeles, CA 90017

- ☐ Send me information on how to trade over the counter.
☐ I have a personal computer.
☐ I am currently a member of The Source.

Name

Address

City

State Zip

B-2

Spear Securities, a member of the NASD and SIPC, is a wholly owned subsidiary of Investment Resources & Technology, Inc. The Source is a service mark of Source Telecomputing Corporation, a subsidiary of The Reader's Digest Association, Inc. The Source services are offered in participation with Control Data Corporation.

Picture a computer under \$1000
that can run Lotus 1-2-3.



To run a powerful program, you need a powerful computer. But "powerful" doesn't always have to mean expensive.

Case in point: PCjr from IBM.

With its 128KB memory,

PCjr can run the world's best-selling business program—Lotus 1-2-3—in its new cartridge form. Giving you the power to integrate spreadsheets and data bases, and visualize numbers in charts and graphs.

PCjr's cartridge format offers some real advantages, too.

A cartridge not only loads much faster than a program on diskette—it uses almost no user memory. So you get more "room to work."

It can also free the diskette drive to be used for information storage alone.

And perhaps best of all, a cartridge program can't be erased. Which means your investment is safe.

Of course, PCjr runs diskette programs as well. Over a thousand of the best programs written for the IBM PC. For business, home management, communications, education and entertainment.

And for all of its power, it costs less than \$1,000*, without monitor.



"But I already have Lotus 1-2-3™ on diskette."

If that's the case, you may not want to buy the cartridge version. All you need is a PCjr Installation Kit (available free where you bought 1-2-3) and the new 128KB PCjr Memory Expansion Attachment.

This doubles PCjr's memory. And, by no coincidence, it also doubles the number of programs you'll be able to run.

So you can use Lotus 1-2-3 on diskette, and over a thousand *additional* programs that utilize expanded memory.


Picture yourself with PCjr. You can try one out at an authorized IBM PCjr dealer or IBM Product Center.

For the name of the store nearest you, call 1-800-IBM-PCJR. In Alaska and Hawaii, call 1-800-447-0890. **IBM®**

IBM PCjr

Growing by leaps and bounds.

Inquiry 143




Before or after you buy a PCjr, it's easy to get answers to your questions. Just call 1-800-222-PCJR.

*IBM Product Center price, monitor not included.

Lotus and 1-2-3 are trademarks of Lotus Development Corp. Little Tramp character licensed by Bubbles Inc., s.a.

C



***A program to take
the tedium out of converting
C programs to Pascal***

BY TED CARNEVALE

no matter how much you prefer a particular programming language, there are times when it is necessary to use a different one. I found myself in this situation recently after I had written a graphics subroutine library in C for the Pixeltronics high-resolution graphics display board that uses the NEC 7220 GDC (graphics display controller) chip. Since the display was attractive, I decided to incorporate the routines into our lab's high-speed data-acquisition system.

The data-acquisition program, which controlled A/D (analog-to-digital) conversion and signal averaging, was compiled with Digital Research's Pascal/MT+ compiler. I chose this implementation of Pascal because it supports floating-point operations using the AMD (Advanced Micro Devices) 9511A, a high-performance arithmetic coprocessor that allows faster on-line data averaging and scaling. To run the A/D converter at top speed, special drivers were written in assembly language. The package's weak link was its subroutine to display data on a nonstorage oscilloscope, using the D/A (digital-to-analog) section of the converter board. The time required to sweep multiple traces across the oscilloscope screen limited the maximum rate of data acquisition.

It didn't seem practical to rewrite all of the data conversion software in C just to use the graphics display. Furthermore, we would have to write new drivers to use the AMD 9511A for floating-point calculations in C. Worse yet, the floating-point format and

dynamic range of the AMD 9511A are radically different from their counterparts in our version of C (Software Toolworks C80 with optional floats and longs).

For a while I considered linking the rel (relocatable) files produced by C80 (which contain the graphics routines) to the erl (extended relocatable) files generated by Pascal/MT+ (which contain the data-conversion routines). This proved to be especially cumbersome for two reasons.

First, both of these languages use the stack to pass parameters to subroutines. Pascal/MT+ assumes that the subroutine will pop the parameters from the stack, which has the side effect of restoring the stack pointer to its position before the subroutine call. However, C80 expects the calling program to restore the stack pointer. Therefore, repeated calls from a Pascal program to C subroutines would make the stack grow larger and larger, potentially overwriting vital regions of memory. Circumventing this problem requires the crude but effective dodge of inserting a special "unstack" routine after each C routine call, so that the stack pointer would be properly restored.

The second problem is more difficult to deal with and relates to the fact that Pascal lacks local static variables. LINKMT, the linker for Pascal/MT+, issues error messages when it encounters certain conditions in the data segment. Some of my graphics procedures used local static variables, and these modules could not be processed by LINKMT.

In theory this can be overcome by

using LIBMT to convert the Pascal erl files to rel files and then linking them to the C80 rel files with Microsoft's L80. But somehow I could never get this technique to work right. Even if L80 could have produced a functioning mongrel, it would have been needlessly bulky, since the graphics drivers would have their own arithmetic and logic routines extracted from the C library with much needless duplication of similar functions provided by the Pascal library. Still, if it had worked I would have used it.

Having failed to weld C routines to Pascal, I had to rewrite the graphics drivers in Pascal. At first this seemed less awful than it really was. There are enough similarities between these two descendants of ALGOL that major revisions are not necessary for most simple routines. Many of the required changes can be done with any editor using global search/replace commands. For example, C's block delimiters { and } are direct counterparts of Pascal's begin and end.

This method is fine if you only have to translate a few short programs, but it has some major problems otherwise. Suppose you accidentally replace the C comment delimiters /* and */ with { and } before replacing the block delimiters with begin and end? And how about the different uses of = in C and Pascal? If you replace each = with :=, then C's

(continued)

Ted Carnevale is an assistant professor of neurology at the State University of New York at Stony Brook. He can be reached in care of the Neurology Dept., SUNY, Stony Brook, NY 11794.

Listing 1: *The C-to-Pascal program, written for the Software Toolworks C80 compiler.*

/* C to Pascal — filter to replace C punctuation and certain key words with their Pascal equivalents.

C form	Pascal form
“	‘
{	BEGIN
}	END;
<tab>	<2 blank spaces>
()	<nothing>
&&	AND
	OR
comment start	{
comment end	}
=	=
!=	<>
=	:=
printf	writeln
scanf	readln
while	WHILE

Usage: ctp <infile> >outfile
*/

```
#define EOF -1
#define EOS '\0'
```

```
main ()
{
    char c, *letter, word[100];
    int wordlnth;

    letter = word;
    wordlnth = 0;
    while ((c = getchar()) != EOF) {
        if (isalpha(c)) letter[wordlnth + ++] = c;
        else {
            if (wordlnth > 0) { /* word ready to check */
                letter[wordlnth] = '\0';
                wtest(word); /* pass or replace it */
                wordlnth = 0; /* reset index */
            }
            ctest(c); /* process following char */
        }
    }
} /* note: the last word in the file will be missed if it is immediately followed
by EOF with no intervening nonalphanumeric character. This is not a problem for
Pascal or C program sources. However, a general-purpose word filter would have
to check for a nonzero wordlength after EOF is reached. */
```

```
wtest(word)
char *word;
{
    char *swapword;
    swapword = word;
    switch (word[0]) {
        case 'p': if (strcmp(word, "printf\0") == 0) swapword = "writeln\0";
                  break;
        case 's': if (strcmp(word, "scanf\0") == 0) swapword = "readln\0";
                  break;
        case 'w': if (strcmp(word, "while\0") == 0) swapword = "WHILE\0";
                  break;
        default: break; /* pass unchanged */
    }
}
```

(continued)

The C functions printf and scanf could be replaced by writeln and readln.

equality test == becomes :=, <= turns into <:=, and >= becomes >:=.

You could step manually through the file, verifying all replacements one at a time, and this might not take too long if you have excellent eye-hand coordination. If you're really good, you might catch most of the errors before your compiler does. However, I wouldn't even attempt it. I was faced with the task of editing 27 separate files, totaling about 30 pages of drivers and test programs to convert from C to Pascal. After manually translating three of these to Pascal, I decided to write a "filter" that would do as much of the dirty work as possible.

The first step in developing this C program, called CTPC (see listing 1), was identifying what substitutions could be made easily, reasonably, and safely by an unsupervised, i.e., non-interactive, program. The C functions printf and scanf could be replaced by writeln and readln. Where necessary, the ln suffixes can be deleted manually at the same time the argument lists are revised.

The only other word substitution that I made was to capitalize WHILE. It is a trivial matter to change the program to perform case substitutions on other words (e.g., for or if). You will also want to replace switch with case and delete any case that appears in the C source. In addition to the block and comment delimiters, the non-alphanumeric characters that I decided to replace included tab (replaced with two spaces, my own format preference for Pascal), double quote, empty pairs of parentheses, logical "and" (&&), logical "or" (!!), and the various uses of =.

(continued)

MicroAge®



Join The Leader

...and be a Leader!

MicroAge is the computer solution leader. Throughout the United States and Canada, businesspeople rely on MicroAge for advice, leading products, and service when computerizing their companies.

But remaining the leader takes talented professionals who are willing to invest in their own community. People who are willing to assume a leadership position. That's why MicroAge is meeting with indi-

viduals who want to own and operate a MicroAge sales organization.

Owning a MicroAge franchise is more than running a store. We sell multi-user systems, local area networks and telephone systems...along with personal computers. We provide service, installation and training for our customers.

If you would like to develop a long-term relationship serving the businesses in your area, let's talk business! Call or write:

MicroAge®
COMPUTER STORES
"The Solution Store"®

1457 West Alameda • Tempe, AZ 85282
1-800-245-4683

In Arizona or outside the continental U.S. call (602) 968-3168

"The Leader In Multi-User Technology"


```

    }
    swap(swapword);
}

ctest(c)
char c;
{
    switch (c) {
    case '"': putchar('\ ');
              break;
    case '{': swap("BEGIN\0");
              break;
    case '}': swap("END\0");
              break;
    case '\t': swap(" \0");
              break;
    case '&': swapif('&', '&', " AND \0");
              break;
    case '|': swapif('|', '|', "OR \0");
              break;
    case '(': swapif('(', ')', "\0");           /* () simply deleted */
              break;
    case '/': swapif('/', '*', "{\0");
              break;
    case '*': swapif('*', '/', "{\0");
              break;
    case '!': swapif('!', '=', "<>\0");         /* != -> <> */
              break;
    case '<':
    case '>': putchar(c);                      /* <x and >x are passed unchanged */
              c = getchar();
              putchar(c);
              break;
    case '=': identassign();                    /* == -> = , = -> := */
              break;
    default:  putchar(c);
              break;
    }
}

swap(s)
char *s;
{
    while (*s != EOS) putchar(*s + +);
}

swapif(first, second, replacement)
char first, second, *replacement;
{
    char c;
    if ((c = getchar()) == second) swap(replacement);
    else {
        putchar(first);
        putchar(c);
    }
}

identassign()
{
    char c;
    if ((c = getchar()) != '=') {               /* assignment */
        putchar(':');
        putchar('=');
    }
    putchar(c)
}

```

The next question was how to perform the substitutions. I decided the program should read through the file one character at a time, building words and testing them one at a time, while checking nonalphanumeric characters for any necessary replacements. For my purposes, I defined a word as a string of alphanumeric characters bounded by nonalphanumeric characters (including underline and numerals). This convention places restrictions on the labels that can be used in a program. For instance, `printf1` would change into `writeln1`, and `new__scanf` would become `new__readln`. If you use reasonable prudence in choosing names, you will avoid such undesired side effects.


An array of type `char` is used for temporary storage of each word. This array is arbitrarily much longer than any variable, function, or constant label that I am ever likely to use. Words are built one character at a time, starting with the first alphanumeric character encountered. The appearance of a nonalphanumeric character signals the end of each word. An index variable keeps track of the length of the word, and a pointer indicates the location for the next character.

When a nonalphanumeric character is found, the length of the word is examined. If the word length is nonzero, the program branches to a string comparison and conditional replacement routine. This routine handles each word in a similar fashion. It seemed easiest to use C80's `strcmp` (string compare) function to identify replaceable words. This function is not difficult to simulate if it is lacking from any particular C implementation.

Nonalphanumeric characters are treated in a somewhat different manner. Some, like `tab` or `"`, are simply replaced directly. Others, like `/` or `&`, are replaced only if followed by a second character such as `*` or another `&`, respectively. The various `=` constructs are all handled differently.

For the sake of convenience, I used a UNIX-like command-line specification for input and output filenames.

(continued)



Networking Raised to a Greater Power

Advanced Technology. With it, IBM tripled the speed of the PC and increased its memory capacity five-fold. Nowhere is this increase in computing power more important than in networking situations. If the AT's technological advances have prompted you to look into a multi-user network, you owe it to yourself to take a closer look at MultiLink Advanced™ . . . a unique multi-tasking, multi-user networking system that runs programs under PC-DOS 3.0.

Eight Workstations for the Price of an AT. MultiLink Advanced™ represents the next generation in networking systems for IBM microcomputers. The system enables terminals, connected to a single AT, to emulate IBM-PC's having up to 448K of RAM (The PC-Shadow™ terminal, shown above, even has a PC look-alike, as well as work-alike keyboard and display).

This means that instead of spending \$3,000 per workstation for a PC with a Kilobuck "Network Interface Board," you can use inexpensive terminals . . . eight of which cost less than an IBM AT. Even if you need only one workstation connected to your AT, you'll realize significant savings.

MultiLink Advanced™ . . . Instant Access to All of Your Resources. Central to most multi-user situations is the need to coordinate a variety of printers. With what's been described by *PC-Tech Journal* as ". . . by far, the best print spooler for the IBM PC," MultiLink Advanced™ gives users the option to print either at their workstations, or at a central location. In addition, programs and files can be shared by multiple users locally or through use of a modem. Just think of it . . . having remote access to an AT with a lightweight terminal/modem.

Although designed to take advantage of the AT, MultiLink Advanced™ runs on all versions of PC-DOS, except 1.0, and certain implementations of MS-DOS. A wide range of leading programs are supported which include WordStar, dBASE III, Multimate, and Lotus 1-2-3.

Get the Advanced Story Today. Call The Software Link Today for complete details and the dealer nearest you. MultiLink Advanced™ is immediately available at the suggested retail price of \$495 and comes with a money-back guarantee. VISA, MC, AMEX accepted.

MultiLink™
ADVANCED
 **THE SOFTWARE LINK, INC.**

IBM, PC, AT, & PC-DOS are trademarks of IBM Corp. MS-DOS, WordStar, dBASE III, Lotus 1-2-3, and Multimate are trademarks of Microsoft Corp., MicroPro, Ashton-Tate, Lotus Development Corp., & Multimate International, respectively.

8601 Dunwoody Place, Suite 336, Atlanta, GA 30338 Telex 4996147 SWLINK
CALL: 404 998-0700

Dealer Inquiries Invited

Inquiry 287

MultiLink Advanced™ & PC-Shadow™ are trademarks of The Software Link, Inc.

Listing 2: Sample output of the CTPC program, a partial processing of the program's own source file.

```
#define EOF - 1
#define EOS '\0'

main
BEGIN
  char c,*letter,word[100];
  int wordInth;

  letter = word;
  wordInth = 0;
  WHILE ((c = getchar) < > EOF) BEGIN
    if (isalpha(c)) letter[wordInth + +] = c;
    else BEGIN
      if (wordInth > 0) BEGIN { word ready to check }
        letter[wordInth] = '\0';
        wtest(word); { pass or replace it }
        wordInth = 0; { reset index }
      END;
      ctest(c); { process following char }
    END;
  END;
END;
```

The typical command line reads
CTP <INFILE.XXX >OUTFILE.YYY

Listing 1 is my current version of CTPC. Listing 2 is part of the file CTP.PAS produced by using CTP to process itself.

This filter program was designed to perform simple substitutions. It passes #define, #ifdef, and #include statements unchanged. It does not label functions or procedures, generate type definitions, reorganize variable declarations, or perform other radical alterations. Nor does it eliminate the need for program restructuring to compensate for major differences between C and Pascal (the lack of local static variables in Pascal being one of the more annoying problems). However, it does remove most of the error-prone aspects of building a Pascal program on the framework of a C program. ■

IBM COPY PROTECTION

A versatile system that works.

Call ALF first
1-800-321-4668

MultiGuard is ALF's new IBM copy protection system. It's reasonably priced, yet offers maximum protection and flexibility. Call the toll-free number above for our pamphlet on copy protection systems. Inside Colorado, call 234-0871.

ALF

ALF Products • Denver, CO

BLANK DISKS

Major Brands • Low Prices

Call ALF first
1-800-321-4668

If you need 50 or more top quality disks, bulk-packed (without expensive labels or fancy packaging), call the toll-free number above for the latest price on your favorite brand. ALF copies thousands of disks each day—so we know which disks will perform best with your system! Inside Colorado call 234-0871.



ALF

ALF Products • Denver, CO

Think BEFORE YOUR NEXT PC!

Your PC to Time Sharing System

KT-7/PC



Why buy “ADDITIONAL EXPENSIVE PC’S” just to get additional users!

Kimtron is the only one that enables you to expand your IBM PC, XT, AT or the other PC compatibles to Multi-Tasking and Multi-User system at a fraction of the cost of additional PC's. Only Kimtron can display the screen exactly as your PC monochrome monitor, even for software like Lotus 1-2-3 or Word Star. Plus only Kimtron provides an IBM PC keyboard look-alike.

Operators will not only think and feel the KT-7/PC as if they're using IBM PC, but the KT-7/PC

provides many more useful features such as tilt, swivel and height adjustment of monitor, optional amber screen, a dedicated serial printer port for each user at no extra cost, and optional 14 inch screen.

In addition, the KT-7/PC is designed for flexibility so that it can also be used as an industry compatible ASCII terminal.

Kimtron, a 5-year technology leader - we're going places and want you to join the Kimtron family of satisfied users. For more information about our KT-7/PC and your other terminal needs, call the Kimtron Corporation.

(408) 727-1510


NOTE: IBM PC, XT, and AT, Lotus 1-2-3, and Word Star are trade marks of IBM Corporation, Lotus Development Corp., and MicroPro International Corp.



2225 - I Martin Avenue
Santa Clara, CA 95050
408-727-1510 TWX: 910-338-0237

Kimtron

Inquiry 171



© 1984 Cosmos

Revelation.[®] Because the object is to win.

Winning isn't easy when you have to work harder than your PC because your relational database falls short.

That's why experienced users power their PC's with the Revelation[®] "Applications Environment" from Cosmos.

More than a relational database. Revelation gives you the tools and flexibility you need to prototype and develop even the most exotic microcomputer applications with relative ease and efficiency. Revelation uses plain English to create files, fields,

entry screens and menus, process information, make simple inquiries or generate complex reports.

Revelation's R/DESIGN applications generator does the work for you, or you can switch to Rev's structured R/BASIC language for precise program customization. You can make changes in programs, screens or data structures in a matter of seconds without having to start from scratch.

Revelation works with MS/DOS[™] so you can take advantage of all your favorite microcomputer software packages,

and Rev's "Open Environment" communications concept allows interactive access to many mainframe and mini-computer systems. Networking and runtime versions are also available.

When you need more than a simple database, Rev up your PC with Revelation, the "Applications Environment" from Cosmos.

Contact us by phone or write and we'll arrange an unforgettable demonstration for you with a Cosmos representative in your area.

MS/DOS[™] of Microsoft Corp.

Inquiry 75

COSMOS[™]

Cosmos Inc. 19530 Pacific Highway S.

Seattle, WA 98188, (206) 824-9942

SIMULATE A SERVO SYSTEM

Letting the computer *handle the math eases the designer's job*

A servo mechanism is essentially a small motor that controls a larger motor. A servo-control system consists of the logical instructions needed to guide the servo mechanism. Control systems were brought out of the laboratory and into practical use about the time guided missiles were developed for World War II. The original vacuum-tube type was big, heavy, and expensive, but integrated-circuit (IC) technology has reduced the size of control-system technology as well as others. Now, almost the entire servo-control electronics package fits into a single IC, as in present model-airplane radio-controlled servos. Consequently, the cost of these systems has been reduced so that they are now found in automobile cruise-control systems, stereo turntables and tape decks, kitchen appliances, and home-workshop tools.

A reduction in the size and cost of servo-control systems, however, has not reduced their complexity. The design of servo-control systems remains one of the most intricate of the electrical engineering sciences. However, the computer's simulation ability has simplified the designer's job. Simulation is now a common part of the servo-control system engineer's tool kit, and similar simulation, though not as complex, can be effected with home computers.

As an example, let's design an electronic weighing scale. Figure 1 is an illustration of how such a scale would be arranged. A balance beam forms the main part of the scale, along with the weight pan on the left. On the right side, instead of the normal balance weights, we attach a solenoid. The solenoid is designed so that the pull on the solenoid armature is directly proportional to the current in the coil. A sensor, such as a low- (continued)

Don Stauffer is a senior research scientist at Honeywell Systems and Research who went from building model airplanes from balsa wood to modeling advanced avionics systems on computers. He can be reached at 6741-157th Lane NW, Anoka, MN 55303.

friction potentiometer, forms an error detector that gives a voltage proportional to the angle by which the scale is out of balance. The servo-control system uses this error signal to change the current through the solenoid to eliminate the imbalance. The current in the solenoid coil is now proportional to the weight in the pan, and a current meter is calibrated to read in weight units.

Figure 2 is the type of diagram a designer would draw for this kind of feedback servo-control system. The circle at the left represents a summing junction. The output to the right of the junction is the sum of the inputs to the other two (or three) quadrants. As shown here, the junction indicates the difference between the commanded or desired quantity, Q_c , and the actual quantity, Q . The servo-control computer operates on this difference and outputs a voltage to the actuator. The actuator is a physical device, usually a force transducer that drives the

quantity to be controlled either up or down so that the actual value equals the desired value. At this point the system is balanced, and the error signal (or feedback) will remain at zero unless some perturbing force displaces the system or a new input value is commanded.

A servo-control designer is concerned with several aspects of the system's behavior. First and foremost is stability. That is, does the system indeed act to reduce the error, and not, as servo-control systems have a habit of doing, actually cause the error to increase wildly? How soon will the system reach a new equilibrium? If it takes too long to settle down, the system may not be usable in practice. Is the amount of error that remains after the system reaches a new equilibrium sufficiently small? Ideally, you'll have no error but in practice you'll probably have some and will have to decide if it is tolerable.

Without simulation you have to use

complicated differential equations to try to predict a mechanism's behavior. Computer-based simulation does the math for you. In addition, simulation lets you design more complex servos, whose behavior could not be predicted easily by normal differential equation methods. Figure 3 charts a typical simulation. After setting the initial conditions, the program enters the iterative loop (input, model, output, update). It scans user or process input to see if conditions are to be changed. If the simulation is supposed to be continuous, such as the physical simulation we will be working with, input is best done with a keyboard-monitoring routine to keep the program running between inputs. The heart of the simulation is the next step—the math model. In this block, the computer performs its mathematical operations on the equation that describes the system being simulated. Almost any system or

(continued)




Figure 1: The servo system holds the balance beam level.




Figure 2: A servo system operates by measuring the difference between the commanded and actual values of some quantity and uses a function of that difference to drive an error-reducing actuator.




Figure 3: A typical simulation-program flowchart.



Are you battling incompatible office automation systems?

Call 1-800-227-1817 ext. 812A
for your free booklet.

Now, in just minutes, you can get two incompatible office automation systems to work together. To swap documents in *letter perfect order*.

All without battling a single modem, service bureau, telephone company or instruction manual.

**Announcing the KEYWORD 7000,
an exciting new breakthrough in office
automation compatibility.**

It's here! A compact new hardware/software device that can convert diskettes quickly. Easily. *With no cleanup.*

That means you can swap diskettes between all the major office automation systems without losing headers. Footers. Tabs. Underlines. Or any other formatting codes.

What's more, the KEYWORD 7000 costs just pennies a page. Compared to service bureaus at \$3. And rekeying at \$4.50.

But that's not all. With Keyword, you'll discover a whole new cost-saving world of office efficiency... *using the office automation systems you have right now!*

To find out more, call 1-800-227-1817 ext. 812A and get your complimentary copy of *How to Win the Compatibility Battle. Exciting New Facts about Today's Office Automation Compatibility Solutions*. Or fill in—or attach your business card to—the tear-out coupon. And mail.



KEYWORD
Keyword Office Technologies, Inc.
25354 Cypress Avenue
Hayward, California 94544

812A1

Yes! I want to find out how the KEYWORD 7000 can solve my office automation compatibility problems.

- ☐ Call me ASAP at
() _____ Ext. _____
- ☐ Send me your FREE booklet.

Name _____
Title _____
Company _____
Address _____ M/S _____
City _____ State _____ Zip _____
Phone () _____ Ext. _____

DISCOUNT**1 - 800 - 354 - 2985****HOT LINE**

GUARANTEED BEST PRICES

CALL MON - SAT 8 - 5

SUPER SALEOKI 92P - \$349 STAR 10X - \$235
HAYS 1200B - \$399 LOTUS 123 - \$295**MODEMS****HAYS**

1200 - \$475 MICROMODEM - \$225

U.S. ROBOTICS

PASSWORD - \$310 IBM PC - \$320

COMPUTERS**ALTOS**

586-20 - \$5695 586-40 - \$7195

SANYO

550-1 - \$679 555-2 - \$1049

PRINTERS**C-ITHO**

F10 - \$899 8510 - \$1175

DATASOUTH

DS180 - \$1099 DS220 - \$1399

DIABLO

620 - \$725 630 - \$1675

EPSON

RX80 - \$220 JX80 - \$560

NEC

3510 - \$1215 3550 - \$1519

OKIDATA

182 - Call 93 - \$575

SILVER REED

400 - \$269 770 - \$839

TELEVIDEO

TPC II - \$1729 1605 - \$1699

SOFTWARE**LOTUS**

123 - \$295 SYMPHONY - \$439

MICROPRO

Wordstar - \$189 Wordstar Pro - \$295

D Base II - \$299 Friday - \$175

Multiplan - \$139 Supercal III - \$200

MBSI - \$325 TCS - \$75

BOARDS**AST**

Six Pac - \$259 Combo + - \$259

QUADRAM

Quadlink - \$449 Quadboard - \$279

TERMINALS**TELEVIDEO**

914 - \$515 925 - \$699

WYSE

50 - \$495 75 - \$565

DISCOUNT COMPUTER**4655 N. ORACLE RD. #207
TUCSON, ARIZONA 85705**

Prices Subject To Change.

SERVO SYSTEM

situation that can be mathematically described in a cause-and-effect relationship can be simulated by a computer. Next, the program displays or prints an output. Then the time vari-

able is incremented and, if the program is not terminated by some condition that exceeds its limits, the program repeats.

(continued)

Listing 1: This program is written in TRS-80 Level II BASIC but can be adapted to any of the BASIC dialects.

```

10 REM SCALE SERVO CONTROLLER
20 REM by Don Stauffer
30 CLEAR 200
40 REM EDIT ASSIGNMENT STATEMENTS TO ALTER CONTROL CONSTANTS
50 PR=0 : REM PRINT CONTROL VARIABLE
60 TH=0 : REM SCALE BALANCE BEAM ANGLE
70 TM=0 : REM BEAM ANGLE DURING LAST ITERATION
80 W=0 : REM INITIAL WEIGHT IN PAN
90 JS=5 : REM BEAM MOMENT OF INERTIA
100 D=5 : REM DISTANCE FROM PIVOT TO WEIGHT OR SOLENOID
110 K=10 : REM SCALE FACTOR, SOLENOID CURRENT TO FORCE
120 K1=-0.4 : REM PROPORTIONAL SERVO CONSTANT
130 K2=0 : REM RATE SERVO CONSTANT
140 K3=0 : REM LAG SERVO CONSTANT
150 DT=0.2 : REM TIME INCREMENT
160 T=0 : REM INITIAL TIME
170 ST=0 : REM STOP PARAMETER
180 REM BEGIN SIMULATION LOOP
190 IF PR > 1.5 GOSUB 5000
200 REM CHECK FOR INPUT
210 GOSUB 1000
220 REM COMPUTE CONTROL FORCE
230 GOSUB 2000
240 REM COMPUTE MOTION
250 GOSUB 3000
260 REM DISPLAY AND PRINT OUTPUT
270 GOSUB 4000
280 REM UPDATE TIME
290 T=T+DT
300 IF ST<0.5 THEN 200
310 STOP
1000 'CHECK FOR INPUT
1010 IF PEEK(14400)=128 THEN GOTO 1010
1020 IF PEEK(14340)=8 THEN ST=1
1030 IF PEEK(14340)<>128 THEN RETURN
1040 PRINT@65," ";
1050 INPUT"CHANGE WEIGHT";W
1060 IF W<0 THEN W=0
1070 RETURN
2000 REM COMPUTE CONTROL CURRENT
2010 ER=TH
2020 IF ER<-10 THEN ER=-10 ELSE IF ER>10.0 ER=10.0
2030 I=K2*(TH-TM)/DT+K1*ER+K3*(ER+EM)
2040 EM=ER
2050 RETURN
3000 TM=TH
3010 J=JS+W*D[2
3020 F=K*I
3030 LC=F*D
3040 LW=W*D
3050 AA=(LC-LW)/J
3060 WD=WD+AA*DT
3070 TH=TH+WD*DT

```

(continued)

YOUR DAYS OF BUYING TERMINALS ARE OVER!

Now there's SmarTerm terminal emulation software for your IBM* PC, XT, AT or compatible system. All SmarTerm products offer comprehensive and exact terminal emulation, powerful file transfer facilities, and include TTY mode to link you to The Source, CompuServe, Dow Jones or other popular time-sharing services. We've included features such as ASCII and binary file transfer,

multiple setup configurations, XMODEM and PDIP* protocol

support, "smart" softkeys, plus European DOS support.

SmarTerm 100 is your choice for DEC* VT100, VT102 and VT52 emulation.

SmarTerm 125 has all the features of SmarTerm 100, plus VT125 ReGIS graphics support. For Data General Dasher* D100, D200 or D400 emulation, you need **SmarTerm 400**.

More than 15,000 users are already "hooked" on SmarTerm. Try it for 30 days, with full refund privileges, and you will be too.

Persoft, Inc. - 2740 Ski Lane
Madison, WI 53713
(608) 273-6000 - TELEX 759491




AFTER SMARTERM,™ WHAT DO YOU DO WITH YOUR OBSOLETE TERMINAL?



See your name in print! Send us your ideas for uses of obsolete terminals replaced by SmarTerm. The best ideas will be used in future ads. Write Persoft, Dept. FISH., 2740 Ski Lane, Madison, WI 53713.

*SMARTERM and PDIP are trademarks of Persoft, Inc. * IBM is a registered trademark of International Business Machines Corp. * DEC, VT and ReGIS are trademarks of Digital Equipment Corp. * DASHER is a registered trademark of Data General Corp.

persoft



dBASE



NEW

QUICKREPORT™

dBASE Report Generator

- Prints *any kind* of report or form
- Up to **6 databases** per report!!
- Incredibly easy to use
- No programming required

QUICKCODE III™

dBASE Program Generator

- Create CMD files *automatically*
- Data entry screens
- Data input error checking
- Computed fields & totals
- Link up to 8 databases!

**Why write programs yourself?
Let QUICKCODE III do it!**

dGRAPH III™

dBASE Graphics System

- Pie, line, bar charts
- Printer, plotter, or CRT
- Many automatic features

dUTIL III™

dBASE Program Utility

- Finds program errors
- Improves code
- Saves time

—Versions available for dBASE II—

**INFORMATION
HOTLINE**

800-221-0156



FOX & GELLER

Fox & Geller, Inc. 604 Market St., Elmwood Park, N.J. 07407

dBASE II and dBASE III are trademarks of Ashton-Tate
QUICKCODE and QUICKCODE III are trademarks of Fox & Geller, Inc.

SERVO SYSTEM

```

3080 IF TH < - 10 THEN TH = - 10 ELSE IF TH > 10 THEN TH = 10
3090 RETURN
4000 CLS
4010 PRINT "ACTUAL WEIGHT = ";W
4020 PRINT @384,"TIME","ANGLE","CURRENT","WEIGHT"
4030 PRINT @448,T,TH,I,F
4040 IF PR < 0.5 THEN RETURN
4045 IF PR > 1.5 GOTO 4080
4050 LPRINT T,W
4060 LPRINT AA,WD,TH,F
4070 RETURN
4080 NF = T:NI = INT(NF): RX = NF - NI
4090 IF (RX < DT) THEN LPRINT CHR$(51); ELSE LPRINT CHR$(54);
4100 PP = 10 * F: IF PP < 2 THEN PP = 2
4110 IF PP > 134 THEN PP = 134
4120 IF PP = 134 THEN CH = 74 ELSE CH = 47
4130 NS = PP - 2: IF NS < 0 THEN NS = 0
4135 FOR NZ = 1 TO NS: LPRINT CHR$(88);: NEXT
4140 LPRINT SP$:CHR$(CH)
4150 RETURN
5000 LPRINT CHR$(27)CHR$(81):LPRINT CHR$(27)CHR$(84);"12"
5010 LPRINT CHR$(27)CHR$(35)
5020 FOR N = 1 TO 135
5030 NF = N/10: NI = INT(NF): RX = NF - NI
5040 IF (RX < 1E - 2) THEN LPRINT CHR$(49); ELSE LPRINT CHR$(53);
5050 NEXT N
5055 LPRINT CHR$(10)
5060 RETURN
  
```

The program shown in listing 1 follows this flowchart closely. The program is written in TRS-80 Level II BASIC, but I have attempted to use as few nonstandard instructions as possible. You can adapt this program to any of the BASIC dialects (see the text box "Program Changes" on page 153, for more information). Lines 50-170 set the physical constants' values and give initial values to variables. The stop variable ST (in line 170) is used to terminate the program upon command. The program must be edited to change the values of any of the constants except weight, which can be changed by the operator. PR is a variable printout control. PR = 0 results in no hard copy, PR = 1 gives you a tabular list of the variables shown on the screen, and PR = 2 gives a graphic trace of the indicated weight. Line 5000, referenced if PR > 1.5, is used to set up the scale of the printer and to print an axis.

Line 200 is where the main loop begins. Line 1000 looks for a user input. If you press the W key, the program stops and expects a new value for the weight on the pan. The S key

and the space bar also have functions, which I'll describe later. The subroutine starting on line 2000 is the math model of the control computer block in figure 2. We will be able to understand this block better after we begin to play with the servo simulation. The subroutine that begins at line 3000 is also part of the math model and represents the physics of our scale. It represents Newton's second law of motion as applied to rotating systems. (The text box "Physics Math Model" on page 153 has more details about the mathematical model of our scale.) The force applied to the solenoid equals the current after it is multiplied by a scale factor (line 3020). Torque is equal to the product of a force (F) multiplied by a distance (D), so the torque in the beam is equal to the product of F multiplied by D (line 3030). Assume that the distance from the pivot to the weight is the same as that from the pivot to the solenoid, so line 3040 calculates the torque due to the weight. Therefore, line 3050 determines the angular acceleration by finding the net difference between the torque

due to the weight and the torque due to the solenoid current, and then that net difference is divided by the moment of inertia. Lines 3050 and 3060 integrate the acceleration to angular velocity and angle.

The subroutine starting at line 4000 displays the output on the screen. The program displays elapsed time, the deflection angle, the solenoid current, and the indicated weight. For reference, the actual weight is also displayed in the upper left corner. If a hard copy is desired (PR equal to or greater than 1), the print routine continues. Lines 4050-4070 output the table, and the graphic output is begun by the command at line 4080. The table output routine slows down execution considerably, so don't use it unless you find an interesting case. If you don't want a hard copy, the subroutine returns to the main program. If you haven't set the stop variable, the program loops back to line 200 and continues.

The subroutine starting at line 5000 scales the characters per inch in both directions and draws an axis. In operation, the graph is drawn vertically down the paper. (The values given are those needed with a C. Itoh ProWriter.) Other printers will require different values in lines 5000 and 5010. Line 5000 puts the ProWriter in condensed (17 characters per inch) mode and sets the vertical feed to 12 lines per inch. You can set these values to any you like. Line 5010 puts the printer into the graphics mode. Be forewarned: The program does not take the printer out of the graphics mode. You have to do it manually.

You usually start the program with no weight on the pan ($W = 0$). Pressing the W key for about one second stops the problem and the computer will prompt you for the value of weight you want to add. The scale will work well with any weight less than 10 units. Other keys include the S key, which will stop the program (you can also hit the Break key) and the space bar, which freezes the operation for as long as you hold it down. You have to edit the program to alter the servo-control constants, the physical param-

eters of the scale, or the printout command. I recommend that you avoid printing anything until you have a setup you really want to document. The printer slows down the simulation, especially when you call for graphics. In fact, while the computer is executing the subroutine that does the scaling (line 5000), expect a

lengthy pause. After several seconds the normal screen and simulation will appear.

SERVO THEORY

After typing in the program with the values given in listing 1, go ahead and run it to see that it works. Don't worry

(continued)

PROGRAM CHANGES

The BASIC I used in this program is Radio Shack Level II BASIC, but you can easily convert the program to other computers. I minimized commands unique to the Level II interpreter. The CLEAR command in line 30 clears for string space and is needed only for the graphic print option. The keyboard-scanning routine in lines 1010 to 1030 checks the keyboard for depressed keys. Using a normal INPUT statement would stop the program once every iteration, while we want the program to continue. The PEEKs look at the memory area of the memory-mapped TRS-80 keyboard. The Apple should use the same technique, although the memory locations will be different. Line 1010 looks for the space bar and freezes the program for as long as that key is depressed. Line 1020 looks for the S key. Line 1030 looks for the W key. For the Com-

modore 64 use the GET command.


The other main thing to watch for is the manner in which an output is sent to a line printer. If no printer is used, PR in line 50 will always be set to zero, and no changes are required. If a printer is used with another computer, however, modifications must be made. The TRS-80 merely uses the command LPRINT followed by the desired outputs, as in line 4050. For Apples, change all LPRINTs to PRINTs, precede each one with a PR#1, and follow it with a PR#0. For the Commodore 64, you must use the OPEN command before each output to the printer, followed by an OPEN 1,3 to return the output to the screen.

The other area of the program you may need to modify contains the graphics commands to printers other than the ProWriter. These parameters are discussed in the main text.

PHYSICS MATH MODEL

The code in lines 3000-3090 is a mathematical model of the physics of our scale. The scale operates according to Newton's second law of motion, but it is expressed in a form for angular motion, which may make it seem a little unfamiliar. Newton's second law is ordinarily expressed as: $F = MA$. For rotary or angular motion, however, it is expressed as: $AA = L/J$, where AA is the angular acceleration (degrees per second squared), L is the net torque (difference between the torques in opposite direction), and J is the moment of inertia. Moment of inertia is the resistance to a change in rotation and is the rotary equivalent of mass. The moment of inertia is a func-

tion of the beam's structure and of the weight added to the pan (line 3010). Torque equals force times distance. For our scale, we assume that the distance between the weight and the pivot is the same as the distance between the pivot and the point where the solenoid applies its force. Thus, line 3030 represents the torque generated by the solenoid, while 3040 represents the torque from the applied weight. Line 3050 calculates the angular acceleration. Line 3060 integrates the acceleration to find the angular velocity; 3070 integrates once more to find the angle. Line 3080 represents mechanical stops that prevent the beam from rotating more than 10 degrees in either direction.



sempe

SPERRY PERSONAL COMPUTER SPECIFICATIONS

OPERATING SYSTEM	KEYBOARD
MS DOS Version 2.11 with G.W. BASIC	84 keys, 6 ft. cord
MICRO-PROCESSOR	AUXILIARY MEMORY
16-bit 8088	Up to two internal 5 1/4" diskettes
DISPLAY SCREENS	10MB internal fixed disk when configured with single diskette.
High Definition monochrome display IBM compatible graphics.	USER MEMORY
COMMUNICATIONS	Standard 128K bytes, expandable to 640K
Built-in Asynchronous	DIAGNOSTICS
	Power-on self test


To Sperry, performance has never been a question of how we strut our stuff, but of how well we pass muster.

So while other PC's parade their bells and whistles and fancy footwork, the Sperry PC quietly proves its superiority.

Superiority in graphics. With a brilliant display of color and design.

Ergonomic superiority. With a far more comfortable and infinitely more operable keyboard.

Operational superiority. With its ability to run 50% faster than most other PC's.



Finally, a PC that proves you don't have to be showy to steal the show.

And all of this at a price well below the standard.

But the area in which the Sperry PC clearly demonstrates its leadership is compatibility.

It is our understanding of this critical concept that has made the Sperry PC so compatible with software for the IBM PC.

And in terms of its ability to be compatible with your company's most important source of information, the Sperry PC is peerless.

Because the Sperry PC plugs into the main computer.

Whether that main computer is

Sperry. IBM. Or both.

The Sperry desktop and portable PC's.

By comparison, everyone else will seem a little flatfooted.

But when you're out to lead the parade, you have to be on your toes.

A full-color reproduction of this original Sempe illustration, suitable for framing, is available with our compliments. Call or write for it, and we'll also send you an information kit on our family of PC's.

The Sperry PC.

**What the personal computer
should have been in the first place.**

Telephone toll-free 1-800-547-8362.

Sperry Corporation, P.O. Box 500,
Blue Bell, PA 19424-0024.



Inquiry 354



about making sense out of the simulation yet. Before we do any experiments, let's look at some elementary servo theory. Figure 4 shows the most

simple form of servo controller. This is known among servo designers as a proportional control system. The controller merely takes the error

signal ($Q_c - Q$) and multiplies it by a constant, known as the "gain constant." In our example, we want the angle of the scale to be zero. Thus, the commanded value of Q (Q_c) will always be zero, and our error is always equal to $-Q$, where Q is the scale's actual angle. The output signal to the actuator and, as mentioned previously, the restoring force on the scale are proportional to the error.




Figure 4: In a proportional control system, the error between the actual and the commanded value is multiplied by a gain constant to drive the actuator.




Figure 5: Continuous oscillation is a common feature of a proportional control system with no damping.

Now consider for a moment how you want your scale to act. Obviously the weight readout should be close to the actual weight in the pan. There are other desirable features, too. Beam balances seem to take forever to settle down and show whether they are indeed in balance. Electronic scales can also exhibit such oscillations, so we would like ours to settle down quickly. Additionally, if the scale comes to rest with the beam not level, there may be an inaccuracy. With these three criteria, let's run the program with the initial values from listing 1 and see how the scale performs.

As we start out, the scale is in balance and everything stays at rest with the scale at zero angle. Now press the W key until you see the prompt for weight. Type in a value, such as 5.0. This adds 5 ounces to the scale. The scale is now out of balance, and the beam swings to a negative angle. The control system senses this angular error and increases the solenoid current. This attracts the beam and slows it down. Now the current-generated force exceeds the weight, and the beam's angle moves back toward zero. When this happens, the solenoid shuts off the current and the cycle repeats. We have built a good oscillator. Our simulation will continue to oscillate like this forever. Figure 5 is a plot of a cycle of this condition. Stop the program now, as it is neither exciting nor instructive beyond this point. Pivot friction in an actual scale would eventually reduce these oscillations. However, it would take a long time and its effect would be small in a well-built scale. Consequently, I left friction out of my simulation model. Playing with the value of $K1$ will affect the period of the oscilla-




Figure 6: A proportional-plus-rate system uses the output variable's rate of change as part of the control calculation.

SERVO SYSTEM

tion but won't eliminate it.

The way the servo designer eliminates eternal oscillation is to add "rate damping" to the system. Figure 6 shows a proportional-plus-rate system. The symbol $\dot{Q}$ with a dot over it (pronounced "Q dot") represents Q 's rate of change over time. Again, Q is our controlled variable, the angle of the scale. In calculus, this is the time derivative. We add rate damping to our system by setting K_2 to some non-

zero value. Try a value of -4 in line 130 and run the program again. Figure 7 shows a typical result. Now we have reduced most of the oscillation, although a small amount of excess motion remains. The excess motion eventually stops, but the speed at which it stops is sluggish. The scale could almost be considered practical now. However, in addition to the sluggish response and the excess motion,

(continued)




Figure 7: The addition of rate-of-change feedback creates a damped oscillation.




Figure 8: The addition of a quantity proportional to the integral of the controlled quantity reduces error when the system reaches equilibrium.

PC SOFTWARE SALE!

WE'LL MATCH PRICES ON MOST PRODUCTS

LOTUS 1-2-3/ SYMPHONY

\$295/\$415

dBASE II/III

\$265/\$365

WORDSTAR 2000

\$245

LOOK AT THESE SPECIAL PRICES!

AST Products	CALL
Crosstalk	\$ 99
dBase II/III	\$265/\$365
EasyWriter II System	\$185
Hayes 1200/1200B	\$475/\$395
IUS Accounting	CALL
Lotus 1-2-3/Symphony	\$295/\$415
MicroPro Products	CALL
Microsoft Products	CALL
Multimate	\$255
Norton Utilities	\$ 59
PFS: File/Graph/Write	\$ 83
PFS: Report	\$ 74
ProKey	\$ 87
Quadram Products	CALL
RBase 4000	\$265
SuperCalc 2/3	\$145/\$195
VolksWriter Deluxe	\$175
Wordstar 2000/2000 Plus	\$245/\$295
Wordstar Prof. Package/Plus	\$245/\$345
All Other Products/Diskettes	CALL

To order:

Call TOLL-FREE:

800-227-4780 or 415-845-2651

Or write:

ECONOMY SOFTWARE

2040 Polk Street

San Francisco, CA 94109

ECONOMY SOFTWARE

- ☐ We guarantee our products against manufacturer's defects.
- ☐ Quantity discounts available. We are experienced with Corporate accounts.
- ☐ No surcharge added for charge cards. No charges until products are shipped.
- ☐ Purchase orders accepted.
- ☐ Call for shipping charges.
- ☐ Prices subject to change.

VISA

MasterCard

ERG/68000

MINI-SYSTEMS

- ☐ Full IEEE 696/S100 Compatibility

HARDWARE OPTIONS

- ☐ 8MHz, 10 MHz, or 12 MHz
68000/68010 CPU
- ☐ 68451 Memory Management
- ☐ Hardware Floating Point
- ☐ Multiple Port Intelligent I/O
- ☐ 64K/128K Static RAM (70 nsec)
- ☐ 256K/512K/1MB Dynamic RAM (150 nsec)
- ☐ Graphics-Digital Graphics
CAT-1600³
- ☐ DMA Disk Interface
- ☐ SMD Disk Interface
- ☐ 1/4" or 1/2" Tape Backup
- ☐ 5 1/4" or 8" Floppy Disk Drives
- ☐ 5MB-474MB Hard Disk Drives
- ☐ 7/10/20 Slot Back Plane
- ☐ 20 or 30A Power Supply
- ☐ Desk Top or Rack Mount Encl.

SOFTWARE OPTIONS

- ☐ 68KFORTH¹ Systems Language
- ☐ CP/M-68K² O/S with C, 68K-BASIC¹,
68KFORTH¹, FORTRAN 77, EM80
Emulator, Whitesmiths' C, PASCAL
- ☐ IDRIS³ O/S with C, PASCAL,
FORTRAN 77, 68K-BASIC¹, CIS
COBOL⁴, INFORMIX⁵ Relational
DBMS
- ☐ UNIX⁶ SYS V O/S with C, PASCAL,
FORTRAN 77, BASIC, RM COBOL⁷,
ADA⁸, INFORMIX⁵, Relational DBMS
- ☐ VED 68K Screen Editor
- ☐ Motorola's MACSBUG and FFP
Package

Trademark ¹ERG, ²Digital Research,
³Whitesmiths, ⁴Micro Focus, ⁵RDS,
Inc., ⁶Bell Labs, ⁷Ryan McFarland,
⁸U.S. DoD, ⁹Digital Graphic Systems

30 Day Delivery - OEM Discounts



since 1974

Empirical Research Group, Inc.
P.O. Box 1176
Milton, WA 98354
(206) 872-7665

SERVO SYSTEM




Figure 9: The integral partially offsets the effect of rate damping so you get quicker response and some overshoot, which is quickly damped out. You can't see the reduction of the weight beam's angular error in this plot of indicated weight versus time, but including the integral $\bar{Q}$ increases the scale's accuracy.

we have another problem. As the system approaches equilibrium, we still have an angle error of about 1 degree. This is not drastic, but we can do much better.

Specifically, we will add yet another block to the system (shown in figure 8) and create a proportional-plus-rate-plus-integral, or proportional-plus-rate-plus-lag, system. Although this is beginning to look like a formidable circuit, don't be dismayed. This is as complicated as it gets. We can create a proportional-plus-rate-plus-lag servo by changing K_3 to a nonzero value. Try a -3 for K_3 in line 140 and run the system again. We've speeded up the response and increased the excess motion. But as the system damps out, we see that a greatly reduced angle is obtained. Since an increase in K_2 reduced the excess motion before, let's try increasing it again, this time to -8 . Now that's more like it. Although there is still some excess motion, it quickly stops (see figure 9).

The reading reaches equilibrium in a few seconds, and the angular error is less than one-tenth of a degree. You can improve your results even more by further refining K_2 and K_3 . We have now designed a practical servo-controlled scale that is stable and becomes quiescent with reasonable speed. Play around with the system. As with any computer simulation, you can't hurt anything. If you want to see things really go awry, try putting in a value for any of the three servo constants with the opposite sign.

This simplified simulation illustrates much of the behavior of the typical servo system. You can easily modify the program to represent a speed-control servo (e.g., an automobile's cruise control). The professional engineer must still dabble in the realms of complex variables, nonlinear differential equations, and other forms of higher math, but simulations similar to this one are revolutionizing the design of servo systems. ■

100 MHz scope, counter, timer, multimeter: All one integrated system.

100 MHz dual time base scope. 3.5 ns risetime; sweeps from 0.5 s to 5 ns/div; alternate sweep; $\pm 2\%$ vertical/horizontal accuracy; vertical sensitivity to 2 mV/div @ 90 MHz.


9-digit fluorescent display. Digitally accurate readouts accompany the CRT waveform. Error messages and prompts also appear on the display.

Dc volts and ac coupled true RMS volts. Measured through the Ch 1 scope input.

Gated measurements. Use the scope's intensified marker to measure frequency, period, width and to count events within specified portions of the signal.

Auto-ranged, auto-averaged counter/timer. Frequency, period, width, delay time, Δ -time, plus totalize to more than 8 million events—with 7 digits plus exponent displayed.

Auto-ranged DMM. Use floating DMM side inputs with up to 5000-count resolution. Get precise readouts of average dc and true RMS voltage. Measure resistance from milliohms to gigohms.



Now make measurements faster, easier, with greater accuracy and user confidence. The Tek 2236 makes gated counter measurements, temperature, time, frequency, resistance and voltage measurements push-button easy. You see results concurrently on the 9-digit numeric readout and CRT display.

Its complete trigger system includes pushbutton trigger view, plus peak-to-peak auto, TV line, TV field, single sweep and normal modes.

At just \$2650*, the 2236 includes the industry's first 3-year warranty on all parts and labor, including the CRT.

Integrated measurement system. 3-year warranty. 15-day return policy. And expert advice. One free call gets it all! You can order, or obtain literature, through the Tek National Marketing Center. Technical personnel, expert in scope applications, can answer your questions and expedite delivery. Direct orders include probes, operating

manual, 15-day return policy, full warranty and worldwide service back-up.

**Order toll-free:
1-800-426-2200
Extension 57**

In Oregon call collect:
(503) 627-9000 Ext. 57
Or write Tektronix, Inc.
P.O. Box 1700
Beaverton, OR 97075

Tektronix®
COMMITTED TO EXCELLENCE

We Just Made Our Terminals Look Even



Best Selling Graphics Better.

NEVER BEFORE HAVE DEC
COMPATIBILITY AND GRAPHICS
BEEN SEEN AT A PRICE THIS LOW.

At \$1395, the Visual 102G is the only DEC[®] compatible terminal with Tektronix compatible graphics at a price this low.

The 102G actually outperforms the VT240.[™] Unlike DEC's machine, it uses the full screen for superior Tektronix emulation. The keyboard is more compact and has 16 programmable, nonvolatile function keys. Powerful graphics capabilities give you a higher resolution (768 x 293) in a terminal with power and features emulating the Tektronix 4010/4014.[™] And it's fully compatible with the DEC VT102.[™]

Compared to the DEC VT220,[™] buying the Visual 102G is like getting a DEC compatible terminal with free graphics.

AT \$1595, RESOLUTION
AND FEATURES THIS SHARP ARE A
SIGHT TO BEHOLD.

\$1395

For those who require even higher resolution graphics than the 102G, the Visual 500/550 terminals deliver it with full Tektronix 4010/4014 emulation.

768 x 585 resolution on a large, easy to read 14" screen gives you remarkably sharp text and graphics displays. The 500 emulates the DEC VT52,[™] Data General D200,[™] Lear Siegler ADM3A,[™] and Hazeltine 1500[®] terminals. The 550 is DEC VT100[™] protocol compatible and a character or block mode terminal that complies with

the ANSI X3.64 standard.

Never before have such features and graphic resolution been seen at this price.

ALL THREE TERMINALS OFFER MORE
THAN MEETS THE EYE.

The Visual 102G, 500 and 550 are fully compatible with all of the major software available. This includes PLOT 10,[™] DISSPLA,[™] TELL-A-GRAF,[™] SAS/GRAF,[™] DI 3000/GRAFMAKER,[™] INFOgraph,[™] SPSS,[™] TERMPLETE,[™] DR Graph,[™] GSX,[™] and all GSS[™] products.

Each of the terminals comes with a wide variety of advanced resident graphics features, including vector draw; point plot; circle, arc and rectangle draw and fill; multiple line styles and patterns; as well as an auxiliary port that supports a variety of printers, plotters and data tablets.

BEING NUMBER THREE,
WE DO OUR BEST TO LOOK OUT
FOR NUMBER ONE: YOU.

Visual Technology Incorporated is the third largest producer of graphics terminals in the industry. It's been your widespread acceptance of our products that has allowed us to offer you a price second to none.

If you're in the market for graphics terminals with the optimum combination of features, resolution and price, look no further. Call Visual today.

VISUAL See for yourself.*

Visual Technology Incorporated

540 Main Street, Tewksbury, MA 01876
For more product information,
call 1-800-341-5400 (1-800-462-5560 in MA)
or 1-617-851-5000.


Inquiry 325

AS SNUG AS A BUG IN A RUG.

Snuggle The SQUASH™ AC Power Controller comfortably underneath your computer monitor, plug your computer and peripherals into the back panel and you'll have complete power control of all of your accessories at your fingertips. Not only do you gain added convenience, but with EPD's advanced surge protection and EMI-RFI filtering technology, The SQUASH will keep your computer from becoming a vegetable. And it's backed by a lifetime performance guarantee.

It's compatible with IBM*, Apple*, Commodore*, Columbia*, and most other desktop computers.

The SQUASH, ask for it at your local dealer. It's part of a new harvest of products from the folks who brought you The LEMON™



DON'T PLUG IN WITHOUT US.



Electronic Protection Devices Inc.
P.O. Box 487, Stoneham, MA 02180
(617) 279-0424 • 1-800-343-1813

*All of the above titles are trademarks, registered trademarks, or service marks of third parties.

INTRODUCTION TO IMAGE PROCESSING

Image manipulation reveals hidden information

IMAGE PROCESSING, or I/P as it is often abbreviated, is a branch of computer graphics based on image data—the pieces that make up a picture. In essence, image processing is a special form of two-dimensional (and sometimes three-dimensional) signal processing. Scenes are developed from a camera-like sensor, either a conventional film-based system or a scanner, and manipulated so that they provide more information. I'd like to show just how common I/P is and describe some of its fundamentals.

Image processing is a powerful suite of techniques for uncovering information. Some of the techniques are comparable to photographic darkroom processes, but much more is involved. The principal idea behind image processing is to make an image more informative, or, in communications jargon, to extract more signal from the noise.

Commercial television has trouble displaying more than a dozen different gray levels. The human eye can perceive more levels of gray, but not many. If you need to be able to distinguish between shades of gray that are finer than you can see, you enter the realm where image processing can help. A black-and-white image-processing system can usually distinguish at least 32 gray shades.

Typically, computer systems treat images as arrays, or series of elements. The number of elements in an array determines the resolution of the image, and the number of bits available to any element of the array (or *word size*) determines the number of "colors" or gray-scale values each element can have. The smallest element of a picture corresponds to a single element of the data array. This element is called a *pixel*, an abbreviation for picture element. Popular choices for the number of pixels in an image are either based on powers of 2 (256 by 256, 512 by 512, or 1024 by 1024) or on hardware standards like the 525-line commercial television system.

The number of bits in a given pixel determines the number of unique gray

values or colors available. Eight-bit pixels provide 256 different gray values in black and white or 256 unique colors. Most larger systems have 24-bit pixels—8 bits each for red, green, and blue—which translates into over 16 million unique colors. That many colors is more than one can display on a monitor, and certainly more than you can distinguish visually.

At least three standard systems are used to describe color. (See reference 2 for more background on color theory.) The *additive* system works by considering the amount of red, green, and blue light you would have to add together to create a specific color. Color television works precisely this way. If you take a close look at a color television or video monitor screen, you'll see triplets of colored dots. Each triplet contains a dot of each of the additive primary colors, red, green, and blue. This triplet represents the single pixel, the smallest element in the picture whose color you can specify. Similarly, I/P systems are almost always based on the red-green-blue additive system.

In contrast, when you're mixing paint, you mix the *subtractive* primary colors. The subtractive primary colors are cyan, magenta, and yellow.

Finally, human visual perception is often parameterized by hue, saturation, and intensity (or value). Hue is the simplest to understand; it is the "color" or dominant wavelength you see, for example, red versus green. *Saturation*, sometimes called purity, is easy to think of in terms of mixing white into a pure color. Red and pink are the same hue, but they differ in saturation—red is more saturated than pink. *Intensity* (or value) is the relative brightness of a color. When the relative brightness of a color. When you view a red wall with the sun shining brightly on it and then when the light is dim, the difference in "reds" appears only in intensity.

(continued)

BY
JEFFREY L. STAR

Dr. Jeffrey L. Star is a development engineer at the Remote Sensing Research Unit, Department of Geography, University of California, Santa Barbara, CA 93106.




Photo 1a:
Color composite
image of southern
California
by NASA Landsat
Thematic Mapper.

Since all three of these systems are alternative ways of describing color, you might expect that you could freely convert (or "transform") between them, and you'd be right (see references 2 and 3). From here on, however, I'll be discussing the red-green-blue additive system.

IMAGING IN ACTION

My particular area of interest is image processing for satellite remote sensing. Several U.S. federal agencies, in particular NASA (National Aeronautics and Space Administration) and NOAA (National Oceanic and Atmospheric Administration), fly satellites with imaging sensors.

NASA's Landsat 5 is the most interesting such satellite now in operation. Landsat has two imaging systems: the Multispectral Scanner (MSS) and the Thematic Mapper (TM). Both are multiband imaging systems. Because of their fields of view and the satellite's orbital parameters, they cover the globe between latitudes 80 north and 80 south about every 18 days. Ground resolution for MSS is approximately 80 meters (that is, each pixel represents an area on the ground that is 80 meters on a side). For TM, ground resolution is approximately 30 meters. (Data from these sensors is available to the public from NASA. Ask for *The Landsat Tutorial Workbook: Basics of Satellite Remote Sensing*; see reference 6.)

Photo 1 comes from the NASA Landsat TM, showing a portion of southern California at the edge of the Salton Sea. The different colors correspond to rock type, and the San Andreas and associated faults run generally parallel to the shore. The image in photo 1a is a multiband color composite, produced as if several cameras with different filters were providing distinct information on the same scene. The image in photo 1b is pseudocolor processed (see explanation below). Photos 2a and 2b are from the Landsat MSS.

I/P SYSTEMS AND SOFTWARE

Systems for image processing range over almost all of the computer field—from Apples and IBM Personal Computers (PCs), through small minicomputers, to mainframe installations. While small PDP-11s have been the standard in the past, the Motorola 68000 microprocessor and DEC VAX systems seem to be the emerging standards. The fol-

lowing are a few of the commercially available systems.

ApplePIPS, for the Apple II with Apple DOS 3.3, and MicroPIPS, for the IBM PC with PC-DOS 2.0, are available from The Telesys Group Inc., Columbia, Maryland, at a cost of \$495 each. These packages come with demonstration Landsat satellite data and are an excellent way to learn the rudiments of image

processing. Classification (see definition below) and other higher mathematical functions are included in an advanced version of the software.

RIPS (Remote Image Processing System, Spectral Data Corp., Hauppauge, New York) is a Z80, S-100 bus 8-inch CP/M system with a 256- by 240- by 12-bit image memory. The base price is under \$20,000 for the complete system. Software packages cover a broad range of applications. RIPS will process satellite data that the EROS Data Center (Sioux Falls, South Dakota) now supplies on 8-inch floppy disks. Upgrades include video input and a 9-track tape drive.

The IIS Model 75 (International Imaging Systems, Milpitas, California) and COMTAL/3M Vision One (COMTAL/3M, Altadena, California) are dedicated image-processing systems that include display memory, a video processor, a parallel interface to a computer, a track ball and function pad, digital-to-analog (D/A) converters, and a comprehensive software library. A typical small system as a peripheral to another computer might cost \$50,000, and upgrades include a Motorola 68000 or DEC PDP-11 embedded microcomputer, with Winchester and 9-track magnetic-tape storage. These systems are typically used at universities and research agencies.

The only specialized hardware you must have for image processing is a display driver and a monitor, although when performance or image quality is important a great deal of specialized equipment is available. Among the components of display drivers are frame buffers, D/A converters, and lookup tables.

A *frame buffer* is the key to any image-processing system. This bank of memory stores the image data. Most medium-size systems use several banks of 512 by 512 elements; in I/P jargon, the rows of the frame-buffer matrix are the *lines* of the image, and the columns are the *samples* along each line. A typical choice for a color I/P system




Photo 1b:
*Pseudocolor
processing highlights
specific features
of the image.*

is to have four memory banks or channels—one each for red, green, and blue, and a fourth for intermediate calculations and superposition of graphics and annotation.

Frame buffers and their associated control circuitry can get complicated. Some systems give you an option to segment memory on the fly. For example, a given system can have 128K bytes of image memory, and you could configure it as either 512 by 512 by 4 bits (16 colors), or 1024 by 1024 by 1 bit (black versus white), or 256 by 256 by 16 bits (64 kilocolors). Often, a system implements zoom and pan, which let you expand a smaller area in the image space to cover the entire display. You can accomplish zoom most easily by pixel replication; for any original pixel, the system displays a 2-pixel by 2-pixel square on the screen. This procedure provides a twofold magnification of any linear feature, and, of course, a fourfold reduction in the area displayed.

A *digital-to-analog converter* transforms the contents of the image memory into a form compatible with your monitor. The number of different intensity levels that a D/A converter can output is related to the number of bits it is designed to handle; the more bits, the more distinct colors or gray levels it can produce. Few systems use D/A converters with more than 8 bits of resolution. As mentioned earlier, for a full-color system this arrangement translates into 8 bits on each of three channels (red, green, and blue), a total of 24 bits of color information per pixel, or over 16 million unique colors. The outputs of the D/A converters are generally formatted to either a standard RS-170 composite video or, in higher-resolution systems, sent to the display via separate R, G, and B (red, green, and blue) cables.

A *lookup table* is an important part of an image-processing system and, like other lookup tables in the computer field, it is a table of stored data for reference purposes. The lookup table performs mapping between each unique input data value and some predefined output value. Applications include color or density mapping and calculations that must be performed rapidly. You could also use a lookup table to assign any particular value in image memory to any arbitrarily displayed color; this method of color determination is pseudocolor processing (more later). You could also use a lookup table to change the contrast range

of a displayed image by setting up the table with a nonlinear transformation between input and output gray values; this adjustment of range can make the output intensities more distinct from one another or compensate for a nonlinear film emulsion or an electronic sensor response. In the same way, you could use the lookup tables, for example, to take square roots of the image values. This

capability is particularly valuable if you are using the data in the image in a mathematical model or a statistical classification. You can then "recycle" the output of the lookup table back into a memory plane, which allows you to save enhanced images and manipulate them further.

Video processors are essentially array processors designed to work with the contents of frame buffers. They are dedicated computation units for performing certain routine operations on images, such as computing the ratio of two colors in an image. They permit relatively small computers and I/P systems to work in "real time," which is comparable to the time it takes to refresh an image on the screen (typically 1/30 second for a standard interlaced display, such as on a color television or microcomputer).

A *frame grabber* digitizes the output of a video camera and places the resulting image into memory. Video inputs are usually limited in terms of geometric accuracy and the number of available gray levels.

A *video film writer* is designed to produce color slides and prints with better resolution than a standard color CRT (cathode-ray tube). Again, on a color monitor a red, green, and blue dot make up a single pixel. The monitor's ability to display color depends on the limits of your eye's resolving power to merge the three color dots. Simply taking a photograph of a monitor works moderately well, but the quality is limited by the nature of the phosphor array (not much better than 1-millimeter resolution at best) and the curved screen.

Inside a video film writer are a black-and-white, high-resolution flat-screen monitor and three color filters. A single piece of film (color slide film or instant print film) is exposed to the monitor three times—first through the red filter, then the green, and finally the blue filter. This way, instead of the red, green, and blue dots being at a different place (as on a CRT), they are superimposed for each and every pixel. The business computer (continued)

graphics and computer-aided design/computer-aided manufacturing (CAD/CAM) uses for video film writers are numerous, with video film writers now available for under \$4000. Some of the manufacturers include Celtic, Polaroid, Dunn, and Matrix.

If you want to turn an image into an array of numbers and you need more resolution and accuracy (or "spatial detail") than you can get from a video camera, you probably need an electromechanical scanner. The original image—transparency, film negative, or paper print—is mounted on a cylindrical carrier (similar to an old Edison cylinder phonograph). As the cylinder rotates, a photo-detector scans along its axis and picks up image data. These scanners are generally large and expensive machines, but they have spatial resolution (in terms of pixel size) in the tens of micrometers.

The reverse process—turning digital data into a photograph—is performed by a device called a *film writer*. In this

case, the cylinder holds a piece of film, which is exposed to a modulated light source (sometimes based on a laser in some commercial instruments). Such a device is capable of much higher resolution output than any monitor or video film writer; one manufacturer's specifications report a 25-micrometer raster over a 250-millimeter film negative. Negative and positive images and transparencies can be produced this way with high accuracy and geometric fidelity.

IMAGE-PROCESSING OPERATIONS

The principal operations involved in image processing are relatively simple. (Problems arise when you have large data sets. For example, the latest images from space derived from the Landsat Thematic Mapper satellite are from a piece of the earth's surface about 180 kilometers on a side and contain 300 megabytes of data.) A number of the key

(continued)



Photo 2a: Raw Landsat satellite data.




Photo 2b: Landsat data contrast-enhanced.



Photo 2c: Upper portion is original data, lower portion has been rectified to a base map.




Photo 2d: Pseudocolor-enhanced image.

Raging C.

Concise structure and fast execution make C the ideal language for applications and system-level programming.

And compared with other MS-DOS C compilers, Microsoft® C consistently produces the fastest executable code.

It supports the full C language and includes an extensive library of subroutines that implement most UNIX™-compatible functions.

Small, medium, compact, and large memory models give you flexibility in selecting the addressing requirements of your software. Programs can be designed to make **MICROSOFT** effective use of the available memory of your computer, up to one megabyte.

Microsoft C Compiler provides you with a complete development system including the compiler, run time library, linker and library manager, and full support of

MS-DOS 2.0 directory structure (pathnames) and I/O redirection.

How do programmers feel about Microsoft C?

"In the top category for its quick compile and execution time, small incremental code, best documentation, and consistent reliability."**

—Ralph Phraner, *BYTE Magazine*

"Best for software development."

—Bill Hunt, *PC Tech Journal*

"Produces good, tight-running programs."

—Peter Norton, *Softalk*

Call 800-426-9400 to order the raging C. \$500*

In Washington State, call 206-828-8088. Ask for operator A6, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft C in action.



*Price exclusive of handling and Washington State sales tax.
Microsoft is a registered trademark and MS is a trademark of Microsoft Corporation.
UNIX is a trademark of Bell Laboratories.

**Reprinted with permission, *BYTE Magazine*, August '83.

image-manipulation functions are explained below.

Radiometric operations manipulate the intensity of the pixels in an image. For example, a given image may be washed out; all the pixel values are in a small range, and they are all very light. One type of radiometric operation, called *contrast stretching*, takes the darkest values in the image and forces their value to black, forces the lightest values to pure white, and linearly varies all the intermediate values. An example of contrast stretching is shown in photo 2, a series of images based on a test case in Sweden. Photo 2a shows the raw Landsat satellite data. In 2b, the image has been contrast-stretched so that the dark areas, representing water, show up better.




Photo 3: A 10-nanosecond x-ray pulse generated during the heating of a magnetically confined argon plasma. Red indicates the most intense x-ray emission and blue the least. (Courtesy of COMTAL/3M and Sandia National Laboratories.)




Photo 4: A neck x-ray image is shown on left. On the right is the same image enhanced by a spatial filtering operation. (Courtesy of International Imaging Systems.)

Another radiometric operation is *density slicing*, where you display only those pixel values whose intensity is in some specified range. This operation is often used to highlight or classify objects in the image that have a characteristic brightness or color. Photo 3 illustrates a 10-nanosecond x-ray pulse during the heating of a magnetically confined argon plasma. In this image, red indicates the most intense x-ray emission and blue the least intense emission. The radial lines indicate the direction of the plasma motion prior to x-ray emission.

Sometimes color coding aids in the interpretation of the density-sliced image; for example, objects whose brightness is in a specified range are displayed in red. This process, known as *pseudocolor processing*, is shown in photos 1b, 2d, and 3.

Spatial operations are another family of manipulations that fall into several categories. One such category is *registration procedures*, which are used to take an image and force it to "overlay" another. For example, any map projection is a distortion of the earth's surface, and to superimpose an aerial photograph onto a map you need to "stretch" the photograph. (Imagine painting the photograph on a rubber sheet and then stretching the sheet until objects on the image overlay the same objects on the map.) Photo 2c shows the effect of a registration procedure. The upper portion is original data, and the lower portion has been rectified to a base map. Notice that features are both rotated and changed in shape; this is a typical application.

Another category of spatial operations is *filtering*, a term used in a signal-processing context. For those who are mathematically minded, think of a Fourier analysis, in this case, a two-dimensional Fourier transform. By isolating the high-frequency components in a scene (those that recur repeatedly), you can find edges, as shown in photo 4, a neck x-ray. The first view is the original x-ray, while the second has been enhanced by spatial filtering. The improvement in the ability to see structure is dramatic. Other smoothing operations remove high-frequency noise from an image in the same way that a filter on your stereo can reduce the sound of scratches and pops on an old record.

Spatial texture, the variation in pixel brightness in a small specified region, can be important in understanding an image. Texture is often calculated as the standard deviation of the nearest neighbors around a pixel, and this deviation can be displayed as an image itself.

Feature extraction and classification, also spatial operations, are powerful tools for image analysis. For example, if certain features in an image are a unique color or gray level, a simple statistical exercise is to "teach" the system to find the features. Unfortunately, feature extraction is almost never this easy. Pattern recognition is a complicated science itself and enters the realms of multivariate statistics, geometry, artificial intelligence, and radiative transfer theory. The end result of feature extraction is similar to photo 2d, where water is represented by the color purple and the regions that are peppered with yellow

(continued)

Ferocious FORTRAN.

Microsoft® FORTRAN crunches numbers with a vengeance!

It combines fast and efficient native code compilation with built-in 8087 coprocessor support. The result? Mini and mainframe performance from your MS™ DOS micro.

Based on the '77 standard, Microsoft FORTRAN supports extensive statements and data types—including complex numbers and IEEE single and double-precision floating point accuracy.

Support for large arrays (greater than 64K bytes), separate module **MICROSOFT** compilation, The High Performance Software and overlays, allow you to create very large programs—up to one megabyte, with access to more than 65 thousand records in a file as large as four gigabytes.

How do programmers feel about Microsoft FORTRAN?

“The first FORTRAN compiler

that takes advantage of the full addressing capability of the 8088 and the power of the 8087.”

—Jack Wilschke, *Softalk*

“We decided to use the Microsoft FORTRAN Compiler for its INTEGER 4 capability and the flexibility of its 8087 implementation.”

—Charlie Huizena &
Chip Barnaky, *PC World*

**Call 800-426-9400 to order
the ferocious FORTRAN.
\$350***

In Washington State, call 206-828-8088. Ask for operator A4, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft FORTRAN in action.

A hand is shown holding a large, three-dimensional, blocky letter logo that reads 'SOFT'. The logo is dark and appears to be made of a heavy material. The hand is positioned at the bottom right, with fingers gripping the base of the letters. The background is a light, slightly textured surface.

*Price exclusive of handling and Washington State sales tax.

Microsoft is a registered trademark and MS is a trademark of Microsoft Corporation.

correspond to known ground cover.

In the realm of *multiple-image operations*, another family of I/P manipulations, image processing can be considered three-dimensional; x and y are the rows and columns of the image, and z (the third dimension) is a spectral or time component. For example, you can have high-altitude color infrared images of agricultural crops taken at different times through the growing season. An image of a hydraulic system from both visible and infrared scanners can help detect overheating in the system by interpreting the infrared band as heat. In each case the data has a third dimension.

Data compression can be an important feature in an image-analysis system. At a theoretical level, the most efficient representation of a scene is to describe the location and orientation of the highest-level object description. ("High-level" is used here in the same way that BASIC is described as a high-level programming language as compared to assembly language. A high-level object description is "This is a house," as compared to "This is a square white object 25 feet by 25 feet in size.") This form of representation requires that you be able to distinguish all the objects in the scene, which is possible in only limited circumstances. On a more practical level, it is often possible to describe the image, using statistical techniques like principal-components analysis, or reduce the size of the data set with other techniques, such as run-length and difference encoding. Data compression becomes most important when image data must be transmitted or where large amounts of image data must be stored.

DOWN-TO-EARTH APPLICATIONS

Image processing is now being used in a number of disciplines. Medical people use image processing to construct pseudocolor images from CAT (computer-aided

As hardware prices drop while capabilities improve, image processing will be used more.

tomography) or PET (positron emission tomography) scanners. Photo 5 shows a series of images generated during a study of blood flow in a rabbit's heart.

Art, advertising, and publishing people use pseudocolor and other techniques in the pursuit of more effective graphics. In the era of computer text editing, the idea of "cut and paste" is common; here, however, this approach includes full-color images and graphics. While straight graphics systems, in general, have difficulty with halftone illustrations and precise color balancing, an image-processing system can handle text, line art, and images in full color.

Structural engineers use I/P to examine weld x-rays for imperfections. Photographers can use I/P for a multitude of image enhancements that are either difficult or impossible in a conventional darkroom.

In each of these settings, people are interested in improving an image's ability to convey certain kinds of information. As hardware prices continue to drop while capabilities improve, image processing will become even more widely used. Courses in image processing are already available at many universities around the country, and in a remarkable range of subject areas; at the University of California, Santa Barbara, for example, I/P is taught in the geography department at levels ranging from beginning to advanced. ■

ACKNOWLEDGMENTS

I'd like to thank David Eckhardt and Earl Hajic, University of California, Santa Barbara, for their help preparing this article, as well as Robert Crippen (University of California, Santa Barbara), SATSCAN (San Francisco, California), COMTAL/3M (Altadena, California), and International Imaging Systems (Milpitas, California) for providing data and images.

REFERENCES

1. Andrews, H. C., and B. R. Hunt. *Digital Image Restoration*. Englewood Cliffs, NJ: Prentice-Hall, 1977.
2. Baldwin, Lee. "Color Considerations." *BYTE*, September 1984, page 227.
3. Buchanan, M. "Digital Image Processing: Can Intensity, Hue, and Saturation Replace Red, Green, and Blue?" *Electro-Optical Systems Design*, March 1980.
4. Moik, Johannes G. *Digital Processing of Remotely Sensed Images*. NASA SP-431. Washington, DC: National Aeronautics and Space Administration, 1980.
5. *The Manual of Remote Sensing* (2nd Ed.). Falls Church, VA: American Society of Photogrammetry, 1983.
6. Sabins, Floyd F. *Remote Sensing: Principles and Interpretation*. New York: W.H. Freeman and Co., 1978.
7. Short, Nicholas M. *The Landsat Tutorial Workbook: Basics of Satellite Remote Sensing*. NASA Reference Publication 1078. Washington, DC: National Aeronautics and Space Administration, 1982.




Photo 5: PET scan images in a medical study of blood flow. (Courtesy of COMTAL/3M and the Positron Diagnostic Research Center, University of Texas Health Science Center.)

Potent Pascal.

Microsoft® Pascal may be the most powerful software development environment available for the MS™ DOS system. It combines the programming advantages of a structured high-level language with the fast execution speed of native code compilation.

And it exceeds the proposed ISO and ANSI standards with logical extensions that make the language more powerful and versatile. For example, programming capabilities even allow you to manipulate data at the system and machine level.

It gives you single and double precision IEEE floating point arithmetic. Numeric operations take advantage of the 8087. Or automatic software emulation is

provided if the coprocessor is not installed.

Support for long heap allocation and separate module compilation gives you the flexibility to create large programs up to one megabyte.

And the standard linking interface makes it easy to combine Microsoft FORTRAN or assembly language subroutines.

Call 800-426-9400 to order the potent Pascal. \$300*

In Washington State, call 206-828-8088. Ask for operator A5, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft Pascal in action.



**MS
SOFT**

THE ADVENTURE CONTINUES . . .



\$49⁹⁵

SOMETHING BRAND NEW

INSTANT DATABASES . . . BECAUSE THAT'S HOW MOST OF US NEED INFORMATION . . . INSTANTLY!

Homebase provides you instant access to a whole realm of databases. Just hit the hotkey to freeze whatever software you're working in, and you're ready to find, insert or manipulate data.

This is much more than a simple cardfile or mini-database. You'll be able to set up your own templates, define parameters such as the length of a field, and do rapid key searches. You can have thousands of records in a database. And numerous databases on your menu.

THE TOOLS YOU NEED.

We've included a powerful set of tools that will save you time and help you organize information, schedule, calculate and a whole lot more. All within a quick keystroke . . . regardless of the software you're running!

You may find a few of these in some "desktop" products . . . but nothing else approaches the power of Homebase!

- | | |
|--|--|
| <ul style="list-style-type: none">• Instant Databases• Phone Message Pad• Rolodex™• Appointment Calendar• Calculator• Notepad• Time and Expense Diary• Programmable Hotkey (You choose the key that gets you to your Homebase)• Electronic Mail (as an automatic multi-task!)• Tables and Pages (for those things you always need to look up)• Alarm Clock (including Musical Snooze Alarm)• To-Do List | <ul style="list-style-type: none">• Quickterm Terminal (available even when you're working in another program)• Autodialer• Template Maker (for designing your own databases)• DOS Services• Rolodex Card Printer• Mailing Label Printer• Data Transfer (between databases or your other software)• Cut and Paste (great for putting together an Electronic Mail letter that combines a chunk of spreadsheet, some text from a document, and a few notes) |
|--|--|

THE EXCITEMENT IS BACK

With the Electronic Mailbag of Your Dreams

ELECTRONIC MAIL THAT TAKES CARE OF ITSELF . . . IN THE BACKGROUND

(While you're running WordStar, Lotus, dBase, a compiler or whatever)

We wanted electronic mail that could take care of itself while we were busy on the computer doing something else.

We always felt that there was something strange about having to play postman every time a piece of electronic mail was due.

It was always a case of loading up a communications package and either waiting for the mail or going out to fetch it.

Now, we've got it! And you can have it, too. With HOMEBASE, Electronic mail can arrive while you're working in another piece of software. Up in the corner of your screen, a signal lets you know that there's incoming mail. You can read it as it comes in, if you want. Or you can ignore it, and your mail will automatically file itself . . . to be read at your leisure.

When you're sending Electronic Mail, it's just as easy. Once you've written and addressed your letter, the rest is done for you, automatically, while you're back working in another piece of software.

CHECK THE DIFFERENCE IN VALUE!

WHY ARE YOU GETTING SO MUCH SOFTWARE FOR SUCH A SMALL PRICE?

Amber Systems makes tools for programmers including VSI—The Window Machine. We make mouse drivers, asynchronous drivers and electronic mail packages for a number of companies. Now, we've decided to use these tools, plus some new ones that aren't yet on the market, to produce new concepts in software. Because we make the tools ourselves, our costs, and consequently yours, are the lowest possible . . . with never a compromise in quality.

YES! Site licenses are available for companies . . . large and small. If you would like to order a single copy, now, to examine and show around your company, its cost can be deducted, later on, from your site license.

For further information on site licenses call 408-996-1883.

Inquiry 19

HOMEBASE	SIDEKICK	POLY WINDOWS	SPOTLIGHT
Notepad Autodialer Appointment Calendar DOS Services Calculator Rolodex Rolodex Card Printer Tables and Pages Alarm Clock Template Maker Instant Databases Data Transfer Cut and Paste Programmable HotKey Phone Message Pad Time and Expense Diary To-do List Electronic Mail Quickterm Terminal Mailing Label Printer	Notepad Autodialer Calendar Calendar Services Calculator ASCII Table Rolodex	Notepad Keyboard Macros Calendar Calendar Calculator Game Alarm File Cards	Notepad Calendar DOS Services Calculator Rolodex File Cards
\$49.95 !	\$49.95	\$49.95	\$149.95

Sidekick is a trademark of Borland International, Inc.

Poly Windows is a trademark of Polytron Corp.

Spotlight is a trademark of Software Arts.

ORDER YOUR COPY OF HOMEBASE TODAY!

**For VISA and MasterCard Orders Call Toll Free 1-800-227-3800 ext. 986
(Call anytime — lines open 24 hours a day, 7 days a week)**

or fill in this ORDER FORM and enclose a check, money order or your VISA or MasterCard number.

HOMEBASE is available for the IBM PC, XT and true compatibles
\$49.95 + \$5 for shipping and handling*


NAME _____
TITLE _____
COMPANY NAME _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____
HOME PHONE () _____ WORK PHONE () _____
☐ CHECK ☐ MONEY ORDER ☐ VISA ☐ MASTERCARD Card # _____ Exp. date _____

30-day money-back guarantee!

SEND TO:

AMBER
AMBER SYSTEMS, INC.
1171 S. Saratoga-Sunnyvale Road
San Jose, CA 95129

*California residents add 6% sales tax. Outside U.S. please add \$15. Checks must be on a U.S. bank and in U.S. dollars. Sorry, no C.O.D. or purchase orders.
For dealer and site license information, call 408 996-1883. B



Emerson / 1840

Sciences

THE BIRTH OF A COMPUTER <i>conducted by John C. Nash</i>	177
A LOW-COST DATA-ACQUISITION SYSTEM <i>by Kiyohisa Okamura and Kamyab Aghai-Tabriz</i>	199
FOURIER SMOOTHING WITHOUT THE FAST FOURIER TRANSFORM <i>by Eric E. Aubanel and Keith B. Oldham</i> .	207
PARANOIA: A FLOATING-POINT BENCHMARK <i>by Richard Karpinski</i>	223
MODELING MASS-ACTION KINETICS <i>by Alan Curtis</i>	239
VIEWING MOLECULES WITH THE MACINTOSH <i>by Earl J. Kirkland</i>	251
LABORATORY INTERFACING <i>by Lincoln E. Ford, M.D.</i>	263
INTERFACING FOR DATA ACQUISITION <i>by Thomas R. Clune</i>	269

WHEN I WAS ASKED to find articles under the umbrella of scientific computing, I realized that BYTE readers would probably best be served by articles focusing on the main aspects of microcomputer applications in science: development of tools of the trade, data acquisition, data analysis and reduction, and modeling of scientifically interesting systems or phenomena. This month's theme articles delve into those areas.

In "The Birth of a Computer" Dr. James H. Wilkinson, F. R. S., tells a fascinating story of the building of one of the earliest digital computers based on the designs of Alan Turing. Despite the 30-odd years since this work took place, the account is surprisingly fresh and relevant to today's use of computers in science.

The arithmetic underlying calculations is often ignored by users, regardless of their scientific background, yet it is important to know that the basis for these fundamental computer "tools" is sound. Richard Karpinski discusses one approach to learning about the arithmetic implemented on computers, the program Paranoia. This work, like so many others in the realm of scientific computation, owes much to the careful and detailed analyses performed and persistently reported by Professor William Kahan of Berkeley.

Data acquisition can be a difficult task involving expensive equipment. Some of the issues in the analog-to-digital conversion aspect of data acquisition are described by Dr. Lincoln Ford. For those with tight budgets, Kiyohisa Okamura and Kamyab Aghai-Tabriz present the hardware and software design of a Commodore 64-based system. To round out data acquisition, BYTE Technical Editor Tom Clune reviews the main avenues for interfacing experiments to computers.

Once the data is in the machine, it must be processed before it can be regarded as useful information. One technique for removing noise from data is Fourier smoothing, discussed by Eric Aubanel and Keith Oldham.

Having gained some understanding of a system, a scientist can attempt to model it—to generate or simulate the outcomes of experiments and "pictures" of what is going on. Earl J. Kirkland literally pictures molecules with an Apple Macintosh. Alan Curtis introduces the subject of modeling dynamic systems such as large-scale chemical or nuclear processes.

We have tried to strike a reasonable balance between depth and breadth in our coverage of scientific computing. In a field as large and sophisticated as this, the editorial choices made are never entirely satisfying. Nonetheless, we think that these articles present some fascinating glimpses into a complex domain.


—John C. Nash, Contributing Editor, Scientific Computing

interact with a Genius



135W POWER SUPPLY

Hard Disk ready
+12V at 4.5A max
+5V at 15A max
Same dimension and plug
compatible with IBM PC/XT
power supply




HARD DISK ASSEMBLY

10 Mb formatted Fixed Disk
5 Mb formatted Removable
Cartridge
Unlimited storage
Bootable from fixed disk




SUPER MOTHERBOARD

Single layer double sided
board
Same dimension as IBM
motherboard
Up to 256K Ram on-board
8 I/O slots




PERSYST B.O.B. BOARD

Super hi-res display adapter
on text and graphics
10 x 16 character cell in
monochrome and color
Programmable and software
selectable character sets



MULTIFUNCTION CARD

0-384K memory expansion
plus 256K on board to give
maximum addressable
memory.



The Ultimate in IBM PC/XT® compatibles.

The Super XT Plus by Super Computer is a better alternative than the standard PC/XT configuration. The 256Kb of dynamic RAM with parity can be upgraded to 640Kb. Eight I/O slots give you the maximum in tailored expandability. A 16 Bit 8088 Microprocessor with an 8087

coprocessor option gives you the speed to tackle the heavy jobs. Two half-height 360 Floppy Disk Drives are matched with a half-height 5 Mb Removable hard Disk and a 10 Mb fixed Hard Disk. A Multifunction card is included with Serial and Parallel ports, Clock Calendar, Game port, and memory expansion to

384K. An Ultra High-Res Taxan® monitor equipped with Persyst's B.O.B.* Board gives you the highest resolution possible (720 x 400). A unique 135 Watt Power Supply offers 220 Voltage conversion as an option. The Super Computer PC/XT.

Interact with a Genius!

© 1984 Super Computer, Inc.

DEALER AND OEM INQUIRES INVITED

FAX 213/532-6342
TELEX 3719394 SUPER



SUPER COMPUTER
Manufacturer/Distributor
17813 South Main St. Suite 103, Gardena, CA 90248
213/532-2133

Inquiry 303

THE BIRTH OF A COMPUTER

CONDUCTED BY JOHN C. NASH

*An interview with James H. Wilkinson on the building
of a computer designed by Alan Turing*

The story of the construction of the first computers is both fascinating and instructive. Understanding the insights and decisions of computing's innovators may explain how the technology evolved to its present state and may illuminate the directions it might take in the future.

Among computing's innovators were Alan Turing (see page 65 for a review of a Turing biography) and the men he assembled to help him build a computer based on his Universal machine. Turing's team included James H. Wilkinson, a mathematician who had studied at Cambridge and worked for the British government as a ballistics engineer doing numerical analysis of explosives problems during World War II.

This interview was conducted for BYTE by Dr. John C. Nash and took place on July 13, 1984, at the Ninth Householder Gatlinburg Conference held at the University of Waterloo, Waterloo, Ontario, Canada.

BYTE: Dr. Wilkinson, how did you become involved with Alan Turing and his computer?

JHW: Shortly after the war, I discovered that a Mathematics Division was being set up at the National Physical Laboratory (NPL). I got in touch with E. T. Goodwin, who had been a colleague of mine at Cambridge in the Maths Lab. He was one of the first to join this new division. He invited me to have a chat with him at NPL in Bushy Park, Teddington, and there I met Turing, who I knew already by reputation as something of an eccentric. Turing and I had a long discussion, and I was very impressed with him. Presumably he must have been reasonably satisfied with me since he said if I came to NPL he would like me to work with him. I think that this offer

and my friendship with Goodwin were the decisive factors. So in May '46, six and a half years after I joined the government service, I moved to NPL (as I thought then, temporarily) instead of going back to Cambridge University.

Turing had worked alone on the logical design of an electronic computer. When I arrived, he had presented his plans to what you might call a "review committee" at NPL. This consisted of a small group of Fellows from the Royal Society. The committee decided that Turing's ideas were basically sound, and they gave him a mandate to go ahead and recruit the appropriate staff.

Up to that time everything associated with the project had been done

by Turing himself. He was a man with an original and inventive mind. His design had practically nothing in common with the group of computers which arose out of discussions at the Moore School of Electrical Engineering at the University of Pennsylvania. John W. Mauchly and J. Presper Eckert had already successfully completed the construction of the first electronic computer, the ENIAC (this was not a stored-program computer), and their influence was at its peak. When I went to NPL in May '46, Turing was working on what he called version 5 of [his] computer, though I never saw any documents relating to versions 1 to 4. Turing was not a great documenter, and no doubt the earlier versions were buried in the rubble on his desk.

Perhaps I should attempt to give some idea of the flavor of version 5, a typical Turingesque creation. It was

(continued)

.....
Dr. John C. Nash (Nash Information Services, 1975 Bel Air Dr., Ottawa, Ontario, K2C 0X1, Canada) is an associate professor with the Faculty of Administration at the University of Ottawa, Canada. He is the author of two books on scientific computing and numerous journal articles.

a serial machine using mercury delay lines for storage, with a pulse repetition rate of what I still call a megacycle, being rather old-fashioned in such matters.

BYTE: Define a megacycle.

JHW: The basic pulse frequency was provided by a master clock which had a 1-megacycle pulse rate. It worked in binary, of course. That decision was taken early on and was regarded as irrevocable. The word length was 32 binary digits, which is rather better than 9 decimals.

BYTE: They were fixed point?

JHW: Yes. They were fixed point, but one of the earliest things that I did (at Turing's request) was to program a set of subroutines for doing floating-point arithmetic. These were later to become rather important in the history of NPL. Right from the start, Turing was impressed with the importance of speed. It is possibly not widely known that at that time most people weren't. For instance, Maurice Wilkes at Cambridge (who quite early became one of our principal competitors) took the view then that electronic computers were so fast that it was much more important to get one built than to make special efforts to increase its speed, and his views were generally shared. Turing took the opposite view, and most of the special features of his machine were designed to make it as fast as possible. There was merit in both views, but it was certainly true that the machines we were designing then were not nearly so fast as they appeared to be. However, Turing's obsession with speed certainly made for a very untidy machine. A great weakness of mercury delay lines is access time. In order to make them reasonably economic, it is necessary to store a number of words in each delay line. Clearly, if one stores consecutive instructions in consecutive positions in a delay line, one could perform only one instruction per major cycle, and indeed the early machines (other than ACE) that were based on mercury delays suffered from this weakness. [Editor's note: ACE—for "automatic computing engine"—was the name given to




Photo 1: English mathematician James H. Wilkinson, one of the builders and programmers of the early ACE computer.

Turing's machine by Mathematics Division head J. R. Womersley.]

BYTE: "Major cycle" meaning . . . ?

JHW: "Major cycle" meaning the time of circulation of the main storage units, each of which held 32 words of 32 binary digits and hence had a circulation time of 1024 microseconds, i.e., approximately a millisecond. A conventional design would have meant that the maximum speed of operation was one instruction per millisecond.

BYTE: Because, unlike a dynamic RAM, where you can get at any cell with one or two clock cycles, this had to use a thousand clock cycles.

JHW: The other two early machines to work—EDSAC at Cambridge (which Wilkes built) and SEAC at the National Bureau of Standards (which Samuel Alexander built)—did, in fact, store consecutive instructions in consecutive positions, so that by the time one instruction had been executed the next one had been "missed," and one had to wait a full cycle for it to emerge. To avoid this, Turing stored consecutive instructions in such relative positions that the next instruction emerged just when the previous one was completed. Since different instructions took different times for their execution, consecutive instructions were irregularly spaced in the

store. As you can well imagine, this made for what one would call "difficult" coding. I'm not sure that "difficult" is the right word. I would say such coding was tiresome or tedious. Also it made the design of automatic programming languages more laborious, while at the same time it made them more desirable. However, this feature of the machine turned out to be rather important; it meant we could do up to 16 instructions per major cycle, i.e., about 64 microseconds per instruction.

This practice later became known as "optimum coding" or "latency coding," but Turing never used that term. It was characteristic of him to see his machine as the basic one, all the others being out of step.

BYTE: What was the ACE's total memory?

JHW: Well, Turing envisioned a memory of 200 long delay lines, which would have given 6400 words.

BYTE: About 24K bytes?

JHW: Yes, and although that may sound rather small now, it was really very ambitious for that time. I am sure Turing would never have contemplated or supported the building of a smaller machine.

Shortly after I joined NPL, Turing moved on to version 6 and then rapidly to 7 and 8. Those were four-address code machines. [Editor's note: A four-address machine had up to four address operands after an instruction, one of which would be to give the memory location of the next instruction.]

The earlier machine, version 5, is hard to describe in these terms. But its successors performed instructions of the type $A+B \rightarrow C$ and selected the position D of the next instruction, which was necessary because they were not in consecutive positions.

BYTE: A complete instruction would occupy one word?

JHW: Yes, but it was a more powerful instruction than that on a conventional one-address code machine. Another striking difference in Turing's design was that he had a number of one-word delay lines and the arith-

(continued)

BUY A 1200 BPS MODEM FOR UNDER \$200!

*Special
Offer*

**INFOMATE
212PC \$149**

FEATURES:

- 1200/300/110 bps, full duplex
- Internal card for IBM PC/XT or compatibles
- Bell 212A and 103 compatible
- CROSSTALK software compatible
- MODEM-MATE software included
- Auto-dial, Auto-answer
- Tone or rotary dialing, auto-selected
- Call progress monitoring
- 8 diagnostic test modes
- Asynchronous data format
- 1 year limited warranty

The INFOMATE 212PC comes complete with MODEM-MATE software and will run other popular programs such as CROSSTALK and PC TALK III. The 212PC plugs into any of the computer's full size expansion slots and communicates with all commonly used 1200 or 300 bps modems.

Yes, it's true! Cermetek is selling your choice of two 1200 bps modems for under \$200. There's no catch! We want you to take advantage of this spectacular deal and find out what communications can do for your computer. It's as simple as that.

CROSSTALK SOFTWARE ONLY \$95!


Now you can purchase CROSSTALK software, with your INFOMATE modem, for \$100 under the retail value. This version of CROSSTALK will run on IBM PC's or compatibles with 96K of memory, 1 disk drive, and PC DOS 1.1 or 2.X. You may only purchase CROSSTALK software with one of the INFOMATE modems and this offer is limited to one software package per modem.

ORDER TODAY!

Offer expires 3/31/85. Offer is limited to quantities on hand.

INFOMATE MODEMS

by Cermetek Microelectronics
1308 Borregas Avenue
Sunnyvale, CA 94088-3565
(800) 862-6271 (In California call 408/752-5000)



**INFOMATE
199SA \$199**

FEATURES:

- 1200/300/110 bps, full duplex
- Bell 212A and 103 compatible
- Stand alone modem

for use with any computer or terminal with and RS-232C port

- CROSSTALK software compatible
- Auto-dial, Auto-answer
- Auto-speed, Auto-parity selection
- Tone or rotary dialing
- Asynchronous or synchronous operation
- 1 year limited warranty

The INFOMATE 199SA is an intelligent stand alone modem, compatible with CROSSTALK software, and allows you to communicate with all commonly used 1200 or 300 bps modems.

This is a deal I can't pass up! I would like to order:

- ☐ The INFOMATE 212PC for \$149.00
☐ The INFOMATE 199SA for \$199.00
☐ CROSSTALK software for IBM PCs for \$95.00

Please send the above checked items to:

Name

Address

City State Zip

Daytime phone ()

My check is enclosed for \$

Please charge my purchase on my:

☐ VISA ☐ MASTERCARD

Acct. No.

Signature

Exp. date

Calif. residents add 6½% sales tax. All orders must add \$4.00 per modem for shipping and handling.
Please allow 4 weeks for delivery.

MidWest Micro-Peripherals

Save with Confidence

Let us earn your trust as we
have that of others, such as:

Goodyear • General Motors • US Navy • etc.
Ask for: Sue, Marianne, Kathy, Tim, Rick or Roger

List Our Price

PRINTERS

Star Gemini 10X (120 CPS)	\$399	\$249
Star Gemini 15X	549	379
Star Delta 10 / Delta 15 (160 CPS)		SCALLS
Star Radix 10 / Radix 15 (200 CPS)		SCALLS
Epson RX 80 (100 CPS)	399	229
Epson RX 80F/T (100 CPS)	499	289
Epson FX 80 (160 CPS)	689	389
Epson JX 80 Color	799	SCALLS
Epson LQ 1500 (200 CPS)	1495	SCALLS
Okidata 92P (80 Col., 160 CPS)	599	389
Okidata Apple Imagewriter Compatible	699	469
Okidata 93P (136 Col., 160 CPS)	999	599
Okidata Pacemark 2410P (150 CPS)	2495	SCALLS
Panasonic 1091 (120 CPS)	499	299
Panasonic 1090, 1092, 1093		SCALLS
Toshiba 1340P (54 CPS)	985	769
Toshiba 1351P (100 CPS)	1855	1299

DAISYWHEEL PRINTERS

Brother HR-15 (120 CPS)	599	359
Brother HR-25 (23 CPS)	895	619
Brother HR-35 (32 CPS)	1245	839
Silver Reed EXP 400	399	299
Silver Reed EXP 500 (16 CPS)	599	359
Silver Reed EXP 550 (19 CPS)	699	439
Silver Reed EXP 770 (36 CPS)	1295	829
Star PowerType (18 CPS, Bi-Dir)	499	349
Juki 6100 (18 CPS, Bi-Dir)	599	399
Juki 6300	795	749
Diablo 620	1095	899
Diablo 630 (40 CPS)	2499	1599
Daisywriter 2000 (40 CPS)	1495	899

IBM PC SYSTEMS

PC's and PCXT's

Complete Systems
Call and Save!



EXPANSION CARDS

AST Six Pac Plus 64K, S/P/C+S/W	395	269
QUADRAM Complete Line		SCALLS
MEMORY CHIP Kit-64K 150ns-9 chips	99	49

DISK DRIVES

Teac Half Heights	299	149
Teac 2 Drive Kit - Complete	499	299
Tandon 100-2 (IBM Standard)	399	159
Maynard - 10 Meg. Internal Drive	1395	SCALLS
Maynard 20MB Tape Backup	1895	SCALLS
Tallgrass Drives w/Tape Backup		SCALLS
Turbo 10 10 MB Internal Hard Drive		SCALLS

MODEMS

Hayes Smartmodem 300	289	219
Hayes Apple 2c Modem Pkg w/Software	399	269
Hayes Apple 2E Modem Pkg w/Software	399	239
Hayes Smartmodem 1200	699	469
Hayes Smartmodem 1200B w/IBM Software	599	399

MONITORS

Amdek 300, 310; Color 500, 600, 700		SCALLS
Princeton Graphics 4 x 12 Maxi 2		SCALLS

SOFTWARE

Lotus 1-2-3, Symphony & Hundreds More		SCALLS
---------------------------------------	--	--------

SANYO SYSTEMS

Complete Sanyo
Systems
Lots of
Free Software



LOW
AS
\$899

OUR PRICE COMMITMENT

MidWest will try in good faith to beat
any nationally advertised price.

Prices subject to change and type errors



FREE CARD USE



Call Today!

Information - Ordering

1-800-423-8215

In Ohio 1-800-321-7731

CUSTOMER SERVICE (513) 663-5488

CASH PRICES: Cert. Check, Money Orders, VISA or MC
CODs (Add \$5) AMEX (Add 4%) P.O.s (Add 5%)



MidWest Micro-Peripherals
(Division of Infotel, Inc.)
135 South Springfield St.
St. Paris, Ohio 43072

INTERVIEW

metic and logical operations were distributed among them. On a conventional one-address code machine the use of one accumulator leads to a tremendous bottleneck. One is always taking one number out of the accumulator to put in another. By having a number of one-word stores (delay lines), this is avoided. You see, this was all related to Turing's objective of making his computer faster.

BYTE: *When a word had an instruction, it would also have an address in it?*

JHW: Oh, yes.

BYTE: *So it wasn't like a modern microcomputer with instruction, operand, operand?*

JHW: No.

If Turing had stayed at NPL he would have gone for the full-scale computer with 200 delay lines, and quite frankly we had neither the facilities nor the experience to embark on such an ambitious project. It should be appreciated that the full-size computer was far larger than the one Wilkes was planning and eventually built as EDSAC.

Although I have used the term "optimum coding," most programs fell a good deal short of the optimum speed attainable. To achieve this would have been far too tedious. However, when it came to very important subroutines such as floating-point arithmetic, optimum speed was almost achieved. As I mentioned before, I produced the first set of floating-point routines, but when in 1947 Donald Davies, Mike Woodger, Gerald Alway, Billy Curtis, and John Norton joined the team, they all played a part in polishing them up.

BYTE: *This was all on paper?*

JHW: Naturally; we had no working computer. Because of the optimum coding, floating-point arithmetic (and other important routines such as double-length arithmetic) was much faster on Turing's machines than it was on its competitors. The speed of floating-point arithmetic turned out to be very important for me. When we finally built our computer, we dusted down our early routines and polished them up further. By the standards of the

time they were very fast indeed, and this enabled me to get really extensive working experience with floating-point computation before it was practical elsewhere. I am sure this is why floating-point error analysis first made headway at NPL.

Turing continued with the logical design of machines, but after a while he began to get very dissatisfied. The policy had been adopted that the actual construction of the computer should be undertaken by some other government department such as the Ministry of Supply, where personnel experienced in pulse techniques as a result of working on radar were available.

I never liked that decision, but the director of NPL, Sir Charles Darwin (great-grandson of the great Charles Darwin), was not a very easy man to argue with. Remember, I was quite a junior member of the NPL staff at that time. But as I saw it, there were only two possibilities. Either the external group would be successful, in which case, if they had any imagination at all, they would take control of the computer themselves. Alternatively, they might fail. It seemed to me that we were in a no-win situation, and I couldn't understand why Turing accepted the proposal. This attempt to get the machine built outside continued very unsuccessfully, and Turing got more and more morose about it.

Finally, very belatedly, in 1947, Darwin agreed to set up a very small electronics group (not a division) at NPL. It was recruited mainly from people from other divisions of NPL, and inevitably most of the recruits were far from being experts in electronics, so they were going to have to learn on the job. A disaster struck almost immediately. The person who was put in charge of the team—a Dr. Thomas—is often criticized, but in my view rather unjustifiably. Thomas was much more interested in industrial electronics than in building a computer. I do not feel that this was unreasonable; it was not easy to have the imagination to foresee that computers were to become one of the most im-

(continued)



Not long ago, *PC Magazine* called MDBS III "The most complete and flexible data base management system available for microcomputers." That's a powerful statement. But then, MDBS III is an amazingly powerful software package. So powerful, in fact, that it lets you build mainframe-quality application systems on your micro or mini. MDBS III is not for beginners. It's for application developers with large data bases or complex data interrelationships who want to define data base structures in the most natural way—without resorting to redundancy or artificial constructs. It's for professionals who can appreciate its extensive data security and integrity features, transaction logging, ad hoc query and report writing capability and its ability to serve multiple simultaneous users. And if you want the power and the glory that only the world's most advanced data management system can provide, MDBS III is for you. For information on MDBS III and our professional consulting services, write or call Micro Data Base Systems, Inc., MDBS/Application Development Products, 85 West Algonquin Road, Suite 400, Arlington Heights, IL 60005. (800) 323-3629, or (312) 981-9200. **MDBS III. ABSOLUTE POWER.**

Inquiry 208

WE'LL GIVE YOU
THE POWER.

YOU
TAKE THE GLORY.



(Formerly Warehouse Software)

Call for programs not listed

Technical & Other Information (602) 246-2222

TOLL-FREE ORDER LINE 1-(800) 421-3135

FREE COMPUTER ALARM CLOCK!

In appreciation of your patronage we are giving a program diskette for the IBM PC to all our customers who make a purchase of \$100 or more. This program features popup menus and permits continuous or intermittent time display, alarm for appointments, etc. A Bellsoft program with a retail value of \$20.

DATA BASE MANAGEMENT SYSTEMS

Fox and Geller Quickcode	\$145
Knowledgeman	\$249
Condor III	\$295
NWA Statpak	\$265
Tim IV	\$245
Infostar+	\$175
FRIDAY	\$159
Personal Pearl	\$215
PFS File	\$79
Electric Desk	\$195
RBase 4000	\$265
CLOUT 2	\$129

WORD PROCESSING

Wordstar, Pro Pack	\$245
Samna III	\$335
Wordstar 2000 for IBM PC	\$269
Wordstar 2000 +	Call
Leading Edge Word Processor/Merge	\$85
Mail Merge or Correct Star	Call
Microsoft Word With Mouse	\$284
Word Perfect	\$225
Volkswriter for the IBM PC	\$110
Volkswriter DeLuxe	\$154
Random House Spell Checker	\$36
PFS Write	\$78
Multimate	\$235
Peachtext 5000	\$185

SPREADSHEETS

Calstar	\$99
Supercalc II	\$145
Supercalc III	\$160
Microsoft Multiplan	\$119
!TK Solver	\$259
Lotus 123	\$294
Symphony	\$415

ACCOUNTING

TCS, equivalent of Peachtree - Specially augmented by Warehouse Software. Customized for your IBM PC Terminal and Printer - GL, AR, PA, AP, CP/M-80, CP/M-86 for PC XT, DOS 1.1, 2.0. Each Module ... \$65 For All Four \$249

CYMA	Call
Dollars & Sense	\$95
MBSI Accounting (Real World)	\$350

TRANSFER PROGRAMS

Hayes Smartcom	\$85
Move-it	\$70
Microstuff Crosstalk	\$95

BEST PRICE IN U.S. FOR IBM PC OR CLONES

Multifunction Board - Includes Async Adapter, Parallel Adapter, Clock with battery back-up and Software, 64K memory expandable to 384K. 1 year warranty

LANGUAGES

Lifeboat Lattice C Compiler	\$295
Microsoft C Compiler	\$315
Microsoft Pascal Compiler	\$215
Microsoft Basic Compiler	\$235
Microsoft Basic Language	\$225
CP/M-86 for IBM PC	\$37
Concurrent CP/M 86	\$160

FOR PC DOS

PC Paint	\$85
Norton Utilities	\$48
Copy II PC	\$24
Prokey V3.0	\$79
Harvard Project Manager	\$225
Microsoft Flight Simulator	\$32

HARDWARE

ABC Printer Switch	\$85
Micro Fazer Parallel	\$185
Hayes 1200 Modem	\$450
Hayes 1200b Modem for IBM PC	\$379
64K RAM Chips (9) 150 NSEC	\$34
Anchor Signalman 1200 baud Modem	\$235
10 MB Int. Hard Drive for the PC	\$750
30 MB External Hard Drive for IBM PC	\$1695
10 MB External Hard Drive for IBM PC	\$895
Princeton RGB Monitor	\$459
Taxan RGB Vision 425	\$399

COMPUTERS

Leading Edge Computer 256K	Call
IBM Computer	Call
Corona Computer	Call
Televideo Portable & Software	\$1795

BOARDS FOR THE IBM PC OR LOOKALIKES

Hercules Color Board with Par. Port	\$169
AST Six Pack	\$245
384K Board with 256K	\$275
Quadcolor I	\$185
STB Graphics II Board	\$335
Tecmar Graphics Master	\$495
New Quadram Multifunction Board	Call

PRINTERS

Dot Matrix Printers include a Free \$35 Print Set Program	Call
Gemini 10X	\$245
Gemini 15X	\$345
Okidata 82A, 83A, 93P	Call
Okidata 92P	\$369
Okidata 84P	\$675
Juki 6100	\$389
Juki 6300	\$699
Call on all Epson Models	Call
Silver-Reed	Call
Toshiba 1351	\$1245
Abati LQ20	\$325
Diablo	Call

TERMS: Prices include 3% cash discount. Add 3% for charge orders. Shipping on most items \$5.00. AZ orders +6% Sales Tax. Personal check, allow ten (10) days to clear. Prices subject to change.

TOLL-FREE ORDER LINE 1-(800)-421-3135

WAREHOUSE DATA PRODUCTS

2701 West Glendale Ave., Suite 6
Phoenix, AZ 85021



INTERVIEW

portant developments of the century. However, from our point of view Thomas's preferences were unfortunate. But worse was to come. Thomas and Turing had absolutely nothing in common and were scarcely capable of being civil to each other. So there we have the situation where the leaders of the two groups were completely incompatible.

This, naturally, made Turing even more unhappy, and he began to talk seriously of leaving. Finally, he left in 1948 and joined the group led by Freddy Williams and Tom Kilburn at Manchester. They were making rapid strides in the construction of a computer based on what became known as the "Williams-Kilburn store." Turing's decision was, in my opinion, an unfortunate one. He should have returned to Cambridge where he still held a fellowship at Kings.

I was left in charge of a team which consisted of six people including myself. We had virtually no contact with the electronics group, and at that stage Goodwin, who was in charge of the Desk Computing Section, had a long discussion with me. He said, "You know this enterprise looks now as though it's going to founder. Before you can be held responsible for its failure, would you not prefer to become a member of the Desk Computing Section?"

Well, I just couldn't accept that. By this time I was hooked on computers, so I said I would sweat it out and see what could be done.

Then a miracle occurred. Thomas left and went into industry where he had always belonged. The person who succeeded him, F. M. Colebrook, was an old radio engineer with very little knowledge of pulse techniques but a great fund of common sense. When he'd been in the post about two weeks, he came over to see me and he said, "You and I appear to be holding a very unhealthy baby." He went on to invite the four senior members of our group (Alway, Davies, Woodger, and myself) to join him in the Electronics Section on a semipermanent basis and attempt to achieve something together. This would be

about May or June of 1948. Colebrook was a remarkable tactician, and soon we were all working rather well together. There were one or two uneasy weeks, but soon the animosity died down. E. Newman was in technical charge of the electronics group; he had worked on the H2S airborne radar system during the war and already knew quite a lot about pulse techniques. He and I got on remarkably well and that was a great help. In those days supplies were a problem, but fortunately one member of the electronics group, W. Wilson, a giant of a man, knew everybody in the supply world and was able to solve this problem satisfactorily. After we had spent a month or two building bits and pieces and generally finding our feet, Colebrook said, "Why don't we get together now and try to build a pilot machine, the success of which will demonstrate to the authorities that we are competent and therefore ensure the continuation of the enterprise." Then, in the light of success—we didn't hint at failure—we would go on and build the full-scale ACE.

Now it so happened that we had done a little experimental work in 1947 in the Mathematics Division when Harry Huskey had spent a sabbatical year with us. At that time we had designed just such a miniature machine based on Turing's version 5. This enterprise had been stopped by Darwin when the Electronics Section was formed.

To a large extent we resurrected this machine, incorporating, of course, a substantial number of improvements. It was to be called the Pilot ACE and, effectively, it would be the smallest machine based on the logic of version 5, which would demonstrate the practicality of it.

BYTE: How large a machine was the Pilot ACE?

JHW: I suppose I was largely responsible for deciding on the size and scope of the machine, but any of the other three could by that time equally well have done so. In order to have some specific objective, I decided that

(continued)



About Bulls & Bears & Savings Bonds.

The stock market says that bulls are good and bears are bad. But if you buy U.S. Savings Bonds through the Payroll Savings Plan, you can get the most out of both markets.

Rates are high during bull markets, so the variable interest rate you get on Bonds lets you share in those higher returns.

But if the bear takes over and rates fall, don't panic; you're protected by a guaranteed minimum of 7.5%.

Just hold your Bonds 5 years or more, and you can ride the bull and beat the bear.

**Take
stock
in America.**



Speed ~~vs.~~ ^{and} Quality

Other daisy wheel printers still make you choose.

Diana Davis
Communications Manager
Development Company
E. Graves Avenue
York, New York

Thank you for your inquiry on

DaisyMax 830

At 80 characters per second, the DaisyMax 830 is one of the fastest letter-quality, daisy wheel printers you can buy.

And that means you no longer have to sacrifice image quality to increase productivity!

Speed and superb quality are but two of a long list of benefits you get with the DaisyMax 830.

Multiple users can share the DaisyMax 830 since it is designed for heavy volume word processing environments. Plus, you get standard

DaisyMax 320™ & 830™



interfaces for easy installation, and friction, tractor and cut sheet feeders to handle all your office forms. All these great features also are available in the DaisyMax 320, offering print speeds up to 48 cps.

And of course *both* printers feature rugged reliability—a hallmark of Fujitsu products earned from over 30 years as a technology leader and equipment supplier to companies worldwide. Reliability backed by TRW service nationwide.

Contact your nearest distributor for your local dealer.

Inquiry 116

Fujitsu Printers

Maximum Quality. Maximum Value.



Authorized Fujitsu Distributors

Algoram Computer Products (415) 969-4533, (714) 535-3630, (206) 453-1136, (916) 481-3466; **Allen Edwards Associates Inc.** (213) 328-9770; **Four Corners Technology** (602) 998-4440, (505) 345-5651; **Gentry Associates Inc.** (305) 859-7450, (305) 791-8405, (813) 886-0720, (404) 998-2828, (504) 367-3975, (205) 534-9771, (919) 227-3639, (803) 772-6786, (901) 683-8072, (615) 584-0281; **Inland Associates, Inc.** (913) 764-7977, (612) 343-3123, (314) 391-6901; **Logon Inc.** (201) 646-9222, (212) 594-8202, (516) 487-4949; **Lowry Computer Products, Inc.** (313) 229-7200, (216) 398-9200, (614) 451-7494, (513) 435-7684, (616) 363-9839, (412) 922-5110, (502) 561-5629; **MESA Technology Corp.** (215) 644-3100, (301) 948-4350, (804) 872-0974; **NACO Electronics Corp.** (315) 699-2651, (518) 899-6246, (716) 223-4490; **Peak Distributors, Inc. (An affiliate of Dytec/Central)** (312) 394-3380, (414) 784-9686, (317) 247-1316, (319) 363-9377; **R² Distributing, Inc.** (801) 595-0631; **R² Distributing of Colorado, Inc.** (303) 455-5360; **Robec Distributors** (215) 368-9300, (216) 757-0727, (703) 471-0995; **S&S Electronics** (617) 458-4100, (802) 658-0000, (203) 878-6800, (800) 243-2776; **The Computer Center** (907) 456-2281, (907) 561-2134, (907) 789-5411; **USDATA** (214) 680-9700, (512) 454-3579, (713) 681-0200, (918) 622-8740. **In Canada, Micos Computer Systems, Inc.** (416) 624-0320, (613) 230-4290, (514) 332-1930, (204) 943-3813; **SGV Marketing, Inc.** (416) 673-2323, (1-800) 387-3860 (outside Ontario); **System Inc.** (514) 332-5581.

Additional Ribbon Distributors

Altel Data (403) 259-7814; **EKM Associates, Inc.** (416) 497-0605; **Metropolitan Ribbon & Carbon** (703) 451-9072, (800) 368-4041; **The Very Last Word** (415) 552-0900, (800) 652-1532 CA, (800) 227-3993 USA. **In Canada, Tri-Media, Inc.** (514) 731-6815.

Fujitsu Printers
Maximum Quality. Maximum Value.

FUJITSU

Inquiry 117

INTERVIEW

it should be capable of solving fully automatically a set of 8 to 10 linear equations by Gauss elimination. This it would do in a matter of a second or two, very impressive for that time.

BYTE: *So you needed to store at least 150 numbers and the word width was 32 bits?*

JHW: In fact we decided to have 10 long delay lines, that is, 320 words. We started to design the chassis in late '48, some chassis being designed by the "mathematicians" and some by the "engineers." In the event, the mathematicians probably designed slightly more than half the chassis. I must emphasize that I am now talking about the detailed electronic design, not just the logical design. We put our newly won knowledge of electronics to immediate use.

We started to send our blueprints to the NPL workshop towards the end of that year. As each chassis arrived from the workshop, we put it into the main frame.

BYTE: *Literally a main frame?*

JHW: Yes, there really was a frame. We decided to use a plug-in assembly and planned to have spares of key chassis.

By the standards of the time it was an incredibly small machine physically, and yet it was in many regards more powerful than either EDSAC or SEAC. Direct comparisons are not really possible, but Pilot ACE was substantially faster on most problems, and it could solve some problems the other two couldn't.

BYTE: *And the clock cycle was still 1 megacycle?*

JHW: Yes, still 1 megacycle, a slightly tough decision. Wilkes had decided on 500 kilocycles. Certainly some of the problems we had would have been a lot easier at 500 kilocycles.

BYTE: *It is interesting that the Apple II is a 1-megacycle or 1-megahertz machine, by comparison. [Editor's note: This refers to the instruction rather than clock rate.]*

JHW: Yes, that's right.

The completed chassis would have started to arrive, I imagine, well

through '49; I'm afraid progress was not documented. It so happened that the first chassis to arrive had been designed by Alway and myself, two of the mathematicians of the team, and naturally we put them into the main frame and got them working.

Then when the next chassis arrived—which Alway and I had not designed—we assisted in its installation because we already knew about the earlier chassis. Thus, without any conscious decision being made, Alway and I became the debuggers.

BYTE: *Weren't the chassis somewhat different from each group? Or were these different components?*

JHW: Of course, the various chassis had entirely different functions. Thus several were associated with the line counter, several with the logical control, and then there was one chassis for each delay line. (The latter were, of course, all identical.)

BYTE: *The line counter is . . . ?*

JHW: This was the section which counted the basic 32 pulses in a word time.

BYTE: *All this is now on one chip?*

JHW: Yes, of course, and much more. Our units were vast by today's standards in spite of being small by the standards of the contemporary design. Pilot ACE was also unique among the early computers in being extremely mobile. The main frame was on wheels and when the computer was finished, we wheeled it back to Mathematics Division without affecting its performance.


BYTE: *Was it power-hungry?*

JHW: It consumed somewhat less than 10 kilowatts, which was quite low. But we didn't have any forced cooling, and perhaps the construction was a little too compact for that. When we were assembling it, we were, of course, standing in front of it all day. It was like working in front of a 10-kilowatt fire, a rather trying experience.

BYTE: *Did you have much component trouble?*

JHW: Not really. Our main problem

(continued)



- 180 cps dataprocessing printing
- 90 cps text quality printing
- 30 cps letter quality printing
- Dot addressable graphics
- Bit image or raster graphics
- 10, 12, 13.3 and 17.1 cpi allows for up to 136 char. on 8 in. line
- IBM compatibility
- Serial and Parallel interfaces
- Bi-directional tractors
- Multipart forms handling

3 speeds and graphics, too. Dataproducts 8010-under \$550 at MTI.

Whether you buy, lease or rent, you'll find MTI is the one source for all the computer and data communications equipment, applications expertise and service you'll ever need. At great prices. Call us.



A SUBSIDIARY OF DUCOMMUN INCORPORATED

Computer & Data Communications Equipment Sales / Leasing / Service / Systems Integration

Digital, Intel, Texas Instruments, Hewlett-Packard, Dataproducts, Diablo, Lear Siegler, Esprit, Link, C. Itoh, Racal-Vadic, MICOM, Ven-Tel, Develcon, PCI, U.S. Design, Digital Engrg., MicroPro, Microsoft, Polygon & Select.

New York:	Outside N.Y.:	New Jersey:	Ohio:	Kentucky:
516/621-6200	800/645-6530	201/227-5552	216/464-6688	502/426-1497
718/767-0677		Pennsylvania:	800/521-0167	California:
518/449-5959		412/931-9351	513/891-7050	818/883-7633

INTERVIEW

was with germanium diodes, which fortunately we didn't use on the same scale as SEAC. We used them for some gating requirements. Because our machine was so compact and didn't have forced cooling, the diodes were working at a temperature which was much higher than specified by the manufacturer.

BYTE: So they would fail?

JHW: Yes, there were some good diodes and some bad diodes. The bad diodes would fail after perhaps a week in the computer. A good diode, on the other hand, would go on almost indefinitely, so bad diodes were eventually weeded out.

Then came a key stage in the assembly of the computer. This was the day the first delay-line chassis was integrated. This was designed by Newman, and, as usual, he joined Alway and myself while it was installed, but from then on he stayed with us. The three of us worked well together and debugged the whole of the rest of the machine.

BYTE: When did the first program run?

JHW: On May the tenth, 1950. It is interesting that, unlike Wilkes, who had built everything he intended to have and then made it work, we added chassis by chassis as they were completed, and as soon as it was possible to do something (which was as soon as we had the control unit working, the adder and the subtracter, the logical operations and one long delay line), we tried it.

BYTE: How would you feed the data in?

JHW: Oh, at that point we fed the instructions in (in binary) from a set of 32 keys. When it worked on May the tenth, it could perform only the simplest of programs. In fact, our first program achieved the following: it took the binary number set up on the 32 keys, and every major cycle it added that number into the accumulator until it overflowed. Now, in addition to the 32 input keys we had a set of 32 output lights. When an overflow took place, the program put on the next light. So successive lights would come on at a speed which was directly

A knee-top APL system for idea processing. A new epoch in the history of personal computing.

The Ampere Computer Model WS-1 represents the best of a new breed of personal computers. Designed by a free-thinking innovative team, it combines the flexibility of state of the art technology with the power of the most robust APL interpreter available on the market today.

- Battery operation ● 8 MHz 68000 CPU
- 64K-512K bytes RAM ● 128K bytes ROM
- 25x 80 character LCD ● Bit-mapped Graphics
- Multiple Windowing ● Multi-job, Multi-task OS for powerful networking
- Coherent DB-WP-CALC-Graphic
- Intelligent Phone Function
- Voice/Data Storage Microcassette



Watch for us at the
COMDEX in JAPAN,
March 26-28, 1985.

Ampère

For distributorship information and product details, please contact:
Ampere, Inc., Asahi Bldg., 5-20, 7-chome Nishi-Shinjuku, Shinjuku-ku, Tokyo, Japan
Phone: 03-365-0825, Telefax 03-365-0999, Telex J33101 AMPERE
IP Sharp Mail Box Code: AMP (Group Code APLWS)

related to the size of the number on the switches. Now this program, admittedly rather small, had to be fed in one instruction at a time, in binary, from the 32 keys. At the time the design of the delay lines needed improving; the amplifiers were somewhat unstable. So we kept feeding in the program, and it kept being forgotten before we could complete the input. So I said to Alway, "Let's try it four or five more times, and if it doesn't work, we'll call it a day and go home."

Well, we put it in about four times, and suddenly all the lights came on. This could have happened in any case, and it didn't guarantee the program was working. However, we made the input number smaller and the lights came on more slowly.

BYTE: So the amplifiers had settled down?
JHW: Yes. Then we doubled the number, and the lights came up twice as fast. We made the number three times as large and they came up three times as fast. On a binary machine that was quite convincing, so we said, "It must be working," and went home rejoicing. That program later became rather famous on the machine. It was known affectionately as "Successive Digits" or "Suck Digs."

Sometime before this, Teddy Bullard (later Sir Edward) had succeeded Darwin, and when he visited the Electronics Section (in late April 1950) he asked me how it was going. I replied that we should have something going in a week or two. Bullard was a very forthright chap, and he said with some scorn, "Come on, you can't pull the wool over my eyes. I've heard it's going very badly." (He had heard this, quite justifiably, via Harry Huskey.) I said, "You may well have heard this, and indeed it was true, but it's coming along nicely now, and in a week or two I confidently expect it to be working."

Naturally, when it did work, I tried to get in touch with him as I had promised to do. I tried to phone him. He wasn't there. Now the machine wasn't really very good at that stage

(continued)

FREE famous high tech catalog

More than just a catalog, a trustworthy guide to what's new in computers and electronics.

For many years, the Heathkit catalog has been a guide to new, exciting kit products for people like you to build. To enjoy. Learn from. And save money.

What sets this catalog apart is its range of high quality products and accurate information on every product. Over 450 interesting items - Computer hardware and software • Robots • Precision test instruments • Computerized weather instruments • Solar hot water • Automotive and home energy products • Security devices • Color TVs • Video recorders, cameras and accessories • Stereo components • Amateur radio gear • Electronics courses leading from basic electronics to high tech.

Heathkit



Metal Detector

Triple-Trace Oscilloscope

Computerized Weather Station



Microprocessor Trainer & Course



Ham Radio Transceiver



Real Time Spectrum Analyzer



Most Accurate Clock

40-Channel Scanner



With Heathkit, you'll discover a special pride of accomplishment by creating hand-built quality that is uniquely yours.

You'll build your kit with confidence too, knowing you're backed by our simple promise, "We won't let you fail."

If you don't have the latest Heathkit Catalog, the whole family is missing something great.

HERO® Robot



IBM PC- Compatible Computers



Send NOW
for your
FREE
Heathkit
Catalog

Heathkit
Heath
Company

Heath Company, Dept. 334-262
Benton Harbor, Michigan 49022

Please send me the latest Heathkit Catalog Free.

Name _____

Address _____

City _____

State _____

Zip _____

A subsidiary of Zenith Electronics Corporation

CL-777D

Inquiry 104

Here are 69 reasons
to buy at Elek-Tek,
not to mention the
fastest delivery
anywhere.

PRINTER ACCESSORIES

1. **FR 192**
Epson 80 col. ribbon . . . \$ 3.50
2. **FR 193**
Epson 132 col. ribbon . . . 5.00
3. **FR 153A**
OKI & Gemini Ribbon . . . 2.50
4. **FF 7353**
80 col. printer stand
(metal) . . . 15.00
5. **FF 7354**
132 col. printer stand
(metal) . . . 18.00
6. **CB 5609**
IBM PC to Epson cable,
8 ft. . . 20.00

IBM PRODUCTS

24. **Amdek 310A**
Amber Monitor . . . \$ 160
Other Amdek Monitors . CALL
25. **AST Six Pak +**
Multifunction Board, 64K . . . 250
26. **AST Megaplus II**
Multifunction Board, 64K . . . 250
27. **AST I/O Plus II**
Multifunction Board, 0K . . . 125
28. **Quadram Quadboard**
Multifunction Board, 0K . . . 210
29. **Quadram Quadboard**
Multifunction Board, 64K . . . 270
30. **Quadcolor I**
Graphic Board . . . 210
31. **Paradise**
Modular Graphics Card . . . 290
32. **Hercules**
Monochrome Card . . . 329
33. **Hercules Color**
Color Graphic Card . . . 170
34. **Novation 4905911**
Modem w/software . . . 320
35. **Novation 4905921**
Internal Modem w/software . 320
36. **Hayes 1200B**
Internal modem w/software . 399
37. **Anderson-Jacobson1212-2C01**
Internal modem w/crosstalk . 360
38. **Anderson-Jacobson1212-2C02**
Modem w/crosstalk,
2nd ser. port . . . 400
39. **TEAC FD55B**
1/2 ht. DSDD Disk Drive . . . 129
40. **Switchcraft Keyboard**
13 prog. keys, heavy duty . . 175
41. **WICO 500110**
Analog Joystick . . . 36

Save 30% to 43%
off Manufacturer Suggested Ret. prices on

EPSON • Okidata • Gemini • NEC
• TOSHIBA • COMREX • TTX

EPSON®

7. RX 80 FT + . . . \$ 275
8. RX 100 . . . 375
9. FX 80 + . . . 375
10. FX 100 . . . 575
11. LQ 1500 par . . . 1150
12. CR II Comriter . . . 360

Star

13. Gemini 10X . . . 235
14. Gemini 15X . . . 365
15. Delta 10 . . . 360

OKIDATA

16. Oki 84 . . . CALL
17. Oki 92 . . . CALL
18. Oki 93 . . . CALL

**EPSON
FX 80+****OTHER PRINTERS**

19. TTX 1014 . . . \$ 360
20. SCM D200 . . . 390
21. NEC 3510 . . . 1350
22. NEC 3550 . . . 1600
23. Toshiba P1351 . . . 1190

DISKETTES

Call for Quantity pricing for 10 boxes or more.

maxell.

Box of 10

42. **MF1**
3 1/2" SSDD . . . \$ 34
43. **MF2**
3 1/2" DSDD . . . 50
44. **MD1**
5 1/4" SSDD . . . 16.50
45. **MD2**
5 1/4" DSDD . . . 21.50
46. **MD2DD**
5 1/4" DSDD/96 TPI . . . 35
47. **MD2HD**
5 1/4" DSDD/IBM AT . . . 45
48. **FD1**
8" SSDD . . . 32
49. **FD2**
8" DSDD . . . 37
- 3M**
50. **3M3SS**
3 1/2" SSDD . . . 35
51. **3M3DS**
3 1/2" DSDD . . . CALL
52. **3M5SSDD**
5 1/4" SSDD . . . 16.50
53. **3M5DSDD**
5 1/4" DSDD . . . 21.50
54. **3M5DSDD96**
5 1/4" DSDD/96 TPI . . . 35

55. **3M8SSDD**
8" SSDD . . . 21
56. **3M8DSDD**
8" DSDD . . . 29

Dysan

57. **Dys 12**
5 1/4" SSDD . . . 20
58. **Dys 22**
5 1/4" DSDD . . . 26
59. **Dys 33**
5 1/4" DSDD/96 TPI . . . 45
60. **Dys 24**
5 1/4" DSDD/IBM AT . . . 50
61. **Dys 8128**
8" SSDD . . . 27
62. **Dys 8228**
8" DSDD . . . 32

wabash

63. **WAB 1111**
5 1/4" SSDD . . . 12.50
64. **WAB 1212**
5 1/4" SSDD . . . 13.50
65. **WAB 2222**
5 1/4" DSDD . . . 15.50

DISKETTE ACCESSORIES

66. **RSI 600** 5 1/4" Head Cleaning Kit . . . \$ 6
67. **F 320** 3 1/2" Head Cleaning Kit (20 cleanings) . . . 25
68. **MM 5** Media Mate-Holds 50 5 1/4" disks . . . 10
69. **MM 3** Media Mate-Holds 30 3 1/2" . . . 9

CALL TOLL FREE 800-621-1269 EXCEPT Illinois, Alaska, Hawaii

Corp. Accts. Invited. Min. Ord. \$15.00. Above prices reflect cash discount. Add 3% for use of Visa or MasterCard by Mail or Phone. Mail Cashier's Check, Mon. Ord., Personal Check (2 wks. to clear) Add \$4.00 1st item. (AK, HI, P.R., Canada add \$10.00 first item) \$1.00 ea. add'l ship. & handl. Shipments to IL address add 7% tax. Prices subj. to change. WRITE for free catalog. RETURN POLICY: Defectives Only: Most products replaced within 30 days of purchase with identical merchandise only. Computer and large peripherals replaced only when defective on arrival (within 3 work days of delivery). Other problems covered by mfr. warranty. ALL ELEK-TEK MERCHANDISE IS BRAND NEW, FIRST QUALITY AND COMPLETE.

ELEK-TEK, inc.

6557 N. Lincoln Ave., Chicago, IL 60645
(312) 631-7800 (312) 677-7660

and might stop working at any time. The director could not be traced, and I was pacing up and down, saying, "The bloody director is never here when you want him," when he stepped into the room via the window. His opening words were, "Here's the bloody director. I hear it's working."

I showed him this program, and he played with it and agreed that it was working. Then he turned to me with a grin and said, "It may be working, but the program's somewhat less than epoch-making" with which we had to agree, but it was very heartening for us.

We continued to add the chassis one by one, and by the end of June most of it was assembled. We didn't at that time have a multiplier, nor had we planned to have one, on Pilot ACE.

BYTE: You would use successive addition?

JHW: Yes; it was to be done by a sub-routine, optimum coded so that it was not too slow. In fact, the optimum-coded version was about as fast as the automatic multiplier on EDSAC. So as soon as it began to do significant things, Bullard began to press us to have an Open [House] Day and to demonstrate it to the world. Well, I was a bit anxious about that because it wasn't really reliable enough. The amplifiers on the delay lines were still inclined to be unstable. However, Bullard was a very impetuous man, and he finally landed us with these "demonstration days."

BYTE: When was that?

JHW: It would have been November of 1950. By that time we could do a variety of significant things, but it was still not a very reliable machine.

One of the troubles we had at that time was with the power supply—not our power supplies but that of the Central Electricity Generating Board. For instance, in the evening when everyone arrived home and switched on electric fires, the voltage would drop suddenly, and that gave us problems.

BYTE: Historically there was a coal shortage
(continued)

COMPUTER WAREHOUSE

CALL TOLL FREE **1-800-528-1054**

PRINTERS

Anadex	
9625B	\$1129
WP6000	\$2039
DP6500	\$2259
Brother	
DX-15	\$369
HR-25	\$649
HR-35	\$875
C-Itch	
A-10-30	\$479
F-10 Parallel or Serial	\$909
55 CPS Serial or Parallel	\$1049
8510 Parallel (Prowriter)	\$315
8510 SP	\$389
8510 SCP	\$459
8510 BPI	\$335
Comrex	
CR-2E	Call
CR-4	Call
420	Call
Datasouth	
DS180	\$1149
DS220	\$1469
Diablo	
620	\$694
630 API	\$1499
630 ECS	\$1669
630 ECS/IBM	\$1669
Series 36	\$1139
80 IF	\$2649
P12CQI	\$529
P32CQI	\$759
S32CQI	\$839
P38	\$1639
S38	\$1719
C150	\$999
Epson All Printer Models	Call
Inforunner	
Riteman w/Tractor	\$244
Riteman 15	\$499
Riteman Blue w/Tractor	\$299
Juki	
5500	Call
6100	\$399
6300	\$699
NEC	
2010, 2015, 2030	\$639
2050	\$669
3510, 3515, 3530	\$1215
3550	\$1359
7710, 7715, 7730	\$1649
8850	\$1779
P2, P3	Call
Okidata All Printer Models	Call
Panasonic	
1091	\$275
1092	\$439
1093	\$709
Silver Reed	
EXP400	\$235
EXP500 Parallel	\$295
EXP500 Serial	\$295
EXP550 Parallel	\$399
EXP550 Serial	\$399
770 Parallel	\$705
770 Serial	\$705
Star Micronics	
All Printer Models	Call
Tally	
Sprint 80	\$245
Toshiba	
P1340 Parallel or Serial	\$709
P1351 Parallel or Serial	\$1215
PLOTTERS	
Enter	
Sweet-P600	\$780

SPECIALS OF THE MONTH

COLUMBIA COMPUTERS

All systems include fifteen software packages
with a \$3,200 value.

MPC4210 MPC4220
MPC4610 MPC4620 Columbia VP

**PRICED TOO LOW
TO PRINT**
Call for Prices.

VIDEO TERMINALS

ADDS	
A-2 Green	\$469
A-3	\$469
Viewpoint 60	\$485
Viewpoint 90	\$849
Altos	
Smart II	\$699
Qume	
QVT 102 Green	\$399
QVT 102 Amber	\$419
QVT 103 Green	\$816
QVT 103 Amber	\$850
QVT 108 Green	\$449
QVT 108 Amber	\$519
Televideo	
910	\$439
910+	\$559
914	\$515
924	\$635
925	\$700
950	\$905
970	\$985
800A (User Station)	\$979
Personal Terminal	\$385
Wyse	
50	\$489
75	\$565
Zenith Z-29	\$599

MODEMS

Anchor Automation	
Anchor Express	Call
Mark XII	\$239
Hayes	
Smartmodem 300 Baud	\$185
Smartmodem 1200 Baud	\$445
Smartmodem 1200B Baud (IBM)	\$379
Micromodem IIE (Apple)	\$209
Novation Smart Cat Plus	\$315
Racal-Vadic All Models	Call
US Robotics Password 1200	\$319

COMPUTERS

Altos All Computer Models	Call
Columbia	Call
Corona	
PC-22 Dual Drive	\$1919
PC-HD2 Hard Disk	\$2999
PPC-2 Portable/Dual Drive	\$1689
PPC-HD2 Portable/Hard Disk	\$2599
Leading Edge Personal Computer	Call
NEC	
PC-8201 Computer	\$315
PC-8201A-90 Battery Pack	\$15
PC-8206A 32K Ram	\$215
PC-8271A-01 AC Adapter	\$16
PC-8271A-02 AC Adapter	\$16
PC-8281A Recorder	\$89
Northstar	
All Computer Models	Call
Sanyo MBC-775 Portable	Call
MBC-550 System	Call
MBC-555 System	Call
MBC-550-2 System	Call
MBC-555-2 System	Call
MBC-885	Call
Televideo	
802 H	\$4285
803	\$1765
803H	\$2850
806/20	\$4640
TPC-1	\$869
TPC-2 Dual Drive	\$1749
TPC-2 Single Drive	\$1509
1605	\$1909

Visual Commuter From \$1469

Zenith	
Z-150 Single Drive	Save 25%
Z-150 Dual Drive	Save 25%
Z-150 W/10 Megabyte	Save 25%
Z-160 Single Drive	Save 25%
Z-160 Dual Drive	Save 25%

DISKETTES

Maxell	
MD-1 (Qty 100)	\$175
MD-2 (Qty 100)	\$199

MONITORS

Amdek All Monitors	Call
Princeton Graphic	
HX-12	\$479
Sanyo	
CRT-30	\$99
CRT-36	\$149
CRT-50	Call
CRT-70	\$549
Taxan	
121 Green	\$125
122 Amber	\$134
420 RGB	\$399
425 RGB/Green	\$410
Zenith	
ZVM-122 Amber	\$95
ZVM-123 Green	\$95
ZVM-124	\$129
ZVM-133 Color/RGB	\$410
ZVM-135 Color/RGB W/Audio	\$459

DISK DRIVES

Alpha Omega Turbo 10	\$739
lomega	
Bernoulli Box for IBM	
10 Megabyte	\$1950
20 Megabyte	\$2660
Rana	
Elite I	\$179
Elite II	\$339
Elite III	\$405
Elite 10H/Apple	\$1080
Controller (W/Drive Only)	\$69
1000 W/DOS for Atari	\$305

TEC MAR

Graphics Master	\$449
126K Dynamic Memory	\$225
256K Dynamic Memory	\$299
Captain 128K	\$299
Captain 256K	\$399

BOARDS

AST Six Pack Plus	\$285
Paradise	
Modular Graphic 06-A1	\$275
Five Pak	\$159

Order Line: 1-800-528-1054

Order Processing &

Other Information: 602-954-6109

2222 E. Indian School Rd.

Phoenix, Arizona 85016

**COMPUTER
WAREHOUSE**



Store Hours: Mon-Fri 10-5:30 Saturday 9-1
Order Line Hours: Mon-Fri 8:30-5:30 Saturday 9-1



Prices reflect 3% to 5% cash discount. Product shipped in factory cartons with manufacturer's warranty. Please add \$8.00 per order for UPS shipping. Prices & availability subject to change without notice. Send cashier's check or money order...all other checks will delay shipping two weeks.

11/84

GEMINI
10X or 10XPC
with
Cable & Paper
Super Price
CALL

at that time?

JHW: Yes. Such things added to our difficulties. We knew, too, that when SEAC had had its first demonstration—a little before us—it had been a fiasco, even though SEAC had, in general, been working reasonably well. During the whole of the time allotted to the press demonstration,

it never once worked. You will find the early years abound with such bad-luck stories.

I must confess to having been pessimistic. We decided to have two popular programs for the daily press. For the first, they would give us a six-figure decimal number and the computer would tell them if it were a

prime, and if not, output a factor.

For the second program, they would give us any date from the year 0 up to the year 9999 and it would output what day of the week it was. It covered both the Julian and Gregorian calendars and dealt with all leap years. In all, quite an amusing little program. Mike Woodger produced that program.

BYTE: And where did he discover the technique?

JHW: He worked it out for himself. Such programs are good fun, of course, but they leave one mercilessly exposed to the vulgar gaze. Someone puts in the current date, which is Wednesday, say, and the machine promptly says Thursday! So they're very much more dangerous. If you tell the press it's solving a partial differential equation, you can swear blind it's solving a partial differential equation and they would be hard put to prove it is not. Finally, we were to have one serious program; this traced skew rays through a set of lenses.


Well, we decided on this last program and announced it, only to find that we couldn't get the program to work. Two days before the press show it had still never worked, and we didn't know whether the program had a bug or whether it was due to computer malfunction. Then, just two days before the show, Alway and I accidentally found it was a minor machine fault which was not invoked at all in our other programs.

We got all three programs working then, just in time. The arrangement was that Bullard would entertain the popular press and I would give the demonstrations. The whole thing was to cover three days; one day with the popular press, one with the technical press, and a third day for VIPs including our competitors. Wilkes had his machine running in Cambridge and was justifiably proud of it. Williams and Kilburn from Manchester were also coming.

BYTE: They had a machine too, didn't they?

JHW: They had a little hookup at that

(continued)



Software Tools for Serial Devices

Are you developing a C or Pascal program that will include functionality like this?

- ◆ File transfer between computers
- ◆ Realtime data acquisition
- ◆ Printer/plotter control

Blaise Computing Inc. has a set of tools for you. **ASYNCH MANAGER™** is a library of software routines, including all source code, which will dramatically reduce the amount of time you need to get your applications working.

Using **ASYNCH MANAGER™**, you can control any hardware device employing the RS-232 interface on an IBM PC or operationally compatible micro computer. Moreover, your PC will be able to operate at fast speeds, since interrupt-

driven routines and flexible buffer sizes are featured.

As with other packages in our Programmer Productivity Series, there are no royalties for incorporating our routines into your systems. Other high-level language interfaces are planned. Contact us directly to order or to obtain additional specifications.

ASYNCH MANAGER™
\$175.00 includes the first language interface, second language **\$75.00** additional.

Other products to speed your development projects in C and Pascal include: **TOOLS™** comprises a library of routines providing advanced string handling, forms utilities, screen handling and more. Features a general BIOS gate—**\$125**

TOOLS 2™ is a second library of routines focusing on DOS 2.0+ operating systems capabilities. Perform memory allo-


cation, program chaining, file and buffer handling from within your C or Pascal program—**\$100**

VIEW MANAGER™ is our screen development system which dramatically reduces programming required for screen displays. Block mode data collection, verification, overlays are all featured—**\$275**. Source Code for routine library—**\$150**

BLAISE COMPUTING INC.
 2034 Blake Street Berkeley, CA 94704
 (415) 540-5441

You've probably already outgrown your personal computer.

Introducing the TeleVideo Personal Mini.
Your simplest PC growth path.



You'll know you've outgrown your personal computer the first time you realize it won't let people share resources or work on the same job simultaneously.

The fact is, the isolated, standalone PC is only the beginning of how computers can meet today's business needs.

The fact is, your next step to growth is the new TeleVideo® Personal Mini.™ Simply plug it in and grow.

Runs PC, mini and multiuser software.

With the TeleVideo Personal Mini, users of IBM® or TeleVideo PCs, XT's, and portable computers can share data and expensive peripherals like printers and plotters.

The Personal Mini dramatically increases computing power. So it not only runs PC software, but also hundreds of popular, fast minicomputer and multiuser software programs in your established PC environment.

And, unlike less advanced networks, the Personal Mini never sacrifices performance or speed regardless of how many workstations are on line. It also offers multitasking.

Enhance your original PC investment.

Even system expansion costs are substantially less than what you'd pay to add new IBM PCs. And your original investment in hardware, software and personal computer education is never lost.

Your TeleVideo dealer now has the Personal Mini. Arrange to see it today by calling toll free, **800-521-4897**. In California, call **800-821-3774**. Ask for operator 10.

This is the first PC compatible multiuser, multitasking system. And the computer solution you'll never outgrow.

Regional Sales Offices: Northwest (408) 745-7760, Southwest (714) 476-0244, Southcentral (214) 258-6776, Midwest (312) 397-5400, Southeast (404) 447-1231, Mid-Atlantic (703) 556-7764, Northeast (617) 890-3282, East (516) 496-4777, Rocky Mountain (408) 745-7760.

IBM is a registered trademark of International Business Machines.



Computers
TeleVideo Systems, Inc.

The TeleVideo Personal Mini. The first PC compatible multiuser system.

AB Computers

THE VALUE LEADER SINCE 1976



Sanyo 550 & 555 PC's. Built-in software includes Easywriter, Easy Filer, Word Star, Calcstar and more. Great Prices.

Computer	Ram	Drive	Price
550-1	128K*	180K (1 drive)	CALL
550-2	128K*	360K (2 drives)	CALL
555-1	128K*	360K (2 drives)	CALL
555-2	128K*	720K (2 drives)	CALL

*EXPANDABLE TO 256

OTHER COMPUTER SPECIALS

IBM PC and PCXT in stock, available at special prices. **CALL**

ALSPA 8" CPM Computers. 64K memory workhorse at super special prices.
1/SS **\$500.**
2/SS **\$700.** 2/DS **\$1,000.**
Commodore—full line. **CALL**

DISKS & ACCESSORIES

Price per 5 1/4" Disk

3M	SS	DS	AT
Qty.	SS/DD	DS/DD	96 TPI
10	\$1.53	2.04	2.31
100	1.50	2.00	2.28
200	1.47	1.96	2.22

VERBATIM	SS	DS	AT
Qty.	SS/DD	DS/DD	96 TPI
10	\$1.88	2.26	2.83
100	1.84	2.21	2.77
200	1.81	2.17	2.72

MAXELL	SS	DS	AT
Qty.	SS/DD	DS/DD	96 TPI
10	\$1.96	2.59	2.82
100	1.92	2.54	2.78
200	1.88	2.49	2.71

30 Macintosh 3 1/2" diskettes in Amaray diskbank **\$135.**



AB's OWN DISKETTES
Over 40% off our regular low price!
50 top quality ds/dd diskettes packaged in an Amaray Media Mate 5. Only **\$72.**

AB carries all major brands. 3M, Verbatim, Maxell, Wabash, Sentinel, Dysan, in all popular sizes and configurations. **CALL** for super prices.

DISK STORAGE

Mini Flip 'N File (50 5" disks) **\$17.45**
Rolltop 100 (100 disks, 10 dividers) **28.99**

Mini Kas-ette/10 (for 5" disks) **1/2.25 10/2.05 ea.**

***Amaray Mediamate 5** **11.99**
Innovative Concepts—fold out style for 5" disks:
Flip 'N File/25 **16.50**
Flip 'N File/50 **22.95**

Smith & Bellows Wooden Storage Boxes for 5" disks. Natural or dark finish.
For 50 disks **18.**
For 70 disks **21.**
For 100 disks **24.**

PLUS—"HEAD" disk cleaning kit (w/2 disks) **11.99**
IBM drive analyzer (Verbatim) **22.50**



All Zeniths fully software & hardware compatible with the PC and XT... superior keyboard:

Computer	Ram	Drive	Ports	Price
ZF-151-21	128K	360	1PL/2 SER	CALL
ZF-151-52	320K	720 (2 drives)	1PL/2 SER	CALL
ZW-151-52	320K	10.6 MB + 360	1PL/2 SER	CALL
ZF-161-21*	128K	360	1PL/2 SER	CALL
ZF-161-52*	320K	720 (2 drives)	1PL/2 SER	CALL

*Portable

Personal Pearl database manager only \$100 with any Zenith System purchase.

SOFTWARE HIT PARADE

Math Blaster! (Davidson)	35.	Symphony (Lotus)	485.
Typing Tutor III (S&S)	35.	PFS:Report (Software Pbsgh.)	79.
Alphabet ZOO (Spinnaker)	22.	PFS:Write (Software Pbsgh.)	89.
Success with Math (CBS)	18.	dBase III (Ashton-Tate)	480.
Typing Tutor II (Microsoft)	18.	dBase II (Ashton-Tate)	325.
Algebra I (Peachtree)	22.	Framework (Ashton-Tate)	480.
Story Machine (Spinnaker)	22.	Multimate (Multimate)	320.
Word Attack! (Davidson)	35.	Chart (Microsoft)	179.
Get Organized! (Electronic Arts)	139.	Multiplan (Microsoft)	129.
Spotlight (Software Arts)	120.	Wordstar (Micropro)	335.
Microsoft "Word" (w/Mouse)	325.	J.K. Lasser's Your Income Tax Book and 2 diskettes	48.
Unix Operating System for PC	CALL	(Apple & IBM only)	29.
Copy PC	29.	Your New Baby	23.
Flight Simulator II (Sub Logic)	39.	Kermits Story Maker	29.
1-2-3 (Lotus)	299.	*Personal Pearl (pearlsoft)—Data-	\$235.
PFS:File (Software Pbsgh.)	89.	base filing/reporting system	

We carry full software lines by Electronic Arts, Scholastic, Scarborough, PFS, Spinnaker, Batteries Included, Others. If you don't see it here, **CALL**.

MONITORS

USI—20 Mhz band width, 1000 lines resolution. Easily capable of 80 character display.
***1200A (Pi-3)-12" amber phosphor SPECIAL** **89.**

ZENITH
ZVM-124 12" amber—22 MHz TTL for IBM **\$150.**

PANASONIC
12" Green 20 MHz (Sound) **\$137.**
12" Amber 20 MHz (Sound) **145.**

ELECTRONOME
ECM 1226-12" Green **\$95.**
ECM 1302-1-13" Color RGB **195.**
ECM 1302-2-13" Color (Hi Res) **330.**


Amdek
Color 300 **CALL**
500 **CALL**
600 **CALL**
700 **CALL**
710A **CALL**
NEW X-TRON Monitor **125.**

POWER DEVICES

Datashield back-up power source
200 PC-200 watt **\$285.**
300 XT-300 watt **390.**
"BITS" Power back-up-250W True uninterruptable **695.**
Brooks 6 Outlet—Surge Suppressor/Noise Filter **54.**
Computer Power Inc.-500 VA **1320.**
Tripp Lite 425 VA **390.**

Ordering Information: Order by check, MasterCard or VISA. Personal checks take 15 days to clear, no waiting on certified checks or money orders. Add 3% shipping and handling on all orders (minimum \$2.00). Mail APO/FPO Air may require additional charges. PA residents add 6% sales tax. MA residents add 5%. All items subject to availability. Prices subject to change. Additional discounts available to qualified educational institutions. Requests for bid on volume requirements invited.

Panasonic



Panasonic
Panasonic KXP 1090, IBM cable. Friction and tractor. Reg. list \$430. **NOW \$260**

commodore commodore

WC6420 Auto Modem (also available for Atari, & Apple at slightly higher price) **\$65.**
Tech Sketch Light Pen & Micro Illustrator **44.**
MSD Superdrives, single and dual CBC 4/12 Analog to Digital 4 Chan/12 Bit **179.**
Typing Tutor III w/Letter Invaders **35.** (Also for Apple & IBM)
Paper Clip Word Processor CBM/C64 **60.**
60 Column Display Card by "Batteries Included" **149.**
Oracle (Consultant) Data Base by "Batteries Included" **89.**
BusCard II by "Batteries Included" **149.**
Cable from BusCard to parallel Printer **25.**
All other "Batteries Included" items in stock **CALL**
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley **50.**
Getto Disk 64 (copy discs even if original is copy protected) **36.**
Stat for PET/CBM/C64 **95.**
Comprehensive Statistical Analysis Routines
***AB's C64 Upgrade Kit:** includes BusCard II, IEEE cable and MSD Superdrive **500.**
KMMH PASCAL IV.1 (C64/PET) **95.**
New +4 PASCAL **CALL**
FLEX-FILE II—User friendly. Set-up and maintain data base. Includes report writer & mail label routines **59.**
PetScan—Connect up to 37 CBM/PET computers as networked cluster to shared drives & printers **CALL**
C-Scan—Connect up to 8 computers (C 64, VIC 20, or similar busses) to shared drives and printers **125.**

/ETC.

***Data Technology TeamMate Drive** super new system. Puts 3.3 MB on 5 1/4 floppy. Formats to 2.8 For PC XT owners, an alternative to hard disk. 4 disk back-up 10 megabytes **CALL**
Winchester Drives (10 MB) **799.**
Paradise Modular Graphics Card **310.**
Paradise 5 pack **183.**
Quadram Quadboard—Parallel port, serial port, clock/calendar. No RAM-**\$299.** w/64K-**\$379.** w/384K-**\$499.**
***AMDEK MAI graphics card for IBM PC** (includes Halo software) **200.**
Hercules graphics board **359.**
Votrax speech synthesizers—Personal Speech System **249.**
AST—full line of IBM cards & Boards **CALL**
Keytronic 5150 keyboard **179.**
Koala Pad (w/software) **98.**
4164 Chip-Memory expansion for IBM, 64K **39.**
Interface Cables—6, 10, 12 ft. all popular connectors **CALL**
(Dealer inquiries invited)

ORDER LINE, 9 AM-6 PM EST
800-822-1211
(IN PA., 215-822-7727)

CUSTOMER SERVICE
215-822-7727



AB Computers

252 BETHLEHEM PIKE
COLMAR, PA 18915

FREE CATALOG!

This ad space can accommodate only a few of the exceptional values available from AB. Our latest catalog is packed with fantastic buys, top brands, thousands of items. For a free copy call or write.

time, but it could scarcely be called a computer. They hadn't built the Mark I by that time. Their little hook-up was the first anywhere ever to run a stored program. It worked in 1947 and found the highest common factor of two numbers. This was, of course, a great deal smaller even than the Pilot ACE. However, it was an impressive "first" and I well remember being very heartened when I saw it working.

My point then, is that Open Day was doomed to be a failure. The plan for the first day was that Bullard was to entertain the press upstairs, while downstairs we made sure the computer was working. We were to receive a signal when Bullard was almost through. We did, and immediately the machine stopped working. We found out, almost at once, that it was a chassis associated with one of the delay lines. We plugged in a spare, but

unfortunately we knew that the amplifier, as it warmed up, would become unstable; the amplifier would then need to be retuned and in 10 minutes all would be fine from then on.

So we were expecting to run into trouble almost as soon as the demonstration started. Well, the press arrived. They threw numbers at us and the computer factorized them like a charm. It was indefatigable!

We moved on to the "dates" program. It worked as it had never worked before: the day of Trafalgar, Waterloo, King George V's birthday.

We moved on to the ray tracing. It traced rays like a fiend; nothing could stop it. It continued in this vein from 10 till 1 o'clock. Then the press went away to lunch. We immediately looked at the output from the delay line, that is, the shape of the pulse coming out. It was the best output we'd ever seen!

The computer factorized numbers like a charm.

Further press representatives came in the afternoon; still a faultless performance.

The next day we had the technical press, and it was the same story. Never before had it worked for anything approaching this time period without a fault. The third day the VIPs came. Surely it would let us down now? Not a bit of it. Wilkes was there. I have always found him a very fair man, but naturally he was not prepared to give anything away. He didn't get a chance; it was perfect. It had already been decided that there would be a fourth day when it would

(continued)

2 YEAR WARRANTY ON CARD AND DRIVE

10 Mbyte

SATISFACTION GUARANTEED

Suggested retail price \$1095

**\$945 SPECIAL
SALE PRICE**

100% refundable within 30 days.

**For IBM PC* & compatibles. 2
Years Warranty on disk drive and
controller card.**

- Half-height drive with controller card
- Low error rate
- Low power
- High performance and reliability
- Easy installation

20 Mbyte for \$1,495.

**TO ORDER SEND CHECK OR
MONEY ORDER TO:**

Linde Technology, Inc.
8820 S. Sepulveda Blvd.,
Suite 204
Los Angeles, CA 90045

OR CALL TOLL FREE:

1 (800) 227-2400 ext. 974

In California call

1 (800) 772-2666 ext. 974

Visa and MasterCard accepted.

California residents add 6½% sales tax.

**For dealer inquiry and more
information call: (213) 215-9484**

*IBM is a registered trademark of International
Business Machines Corp.

**Yes, send me more
information on:**

- ☐ 10 Mbyte Disk Drive
☐ 20 Mbyte Disk Drive

Linde Technology, Inc.

8820 S. Sepulveda Blvd., Suite 204
Los Angeles, CA 90045

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____






Photo 2: A hand-cranked desk calculator, like the one used by Wilkinson to perform numerical analysis during World War II. This machine was manufactured by Brunsviga.

be put on show for the staff of NPL. This was a Saturday. The computer had a small fault before our audience arrived, but we soon put this right, and once again it performed flawlessly. The chances of such a performance must have been a million to one against.

On Monday we came in feeling rather jubilant. The computer was down, and it took us about a week to get it working again!

BYTE: *Today a lot of people are coming into computing with no background in calculation. Many of the machines they're using don't have the properties that ACE did, with double-precision accumulation of inner products. People have very little knowledge of this. How can these ideas be got across to them?*

JHW: It's a really difficult question, and I wouldn't claim to know the complete answer to it. Our experience with the Pilot ACE was really rather special. In order to get the most out of a machine with such a small store, user cooperation was essential on a scale which in many ways is not achieved even now. This gave one an intimacy with the machine; we were forced to look at the numbers and thereby achieved a deep understanding of what was going on. One can, of course, do this with modern computers; indeed the potential for doing it is actually greater, but one has to

realize what it is one should be doing and why. For iterative methods we used acceleration techniques which were actually under the direct control of the operator. (For instance, when we were using the power method for the determination of the dominant eigenvector of a matrix, we could follow the progress of the vector on a cathode-ray tube screen. We had a cathode-ray display which showed the contents of any long delay line. We would look at the screen (which showed 32 components of the current vector), and we would see how fast it was converging. We would put a piece of paper over it, and we could say, for example, "It's gaining a binary digit every three iterations, so the ratio of the dominant to the subdominant eigenvalue must be about 2 to the power $\frac{1}{3}$." We could then set up a shift of origin on the input keys that would give much faster convergence.) This work was commonly done by assistants who were in no sense qualified mathematicians, but they became very expert indeed. It is surprising how well they understood the battery of acceleration techniques available and how efficiently they used them. When later we went over to more automatic techniques, they complained we were "taking the guts out of their work." They really loved these early programs. The familiarity and in-

timacy gained with the computing process was fully comparable with that which one gets on a hand desk machine, where perforce you see every number. But on ACE that familiarity was gained quickly and painlessly. This experience was invaluable. Is there any way you can get it now? Of course there is, but one needs to know what is worth having and to have the incentive to output it.

BYTE: *I would say my own experience is that we are transferring large-machine, "faceless" programs down to the personal computers, where in fact one can go back to the ACE ideas.*

JHW: Yes. I agree. The potential is there, and it's much greater, really, than it was on ACE. But in my experience, many people who do computing are reluctant to look at numbers. At Stanford the general level of our students has been pretty high, but I would say their main weakness is in their inability to look at outputs and extract the meaningful information in them. In fact, somewhat to my surprise, they are generally less efficient at this than the assistants I used to have at NPL in the ACE days, in spite of having far superior mathematical qualifications. Most of those assistants had experience with desk computers and had learned to "look at numbers." The Pilot ACE forced them to continue with this habit.

I certainly do not want to suggest that the way to acquire this habit is to serve an apprenticeship on hand desk computers, but we have yet to learn how to instill the relevant knowledge. ■

FURTHER READING

This interview examines James H. Wilkinson's role in building the computer designed by Turing. For additional information on this subject, see Wilkinson's "Turing's Work at the National Physical Laboratory," in *A History of Computing in the Twentieth Century*, N. Metropolis, J. Howlett, and G. C. Rota, eds. (New York: Academic Press, 1980) and his articles on this topic in *The Radio and Electronic Engineer* (July 1975), plus a transcript of an oral history in *Pioneers of Computing*, C. Evans, ed. (London: Science Museum, 1975).

HOW TO BUY SOFTWARE WHEN ALL THE ADS LOOK THE SAME.

We know it's hard to choose a software house. All the ads say the same thing—"Lowest prices," "fastest delivery," "best support," "biggest inventory."

Trouble is, although the claims are the same, the companies are very different. Which is why we want you to know some important facts about us:

1. 800-SOFTWARE is one of the oldest and most reputable firms in the industry. Our customers include IBM, GE, Hewlett-Packard, Xerox, AT&T, and thousands of other satisfied buyers.

2. Our National Accounts Program offers volume discounts and valuable services to large software users. We offer *incredibly* low prices on large bids!

3. We have a giant, \$1,000,000 inventory. Which means we can offer next-day delivery if needed.

4. With every product you get friendly, expert technical support. Have a question? You'll be glad you bought from 800-SOFTWARE!

5. We'll match our competitors' prices on most products. We *never* cut service.

6. We never charge extra for credit card purchases, nor do we process for payment until the product is shipped. (Our competitors don't make this claim!)

7. You'll automatically receive our Technical Support Newsletter—a great way to stay up-to-date.

8. We are members of the Better Business Bureau and the Direct Marketing Association.

9. We want your business. *And* your repeat business. Which is why we work so hard to keep you happy. Give us a call and let us *prove* it!

CHECK OUT ALL OUR INCREDIBLE BUSINESS SOFTWARE PRICES:

CHECK OUT ALL OUR INCREDIBLE BUSINESS SOFTWARE PRICES:					
Lotus 1-2-3 \$309		dBase II/III \$299/\$379		Framework \$379	WordStar 2000/2000 Plus \$269/\$329
Lotus Symphony \$439		Crosstalk \$105		SuperCalc 3 \$209	Hayes Smartmodems 1200/1200B \$489/\$409
SOFTWARE				HARDWARE, ETC	
ASHTON-TATE™				AMDEK™ Monitors CALL	
dBase II/III	\$299/\$379	All Other Products CALL		AST™ Products CALL	
Framework	\$379	MICRORIM™		ATI™ & CDEX™ TRAINING CALL	
Friday!	\$219	RBase 4000 \$289		EPSON™ PRINTERS NEW LOW PRICES!	
DIGITAL RESEARCH™	CALL	MICROSOFT®		HAYES™	
FOX & GELLER™	CALL	Multiplan \$149		Smartmodems 1200/1200B \$489/\$409	
IMSI™	CALL	Word w/Mouse \$299		HERCULES™	
4-Point Graphics	\$ 99	Fortran \$269		Color Card \$199	
PC Paintbrush	\$ 99	All Other Products CALL		Graphic Card \$329	
LIFETREE™		MICROSTUF™ Crosstalk \$105		IBM®	
Volkswriter Deluxe	\$179	MULTIMATE™ \$299		Computers and	
LOTUS™		ROSESOFT™ Pro Key \$ 99		Other Products NEW LOW PRICES!	
1-2-3	\$309	SOFTWARE PUBLISHERS™		MAXELL™ & MEMOREX™ DISKETTES CALL	
Symphony	\$439	PFS File/Graph/Write \$ 84		NORTON UTILITIES™ \$ 59	
MICROPRO®		PFS Report \$ 75		OKIDATA™ PRINTERS NEW LOW PRICES!	
WordStar 2000/2000 Plus	\$269/\$329	SORCIMI/US™		PRINCETON GRAPHICS™ MONITORS CALL	
WordStar Pro Package/P.P. Plus	\$259/\$359	SuperCalc 2/3 \$159/\$209		QUADRAM™ CALL	
InfoStar	CALL	EasyWriter II System \$185		WESTERN UNION EASY LINE® FREE	
ChartStar	\$239	IUS Easy Business Accounting \$299/mod.			
		All Other Products CALL			

WE ALSO CARRY HUNDREDS OF OTHER PRODUCTS!



800-SOFTWARE, INC.
940 Dwight Way
Berkeley, CA 94710

800-SOFTWARE

To order call toll-free:
800-227-4587 OR 415-644-3611

- ☐ Dealer inquiries welcome.
- ☐ Quantity discounts available through our National Accounts Program.
- ☐ Purchase orders accepted. Please call us in advance.
- ☐ Call for shipping charges. Overnight delivery available.
- ☐ We do not add surcharge for credit card purchases.
- ☐ Prices may change. Above prices are for IBM-PC and compatibles.
- ☐ International orders welcome: TELEX #751743 800 SOFTWARE UD
- ☐ Computerize Key Word "GO-EH."

Jim-pak
electronic components

Coming to a neighborhood near you!

AUTHORIZED DISTRIBUTORS

Now available!
1985 Jim-Pak
Catalog complete
with product line,
pin-outs & more!

ALABAMA

Birmingham. American Elect. Supply
Birmingham. J.L.S. Electronics
Huntsville. W&W Electronics
Montgomery. Handey's Elect. Center
Opelika. Southern Electronic Corp.
Tuscaloosa. Radio Parts Inc.

ALASKA

Anchorage. Electronic Supply Center

ARIZONA

Rivera. Riviera Electronics
Sierra Vista. B&S Electronics
Tucson. Electronic City
Yuma. Yuma Electronics

ARKANSAS

Little Rock. Southern Electronics

CALIFORNIA

Anaheim. R.F. Electronics
Bakersfield. Jay Kern Electronics
Berkley. Al Lasher's Electronics
Carpinteria. Electronic Resources
Chico. Payless Wholesale
Chico. The Electronics Warehouse
Chula Vista. Lion Electronics
Clearlake. Clearlake Electronics
Concord. Pacific/Valley Electronics
Costa Mesa. Mar-Vac Electronics
Covina. G&H/AMCO Elect. Supply
Cucamonga. Abletronics
Dublin. Pacific/Valley Electronics
El Cajon. Radio Shack
Eureka. Redwood Electronic Elect.
Fontana. Fontana Electronics
Fresno. Sparky Electronics
Fresno. Whitcomb Electronics
Fullerton. Industrial Electronics
Glendale. Eagle Electronics
Goleta. Bill's Stereo
Half Moon Bay. Strawflower Elec. Radio Shack
Harbor City. Bluff Electronics
Hawaiian Gardens. Carson Electronics
Hollywood. Pacific Radio Exchange
Inglewood. Radioland/Inglewood Elect.
Lancaster. Consumer Electronics
Lompoc. L&H Electronic Emporium
Modesto. Inland Electronics
Modesto. Pacific Radio
Monterey. Zackit
Morro Bay. Coast Electronics
National City. Willy's Electronics
Oakland. Cass Electronics
Oakland. Wenger Electronics
Oceanside. Electronic Center
Orville. Radio Mart
Palo Alto. U.S. Electronics
Palo Alto. Zack Electronics
Pasadena. Dow Radio
Redding. Radio Mart
Sacramento. California Radio & TV
Sacramento. Zack/Sacramento
Salinas. Salinas Radio
San Bruno. Electronics House
San Carlos. J&H Outlet
San Diego. Radio Shack/Mira Mesa
San Fernando. San Fernando Electronics
San Francisco. Zack Electronics
San Jose. Peninsula Elect. Supply
San Jose. United Radio and TV
San Luis Obispo. Mid State Electronics
San Rafael. Electronics Plus
Santa Clara. Digital Pacific
Santa Cruz. Santa Cruz Electronics
Santa Maria. Caps Communications
Santa Maria. Electronic Parts Supermart
Saratoga. Wagonmaster Electronics
Sunnyvale. Sunnyvale Electronics
Torrance. Signal Electronics
Torrance. Torrance Electronics
Vallejo. *Zackit
Van Nuys. Thrifty Electronics
Westminster. JK Electronics
Whittier. Whittier Electronics

COLORADO

Boulder. Hapco
Colorado Springs. Centennial Electronics
Denver. Fiste's Microelectronics
Lakewood. D.H. Crump Co.

CONNECTICUT

Avon. Heathkit Electronic Center
New Haven. Customized Computer Ctr.
Wallingford. Tron Town USA

DELAWARE

Newark. Computerland
New Castle. Delaware Amateur Supply
Wilmington. Micro Products
Wilmington. Wholesale Electronics

FLORIDA

Clearwater. Amateur Electronic Supply
Daytona Beach. C&S Electronics
Fort Lauderdale. Tecktron Enterprises
Gainesville. Skipper Electronics
Hialeah. Heathkit Electronic Center
Hollywood. Erico Inc.
Jacksonville. Heathkit Electronic Center
Oakland Park. Lafayette Radio
Panama City. Bay-Mar Electronics
Pensacola. Pensacola Electronics
Pensacola. Quad Electronics
Plantation. Heathkit Electronic Center
Tampa. Heathkit Electronic Center

GEORGIA

Atlanta. A.C.M. Computer Mart
Atlanta. Heathkit Electronic Center
Duluth. A.C.M. Computer Mart
La Grange. Electronic Supply
Stone Mountain. Coleman's Electronics
Warner Robbins. C&L Electronics

HAWAII

Hilo. Air's Electronics
Honolulu. Industrial Electronics
Honolulu. Integrated Circuit Supply
Pearl City. Heathkit Electronic Center

IDAHO

Boise. Kimball Electronics
Boise. R.J.M. Electronics
Caldwell. A-Gem Supply
Pocatello. Kimball Electronics
Twin Falls. Central Electronics

ILLINOIS

Addison. Digital World, Inc.
Berwyn. B.B. & W. Electronics
Carbondale. Pick's Electronics
Chicago. University of Illinois Bookstore
Downers Grove. Suburban Electronics
Groveand. Moyer Electronics
Harvey. George Electronics
Mount Prospect. Tri-State Electronics
Niles. Joseph Electronic
Peoria. Computerland
Peoria. Warren Radio Co.
Rock Island. Team Electronics
Rock Island. Lullipute Computer
South Holland. Union Electronic Dist.

INDIANA

Angola. Lakeland Electronics
Bloomington. Stansler Radio
Chesterton. Chesterton Electronics
Evansville. Hutch & Son
Gary. Calumet Electronics
Indianapolis. Heathkit Electronic Center
Indianapolis. Warren Radio Co.
South Bend. Genesis Electronics
Terre Haute. Industrial Electronics
W. Lafayette. Van's Electronics

IOWA

Ames. Electronic Supply, Inc.
Burlington. Union Supply Co.
Clinton. R.J.S. Electronics
Davenport. Warren Radio Co.
Des Moines. Radio Trade Supply

KANSAS

Overland Park. Bursien & Assoc.
Salina. Electronics Inc.
Wichita. Amateur Radio Equipment
Wichita. Lloyd's Radio & Elec.
Wichita. R.S.C. Electronics

KENTUCKY

Lexington. Radio Electronic Equip. Co.
Louisville. Heathkit Electronic Center
Louisville. Peerless Electronic Equip. Co.
Mt. Sterling. Electronic Shack
Paducah. Warren Radio Co.

LOUISIANA

Baton Rouge. Davis Wholesale Electronics
Baton Rouge. Industrial Elect. Supply
Bossier. Monard Electronics
Gretna. Pelican Electronics
Houma. Pelican Electronics
Lake Charles. Wholesale Radio & Equip.
Metairie. Pelican Electronic Supply
New Orleans. Wm. B. Allen Supply Co.
Shreveport. Elect. Supply of Shreveport
Shreveport. Industrial Electronic Supply
Shreveport. Southern Electronics

MARYLAND

Aberdeen. Harco Electronics
Annapolis. Computers, Etc.
Baltimore. Heathkit Electronic Center
Baltimore. Trinitronics Inc.
Beltsville. Mark Electronics
College Park. Electronics Plus
Damascus. Damascus C.B.
Glen Burnie. Revco of Maryland
Laurel. The Comm Center
Lavage. J&M Electronics
Rockville. Heathkit Electronic Center
Rockville. Revco Electronics
Suitland. Suburban Wholesalers
Towson. Baymonte Electronics

MASSACHUSETTS

Peabody. Heathkit Electronic Center
Pittsfield. Pittsfield Radio Equipment
Springfield. Syble Electronic Supply

MICHIGAN

Adrian. E&B Electronics
Adrian. Wendenmyer Electronics
Ann Arbor. Wendenmyer Elect. Supply
Battle Creek. Warren Radio
Bay City. Kinds Distributing
Dearborn. Westside Radio & TV
Detroit. Electronic Parts Co.
Detroit. S&S Electronics
East Detroit. Electronic Parts Co.
East Detroit. Heathkit Electronic Center
Flint. Shand Electronics
Grand Rapids. Micro World Inc.
Grand Rapids. Radio Parts Inc.
Grand Rapids. T&W Electronics
Houghton. Warren Radio
Lansing. Technitronics
Lansing. Fulton Radio Supply
Lansing. Fulton Radio Supply
Livonia. Wendenmyer Elect. Supply
Livonia. Northwest Electronics
Livonia. Warren Radio
Livonia. Advanced Electronic Services
Livonia. Compumark
Livonia. H&R Electronics
Livonia. Niles Radio Supply
Livonia. Ryder Distributing
Livonia. Shand Electronics
Livonia. Bell Electronics Co.
Livonia. Tai Van Electronic Supply
Livonia. Traverse City Elect. Supply
Livonia. The Electronic Connection

MINNESOTA

Benidji. Benidji Electronics
Duluth. Northwest Radio of Duluth
Hopkins. Heathkit Electronic Center
Minneapolis. Acme Electronics
Saint Paul. Heathkit Electronic Center
Winona. Hewatha Electronics

MISSISSIPPI

Bilbo. Electronic Parts
Bilbo. Hooper Electronic Supply
Brookhaven. Gills Audio & Electronics
Jackson. Ellington Electronic Supply
Pasadena. Hooper Electronic Supply

MISSOURI

Bridgeton. Heathkit Electronic Center
Cape Girardeau. Show Me Electronics
Columbia. Show Me Electronics
Kansas City. Electronic Supply Co. Inc.
Kansas City. Walters Radio
Rolla. Show Me Electronics
Sedalia. Show Me Electronics
Springfield. Show Me Electronics

MONTANA

Billings. Conley Radio Supply
Bozeman. Electronic Service & Dist.
Great Falls. Electric City Radio

NEBRASKA

Grand Island. G.L. Electronics
Lincoln. Scott Electronic Supply
Omaha. Scott Electronics

NEVADA

Las Vegas. Century 23
Sparks. Computer House

NEW JERSEY

Edison. William Electronic Supply
Fairview. Heathkit Electronic Center
Manua. Electronic World
Ocean. Heathkit Electronic Center
Trenton. Laraco/Lafayette Radio
Vineland. Laraco/Vineland

NEW MEXICO

Alamogordo. Basin Electronics
Hobbs. Trice Electronics

NEW YORK

Amherst. Heathkit Electronic Center
Bethpage. Electronic No. 24 Inc.
Buffalo. Radio Equipment Corp.
Buffalo. Spartan Electronics
Buffalo. Home Electronics
Jamaica. Warren Radio
Jamaica. Heathkit Electronic Center
Johnston City. Union Electronics
Kingston. Greylock Electronics
Medford. Greylock Electronics
Newburgh. Action Audio Inc.
New York. T&H Electronics
N. White Plains. Heathkit Electronic Center
Poughkeepsie. Greylock Electronics
Poughkeepsie. Electronic Storefront
Rochester. Heathkit Electronic Center
Rochester. Trojan Electronic Supply
Troy. Central Electronics
Utica. Central Electronics

NORTH CAROLINA

Greensboro. Heathkit Electronic Center
Winston-Salem. Trayer Inc.

NORTH DAKOTA

Fargo. Radio & TV Equipment
Fargo. SIS Electronics
Mandan. John Iverson Company

OHIO

Akron. Warren Radio
Canton. Electronic Center Inc.
Cincinnati. Heathkit Electronic Center
Cincinnati. Heathkit Electronic Center
Cleveland. T.V. Specialties
Cleveland. Warren Radio
Cleveland. Otan Electronics
Cleveland. Superior Electronics
Cleveland. Universal Amateur Radio
Cleveland. Heathkit Electronic Center
Toledo. Warren Radio
Toledo. Amateur Electronic Supply
Toledo. Ross Radio Co.

OKLAHOMA

Enid. Trice Electronics
Lawton. Trice Electronics
McAlester. Trice Electronics
Oklahoma City. Trice Electronics
Ponca City. Trice Electronics
Tulsa. Trice Electronics

OREGON

Oregon Ham Sales
Nonvac Electronics
Nonvac Electronics
Nonvac Electronics
Portland Radio Supply
Computer Specialties

PENNSYLVANIA

Braddock. Left Electronics
Butler. Computer Center
Chambersburg. Sunrise Electronic Dist.
Drexel Hill. Kass Electronic Dist.
Erie. Warren Radio
Frazier. Heathkit Electronic Center
Lancaster. Harco Electronics
McKeesport. Banno Radio
Norristown. Computer Corner
Philadelphia. Heathkit Electronic Center
Philadelphia. Spectrum Electronics
Phoenixville. Stevens Radio Shack
Pittsburgh. South Hills Electronics
York. Computer Center of York

RHODE ISLAND

Cranston. Jabour Electronics
Pawtucket. Jabour Electronics
Providence. Hope Electronics

TENNESSEE

Bristol. Shields Electronics
Chattanooga. Metro Computer Center
Chattanooga. Shields Electronics
Knoxville. Shield's Electronic Supply
Memphis. Bluff City Electronics
Memphis. Memphis Amateur Electronics
Memphis. Warren Radio
Murfreesboro. Standard Auto Parts
Nashville. Eddie Warners Inc.
Nashville. Electra Dist. Co.
Oak Ridge. National Electronics
Smyrna. Deiker Electronics
Tullahoma. H&H Electronics

TEXAS

Brownsville. George's Electronic Mart
Dallas. Heathkit Electronic Center
Fort Worth. Heathkit Electronic Center
Harlingen. George's Electronic Mart
Lubbock. Trice Electronics
McAllen. George's Electronic Mart
McKinney. Collin Business Equipment
Richardson. Martin Wholesale Electronics
Richardson. Trice Electronics
Waco. L&M Wholesale

UTAH

Midvale. Heathkit Electronic Center
Ogden. Carter Supply Co.
Provo. Alpine Electronic Supply
Salt Lake City. Salt Lake City
Salt Lake City. Mountain Coin Distributing

VERMONT

Burlington. Greylock Electronics
Essex Junction. I.E.S. Lafayette Radio

VIRGINIA

Alexandria. Heathkit Electronic Center
Annandale. Arcade Electronics
Arlington. Arlington Electronic
Arlington. Wholesalers
Blacksburg. Scott's Radio & TV
Charlottesville. Graves Electronics
Hampton. Cain Electronics
Harrisonburg. Electrical Wholesalers
Lynchburg. Electronic Service Co.
Norfolk. Aves Electronics
Norfolk. Cain Electronics
Norfolk. Priest Electronics
Richmond. Aves Electronics
Roanoke. Aves Electronics
Vienna. Electronic Equipment Bank
Virginia Beach. Cain Electronics
Virginia Beach. Heathkit Electronic Center
Woodbridge. E.G.E.

WASHINGTON

Bellevue. A.B.C. Communications
Bellingham. Cascade Electronics
Kennewick. Satellite T.V.
Moses Lake. Ron's Electronics
Olympia. The Electronic Shop
Olympia. H&O Electronics
Richland. Radio Shack
Seattle. A.B.C. Communications
Seattle. Amateur Radio Supply
Seattle. Electronic Supply Co.
Seattle. Heathkit Electronic Center
Spokane. Bits, Bytes & Nobles
Spokane. Don's Stereo Center
Tacoma. C&G Electronics

WEST VIRGINIA

Elkins. Custom Computing Co.
Fairmont. T.P.S. Electronics
Morgantown. Electro Dist. Co.
Wheeling. Industrious

WISCONSIN

Kenosha. Chester Electronic Supply


FOREIGN

Guam. Agana. Marianas Electronics
Guatemala. Electronics Pan Americana
Panama. Sonitel S.A.
Panama. Tropico S.A.
Puerto Rico. Hato Rey Microcomputer Store

* 1ST JIM-PAK DISTRIBUTOR 9/5/77

For Distributor Information, write or phone JIM-PAK, 1355 Shoreway Road, Belmont, CA 94002 (415) 595-5936

MICRO CHARTS



Instant Data on the Most Popular Computer and Microprocessor Parts

- Fully decoded data
- Compact 8½" x 11" size
- Durable credit card plastic
- Clear and concise two-sided tables for: Full instruction set, disassembly, ASCII, base conversion, pinout & much more...

Part No.	Description
MLZ80	Z80 CPU
ML6502	6502 (65XX)
ML7400	5400/7400 TTL Pinouts
ML8080A	8080A/8085A
ML8086	8086/8088

DATA BOOKS




Part No.	Description
30001	Nat. CMOS (CD4000/74C)
30003	National Linear
30005	National TTL Logic
30009	Intersil Data
30013	Zilog Microprocessor
30014	National Intuitive IC CMOS Evolution
30015	National Intuitive Op Amps
30016	National Voltage Regulator
30017	National MOS Memory
30018	National CMOS (74HC, RAMs, PROMs)
30019	National Interface, Bipolar (LSI & Memory), Prog. Logic
210830	Intel Memory Components
230843	Intel Microsystem Components

FIBEROPTICS

The EDU-LINK Learning Kit

The EDU-LINK fiber optic system is a low-cost, TTL compatible data transmission system designed specifically as an educational tool for students and engineers working in many different industries.




Includes:

- Transmitter PCB
- Receiver PCB
- One meter of plastic optic fiber
- All necessary electrical hardware
- Complete step-by-step instructions
- Theory of operation
- Tutorial information

Part No. ELK-1

OWI Educational Electronic Robot Kits



Part No.	Description	PEPPY
MV915	Piper-Mouse (Sound Sensor)	
MV916	Peppy (Sound/Touch Sensor)	
MV918	Memocon Crawler (Programmable Memory)	
MV931	Mr. Bootsman (Wired Control)	
MV935	Circular (Remote Control)	
MV939	Medusa (Sound Sensor)	

Additions to INTEGRATED CIRCUITS



74LS00 Series

Part No.	Description
74LS273	8-Bit D Type Register
74LS640	Octal Bus Transceiver (Inv.)
74LS641	Octal Bus Transceiver (True)
74LS645	Octal Bus Transceiver (True)

Linear

Part No.	Description
LM387N	Low Noise Dual Pre-Amp
NE558N	Quad Timer
LM3905N	Precision Timer

Microprocessor

Part No.	Description
2732A	32K EPROM (21V)
4164N-200	64K Dynamic RAM (200ns)
6116LP-4	16K Static CMOS RAM (200ns) Low Power
6264P-15	64K Static CMOS RAM (150ns)
6502B	MPU with Clock (3MHz)
6845	CRT Controller (CRTC)
8085A	CPU 8-Bit N Channel
8086	CPU 16-Bit (8MHz)
8088	CPU 16-Bit (8-Bit Data Bus)
8251A	Programmable Comm. I/O (USART)
8253-5	Programmable Interval Timer
27128	128K EPROM 250ns (21V)
MM58167	Microproc. Real Time Clock


OPTO-ISOLATOR

Part No.	Description
4N33	Single Channel Photo-Darlington

FANS AND ACCESSORIES



Part No.	Description
MU2A1	Muffin Style Fan (4.68 inch square)
PWS2107	Sprite Style Fan (3.125 inch square)
MFG481	Muffin-style steel wire finger guard
SFG648	Sprite-style steel wire finger guard



DATASHIELD SURGE PROTECTOR

Eliminates voltage spikes and EMI-RFI noise before it can damage your equipment or cause data loss.

- 6 sockets • 6 ft. power cord
- Brown-out/black-out reset switch
- Brown-out notification (audible alarm) • 6 mo. warranty

Part No. Model 100

Jim-pak
DIODES
CRYSTALS
TRANSISTORS
SOCKETS
KITS
SWITCHES
RESISTORS
LEDS
HEAT SINKS
KEYBOARDS
WIRE
SPEAKERS
TOOLS
CORDS
SOLDER
IC'S
BOOKS
CAPACITORS
and more...

CONNECTORS

SOLDER-TYPE CONTACTS


Part No.	Description
57-30360	36 Contact Plug (Centronics)
57-60360	36 Contact Socket (Centronics)
57-30500	50 Contact Plug
57-60500	50 Contact Socket

GENDER CHANGERS

Part No.	Description
JRSMm	Gender Changer (Connects 2 DB25P) RS232
JRSFF	Gender Changer (Connects 2 DB25S) RS232
JCMmM	Gender Changer (Connects 2 Male Centronics cables)
JCMFF	Gender Changer (Connects 2 Female Centronics cables)

The Famous Silicon Chip

Includes the popular verse:
"I'm a computer memory chip
Just a little brain
I do so many things for you
Too many to proclaim
Look through my window
See what makes me tick
A thousand tiny circuits
And my silicon chip."



Part No. MKC-1 Memory Key Chain (Gold)

OUR COMMUNITY NEEDS MORE CORPORATE HEROES.

The United Way volunteer gives a gift that's hard to measure.

Because without his or her contribution of time, energy and dedication, the community services and local programs of United Way simply cannot exist.

United Way has much to do in our community. From day care for the young to services for the elderly.

So this year, be generous.

Give yourself.



United Way

THANKS TO YOU IT WORKS
FOR ALL OF US.

© United Way 1984



A Public Service of This Publication

A LOW-COST DATA-ACQUISITION SYSTEM

BY KIYOHISA OKAMURA AND KAMYAB AGHAI-TABRIZ

*A compromise between cost and quality,
this system is adequate for many research projects*

COMMERCIALLY AVAILABLE data-acquisition systems are quite expensive. A decent system may cost as much as or more than the entire annual equipment budget of an engineering department at a small educational institution like ours. Our solution to this problem was to design and build our own system. A reasonable compromise between price and quality, our system includes a Commodore 64 computer, a video display, a disk drive, and some miscellaneous hardware for about \$800. It has only 8-bit data acquisition, but you can design a 12-bit system by using one and one-half I/O (input/output) ports (i.e., 12 bits) as the data-input pins. Furthermore, during breaks between experiments, our system can provide you with entertainment. Have you ever heard of a data-acquisition system you can play Pac-Man on?

HARDWARE

The circuit diagram to interface the real world to the Commodore 64 is shown in figure 1, and the corresponding hardware is shown in photo 1. For analog-to-digital (A/D) conver-

sion, we use an 8-bit ADC0804. To multiplex the multichannel analog input signals, we use the multiplexer (MUX) chip 4051. The outputs are connected to data lines PB0-PB7 of Complex Interface Adapter 2 (CIA2) through the Commodore 64's User Port CN2. The input channel selection is done by the three bits PB0, PB1, and PB2 of CIA1, which are connected respectively to C(MSB), B, and A(LSB) of the 4051. For example, channel 0 is selected by CBA-000, channel 1 by CBA-001, and so on. This multiplexing arrangement can accept up to eight analog signals. However, our plotting software is limited to three channels. The graphic resolution decreases as the number of channels displayed on

.....
Kiyohisa Okamura, an associate professor of mechanical engineering and director of the Applied High-Tech Laboratory at North Dakota State University (Fargo, ND 58105), holds a Ph.D. from Purdue University. He is also a technical consultant for U.S.-Japanese biomedical engineering and computer businesses. Kamyab Aghai-Tabriz is a graduate student of mechanical engineering at North Dakota State University.

the screen increases. Handshaking between the ADC and CN2 can be done through a pair of connections: $\overline{WR}(\text{ADC})$ to $\overline{PC2}(\text{Commodore } 64)$ and $\overline{INT}(\text{ADC})$ to $\overline{FLAG}(\text{Commodore } 64)$. The latter is optional, and we don't use it in our software.

The analog signal to be connected to each input terminal of the MUX CD4051 in figure 1 should be properly conditioned, which involves amplifying and biasing the signal so that the voltage level is between 0 and +5 V, because +5 V is used as a voltage reference in the ADC. The signal should be made to come as close as possible to the full range of the ADC, without exceeding the full-range limit, for maximum resolution. Therefore, you may need an amplifier between each transducer and the MUX. In our case, since the output of each transducer was relatively large, we used an analog computer for signal conditioning. For a very small signal you can use a differential amplifier. According to figure 1, one of the two lead wires for the input signal is for return and should be grounded.

(continued)

The ADC converts analog input voltage to 8-bit binary data with 0 V corresponding to 00000000 and +5 V to 11111111. The computer shows only the decimal equivalent on the screen, that is, 0 to 255 for 0 to 5 V, respectively. Any value between these two extremes is proportionally converted. For example, a converted data 1 (decimal unity) corresponds to an analog input to 0.02 V ($1 \times 5/255$). Similarly, a data value of 37 corresponds to 0.73 V ($37 \times 5/255$), and so on. If you want to store or display the value of input directly expressed in voltage, all you have to do is divide the acquired data by 51 (255/5).

Using this method of conversion together with a manufacturer's calibration data sheet for a transducer, we can determine the correlation between the original physical quantity and the acquired data in the computer. Another method we often use is direct calibration.

The accuracy of the A/D conversion depends partly upon the accuracy and stability of the voltage supplied to REF/2 (pin 9). We used the refer-

ence voltage from the Commodore 64's 5-V power supply. Our measurement shows that this voltage is actually 4.98 V with a ripple component of less than 0.5 percent. It is quite stable and accurate enough for undergraduate experiments conducted in our laboratories. If you want greater accuracy, use a more reliable voltage reference for pin 9.

The serial data is output to pin M of CN2, which is connected to the coaxial cable as shown in figure 2. The other end of the cable is connected to the serial port of a receiving computer either directly or through a line driver/receiver, depending on the compatibility of the two computers' serial ports. For example, the Commodore 64 and TRS-80 we are using in our laboratories are not RS-232C-compatible. In the Commodore 64, binary state 1 corresponds to +5 V and binary 0 to 0 V at pin M. On the other hand, at the RS-232C terminal of the TRS-80, binary state 1 corresponds to 0 V and binary 0 to +12 V. Therefore, these two computers are incompatible in both

voltage levels and polarity. This incompatibility can be resolved by line driver MC1488 as shown. If the receiving computer uses +12 V and -12 V with inverted polarity, you should connect point P to the receiving RS-232C. With noninverted polarity, use point Q instead.

We use a 500-foot coaxial cable to connect a Commodore 64 in one laboratory to a TRS-80 in another laboratory. We haven't noticed any voltage drop or noise at the receiving end.

SOFTWARE

[Editor's note: The program for data acquisition is available for downloading via BYTEnet Listings. The telephone number is (603) 924-9820.] The main portion of the program uses several assembly-language subroutines that are loaded in machine-language form via BASIC DATA statements. When you load the program, the menu in photo 2 appears. The menu and software are self-explanatory, so we'll only discuss the software briefly. When downloading the program, eliminate all state-




Figure 1: A schematic for the A/D converter for the Commodore 64 data-acquisition system.

ments headed with REM except for line 10, since they are strictly for comment and if typed in, they occupy too much space in RAM (random-access read/write memory).

When the main program is executed, all subroutines written in assembly language are poked into the appropriate locations as sequential data. Therefore, you should store the data (listings 2, 3, 4, and 5) as sequential files. Assign names (listing2, listing3, and so on) to these files. When the main program is executed, these programs will be poked into the locations shown in the first column of each listing.

A data-transmission subroutine is part of the main program. The transmission format is 2400 bps (bits per second), 7 data bits, 1 stop bit, and no parity check. This part of the program is also self-explanatory, but you have to remember to throw switch SW1 to the +5 V position when you use it. The screen displays the data as it is being transmitted from the Commodore 64. At the end of transmission, the screen displays an instruction: switch to ADC and press any key. You then throw SW1 back to the previous position so that the CIA is connected to the ADC.

The standard sampling rates of A/D conversion programmed in the main program are 1000, 500, and 100 samples per second; you can select the rate as part of the data-acquisition subroutine. In addition, you can set any sampling rate by yourself by adjusting parameters qq and ww in line 1110. This setting corresponds to the default value when the instruction for selecting the sampling rate is displayed on the screen. The maximum rate available is 4360 samples per second at $ww = qq = 1$. If you have three channels, this implies the sampling rate of 1453 samples/second for each channel. To lower the sampling rate, just increase qq and/or ww. These parameters are used in time-delay loops in the assembly program with parameter ww in the inner loop and parameter qq in the outer loop. Delay parameter ww has a greater effect on lowering the sampling rate

than parameter qq does.

To calibrate the exact sampling rate, we used a square wave from a crystal oscillator as an input. Since the fre-

quency of the crystal oscillator is quite accurately known, the sampling rate can therefore be determined.

(continued)




Figure 2: TTL (transistor-transistor logic) to RS-232C-level conversion.




Photo 1: The A/D converter.



The Silver Fox™ Trots through Lotus like 1,2,3

The Silver Fox has always run hundreds of programs originally written for the IBM-PC. Now with its new compatible video board and GW Basic it runs the most popular and powerful software in microcomputing, including Lotus 1,2,3, dBASE II, Multiplan, the PFS series, and even Flight Simulator. Yet you still get an incomparable combination of hardware and software at a price that invites comparison.

MORE HARDWARE

Each Silver Fox comes with an 8088 CPU, 256K of RAM, monochrome and color video, and a printer port all on a single board. Plus you get more than twice the storage of a standard PC, 1.6 Megabytes on dual 5 1/4" floppies, and the Fox will read and write to all popular PC formats.

Standard equipment also includes a better keyboard, and a 12" high-resolution, green monochrome monitor, with a full 25x80 column display. And although the Silver Fox doesn't have "compatible" expansion slots you can add serial ports, modems, plotters, printers, joysticks, and 8087 co-processor, and/or a hard disk.

Because the Silver Fox is born on a totally automated line in Japan it is simply more reliable than PC's that are assembled by hand. So we back each Silver Fox with a one year limited warranty, four times the industry standard.

FREE SILVERWARE

Were this not enough, each Fox comes with the best free software bundle in the business including:

MS-DOS 2.11	Sketch	Spell
Color BASIC	15 Games	Mailit
GW BASIC	WordStar	FILEBASE
HAGEN-DOS	CalcStar	PC File III
Qwikdisc	Easy Writer	PD Disk
Datamate		

If you didn't think your

\$1397

could buy you this much computer,
give us a call at

602-941-5856

and we'll rush you a brochure that will
tell you how it can.

ColorFox \$1688

The Silver Fox is sold exclusively by **Scottsdale Systems Ltd.**, 617 N. Scottsdale Road #B, Scottsdale, AZ 85257. Trademarks: Silver Fox, HAGEN-DOS, Qwikdisc, Datamate, and Mailit. Scottsdale Systems Ltd. WordStar and CalcStar. Micropro International, MS-DOS, Multiplan, Microsoft Corporation, FILEBASE, EWDP Software, Inc. dBASE II, Ashton-Tate, IBM-PC, International Business Machines Corporation. Ordering: **Telemarketing only**. Silver Fox price is for cash. F.O.B. Scottsdale, prices subject to change, product subject to limited supply. We accept purchase orders from Fortune 1000 companies and major universities with good credit - add 2% Visa, Mastercard add 3%. AZ residents add 6%. Returned merchandise subject to a 20% restocking fee. Personal or company checks take up to 3 weeks to clear. No COD's or APO's.

LOW-COST DATA ACQUISITION



Photo 2: The software menu for the data-acquisition system.

The colors of screen background and data dots are determined by line 1470 in listing 1. You can change these colors by replacing the number 22 with another number. The number should be calculated as: $16 \times (\text{code number of dot color}) + (\text{code number of background color})$. In our example we used the white dots and a blue background. Hence, the number to be poked in is: $16 \times 1 + 6 = 22$. You can find the color codes in the Commodore 64 reference manual. You can also manipulate the color of the border in graphic display by changing the second number in line 1520.

When one channel of data is plotted on the screen, each data point is represented by one of 200 pixels in the vertical direction. The resolution represented by the error resulting from bit mapping is 0.5 percent. With three channels, the software divides the vertical axis into three sections: 66 (top), 67 (middle), and 67 (bottom) pixels. Hence, the resolution of each channel is 1.5 percent. As the number of channels increases, the resolution decreases.

The program stores data sequentially in RAM. In case of multiple chan-

nels (e.g., displacement x for channel 0, velocity v for channel 1, and acceleration a for channel 2) the data is stored in the following order: $x(1)$, $v(1)$, $a(1)$, $x(2)$, $v(2)$, $a(2)$, $x(3)$, ... , where $x(1)$ and $x(2)$ are the first and the second bytes of data for x , and so on. They are stored sequentially in RAM with the starting address of 32769. The number of data points for each channel is 320 by default but can be changed. Since there are 320 pixels in the horizontal direction of the screen, 320 data points per channel is the maximum number of data points that can be displayed at one time.

CONCLUSION

We've found this system perfect for student use and adequate for some types of research. Though the system has many limitations, it is inexpensive and, above all, it's better than no system at all. ■

We would like to express our appreciation for the help Mr. William Welscher, a graduate student of agricultural engineering at North Dakota State University, gave us during the preparation of the manuscript of this article.

Finally, a New DBMS Technology

INFORMA is what NETWORKING is all about:
INTERACTIVE REAL-TIME DATASHARING

The experts say . . .

Corvus Systems, Inc.

"INFORMA is one of the finest multi-user Database Management Systems available for the OMNINET™ Local Area Network."

Sid Arora, Third Party Marketing Manager

TeleVideo Systems, Inc.

"INFORMA is one of the finest, true multi-user Database Management Systems we have seen run on the TeleVideo Personal Mini.™"

Mark Calkins, Product Marketing Manager

Novell

"Many of our Netware end users have found INFORMA to be a very powerful and versatile Database Management System."

Rob Walton, Manager of Independent Software Development

3COM Corporation

"The INFORMA DBMS is one of the best examples of the benefits users achieve with multi-user network software."

Robert Buchanan, Jr., Software Product Manager

•FAST •POWERFUL •EASY TO USE

•10 Level Security

•50 Keys (indexes) per record

•8000 fields per record


•1 sec. access from 35,000 record file

•255 screens per record

•Unlimited math and relational operations

•Intuitive "Query by Example"

•Full Formatting Reporter



UNLIMITED PROCESSING
INCORPORATED

8382 Baymeadows Road, Suite 8
Jacksonville, Florida 32216
(904) 641-8330 (800) 874-8555
Telex 350754 (800) 874-4185

Incredible Introductory Offer

Single-user

\$199

regularly \$795

LAN/Multi-user

\$599

regularly \$1495

Available on over 20 operating systems including IBM's new PC NETWORK

BUY HARDWARE AND SOFTWARE AT WHOLESALE +8%, AND GET 14-28 DAY SOFTWARE RENTALS†...

In just the last few months, *The NETWORK* has saved its members more than \$24,000,000 and processed over 60,000 orders.

Listed below are just a few of the over 20,000 products available at our EVERYDAY LOW PRICES! All software below is priced in IBM-PC format.

The nation's largest corporations depend on PC NETWORK!

On our corporate roster are some of the nation's largest financial industrial and professional concerns *including some of the most important names in the computer industry:*

AT&T	Gillette
Barclays Bank	Hewlett Packard
Bell & Howell	Hughes Aircraft
Citibank	IBM
Columbia University	ITT
Data General	Kodak
Exxon	Multimate
Farm Bureau Insurance	Standard Oil of Ohio
Frontier Airlines	Yale University
General Mills	Veteran's Administration
General Electric	

plus thousands of satisfied consulting firms, small businesses, user groups, municipalities, government agencies and value-wise individuals ACROSS THE NATION! Their buyers know that purchasing or renting from PC NETWORK saves them time, money and trouble. They also count on us for product evaluation, professional consultation and the broadest spectrum of products and brands around.

CALL TOLL FREE 1-800-621-S-A-V-E

In Illinois call (312) 280-0002
Your Membership Validation Number: **B325**

You can validate your membership number and, if you wish, place your first money-saving order over the phone by using your VISA, MASTERCARD or AMERICAN EXPRESS. Our knowledgeable service consultants are on duty Mon.-Fri. 7:30 AM to 9 PM, SAT. 9 AM to 7 PM CST.



PERSONAL COMPUTER NETWORK
320 West Ohio
Chicago, Illinois 60610

Call now... Join the PC NETWORK and start saving today!

PC NETWORK • MEMBERSHIP APPLICATION

YES! Please enroll me as a member in the PC NETWORK™ and rush my catalog featuring thousands of computer products, all at just 8% above DEALER WHOLESALE PRICES. I will also periodically receive "THE PRINT-OUT", a special up-date on merchandise at prices BELOW even those in my wholesale catalog, and all the other exclusive, money-saving services available to Members.

325

I am under no obligation to buy anything. My complete satisfaction is guaranteed. Please check (✓) all boxes that apply:

- | | |
|--|---|
| Basic Membership | Special V.I.P. Membership* |
| ☐ One-year membership for \$8 | ☐ One-year membership for \$15 |
| ☐ Two-year membership for \$15 (SAVE \$1) | ☐ Two-year membership for \$25 (SAVE \$5) |
| ☐ Business Software Rental Library for \$25 add'l. per year—with 14 day rentals | ☐ BOTH Business and Game Software Rental Libraries for \$30 add'l per year—with 28 day rentals |
| ☐ Games Software Rental Library for \$10 add'l per year | ☐ *VIP members receive advance notice on limited quantity merchandise specials |

- ☐ Bill my credit card ☐ VISA ☐ MasterCard ☐ American Express

Account Number:

Exp. mo. year

☐ Check or money order enclosed for \$

Name Apt. No.

City State Zip

Telephone ()

My computer(s) is: ☐ IBM PC ☐ IBM-XT ☐ IBM-AT ☐ Apple II

☐ Macintosh ☐ Other

Signature

(Signature required to validate membership)

Copyright © 1984, PC NETWORK, INC.

GAMES & EDUCATIONAL SOFTWARE

(Please add \$1 shipping and handling for each title ordered from below.)

Wholesale	Wholesale
Bluebush Chess (Your Toughest Opponent)	\$ 34.00*
Bluebird Millionaire/Oil Baron or Tycoon	34.00*
Broderbund Lode Runner	19.75*
CBS Goren-Bridge Made Easy	48.00*
CBS Mastering the SAT	81.00*
Epyx Temple of Apha	21.97*
Infocom Zork 1 or Witness	21.50*
Infocom Deadline, or Suspended	27.00*
Microsoft Flight Simulator	27.00*
Mouse Systems PC Paint-Turn your PC into a Color Macintosh!	59.95*
Orion (Bird Color Look Alike)	22.00*
Scarborough MasterType	27.00*
Screenplay Asylum (works with mono card too)	\$ 15.50*
Sierra On-Line Frogger	21.00*
Sierra On-Line Crossfire	18.00*
Sublogic Night Mission Pinball	24.00*
Spinnaker Alphabet Zoo	17.00*
Spinnaker Delta Drawing	29.00*
Spinnaker FaceMaker	20.00*
Spinnaker Hey Diddle Diddle	17.00*
Spinnaker KinderComp	19.00*
Spinnaker Rhymes & Riddles	17.00*
Spinnaker Story Machine	20.00*
Spinnaker Most Amazing Thing	23.00*
Virtual Combinatorics Micro Cookbook	21.00*

BUSINESS SOFTWARE

(Please add \$2.50 shipping and handling for each title ordered from below.)

Wholesale	Wholesale
ATI How to use Multimate	\$ 42.00*
ATI How to use Microsoft Word	42.00*
ATI How to use Lotus 1-2-3	42.00*
Ashton-Tate Database II	337.50*
Ashton-Tate Framework	327.50*
Ashton-Tate Friday!	158.00*
Barclay Side Kick (Protected)	33.95*
Central Point Copy II PC	23.00*
Conceptual Instruments Desk Organizer	157.00*
Digital Research CP/M-86	33.00*
Digital Research DR Logo	57.00*
Digital Research PLU Compiler	399.00*
Digital Research Concurrent CP/M—Windows	90.00*
Funk Software Sideways	36.00*
Harvard Harvard Project Manager	215.00*
Howardsoft Tax Preparer 1985	165.00*
Keyes PC Start-Up Kit (IBM PC/XT/286 Emulator)	63.00*
Human Edge The Management Edge	145.00*
Human Edge The Sales Edge	145.00*
Human Edge Mind Prober	28.45*
Lattice C Compiler	270.00*
Lotus Development Lotus 1-2-3	269.00*
Lotus Development Symphony	\$ 42.00*
MicroRim RBase 4000	42.00*
Microsoft C Compiler	42.00*
Microsoft Word with Mouse—Latest Version	255.00*
Microsoft Multiplan	105.00*
Monogram Dollars & Sense	240.00*
Multimate Multimate (Latest Version)	240.00*
Oasis The Word Plus	90.00*
Open Systems P/O Sales A/R INQ G/L A/P Team Mgr.	\$70.00**
Real World G/L A/P A/R P/R or OE/INV	38.50*
Rosecroft Prolog Version 3	74.00*
Ryan McFarland RM COBOL (Dev. System)	570.00*
Sanna Sanna II Word Processor	325.00*
Satellite Software WordPerfect	225.00*
Softstyle SET-FX	125.00*
Softstyle SET-FX	35.00*
Software Publishing PFS File	72.00*
Software Publishing PFS Report	64.00*
Software Publishing PFS Write	72.00*
Software Publishing PFS Graph	72.00*
TCS Total Ledger	440.00*
Verbatim Desk Drive Analyzer	25.00*

HARDWARE

(Please add shipping and handling charges found in italics next to price.)

Wholesale	Wholesale
Apple Macintosh Base System	\$1,580.00* (34.12)
Apple Apple IIc	950.00* (18.56)
Apple Apple IIe	CALL
Columbia Desktop & Portable Systems	CALL
Compaq All Models	CALL
Eagle Desktop PC and Sprint Portables	CALL
IBM PC Start-Up Kit (IBM PC/XT/286 Emulator)	\$1,620.30* (35.00)
FDC/Color CD-Par Port Monitor/64K	1,620.30* (35.00)
IBM PC Base System 2 DSD/2DSD/256K	1,575.73* (34.16)
IBM PC Professional Hard Disk (XT)	2,000.73* (43.20)
DSD/256K 10MB Hard Disk (256K)	2,000.73* (43.20)
IBM PC/AT All Configs	CALL
Sayno MBC 550 "Lowest Cost Compatible"	620.00* (13.39)
Tava PC Complete IBM Compatible	1,200.00* (25.92)
Texas Instruments Professional	CALL

COMPLETE SYSTEMS

Wholesale	Wholesale
Cogito 10MB INTERNAL 1/2 Height	\$ 625.00* (13.50)
Autoboot Drive: New lower price	665.00* (14.36)
MMI 3" 10MB Low Power Winchester	665.00* (14.36)
Mounts Like Hard Height Drive	4,900.00* (106.00)
Maxtor 140MB External Auto Booting Drive with Controller for PC	4,900.00* (106.00)
Maxtor 140MB External Auto Booting Drive for AT	4,900.00* (106.00)
Maynard Floppy Disk Controller	92.00* (2.50)
Maynard WS-1 10MB Internal Hard Disk with Sandstar Mult Function Card	770.00* (18.15)
Maynard WS-2 2MB Internal Hard Disk with Sandstar Floppy Controller (uses 1 slot)	930.00* (20.30)
Maynard Floppy Controller/Serial Port	145.00* (2.50)
Panasonic Hard Floppy DSD/2 Drive Pair	225.00* (5.40)
PC Network Hard Floppy DSD/2 Drive Pair	225.00* (5.40)

DISK DRIVES & CONTROLLERS

Wholesale	Wholesale
Cogito 10MB INTERNAL 1/2 Height	\$ 625.00* (13.50)
Autoboot Drive: New lower price	665.00* (14.36)
MMI 3" 10MB Low Power Winchester	665.00* (14.36)
Mounts Like Hard Height Drive	4,900.00* (106.00)
Maxtor 140MB External Auto Booting Drive with Controller for PC	4,900.00* (106.00)
Maxtor 140MB External Auto Booting Drive for AT	4,900.00* (106.00)
Maynard Floppy Disk Controller	92.00* (2.50)
Maynard WS-1 10MB Internal Hard Disk with Sandstar Mult Function Card	770.00* (18.15)
Maynard WS-2 2MB Internal Hard Disk with Sandstar Floppy Controller (uses 1 slot)	930.00* (20.30)
Maynard Floppy Controller/Serial Port	145.00* (2.50)
Panasonic Hard Floppy DSD/2 Drive Pair	225.00* (5.40)
PC Network Hard Floppy DSD/2 Drive Pair	225.00* (5.40)

MEMORY CHIPS

Wholesale	Wholesale
64K Memory Upgrade Kits (9 chips)	\$ 26.91* (1.00)
64K Dynamic Ram Chips (Each)	2.99* (1.00)
256K Dynamic Ram Chips (Each)	22.00* (1.00)
128K AT Mother Board Chips (Each)	16.00* (1.00)

MODEMS

Wholesale	Wholesale
Anchor Mark XII LOWEST PRICE 1200BPS	\$ 230.00* (5.00)
HAYES COMPATIBLE EXTERNAL MODEM	180.00* (3.60)
Hayes Smartmodem 300	386.90* (12.30)
Hayes Smartmodem 300B with new 1200BPS/1200BPS/1200BPS	335.00* (8.50)
Rixon R212A Stand Alone 1200BPS	290.00* (6.50)
U.S. Robotics Password (Compact 1200BPS External)	290.00* (6.50)

MONITORS

Wholesale	Wholesale
Amdek Video 300G Composite Green	\$ 110.00* (3.00)
Amdek Video 300A Composite Amber	120.00* (3.00)
Amdek Video 310A IBM Type Amber	130.00* (3.00)
Amdek Color 300 (NEW) Composite	215.00* (4.64)
Amdek Color 500 (NEW) Composite	320.00* (6.91)
Amdek Color 600 (NEW) High Res RGB	395.00* (8.53)
Amdek Color 700 (NEW) Ultra High Res	455.00* (9.83)
Amdek Color 710 (NEW) 700 w Non Glare Long Phosphor	485.00* (10.48)
Princeton HX-12 RGB Monitor	CALL
Princeton MAX-12 RGB Mono	CALL
Princeton SR-12 Ultra High Res RGB	CALL
Quadrant Quadcolor 12" RGB	\$170.00* (8.21)
Quadrant Quadcolor 12" RGB	170.00* (8.21)
Taxan 420 Super High Res RGB Monitor	380.00* (8.21)
Taxan 440 Highest Res RGB (720x400)	525.00* (11.34)
Currently Available Works With Persyst Bob Card	76.00* (2.50)
Zenith ZVM-123 Green High Res	76.00* (2.50)

MULTIFUNCTION CARDS

Wholesale	Wholesale
Apparat 256K Memory Board with 64K w/2K Buffer	\$ 81.00* (1.75)
Apparat Combo II wiser/par/gamer/clock/star	115.00* (2.48)
Apparat AT Ram Expansion card	136.00* (2.50)
AST Six-Pack Plus with 64K	228.00* (5.50)
AST MegaPlus II with 64K	228.00* (2.50)
AST Plus II	228.00* (2.50)
AST Advantage for AT	228.00* (2.50)
ORCHID BLOSSOM W 64K	205.00* (2.50)
Multifunction with networking at an unbelievable price. Up to 384K Ser-Par Clock/Software/Net Slot	199.00* (2.50)
Quadrant Improved Quadboard w/OK	195.00* (2.50)
Tecmar Captain Multifunction Card O/K	195.00* (2.50)

PRINTERS

Wholesale	Wholesale
Amdek 5025 (NEW) 25CPS LQ w/2K Buffer	\$ 525.00* (10.48)
C. Itoh F1040 Starwriter 40 CPS LQ	875.00* (18.90)
C. Itoh Prowriter 8510 AP	285.00* (6.16)
Comrex CR420 420 CPS DPLQ Printer	1,533.00* (33.12)
From the Epson Organization	
Epson FX-80	220.00* (4.75)
Epson FX-80	370.00* (7.99)
Epson FX-100+	525.00* (11.34)
Epson LQ1500	CALL
Epson IBM-to-EPSON Parallel Cable	21.00* (1.00)
NEC 2030 20CPS LQ Parallel	625.00* (13.50)
NEC 2050 20CPS Letter Quality Printer	625.00* (13.50)
NEC 3530 33CPS LQ Parallel	1,185.00* (31.54)
NEC 3530 33CPS Letter Quality Printer	1,185.00* (31.54)
NEC 8850 55CPS LQ New Model IBM Version	1,650.00* (35.64)
Okidata ML52P 20CPS 132 Col	620.00* (13.40)
Okidata ML52P 160CPS 80 Col Printer	350.00* (7.56)
Okidata ML93P 160 CPS Wide-Platen	550.00* (11.88)
Okidata 24 Pin Facemaker 350C	1,640.00* (35.42)
Okidata IBM-to-Okidata Parallel Cable	20.75* (1.00)
Qume Sprint 1140 40CPS Letter Quality	1,155.00* (24.00)
Qume Sprint 1190 90CPS Letter Quality	CALL
New! Fastest Daisywheel Out!	72.00* (1.00)
IBM Cable and Interface (required)	225.00* (4.95)
Star Micronics	
Star Micronics Gemini 15X 10X Features	325.00* (7.20)
Star Micronics PowerType 18 CPS LQ Durable Code Compatible	300.00* (6.48)
Texas Instruments 855 DPLQ w/Tractor	716.00* (15.50)
Toshiba P-1340 80 Col Version of P-1351	696.00* (15.03)
Toshiba P-1351 160/100 CPS Draft/LQ	1,200.00* (25.92)

VIDEO CARDS

Wholesale	Wholesale
Hercules Color Card w/Parallel Port	\$ 148.00* (3.20)
Hercules Monochrome Graphics Cards	298.00* (2.50)
Paradyse View Modulator Multisync Card	255.00* (5.50)
Persyst Bob Card Ultra High Res Color Card with Mono Quality Text in Color	365.00* (2.50)
STB Graphics Plus II NE W!	295.00* (2.50)
(Simultaneous Mono Graphics & Color)	

ACCESSORIES AND SUPPLIES

Wholesale	Wholesale
Brand Name DSD/2 Disks	\$ 16.00* (1.00)
Guaranteed for Life! Not Generic	
Curtiss PC Pedestal II	36.00* (2.50)
Keytronic KB515 Deluxe IBM Keyboard	170.00* (14.00)
PC Network Replacement 130 Watt IBM-PC Power Supply—Gives your PC (Old or New) the same capacity as an XT. Good for add in tape drives (without need for a piggyback unit) and large capacity disk drives	165.00* (3.56)
SMA PC Document: Keyboard Templates for Paradyse DBASE, Multimate and others (Each)	9.99* (1.00)
WP Printer Paper 2600 Sheets	17.00* (10.00)
Microfine Perfs (invisible when torn)	

*PC NETWORK Members pay just 8% above the wholesale price, plus shipping. All prices reflect a 3% cash discount. Minimum shipping \$2.50 per order.

†RENT BEFORE YOU BUY—Members are eligible to join The NETWORK's Business and Game Software Rental Libraries and evaluate products for a full 14 (Regular) or 28 (VIP) days to see if it meets your needs. And The NETWORK's rental charges are far less than other software rental services—JUST 20% OF THE MEMBER WHOLESALE PRICE.

Hardware prices highlighted by ► reflect recent major price reductions

COMPLETE IBM™ PC SYSTEMS

IBM PC STARTER SYSTEM

IBM PC w/64K (256K capacity)

\$1,620.50* (35.00)

Floppy Drive Controller

1 Double Sided Double Density 320/360 Disk Drive

Hercules Color Card w/Parallel Port

Zenith ZVM-123 Display Monitor

CALL FOR
LATEST IBM
PRICING

The NETWORK has the perfect starter system for you! The combination of a double sided drive, color card and printer part allows you to run most any program and grow without need for replacing any component you buy now.

IBM PC BASE SYSTEM

IBM PC w/256K

\$1,575.73* (34.16)

Floppy Drive Controller

2 Double Sided Double Density 320/360K Disk Drives

The Base System is your lowest cost starting point for configuring the exact system of your choice. Combine it with any of the monitors, video cards, multifunction cards and accessories listed in this ad, and prove the Network can't be beat as your system source.

IBM PC PROFESSIONAL HARD DISK SYSTEM (XT)

IBM PC w/256K

\$2,000.73* (43.20)

Floppy Drive Controller

1 Double Sided Double Density 320/360K Disk Drive

w/Half Height Disk Subsystem.

Half Height 10MB Drive Allows Room

for Addition of Tape Backup in PC!

1 1/2 times faster than XT

Automatic Hard Disk Boot Feature.

CUSTOM
CONFIGURATIONS
WELCOME

This system increases productivity in any business or professional situation. The 10Mb hard disk eliminates cumbersome floppy disk changes, simplifies operations and dramatically speeds program execution time. The NETWORK's buying power provides you with better than XT performance at a price lower than you'd expect to pay for a standard PC.

*PC Network Members pay just 8% above this wholesale price plus shipping. These prices have been prepared in December, 1984 and may have been changed with new product announcements. Call for latest prices.

LATEST ISSUE FEATURES!

▶ **64K MEMORY EXPANSION KITS \$ 26.91***

Set of 9 chips Guaranteed for Life.

▶ **LOTUS 1-2-3 269.00***

New Best Price!

▶ **COGITO 10MB INTERNAL**

HARD DISK 625.00*

Low Power Automatic Boot

▶ **PANASONIC/SHUGART per pair 225.00***

1/2 Height DSDD Disk Drives with Mounting Kit

▶ **STAR MICRONICS GEMINI 10X ... 225.00***

120 CPS Epson IBM Graphics Compatible w/Tractor

TANDON TM100-2 DRIVES 140.00*

ORCHID BLOSSOM/64K installed 205.00*

New Price! Full Six-Pack Features
with networking capability!

AMDEK MONITORS

V300G Composite Green 110.00*

V300A Composite Amber 120.00*

V310A IBM Amber 130.00*

HERCULES COLOR CARD

w/Printer Port 148.00*

HAYES 1200B with new Smartcom II/

VT100 Emulator 366.90*

NEC SPINWRITER 2050 625.00*

20 CPS-Letter Quality Printer

BRAND NAME DISKETTES 16.00*

DS/DD Box of 10 Guaranteed for Life Not Generic

*NETWORK members pay just 8% above these wholesale prices plus shipping

PC NETWORK

... WITH THESE 15 UNIQUE BENEFITS

1 COST + 8% PRICING—The NETWORK purchases millions of dollars in merchandise each month. You benefit in receiving the lowest price available and all at just 8% above published dealer wholesale price.

2 OUR 500 PAGE WHOLESALE CATALOG—Members receive our 500 page wholesale catalog containing over 20,000 hardware and software products for the IBM PC, APPLE and over 50 other popular computer systems. **THE NETWORK'S CATALOG IS THE LARGEST SINGLE COMPILATION OF PERSONAL COMPUTER PRODUCTS AVAILABLE TODAY. NOW UPDATED QUARTERLY!**

3 IN-STOCK INSURED FAST HOME DELIVERY—The NETWORK maintains a giant multi-million dollar inventory of most popular products, allowing us to ship many orders from stock. Non-stock items are typically maintained in local warehouses just days away from The NETWORK and YOU. We pay all insurance expenses on your shipment. **EMERGENCY OVER-NIGHT SERVICE IS AVAILABLE ON REQUEST.**

4 10 DAY RETURN POLICY—If you are not satisfied, for any reason with any hardware component purchased from The NETWORK within 10 days of receipt, we will refund your entire purchase (less shipping) with no questions asked.

5 MEMBERSHIP SATISFACTION GUARANTEE—If for any reason you are not satisfied with your membership within 30 days, we will refund your dues IN FULL.

6 EXPERIENCED CONSULTANTS—The NETWORK hires consultants, not order takers, to aid you in product selection. Our consulting staff possesses in excess of 150 man years of personal computer product experience. **We back our consultants with our money back guarantee: IF ANY PRODUCT RECOMMENDED BY OUR CONSULTING STAFF FAILS TO PERFORM AS PROMISED—WE WILL TAKE IT BACK AT OUR EXPENSE FOR A 100% REFUND.**

7 FREE TECHNICAL SUPPORT—The NETWORK supports every product it sells. Our qualified TECH-SUPPORT staff will help you assemble your system, interpret vendor documentation and get your software and hardware to work. **WE WILL GIVE YOU ALL THE HELP YOU NEED, WHEN YOU NEED IT—FREE!**

+8 OPTIONAL BUSINESS RENTAL LIBRARY—All members can join our BUSINESS RENTAL LIBRARY featuring over 1000 available titles for just \$25 PER YEAR above the base membership fee. This entitles you to rent business software AT JUST 20% of the DISCOUNT PRICE FOR A 14 DAY PERIOD. If you decide to keep the software, the entire rental fee is deducted from the purchase price. **VIP MEMBERS GET A FULL 28 DAYS for just \$30 above the V.I.P. base fee. This also includes the game library privileges for a \$5 combination savings.**

+9 OPTIONAL GAME SOFTWARE RENTAL LIBRARY—The Game Rental library is available to members for just \$10 PER YEAR and permits evaluation (or just enjoyment) of any game or educational software product as above.

10 SPECIAL SAVINGS BULLETINS—THE PRINTOUT—Issued Quarterly at no charge to Network members only! The Printout contains all the New Product listings and price changes you need to keep your Catalog up to date. Also, we buy excess dealer inventories, and store bankruptcy closeouts, which we turn around and make available to our members at fantastic savings via THE PRINTOUT.

11 DISCOUNT BOOK LIBRARY—Working with numerous publishers and distributors, The NETWORK has assembled a library of over 1000 computer related books and manuals at savings of up to 75% from the normal store price.

12 MEMBERSHIP REFERRAL BONUS—Our most valuable source of new members is you! To date almost 40% of our members have been referred by word of mouth from other satisfied members. For those of you who refer new members, The NETWORK will credit a cash bonus to your account applicable to any future purchase.

13 CORPORATE ACCOUNT PROGRAM—Almost 50% of The NETWORK's members are corporate buyers and users (see opposite page left). The NETWORK can establish open account status and assign designated account managers to expedite orders, and coordinate multiple location shipments.


14 QUANTITY DISCOUNTS—For large corporations, clubs, and repeat or quantity buyers The NETWORK can extend additional single order discounts, when available to us from our manufacturers and distributors.

15 PRICE PROTECTION—The PC Industry is crazy!! Prices change not yearly or monthly or even weekly but often day by day! These changes are sometimes up but are mostly down!!! **THE NETWORK GUARANTEES THAT IN THE EVENT OF A PRODUCT PRICE REDUCTION, BETWEEN THE TIME YOU PLACE YOUR ORDER AND THE TIME THE PRODUCT SHIPS YOU WILL ONLY PAY THE LOWER AMOUNT!!**

CALL TOLL FREE 1-800-621-S-A-V-E (orders and memberships only)
In Illinois call (312) 280-0002 validation code B325

We apologize for our evasiveness. After our last advertisement, many of you felt compelled to contact us regarding the implication that The Shoebox Accountant is completely integrated on a single disk. Although we would like to confirm that a single disk holds general ledger, accounts receivable, accounts payable, and payroll modules, queuing files, and the powerful reporting capabilities for which CYMA Corporation is so well known, and offers the entire program for a mere \$395, modesty prevents us from doing so. As ever, we prefer our same, subtle approach.

Nice Box.
Fully Integrated.



FOURIER SMOOTHING

WITHOUT THE FAST FOURIER TRANSFORM

BY ERIC E. AUBANEL AND KEITH B. OLDHAM

*An in-depth look at using the Fourier transform
to remove noise from your data*

IN THE SCIENTIFIC AND BUSINESS communities, gathering and analyzing data are very important activities. Data is often collected as a set of values of some variable (e.g., sales in business or current in electrochemistry) against some independent variable, most often time, at evenly spaced intervals. The data is then analyzed for the presence of significant trends. Sometimes these trends are difficult to discern because of the presence of noise or other short-duration perturbations in the data. You can attenuate the noise either by performing replicate experiments and signal averaging or by smoothing the data. The second approach is probably the less satisfactory of the two; it is commonly adopted, however, because the alternatives are more costly or time-consuming.

The three most common methods for smoothing data are moving-average, least-squares, and Fourier transformation. In the moving-average method, each data point is replaced by the average of itself and n neighboring points on either side of it. The advantage of this method is that it is very easy to program. The disadvantages include: the first and last n points are not smoothed to the same degree as the rest of the data set because they don't have n neighbors on each side of them; you must sample at a rate much faster than the fastest transient that you wish to study; and the method flattens the signal more than other smoothing methods.

The least-squares method identifies the line of the order you specify that minimizes the sum of the squares of distances between the data points and the calculated line. The advantages of this method are that it will permit you

to easily generate statistical information on the goodness of fit, and it does not require that the data be collected at regular intervals. The disadvantages of the method are that it assumes that you know the basic form of the equation that the data satisfies, and the method is disproportionately biased by one or two very bad data points because it will twist the line of fit to spread the error over the entire data set.

Fourier transformation and inversion is probably the best method, since it lends itself naturally to identifying and eliminating noise. The reason for this is that noise is usually present at high frequencies, whereas the signal proper is usually at low frequencies. Fourier transformation produces the frequency spectrum. By eliminating the high-frequency portion of the spectrum and performing an inverse Fourier transform, you can obtain the original data without much of the noise—the "smoothed" data. The primary disadvantage of this method is that the data points must be collected at regular time intervals.

There are several reasons why Fourier smoothing is not practiced as often as other methods. Descriptions of Fourier transformation are often couched in unfamiliar jargon, though a few authors have succeeded in explaining Fourier transformation theory in simpler terms (see

(continued)

Eric E. Aubanel, a fourth-year student at Trent University, is interested in applications of mathematics to chemistry. Keith B. Oldham, a professor of chemistry at Trent University, has taught and researched in England, California, Australia, and Canada. Both authors can be reached at Trent University, Peterborough, Ontario K9J 7B8, Canada.

references). A second reason is the common misconception that Fourier transformation and inversion are massive number-crunching operations that require large computers and cannot be implemented on the small personal computers that people are increasingly using for data collection and processing. Further, the success of the "fast Fourier transform" has spawned the belief that it is the only practical algorithm for transformation and inversion.

Before discussing the principles and operation of our BASIC subroutine for Fourier smoothing, let's look at the discrete Fourier transform, the removal of high frequencies, and the features of the fast Fourier transform. Our program does *not* execute fast Fourier transformation, though it does incorporate some of the same features. It is not especially fast when executed in a high-level programming language on a microcomputer, but it can achieve excellent smoothing in an acceptable length of time.

DISCRETE FOURIER TRANSFORMATION

A good explanation of the continuous and discrete transformations can be found in the article by Stanley and Peterson in the December 1978 issue of BYTE (reference 1). We will outline only some of the important features of the discrete Fourier transform.

Performing a discrete Fourier transform on a sequence of real valued data $x_0, x_1, \dots, x_{N-1}$ produces two sets of real valued transforms:

$$(1) \quad R_k = \frac{1}{N} \sum_{j=0}^{N-1} x_j \cos\left(\frac{2\pi jk}{N}\right) \quad k = 0, 1, \dots, N-1$$

$$(2) \quad I_k = \frac{-1}{N} \sum_{j=0}^{N-1} x_j \sin\left(\frac{2\pi jk}{N}\right) \quad k = 0, 1, \dots, N-1$$

To regenerate the real valued data from the transforms, the following operation is performed:




Figure 1: When the digital filter function is incorporated into the FT algorithm, it eliminates all frequencies corresponding to $k \geq E$ from the discrete Fourier transform spectrum. Frequencies corresponding to $k < E$ are gradually attenuated.

$$(3) \quad x_j = \sum_{k=0}^{N-1} R_k \cos\left(\frac{2\pi kj}{N}\right) - I_k \sin\left(\frac{2\pi kj}{N}\right) \\ j = 0, 1, \dots, N-1$$

The operation above is called Fourier inversion.

The information content of the original data is transferred, on Fourier transformation, into about the first half of the R_k, I_k numbers, i.e., those having $0 \leq k \leq \frac{N-1}{2}$ (if N is odd; $0 \leq k \leq \frac{N}{2}$ if N is even). The second half merely duplicates the first in magnitude: $R_{N-k} = R_k, I_{N-k} = -I_k$ (see Stanley and Peterson for a good illustration of this).

REMOVING HIGH FREQUENCIES

The procedure for removing high frequencies can be represented as a multiplication,

$$(4) \quad R_k \rightarrow f_k R_k; \quad I_k \rightarrow f_k I_k$$

by a function f_k (the so-called digital filter function). The simplest filter function is a rectangle, which would cut off the transforms for $k > E$. Such a sudden cutoff can lead to a false accentuation of frequencies corresponding to transform points in the vicinity of E . To avoid this you can use a quadratic filter function, which results in a gradual attenuation (see figure 1). The filter function we have incorporated into our algorithm is

$$(5) \quad f_k = \begin{cases} 1 - \left(\frac{k}{E}\right)^2 & k = 1, 2, 3, \dots, E-1 \\ 0 & k = E, E+1, \dots \end{cases}$$

The smaller the value chosen for the integer E , the more denuded of high frequencies the subsequent invert will be: the closer E is to $\frac{N-1}{2}$ (or to $\frac{N}{2}$ if N is even), the less affected the regenerated signal will be.

Because there is no purpose in calculating those values of R_k and I_k that duplicate others or that will be replaced by zeros, the equations for Fourier transformation and inversion can be abbreviated to the following equations:


$$(6) \quad R_0 = \frac{1}{N} \sum_{j=0}^{N-1} x_j$$

$$(7) \quad R_k = \frac{x_0}{N} + \frac{1}{N} \sum_{j=1}^{N-1} x_j \cos\left(\frac{2\pi jk}{N}\right)$$

$$K = 1, 2, \dots, E-1$$

(continued)

The Hard Disk With The Software Shell



Internal 10 Meg \$794
External 10 Meg \$944

Why pay more for 10 or 20 Meg drives than you have to? Our 10 Meg internal hard disk subsystem is priced at \$794, with the 20 Meg model going for \$1088. Our external 10 Meg goes for \$944, 20 Meg for \$1238.

Our drives are fully compatible with any IBM PC or PC-compatible with 64K RAM and PC-DOS 2.0 or later.* Qubie' drives boot directly from the hard disk. You can power up the PC and load the system directly, without using any floppy disks. No software patches or drivers to install.

Using the same amount of power as a floppy drive, the Qubie' hard disk uses less energy than other aftermarket drives.



The drives come complete with 1dir software. 1dir's commands are in English, eliminating the need to

type in DOS commands, and are all selected by using cursor control keys. 1dir even explains commands with HELP screens that give you on-line advice when you need it.

Qubie' drives are made of special plated recording media. They withstand the vibration and movement that has damaged hard disks in the past. In fact, Qubie' drives have been selected by several computer makers for use in their portable computers.

Good service starts with answering your questions before and after you buy. It continues with same or next day shipment of your order. Since we only sell a few selected products, we have the information and inventory to help you fast.

We perform repairs in our own service department within 48 hours, should you ever need service during the one year warranty period.

Our price is the whole price. All prices include UPS surface charges and insurance. In a hurry? Two day UPS air service is just \$12.

Corporations, dealers and institutions, call for volume purchase price information.

***Call for information.**

No Risk Guarantee

If you are not completely satisfied with your purchase, you may return it within 30 days for a full refund, including the cost to send it back. If you can get any of our competitors to give you the same guarantee, buy both and return the one you don't like.

Order Today, Shipped Tomorrow!

For fastest delivery, send cashiers check, money order, or order by credit card. Personal checks, allow 18 days to clear. California residents, add 6% sales tax. Hours: Mon.-Fri. 8:00 a.m.-6:00 p.m. PST Sat. 9:00 a.m.-1:00 p.m. PST

(800) 821-4479

Toll Free Outside California

(805) 987-9741

Inside California

QUBIE'

4809 Calle Alto
 Camarillo, CA 93010

London (01) 223-4569
 Paris (01) 321-8316
 Sydney (02) 579-3322

© Qubie' 1984

(8)

$$I_k = \frac{-1}{N} \sum_{j=1}^{N-1} x_j \sin\left(\frac{2\pi jk}{N}\right)$$

$$k = 1, 2, \dots, E-1$$

(9)

$$\tilde{x}_0 = R_0 + 2 \sum_{k=1}^{E-1} f_k R_k$$

(10)

$$\tilde{x}_j = R_0 + 2 \sum_{k=1}^{E-1} f_k R_k \cos\left(\frac{2\pi kj}{N}\right) - f_k I_k \sin\left(\frac{2\pi kj}{N}\right)$$

$$j = 1, 2, \dots, N-1$$

where $\tilde{x}_j$ is the high-frequency-stripped analog of x_j . Note that R_0 is now expressed separately from R_k , as well as $\tilde{x}_0$ from $\tilde{x}_j$, and that $I_0 = 0$ because $\sin 0 = 0$. The factor of two in equations 9 and 10 is present as a result of restricting E to be less than $\frac{N}{2}$ and by taking advantage of the symmetries ($R_{N-k} = R_k$, $I_{N-k} = -I_k$) already noted.

Though we used the word "abbreviated" to describe equations 6 through 10, their implementation still requires a lot of computation. Approximately 20NE multiplications or divisions and 4NE cosine or sine evaluations are needed to implement these equations straightforwardly. For example, if $N=200$ and $E=20$, about 16,000 trigonometric functions are needed, along with 80,000 multiplications. Some microcomputers take as long as 0.2 second to calculate a single trigonometric function and would spend almost an hour on this aspect of a Fourier program alone.

FAST FOURIER TRANSFORMS

To meet the problem of the large number of multiplications and other operations required to implement Fourier transformation and inversion straightforwardly, the fast Fourier transform (FFT) algorithm was invented. Books have been written on this topic, but here we can do no more than cite some of the features of the FFT.

The FFT has several advantages. (1) By using the properties of the sine and cosine functions, the number of needed sines and cosines is drastically reduced. (2) Similarly, the number of multiplications is drastically reduced, these, in effect, being replaced by additions. (3) The same routine, virtually unchanged, can be used for Fourier transformation and inversion. (4) No storage space is needed beyond that required for the initial data; the transforms simply "overwrite" the original numbers. (5) The total processing time is massively reduced, especially when N is large.

The disadvantages of the FFT algorithm, for our present

purposes, are as follows. (1) To function efficiently, N is required to be a power of 2. (2) Even though far fewer are needed, the evaluation of sines and cosines may still be a bottleneck and therefore a memory-consuming "sine lookup table" must be incorporated into time-efficient FFT algorithms. (3) The algorithm is inherently "square," being designed to generate $2N$ outputs from $2N$ inputs; thus it cannot exploit the potential savings in the "rectangular" task of producing only E outputs from N inputs. (4) Because of the need to perform "bit inversions," programming in anything except machine language is not efficient.

To deal with situations in which the number of input data cannot be conveniently made a power of 2, the technique of "zero-filling" is often used. This inflates the number of points to be processed from N to the next higher power of 2—for example, from 200 to 256—with a consequential increase in storage and time requirements but without any benefit to our present task. On the contrary, because it may introduce a sharp discontinuity (see examples), zero-filling hinders smoothing.

For data-smoothing purposes, the disadvantages of the FFT often outweigh its advantages. This was the conclusion we reached after we had implemented a smoothing procedure that relied on a standard FFT routine. We therefore designed the algorithm that is the subject of this article. This new algorithm is not an FFT. It shares with the FFT the first two advantages cited above but does not share any of the disadvantages.

PRINCIPLES OF THE ALGORITHM

Notice that equations 7, 8, and 10 are all of the form

(11)

$$G = \sum_{m=1}^M U_m \cos\left(\frac{2\pi ml}{N}\right) + V_m \sin\left(\frac{2\pi ml}{N}\right)$$

when G , m , U_m , V_m , M , and l are appropriately interpreted. To evaluate expression 11 our algorithm uses the following principle: The sum is split into odd- m and even- m terms,

(12)

$$G = \sum_{m=1,3}^{M \text{ or } M-1} U_m \cos\left(\frac{2\pi(m+1)l}{N} - \frac{2\pi l}{N}\right) + V_m \sin\left(\frac{2\pi(m+1)l}{N} - \frac{2\pi l}{N}\right) + \sum_{m=2,4}^{M \text{ or } M-1} U_m \cos\left(\frac{2\pi ml}{N}\right) + V_m \sin\left(\frac{2\pi ml}{N}\right)$$

and the arguments of the trigonometric terms are modified in the odd- m moiety. Next, addition formulas are used to expand the modified functions and the m is then replaced by $2m-1$ in the first summation and by $2m$ in the second. After collection of terms, this leads to

(continued)

MICRO CAP and MICRO LOGIC put your engineers on line... not in line.



MY OWN WORKSTATION




How many long unproductive hours have you spent "in line" for your simulation? Well, no more. MICROCAP and MICROLOGIC can put you on line by turning your PC into a productive and cost-effective engineering workstation.

Both of these sophisticated engineering tools provide you with quick and efficient solutions to your simulation problems. And here's how.

MICROCAP: Your Analog Solution

MICROCAP is an interactive analog circuit drawing and simulation system. It allows you to sketch a circuit diagram right on the CRT screen, then run an AC, DC, or Transient analysis. While providing you with libraries for defined models of bipolar and MOS devices, Opamps, transformers, diodes, and much more, MICROCAP also includes features not even found in SPICE.

MICROCAP II lets you be even more productive. As an advanced version, it employs sparse matrix techniques for faster simulation speed and larger net-




"Typical MICROCAP Transient Analysis"

works. In addition, you get even more advanced device models, worst case capabilities, temperature stepping, Fourier analysis, and macro capability.

MICROLOGIC: Your Digital Solution

MICROLOGIC provides you with a similar interactive drawing and analysis environment for digital work. Using standard PC hardware, you can create logic diagrams of up to 9 pages with each containing up to 200 gates. The system automatically creates the netlist required for a timing simulation and will handle networks of up to 1800 gates. It provides you with libraries for 36 user-defined basic gate types, 36 data channels of 256 bits each, 10 user-defined clock waveforms, and up to 50 macros in each network. MICROLOGIC produces high-resolution timing diagrams showing selected waveforms and associated delays, glitches, and spikes—just like the real thing.



"Typical MICROLOGIC Diagram"

Reviewers Love These Solutions

Regarding MICROCAP... "A highly recommended analog design program" (PC Tech Journal 3/84). "A valuable tool for circuit designers" (Personal Software Magazine 11/83).

Regarding MICROLOGIC... "An efficient design system that does what it is supposed to do at a reasonable price" (Byte 4/84).

MICROCAP and MICROLOGIC are available for the Apple II (64k), IBM PC (128k), and HP-150 computers and priced at \$475 and \$450 respectively. Demo versions are available for \$75.

MICROCAP II is available for the Macintosh, IBM PC (256k), and HP-150 systems and is priced at \$895. Demo versions are available for \$100.

Demo prices are credited to the purchase price of the actual system.

Now, to get on line, call or write today!

Spectrum Software

1021 S. Wolfe Road, Dept. B
Sunnyvale, CA 94087
(408) 738-4387

Inquiry 295

FOURIER SMOOTHING

Listing 1: The Microsoft BASIC version of the Fourier-smoothing algorithm.


```

2 '*****
4 ' FOURIER SMOOTHING WITHOUT THE FAST FOURIER
   TRANSFORM PROGRAM
6 ' By Eric E. Aubanel and Keith B. Oldham
8 '*****
10 CLS
12 INPUT "ENTER NUMBER OF DATA POINTS";N
14 REM LEAVING R AND I ARRAYS UNDIMENSIONED
   LIMITS VALID VALUES OF E TO <= 10
16 N2=INT((N+1)/2+1);DIM X(N),X1(N),U(N2),V(N2)
18 FOR I=0 TO N-1
20 INPUT "ENTER DATAPOINT VALUE";X(I)
22 LPRINT "X(;;I;) = ";X(I)
24 NEXT I
26 GOSUB 60
28 LPRINT "WHEN E = ";E;" THE SMOOTHED DATA
   VALUES ARE:"
30 FOR I=0 TO N-1
32 LPRINT "X(;;I;) = ";X1(I)
34 NEXT I
36 INPUT "IF YOU WANT TO TRY A DIFFERENT E,
   ENTER 1 ELSE ENTER 0";MORE
38 IF MORE=1 THEN GOSUB 60 ELSE IF MORE<>0
   THEN 36 ELSE 42
40 GOTO 28
42 END
44 REM FOURIER ALGORITHM SUBROUTINE BEGINS
   AT LINE 60. LINE NUMBERS ARE THE SAME AS
   FOR THE HP VERSION OF THE SUBROUTINE
60 PI=3.141593
70 PRINT "NUMBER OF TRANSFORM POINTS
   TO BE KEPT";
80 INPUT E
90 IF E>INT((N+1)/2) THEN PRINT "E TOO LARGE"
   :GOTO 70
100 IF E<>INT(E) OR E<=1 THEN GOTO 70
110 IF E<=Q THEN 870
120 REM
130 IF Q<>0 THEN 330
240 'CALCULATE R(0)
250 G=0
260 FOR J=0 TO N-1
280 G=G+X(J)
290 NEXT J
300 R(0)=G/N
310 Q=1
320 REM
330 PRINT "WORKING ON R(K) TRANSFORM
   CALCULATIONS"
340 J2=INT((N-1)/2)
350 P1=INT(LOG(2*J2-1)/LOG(2))
360 FOR K=Q TO E-1
370 J1=J2
380 S=PI*K*2/N
390 C=COS(S);S=SIN(S)
400 FOR J=1 TO J1
410 L=2*J-1
420 U(J)=X(L)*C+X(L+1)
430 V(J)=X(L)*S
440 NEXT J
450 S=2*S*C:C=2*C*C-1
460 FOR P=1 TO P1
470 U(J1+1)=0:V(J1+1)=0
480 J1=INT((J1+1)/2)
490 FOR J=1 TO J1
500 L=2*J-1
510 U=U(L)*C-V(L)*S+U(L+1)
520 V(J)=U(L)*S+V(L)*C+V(L+1)
530 U(J)=U
540 NEXT J
550 S=2*S*C:C=2*C*C-1
560 NEXT P
570 R(K)=(X(0)+(U(1)*C+V(1)*S))/N
580 NEXT K
590 REM
600 PRINT "WORKING ON I(K) TRANSFORM
   CALCULATIONS"
610 FOR K=Q TO E-1
620 J1=J2
630 S=2*PI*K/N
640 C=COS(S);S=SIN(S)
650 FOR J=1 TO J1
660 L=2*J-1
670 U(J)=-(X(L)*S)
680 V(J)=X(L)*C+X(L+1)
690 NEXT J
700 S=2*S*C:C=2*C*C-1
710 FOR P=1 TO P1
720 U(J1+1)=0:V(J1+1)=0
730 J1=INT((J1+1)/2)
740 FOR J=1 TO J1
750 L=2*J-1
760 U=U(L)*C-V(L)*S+U(L+1)
770 V(J)=U(L)*S+V(L)*C+V(L+1)
780 U(J)=U
790 NEXT J
800 S=2*S*C:C=2*C*C-1
810 NEXT P
820 I(K)=-((U(1)*C+V(1)*S)/N)
830 NEXT K
840 REM
850 IF E>Q THEN Q=E
860 REM
870 PRINT "WORKING ON INVERSE TRANSFORM"
880 REM
890 'CALCULATE X1(0)
900 F1=0:F2=0
910 FOR K=1 TO E-1
920 T=R(K)
930 F1=F1+T
940 F2=F2+K*K*T
950 NEXT K
960 X1(0)=R(0)+2*(F1-F2*(1/E/E))
980 REM
990 P1=INT(LOG(2*E-3)/LOG(2))
1000 FOR J=1 TO N-1
1010 T2=E-E
1020 FOR K=1 TO E-1
1030 F=1-K*K/T2
1040 U(K)=R(K)*F:V(K)=- (I(K)*F)
1050 NEXT K
1060 K1=E-1
1070 S=2*PI*J/N

```

(continued)

Our multi-mode printers accelerate from 100 cps to 480 cps and have an impressive finish everytime.



In the Grand Prix of office automation, HERMES multi-mode printers always come in first. Both 400/480 cps data and 100/120 cps single pass near letter quality are possible with the same print-head.

Speed and quality have never been as successfully combined. Professionals who want only the best will also appreciate:

Their versatility. Wide range of attractive characters sets in 16 national versions, as well as math symbols, bar codes and teletex. Dual ports, parallel (CENTRONICS™/EPSON™ compatible) and serial (RS-232C/RS-422) interfaces. DIABLO™ 630 emulation optional.

Their resolution. Finest print quality available on matrix printers. So good you can even print signatures. Bit mapping graphics in single and double density modes, 6 dots densities in each mode. A circle on the screen means a circle on the paper too!


Their quality. Swiss high quality construction. Quality that lasts - thanks to their exclusive «moving-ruby» head.

Their multicolored printing. Text and graphics printing in 8 colors on both models 615 and PC-Printer 2.



HERMES®
The impressive printers

Made by HERMES PRECISA INTERNATIONAL, CH-1401 Yverdon, Switzerland
HERMES printers are distributed in Austria, Canada, Cyprus, Finland, France, Greece, Jordan, Kuwait, Lebanon, Saudi Arabia, South Africa, Spain, Sweden, Switzerland, United Kingdom, USA, West Germany.



To receive a sample of the finest quality matrix print-out and additional information on the HERMES printers, please return the coupon below.

Please send me more documentation about your HERMES printers.

Name _____ Title _____

Company _____

Street _____ City _____

State _____ Zip _____ Phone () _____

Send to: HERMES PRODUCTS, Inc. - Printer Division
1900 Lower Road, LINDEN, NJ 07036, (201) 574 0300


```

1080 C = COS(S):S = SIN(S)
1090 FOR P = 1 TO P1
1100     U(K1 + 1) = 0:V(K1 + 1) = 0
1110     K1 = INT((K1 + 1)/2)
1120     FOR K = 1 TO K1
1130         L = 2 * K - 1
1140         U = U(L) * C - V(L) * S + U(L + 1)
1150         V(K) = U(L) * S + V(L) * C + V(L + 1)
1160         U(K) = U
1170     NEXT K
1180     S = 2 * S * C: C = 2 * C * C - 1
1190 NEXT P
1200 X1(J) = R(0) + 2 * (U(1) * C + V(1) * S)
1220 NEXT J
1230 RETURN

```

Listing 2: The straight-line procedure for eliminating the "end effect" can be MERGED with listing 1 without modification. Note that this listing is not a stand-alone program.

```

140 'STRAIGHT LINE CALCULATION
150 S1 = 0: S2 = 0
160 D = INT(N/10)
170 FOR J = 0 TO D - 1
180     S1 = S1 + X(J)
190     S2 = S2 + X(N - J - 1)
200 NEXT J
210 X1 = S1/D: X2 = S2/D
220 M = (X2 - X1)/(N - D)
230 B = (X1 + X2)/2 - M * N/2
270 X(J) = X(J) - M * J - B
970 X1(0) = X1(0) + B
1210 X1(J) = X1(J) + M * J + B

```

(13)

$$G = \sum_{m=1,2}^{\text{Int} \frac{M+1}{2}} \left[U_{2m-1}^c - V_{2m-1}^s + U_{2m} \right] \cos\left(\frac{4\pi ml}{N}\right) + \left[U_{2m-1}^s + V_{2m-1}^c + V_m \right] \sin\left(\frac{4\pi ml}{N}\right)$$

where c and s are abbreviations for $\cos(2\pi l/N)$ and $\sin(2\pi l/N)$, respectively. If M is odd, equation 13 calls for the values of U_{M+1} and V_{M+1} , which were not present in equation 11; these terms are to be interpreted as zero.

A comparison of equations 11 and 13 shows that, at the expense of having to evaluate two new coefficients, we have condensed the number of summed terms by a factor of (almost or exactly, according to the parity of M) 2. A careful analysis shows that if such a condensation procedure is repeated P times, where $P = \text{Int}\{\log_2(2M-1)\}$, then a single ($m=1$) term

(14)

$$G = \left[\text{newest } U \text{ coefficient} \right] \cos\left(\frac{2^{P+1}\pi l}{N}\right) + \left[\text{newest } V \text{ coefficient} \right] \sin\left(\frac{2^{P+1}\pi l}{N}\right)$$

remains, from which G is easily calculable.

By adopting this P -fold condensation procedure, we have reduced the number of sines and cosines that each need to be evaluated from M to $P+1$, or from 198 to 9, for example. In fact, you can get away with evaluating only one sine and one cosine, since the arguments involved ($2\pi l/N$, $4\pi l/N$, $8\pi l/N$, ..., $2^{P+1}\pi l/N$) form a sequence in which each is double the previous argument, allowing the duplication formulas $\sin 2\theta = 2\sin\theta\cos\theta$ and $\cos 2\theta = 2\cos^2\theta - 1$ to be used with advantage. It must be emphasized that our algorithm is for Fourier smoothing alone.

OPERATION OF THE ALGORITHM

[Editor's note: The listings reprinted here are Microsoft versions of the authors' HP programs. The HP listings are available on the FROMBYTE file area of BYTenet Listings, (603) 924-9820, under the names FT.BAS and FTEXT.BAS.]

The data to be smoothed is entered into array $X(I)$, $I = 0$ to $N-1$, where N is the number of points. The number of iterations of the condensation procedure, Q , is initialized to zero. Lines 140 through 230, 270, 970, and 1210 have been omitted from the subroutine listing. These lines can be filled with a straight-line modification of the data, which we will discuss in the next section.

The degree of smoothing, E , must be an integer greater than 1 and less than $N/2$ (half the total number of points). The first transform calculated is R_0 , followed by the evaluation of R_k and I_k for $k = Q$ to $E-1$ (see below). Then the first inverse transformed point $\hat{X}_0$ is calculated, using the quadratic filter function and R_k . Finally, the rest of the inverse transforms $\hat{X}_j$, for $j = 1$ to $N-1$, are calculated using R_k , I_k and the quadratic filter function. These inverse transforms consist of the smoothed data and are stored in array $X1(I)$, $I = 0$ to $N-1$.

After one pass through the subroutine, you may want to select a different degree of smoothing. To do so, you execute the subroutine again. Since many of the transforms will have been calculated previously (the number currently existing is Q), this second execution of the subroutine will require fewer transform calculations (or none if greater smoothing—i.e., a smaller E —is chosen).

EXAMPLES

Let's take a look at three types of applications of our algorithm: on scientific data, meteorological data, and annual agricultural statistics.

Our first example concerns electrochemical data acquired in this laboratory during studies of very low con-

(continued)

Gifford's Multiuser Concurrent DOS.™ The net that works!

Gifford has the network solution. It's simple, fast, secure, complete, and it works. Multiuser Concurrent DOS is based on Digital Research's Concurrent DOS, the only major microcomputer operating system specifically designed for networking.

Users can share disks and printers transparently, and can also take advantage of true multiuser features like file and record lockout. And Gifford has added a bundle of features that makes Multiuser Concurrent DOS easy to install and use. It lets you get right to work.

Our net is ARCNET.™

Multiuser Concurrent DOS utilizes Datapoint's ARCNET, the most popular network hardware in the industry. It's reliable, economical, and fast — so you can add users without overloading the network.

You can network up to 255 single and multi-user systems. You can connect single or multiuser Gifford or CompuPro® systems as well as IBM PC-XTs®. Dual processor Gifford and CompuPro systems can run thousands of 8 or 16 bit CP/M or MP/M applications. PC-XTs can run 16 bit CP/M and MP/M programs as well as most popular MS-DOS applications, such as Lotus 1-2-3.™

Gifford adds to your net worth.

Our enhancements of Concurrent DOS make it possible to get more and better work done in less time. Network-wide features include electronic mail, event calendar, inter-terminal communication, user time accounting and usage report generation, telecommunications, user expandable HELP facility,

reminder messages, message of the day, automatic startup and shut-down procedures, and easily prepared files for initializing terminals, printers, and network nodes.

Gifford's Virtual Terminals™ increase productivity

by offering full-screen concurrency; you can run up to four programs simultaneously from one physical terminal.

The safety net.

Multiple users can mean multiple security problems. Gifford's security enhancements include

login account names and encrypted passwords to control

access to the system. Users can be further restricted to specified

terminals, user areas, programs, or nodes on the network. You're also safe from

excessive down time, since the modular network architecture gives you immunity from single point failure.



Gifford nets a big one: Simplicity.

If you've gone through the ordeal of typing as many as seven commands just to get on and off a network, Gifford has your number.

A single, menu-driven network command handles all your network options. Everything you need is right in

front of you. The net effect is simplicity — and sanity.

If you'd like to see how Gifford's Multiuser Concurrent DOS can solve your networking problems, or if you'd like to know about Gifford's selection of multiuser systems and software options, call (415) 895-0798.

Or write us at the address below.

We'll send you a free networking brochure and give you the name of the nearest dealer.

Multiuser Concurrent DOS is a trademark of Gifford Computer Systems. Concurrent DOS is a trademark of Digital Research, Inc. ARCNET is a trademark of Datapoint Corporation. IBM PC-XT is a registered trademark of IBM Corporation. CompuPro is a registered trademark of CompuPro Corporation. Lotus 1-2-3 is a trademark of Lotus Development Corp. Virtual Terminals is a trademark of Gifford Computer Systems.

GIFFORD
COMPUTER SYSTEMS

A subsidiary of Zitel Corporation

2446 Verna Court
San Leandro, CA 94577
(415) 895-0798 TELEX: 704521
Houston, TX (713) 680-1944

THE MULTIUSER COMPANY™

centrations of heavy metal in water. Because the signal is so small, it is contaminated with noise (see figure 2). Fourier smoothing the data eliminates the noise, leaving the signal proper. This illustrates the virtue of Fourier smoothing experimental data acquired electronically, since it can eliminate the high-frequency noise originating from the instrumentation. The peak height, which is proportional to the metal concentration, can be quantified easily from the smoothed curve.

Choosing the right degree of smoothing, by varying E , is a matter of trial and error. The effects of undersmoothing and oversmoothing are illustrated in figure 2. We obtained the best smoothing when $3 \leq E \leq 9$.

Consider a graph of daily maximum temperature readings for the period of January 1982 to June 1983, shown in figure 3. There is a clear seasonal variation, but there is also a great deal of scatter. This scatter is caused

by short-term variations in the temperature due to changing weather conditions. To better examine the underlying seasonal variations, it would help to eliminate the short-duration fluctuations of temperature. A direct application of Fourier smoothing, however, produces the red line shown in figure 3, which is obviously not satisfactory. The smoothed curve does not match the data at the ends. The cause of this "end effect" is that some high frequencies not due to noise were eliminated in the smoothing process. The "genuine" high frequencies come from the discontinuity between the beginning and the end of the data. The discrete Fourier transform treats the data as periodic; that is, it assumes that the last points are followed by replicas of the initial points (see figure 4a). Thus the transform "perceives" a sudden jump between the end of one period and the beginning of the next. Sudden

(continued)




Figure 2: An example of Fourier smoothing scientific data. The data represents a derivative neopolarogram at a static-mercury-drop electrode. The black line, showing proper smoothing, was obtained by $N = 72$, $E = 8$. In the red line, showing undersmoothing, $E = 20$. In the oversmoothed blue line $E = 4$.




Figure 3: Daily maximum temperatures at the Peterborough, Ontario, weather station from January 1982 through June 1983. The red line ($N = 546$, $E = 9$) provides an example of false smoothing due to an "end effect." To correct for this effect, subtract a straight line (black) joining the ends of the unsmoothed data. The resulting "normalized" smoothing is shown by the blue line ($E = 7$).





Figure 4: An explanation of the "end effect," which results from the discrete Fourier transform treating the data as periodic (a). The sudden jumps between one period and the next produce "genuine" high frequencies (not associated with noise) in the transform spectrum. To eliminate the "end effect," subtract a

straight line joining the ends from the data. The result of this operation is shown in (b). Notice that now the data begins and ends at the same ordinate value, which means that there are no sudden discontinuities from the transform's point of view.

2 Megabytes



THE LARGEST CAPACITY DISK EMULATOR YOU HAVE EVER SEEN.

You know about disk emulators. They're fast semiconductor disk drives. Very fast. But until now, the most disk storage you could get on a single board was 1Mbyte. (That was from us, too.) Now we have news that'll really blow your socks off... 2 Megabytes on a single board. Available NOW. That's not a pie-in-the-sky promise.

That's enough storage for dozens of large programs and hundreds of kilobytes of data files. Enough for almost anything you want to do with a disk drive. But that's not all. With SemiSpool, our CP/M print spooler, you can implement a print buffer hundreds of kilobytes long in seconds. All in software. At no extra cost.

Another thing about disk emulators. Unless they're from SemiDisk Systems, they're probably afraid of the dark: Lose power, turn the computer off, and your valuable data goes to that big backup disk in the sky. But our Battery Backup Units keep SemiDisk data flying high while your computer is off, and up to 10 hours during a complete blackout.

So remember this: SemiDisk Systems has been building dedicated microcomputer disk emulators longer than anyone. And larger. And faster. And at a much lower cost. And that's not a lot of hot air.

AT A PRICE YOU NEVER THOUGHT YOU'D SEE

	<u>512K</u>	<u>1Mbyte</u>	<u>2Mbyte</u>
SemiDisk I, S-100	\$995	\$1795	
SemiDisk II, S-100	\$1295	\$2095	\$2549
IBM PC, XT, AT	\$945	\$1795	\$2499
QX-10, QX-16	\$799		\$2499
TRS-80 II, 12, 16	\$995	\$1795	\$2499
Battery Backup Unit	\$150		

SEMIDISK

SemiDisk Systems, Inc.
P.O. Box GG, Beaverton, Oregon 97075
503-642-3100

jumps correspond to high frequencies, which in turn result in more high frequencies in the transform spectrum.

The solution to the problem of retaining genuine high frequencies from transformed data is to subtract a straight line joining the beginning and the end of the unsmoothed data. Initially we thought of subtracting a line joining the first and last points. However, since the unsmoothed data contains a lot of scatter, the straight line joining the end points would not necessarily match the beginning and end of the trend. We dealt with this problem by taking the first and last 10 percent of points, averaging each set, and joining the two resulting points. The procedure consists of subtracting the line from the unsmoothed data, smoothing the modified data, then adding the line on to the smoothed data. As mentioned before, the effect of subtracting the line is to eliminate end discontinuities (figure 4b). To include this procedure in the smoothing subroutine, you should merge the program steps shown in listing 2 with listing 1.

The result of treating the data in figure 3 with a straight line is shown as a blue line, which produces a much better fit. Note that a greater degree of smoothing is used here than in the "unnormalized" (red) line. Since we have now eliminated most "genuine" high frequencies, we can filter out more high frequencies.

Historical statistics can be found on such varied subjects as wheat production and the number of hospital beds. In many cases there is an upward trend, due to the increasing population and increasing costs. To examine a trend over a long period of time, you may want to smooth the data.

Our third case concerns wheat production in Canada from 1906 to 1974 (see figure 5). Here there is a great deal of noise, which makes it difficult to draw a definitive trend "by eye." The Fourier-smoothed curve shows an upward trend, as expected, but not in a straight line. This is important, because a straight-line fit might be an oversimplification for a particular analysis.

There are other, more subtle sources of high frequencies that will not be discussed but should be mentioned.




Figure 5: Unsmoothed (dots) and smoothed (line) statistical data on wheat production in Canada from 1906 through 1974. The large amount of scatter makes it difficult to draw a straight curve through the data. Fourier smoothing accomplishes this quite well, given an appropriate choice of the degree of smoothing. Smoothing parameters: $N = 69$, $E = 3$.

Sudden discontinuities other than the end type may occur in the data, and these may be treated by subtracting several straight lines where appropriate. You can also handle this problem by smoothing the continuous segments separately instead of treating the data as a whole. Another source of high frequencies is a sudden change in slope, which is more difficult to correct. Here it is necessary to subtract an appropriate curve that matches the portion of the data that changes slope abruptly. ■

REFERENCES

1. Stanley, W. D., and S. J. Peterson. "Fast Fourier Transforms on Your Home Computer." *BYTE*, December 1978, page 14.
2. Zimmermann, M. "A Beginner's Guide to Spectral Analysis," parts 1 and 2. *BYTE*, February 1981, page 68, and March 1981, page 166.
3. Lord, R. H. "Fast Fourier for the 6800." *BYTE*, February 1979, page 108.

THE \$2395 DEVELOPMENT SYSTEM

Turns any personal computer into a complete micro-computer **DEVELOPMENT SYSTEM**. Our integrated control/display program runs under MS-DOS, CP/M, ISIS, or Apple and controls the UDL via an RS-232 port.




Up to 128K bytes of **EMULATION ROM** (8K standard) allows you to make program patches instantly. Since the target ROM socket connects data and address lines to both the analyzer and the emulator, no expensive adaptors or personality modules are needed.

The powerful **BUS STATE ANALYZER** features four-step sequential triggering, selective trace, and pass and delay counters. Symbolic trace disassemblers and debuggers are available for Z-80, 8048, 6500, 6800, 8031, 8085, Z-8, 1802, 8088/80188, 8086/80186, 6865 and 68000.

PROM PROGRAMMER also doubles as a **STIMULUS GENERATOR**.

For further information, call or write:

ORION Instruments 172 Otis Ave., Woodside, CA 94062
(415) 851-1172



Would you hire an entire band when all you need is one instrument? Of course not.

So why use a whole orchestra of computers when all you need is one to develop software for virtually any type of micro-processor?

The secret? Avocet's family of cross-assemblers. With Avocet cross-assemblers you can develop software for practically every kind of processor — *without having to switch to another development system along the way!*

Cross-Assemblers to Beat the Band!

Development Tools That Work

Avocet cross-assemblers are fast, reliable and user-proven in over 4 years of actual use. Ask NASA, IBM, Xerox or the hundreds of other organizations that use them. Every time you see a new micro-processor-based product, there's a good chance it was developed with Avocet cross-assemblers.

Avocet cross-assemblers are easy to use. They run on almost any personal computer and process assembly language for the most popular microprocessor families.

Your Computer Can Be A Complete Development System

Avocet has the tools you need to enter and assemble your soft-ware and finally cast it in EPROM:

VEDIT Text Editor makes source code entry a snap. Full-screen editing plus a TECO-like command mode for advanced tasks. Easy installation - INSTALL program supports over 40 terminals and personal computers. Customizable keyboard layout. CP/M-80, CP/M-86, MSDOS, PC DOS \$150

EPROM Programmers let you program, verify, compare, read, display EPROMS but cost less because they communicate through your personal computer or terminal. No personality modules! On-board intelligence provides menu-based setup for 34 different EPROMS, EEPROMS and MPUs (40-pin devices require socket adaptors). Self-contained unit with internal power supply, RS-232 interface, Textool ZIF socket. Driver software (sold separately) gives you access to all programmer features through your computer, lets you download cross-assembler output files, copy EPROM to disk.

Model 7228 Advanced Programmer — Supports all PROM types listed. Super-fast "adaptive" programming algorithm programs 2764 in 1.1 minutes.

Model 7128 Standard Programmer — Lower-cost version of 7228. Supports all PROM types except "A" versions of 2764 and 27128. Standard programming algorithm programs 2764 in 6.8 minutes.

Avocet Cross-assembler	Target Microprocessor	CP/M-80	CP/M-86 IBM PC, MSDOS**
XASM04 <i>NEW</i>	6804	\$ 250.00	\$ 250.00
XASM05	6805	200.00	250.00
XASM09	6809	200.00	250.00
XASM18	1802/1805	200.00	250.00
XASM48	8048/8041	200.00	250.00
XASM51	8051	200.00	250.00
XASM65	6502/65C02	200.00	250.00
XASM68	6800/01, 6301	200.00	250.00
XASM75	NEC 7500	500.00	500.00
XASM85	8085	250.00	250.00
XASM400	COP400	300.00	300.00
XASMF8	F8/3870	300.00	300.00
XASMZ8	Z8	200.00	250.00
XASMZ80	Z80	250.00	250.00
XMAC682 <i>NEW</i>	68200	595.00	595.00
XMAC68K <i>NEW</i>	68000/68010	595.00	595.00

Model 7956 and 7956-SA Gang Programmers — Similar features to 7228, but program as many as 8 EPROMS at once. 7956-SA stand-alone version copies from a master EPROM. 7956 lab version has all features of stand-alone plus RS-232 interface.

EPROM: 2758, 2716, 2732, 2732A, 2764, 2764A, 27128, 27128A, 27256, 2508, 2516, 2532, 2564, 68764, 68766, 5133, 5143. **CMOS:** 27C16, 27C32, 27C64, MC6716. **EEPROM:** 5213, X2816A, 48016, I2816A, 5213H. **MPU (w/adaptor):** 8748, 8748H, 8749, 8749H, 8741, 8742, 8751, 8755.

7228	Advanced Programmer	\$ 549
7128	Standard Programmer	429
7956	Laboratory Gang Programmer	1099
7956-SA	Stand-Alone Gang Programmer	879
GDX	Driver Software	95
481	8748 Family Socket Adaptor	98
511	8751 Socket Adaptor	174
755	8755 Socket Adaptor	135
CABLE	RS-232 Cable (specify gender)	30

HEXTRAN Universal HEX File Converter — Convert assembler output to other formats for downloading to development systems and target boards. Also useful for examining object file, changing load addresses, extracting parts of files. Converts to and from Intel, Motorola, MOS, RCA, Fairchild, Tektronix, TI, Binary and HEX/ASCII Dump formats. For CP/M, CP/M-86, MSDOS, PC DOS \$250

Ask about UNIX.

68000 CROSS-ASSEMBLER — With exhaustive field testing completed, our 68000 assembler is available for immediate shipment. XMAC68K supports Motorola standard assembly language for the 68000 and 68010. Macros, cross-reference, structured assembly statements, instruction optimization and more. Linker and librarian included. Comprehensive, well-written manual.

To find out more, call us toll-free.

1-800-448-8500

(in the U.S. Except Alaska and Hawaii)

VISA and Mastercard accepted. All popular disc formats now available — please specify. Prices do not include shipping and handling — call for exact quotes. OEM INQUIRIES INVITED.

*Trademark of Digital Research **Trademark of Microsoft



Sales and Development:

10 Summer Street
P.O. Box 490, Dept. 285-B
Rockport, Maine 04856
(207) 236-9055 Telex: 467210 AVOCET CI

Corporate Offices:

804 South State Street
Dover, Delaware 19901

Digitalizer™

DT1050

— Applications: Teaching aids, appliances, clocks, automotive, telecommunications, language translations, etc.

The DT1050 is a standard DIGITALIZER kit encoded with 137 separate and useful words, 2 tones, and 5 different sentence durations. The words and tones have been assigned discrete addresses, making it possible to output single words or words concatenated into phrases or even sentences. The "voice" output of the DT1050 is a highly intelligible male voice. Female and children's voices can be synthesized. The vocabulary is chosen so that it is applicable to many products and markets.

The DT1050 consists of a **Speech Processor Chip MM54104 (40-pin)**, a **2 (2) Speech ROMs MM521445SR1 and MM521445SR2 (24-pin)** along with a **Master Word list** and a **recommended schematic diagram** on the application sheet.

DT1050

Processor Chip

Digitalizer™

\$34.95 ea.

\$14.95 ea.

DT1057

— Expands the DT1050 vocabulary from 137 to over 260 words. Includes 2 ROMs and specs.

Part No. DT1057

\$24.95 ea.

INTER-SIL

Part No.	Pins	Function	Price
774SRP	28	CMOS Precision Timer	10.45
774SRP	28	3 Digit A/D (Evaluation Kit)	19.95
7106CP	41	3 Digit A/D (LCD Driver)	14.95
FE020D	40	4 Digit LCD Display for 7106 & 7116	14.95
FE020D	40	4 Digit LCD Display for 7106 & 7116	14.95
7106XVPL	40	3 Digit A/D (Display Evaluation Kit)	46.95
7107CP	40	3 Digit A/D (LED Driver)	10.95
7107XVPL	40	IC, 3-Digit A/D (Display Evaluation Kit)	46.95
7116CP	40	3 Digit A/D (LED D.C. H.D.)	10.95
7206CPE	16	Tone Generator	2.25
7205SP	24	CMOS LED Stopwatch/Timer	14.95
7205XVPL	24	Stopwatch Chp. XTL (Evaluation Kit)	16.95
7206CPE	16	Tone Generator	4.95
7205XVPL	16	Tone Generator Chp. XTL (Evaluation Kit)	7.95
7207APD	14	Oscillator Controller	5.95
7207XVPL	14	Freq. Counter Chp. XTL (Evaluation Kit)	8.49
7215APC	4	4 Func. CMOS Stopwatch CRT	16.95
7215XVPL	24	4 Func. Stopwatch Chp. XTL (Evaluation Kit)	19.49
7216ALP	28	8 Digit Up/Down Counter C.A.	31.49

2717U1	28	4	Digit LED Up/Down Counter C.C.	10.95
2717U1A	28	4	Digit LED Up/Down Counter C.C.	9.95
7224A	28	1	Logic Analyzer Chip (Evaluation Kit)	10.95
7224SEVkit	40	5	Function Counter Chip: XTAL (Evaluation Kit)	99.95

30009 9843 INTERSIL Data Book (1356P) \$9.95							
74C100 High Speed CMOS							
74C000	14	59	74C100-19	1.05	74C240s	20	259
74C002	14	59	74C147	1.05	74C251	18	99
74C003	14	89	74C151	1.05	74C253	18	109
74C004	14	89	74C152	1.05	74C254	18	109
74C004A	14	69	74C154	2.65	74C259	16	169
74C008	14	59	74C157	1.05	74C266	14	99
74C009	14	59	74C158	1.05	74C267	14	99
74C011	14	69	74C160	1.39	74C280	18	459
74C014	14	89	74C161	1.39	74C281	18	559
74C015	14	89	74C162	1.39	74C282	18	559
74C027	14	59	74C163	1.39	74C367	18	259
74C030	14	69	74C164	1.35	74C373	20	269
74C031	14	69	74C165	1.35	74C374	20	269
74C042	16	109	74C166	2.40	74C390	16	169
74C043	16	109	74C167	2.40	74C391	16	169
74C058	16	89	74C174	1.05	74C533	20	269
74C073	14	79	74C175	1.05	74C534	20	269
74C074	14	79	74C176	1.05	74C600	14	149
74C075	16	99	74C191	1.59	74C602A	14	159
74C076	16	99	74C192	1.59	74C604	14	375
74C077	16	99	74C193	1.59	74C608	14	149
74C086	14	75	74C194	1.19	74C600-16	14	149
74C107	14	79	74C195	1.19	74C6075	14	59
74C110	14	79	74C196	1.19	74C6078	14	59
74C112	14	79	74C237	1.40	74C451A1	14	195
74C123	18	229	74C240	2.29	74C451A	24	419
74C125	18	175	74C241	2.29	74C453B	18	259
74C132	14	129	74C242	2.15	74C4543	18	375
74C137	14	159	74C243	2.15			
74C138	18	119	74C244	2.29	74C4004	4	unbuffered
					Others are buffered		

74C00	14	29	74C-C/MOS	74C240	20	199
74C001	14	29		74C241	20	199

74C01	14	35	74C151	16	219	74C374	20	229
74C02	14	35	74C154	24	325	74C391	14	59
74C03	14	35	74C157	24	325	74C402	14	79
74C20	14	35	74C160	18	119	74C403	14	79
74C30	14	35	74C161	18	119	74C406	14	59
74C32	14	35	74C162	18	119	74C407	14	89
74C41	14	119	74C163	18	129	74C417	14	89
74C48	16	179	74C164	14	129	74C412	20	895
74C73	14	69	74C165	18	29	74C415	18	119
74C74	14	69	74C173	8	89	74C422	20	895
74C85	16	139	74C174	8	89	74C422	20	895
74C86	14	29	74C175	18	119	74C423	20	495
74C89	16	595	74C192	18	139	74C425	16	595
74C90	14	109	74C193	18	139	74C426	16	595
74C93	14	109	74C21	18	29	80C05	16	69
74C95	14	119	74C221	16	175	80C57	16	59

TL071CP	8	79	LINEAR		LM747N	14	69	
TL072CP	8	109			LM748N	8	95	
TL074CN	14	195	LF355N	8	109	LM749CN	9	95
TL081CP	8	59	LF356N	8	109	LM749CN	8	95
TL082CP	8	119	LF357N	8	109	LM749N	8	195
TL084CN	14	195	LM358N	8	59	LM7482N	8	95
LM109K	8	595	LM359N	14	179	LM1488N	14	69
LM103N	8	39	LM370N	14	495	LM1495N	14	69
LM304N	2	440	LM373N	14	495	LM1496N	14	99

LM307C	8	49	LM380C	8	109	LM1800K	16	249
LM308C	8	69	LM380C	14	89	LM1871N	16	295
LM309K	8	125	LM381N	14	179	LM1872N	16	325
LM310C	8	195	LM382N	14	149	LM1877K-9	14	295
LM311C	8	59	LM384N	14	195	LM1889N	18	195
LM312H	8	279	LM384N-3	8	89	LM1896N	14	159
LM317T	8	119	LM387N	8	139	LM2002T	12	195
LM317K	8	349	LM389N	10	119	LM2023A	16	169
LM318C	8	159						

LM2045	1.35	LM3029	8	45	LM2072	14	2.49
LM2046	1.35	LM3030	8	55	LM2073	14	1.49
LM2046-15	1.35	LM3030B	8	45	LM2078	16	2.95
LM2046-24	1.35	LM3038	8	3.95	LM20711	21	2.95
LM2046-24-15	1.35	LM3039	8	3.95	LM20712	21	2.95
LM2046-24-15-1	1.35	LM3039B	8	45	LM20713	21	2.95
LM2051-12	85	LM3412CN	8	1.95	LM20778	14	2.95
LM2051-15	85	LM3412CN	8	2.75	LM20801N	14	8
LM2051-15-1	85	LM3412CN	8	2.75	LM20801N	14	8
LM2052N	14	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-14-1	1.49	LM3412CN	8	1.95	LM20801N	14	8
LM2052N-							

Commodore® Accessories

RS232 ADAPTER FOR VIC-20 AND COMMODORE 64

New!



New!

The JE232CM allows connection of standard serial RS232C printers, modems, etc. to your VIC-20 and C-64. A 4-pole switch allows the inversion of the 4 control lines. Complete installation and operation instructions included.

Plugs into User Port • Provides Standard RS232 signal levels • Uses 6 signals (Transmit, Receive, Clear to Send, Request to Send, Data Terminal Ready, Data Set Ready).

JE232CM \$39.95

VOICE SYNTHESIZER FOR APPLE AND COMMODORE

Great Educating Tool!



JE520AP

JE520CM

• Over 250 word vocabulary - affixes allow the formation of more than 500 words • Built-in amplifier, speaker, volume control, and audio jack • Recreates a clear, natural male voice • Plug-in user ready with documentation and sample software • Case size: 7 1/4" L x 3 3/4" W x 1-3/8" H

APPLICATIONS: • Security Warning • Telecommunication • Teaching • Handicap Aid • Instrumentation • Games

Part No.	Description	Price
JE520CM	For Commodore 64 & VIC-20	\$114.95
JE520AP	For Apple II, II+, and IIe	\$149.95

Computer Memory Expansion Kits

IBM PC, PC XT and Compatibles

Most of the popular Memory Boards (e.g. Quadram® Expansion Boards) allow you to add an additional 64K, 128K, 192K or 256K. The IBM64K Kit will populate these boards in 64K byte increments. The Kit is simple to install - just insert the 9 - 64K RAM chips in the provided sockets and set the 2 groups of switches. Complete conversion documentation included.

IBM64K (Nine 200ns 64K RAMs) \$43.95

IBM PC AT

Each kit comes complete with nine 128K dynamic RAMs and documentation for conversion.

IBM128K (Nine 200ns 128K RAMs) \$199.95

APPLE IIe

Extended 80-Column/64K RAM Card. Expands memory by 64K to give 128K when used with programs like VisiCalc™. Fully assembled and tested.

JE864 \$99.95

TRS-80 MODEL I, III

Each Kit comes complete with eight M62590 (UPD4164) 16K Dynamic RAMs and documentation for conversion. Model I: 16K equipped with Expansion Interface can be expanded to 48K with 2 Kits. Model III: can be expanded from 16K to 48K using 2 Kits. Each Kit will expand computer by 16K increments.

TRS-16K3 200ns (Model I) \$8.95

TRS-16K4 250ns (Model III) \$6.95

TRS-80 MODEL IV & 4P

Easy to install Kit comes complete with 8 ea. 4164N-20 (200ns) 64K Dynamic RAMs and conversion documentation. Converts TRS-80 Model IV computers from 16K to 64K. Also expands Model 4P from 64K to 128K.

TRS-64K-2 \$38.95

(Converts the Model IV from 16K to 64K or will expand the Model 4P from 64K to 128K)

TRS-64K2PAL (Model IV only) \$59.95

(8 - 4164's with PAL Chip to expand from 64K to 128K)

TRS-80 COLOR AND COLOR II

Easy to install Kit comes complete with 8 ea. 4164N-20 (200ns) 64K Dynamic RAMs and documentation for conversion. Converts TRS-80 Color Computers with D, E, ET and NC circuit boards to 32K. Also converts TRS-80 Color Computer II to 64K. Flex DOS or OS-9 required to utilize full 64K RAM on all computers.

TRS-64K-2 \$38.95

INDUSTRIES Protect Yourself...

DATASHIELD® Surge Protector

• Eliminates voltage spikes and EMI-RFI noise before it can damage your equipment or cause data loss • 6 month warranty • Power dissipation (100 microsecond): 1,000,000 watts • 6 sockets • 6 foot power cord • Normal line voltage indicator light • Brown out/black out reset switch

Model 100 \$69.95

Protect Yourself... DATASHIELD® Back-Up Power Source

Provides up to 30 minutes of continuous 120 VAC 60Hz power to your computer system (load dependent) when you have a black out or voltage sag • Six month warranty • Weight (PC200): 24 lbs. - (XT300): 37.5 lbs.

PC200 (Output rating: 200 watts) \$299.95

XT300 (Output rating: 300 watts) \$399.95

ProModem 1200 and Options

PROMETHEUS



Intelligent 300/1200 Baud Telephone Modem with Real Time Clock/Calendar

The ProModem™ is a Bell 212A (300/1200 baud) intelligent stand-alone modem • Full featured expandable modem • Standard features include Auto Answer and Auto Dial, Help Commands, Programmable Intelligent Dialing, Touch Tone™ and Pulse Dialing & More • Hayes command set compatible plus an additional extended command set • Shown w/ alphanumeric display option.


Part No.	Description	Price
PM1200	RS-232 Stand Alone Unit	\$349.95
PM1200A	Apple II, II+ and IIe Internal Unit	\$369.95
PM1200B	IBM PC and Compatible Internal Unit	\$269.95
PM1200BS	IBM PC & Comp. Int. Unit w/ProCom Software	\$319.95
MAC PAC	Macintosh Package	\$399.95
	(Includes PM1200, Cable, & ProCom Software)	

OPTIONS FOR ProModem 1200

PM-COM	(ProCom Communication Software)	\$79.95
	Please specify Operating System.	
PM-OP	(Options Processor)	\$79.95
PMO-16K	(Options Processor Memory - 16K)	\$10.95
PMO-32K	(Options Processor Memory - 32K)	\$20.95
PMO-64K	(Options Processor Memory - 64K)	\$39.95
PM-ALP	(Alphanumeric Display)	\$79.95

PM-Special (Includes Options Processor, 64K Memory and Alphanumeric Display) **\$189.95**

KEYBOARDS



13 1/2" L x 4 1/4" W x 3/4" H

New!



16-9/16" L x 6 1/2" W x 1 1/4" H

Mitsumi 54-Key Unencoded All-Purpose Keyboard

• SPST keyswitches • 20 pin ribbon cable connection • Low profile keys • Features: cursor controls, control, caps lock, function, enter and shift keys • Color (keycaps): grey • Wt.: 1 lb. • Pinout included

KB54 \$14.95

76-Key Serial ASCII Keyboard

• Simple serial interface • SPST mechanical switching • Operates in upper and lower case • Five user function keys: F1-F5 • Six finger edge card connection • Color (keys): tan • Weight: 2 lbs. • Data incl.

KB76 \$29.95



Apple Owners! NEW!

Apple Keyboard and Case for Apple II and II+

• Keyboard: Direct connection with 16-pin ribbon connector • 26 special functions • Size: 14 1/2" L x 5 1/2" W x 1 1/4" H

• Case: Accommodates KB-A68 • Pop-up lid for easy access • Size: 15 1/2" W x 18 D x 4 1/4" H

Part No.	Description	Price
KB-EA1	Apple Keyboard and Case (pictured above)	\$134.95
KB-A68	68-Key Apple Keyboard only	\$ 79.95
EAEC-1	Expanded Apple Enclosure Case only	\$ 59.95

POWER SUPPLIES



TRANSACTION TECHNOLOGY, INC. 5VDC @ 1 AMP Regulated Power Supply

• Output: +5VDC @ 1.0 amp (also +30VDC regulated) • Input: 115VAC, 60 Hz • Two-tone (black/beige) self-enclosed case • 6 foot, 3-conductor black power cord • Size: 6 1/2" L x 7" W x 2 1/4" H • Weight: 3 lbs.

PS51194 \$14.95



Power/Mate Corp. REGULATED POWER SUPPLY

• Input: 105-125/210-250 VAC at 47-63 Hz • Line regulation: <0.05% • Three mounting surfaces • Overvoltage protection • UL recognized • CSA certified

Part No. Output Size Weight Price

EMAS/6B 5V@3A/6V@2.5A 4 3/4" L x 4 1/4" W x 2 1/4" H 2 lbs. \$29.95

EMAS/6C 5V@6A/6V@5A 5 1/4" L x 4 1/4" W x 2 1/4" H 4 lbs. \$39.95



KEPCO/TDK 4-OUTPUT SWITCHING POWER SUPPLY

• Ideal for disk drive needs of CRT terminals, microcomputers and video games • Input: 115/230VAC, 50/60Hz • Output: +5V @ 5 Amp, +12V @ 1.8 Amp, +12V @ 2 Amp, -12V @ 0.5 Amp • UL recognized • CSA certified • Size: 7 1/4" L x 6-3/16" W x 1 1/4" H • Weight: 2 lbs.

\$59.95 each or

MRM 174KF \$2 for \$99.95



Switching Power Supply for APPLE II, II+ & IIe™

• Can drive four floppy disk drives and up to eight expansion cards • Short circuit and overload protection • Fits inside Apple computer • Fully regulated • +5V @ 5A, +12V @ 1.5A, -5V @ 5A, -12V @ 5A • Direct plug-in power cord included • Size: 9 3/8" L x 3 3/8" W x 2 1/4" H • Weight: 2 lbs.

KHP4007 (SPS-109) \$59.95



4-CHANNEL SWITCHING POWER SUPPLY

• Microprocessor, mini-computer, terminal, medical equipment and process control applications • Input: 90-130VAC, 47-60Hz • Output: +5VDC @ 5A, -5VDC @ 1A, +12VDC @ 1A, -12VDC @ 1A • Line regulations: <0.2% • Ripple: 30mV p-p • Load regulation: ±1% • Overcurrent protection • Adj. 5V main output • Size: 6 3/4" L x 6 1/4" W x 4-15/16" H • Weight: 1 1/2 lbs.

FCS-604A \$69.95

\$10.00 Minimum Order - U.S. Funds Only
California Residents Add 6 1/2% Sales Tax
Shipping - Add 5% plus \$1.50 Insurance
Send S.A.S.E. for Monthly Sales Flyer!

Spec Sheets - 30¢ each
Send \$1.00 Postage for your
FREE 1985 JAMECO CATALOG
Prices Subject to Change



1355 SHOREWAY ROAD, BELMONT, CA 94002

2/85 PHONE ORDERS WELCOME - (415) 592-8097 Telex: 176043

Apple® Accessories

5 1/4" APPLE™ Direct Plug-In Compatible Disk Drive and Controller Card



The ADD-514 Disk Drive uses Shugart SA390 mechanics - 143K formatted storage • 35 tracks • Compatible with Apple Controller & ACC-1 Controller • The drive comes complete with connector and cable - just plug into your disk controller card • Size: 6" L x 3 1/2" W x 8-9/16" D • Weight: 4 1/4 lbs.

ADD-514 (Disk Drive) \$169.95

ACC-1 (Controller Card) \$ 49.95

More Apple Compatible Add-Ons...

APF-1	(Cooling Fan with surge protection)	\$39.95
KHP4007	(Switching Power Supply)	\$59.95
JE614	(Numeric/Aux. Keypad for IIe)	\$59.95
KB-A68	(Keyboard w/Keypad for II & II+)	\$79.95
MON-12G	(12" Green Monitor for II, II+, IIe, IIc)	\$99.95
JE864	(80 Col. - 64K RAM for IIe)	\$99.95
ADD-12	(5 1/4" Half-Height Disk Drive)	\$179.95

DISK DRIVES



Documentation Included

Best Buys!

MP151S	(MPI 5 1/4" SS full-ht.)	\$ 89.95
RFD480	(Remex 5 1/4" DS full-ht.)	\$129.95
TM100-2	(Tandon 5 1/4" DS full-ht.)	\$159.95
FD55B	(Teac 5 1/4" DS half-ht.)	\$149.95
SA455	(Shugart 5 1/4" DS half-ht.)	\$159.95
FDD100-8	(Siemens 8" SS full-ht.)	\$139.95
PKC-5	(5 1/4" Power Cable Kit)	\$ 2.95
PKC-8	(8" Power Cable Kit)	\$ 3.95

UV-EPROM Eraser


8 Chips - 21 Minutes

1 Chip - 15 Minutes

Erases all EPROMs. Erases up to 8 chips within 21 minutes (1 chip in 15 minutes). Maintains constant exposure distance of one inch. Special conductive foam liner eliminates static build-up. Built-in safety lock to prevent UV exposure. Compact - only 9.00" L x 3.70" W x 2.60" H. Complete with holding tray for 8 chips.

DE-4 UV-EPROM Eraser \$74.95

UVS-11EL Replacement Bulb \$16.95



JE664 EPROM PROGRAMMER

8K to 64K EPROMS - 24 & 28 Pin Packages

Completely Self-Contained - Requires No Additional Systems for Operation

• Programs and validates EPROMs • Checks for properly erased EPROMs • Emulates PROMs or EPROMs • RS232C Computer Interface for editing and program loading • Loads data into RAM by keyboard • Changes data in RAM by keyboard • Loads RAM from an EPROM • Compares EPROMs for content differences • Copies EPROMs • Power input: 115VAC, 60Hz, less than 10W power consumption • Enclosure: Color-coordinated, light tan panels with molded end pieces in mocha brown • Size: 15 1/4" L x 8 1/4" D x 3 1/4" H • Weight: 5 1/2 lbs.

The JE664 EPROM Programmer emulates and programs various 8-Bit Word EPROMs from 8K to 64K-Bit memory capacity. Data can be entered into the JE664's internal 8K x 8-Bit RAM in three ways: (1) from a ROM or EPROM; (2) from an external computer via the optional JE665 RS232C BUS; (3) from its panel keyboard. The JE664's RAMs may be accessed for emulation purposes from the panel's test socket to an external microprocessor. In programming and emulation, the JE664 allows for examination, change and validation of program content. The JE664's RAMs can be programmed quickly to all "1"s (or any value), allowing unused addresses in the EPROM to be programmed later without necessity of "UV" erasing. The JE664 displays DATA and ADDRESS in convenient hexadecimal (alphanumeric) format. A "DISPLAY EPROM DATA" button changes the DATA readout from RAM word to EPROM word and is displayed in both hexadecimal and binary code. The front panel features a convenient operating guide. The JE664 Programmer includes one JM16A Jumper Module (as listed below).

JE664-A EPROM Programmer \$995.00

Assembled & Tested (Includes JM16A Module)

JE665 - RS232C INTERFACE OPTION - The RS232C Interface Option implements computer access to the JE664's RAM. This allows the computer to manipulate, store and transfer EPROM data to and from the JE664. A sample program listing is supplied in MBASIC for CP/M computers. Documentation is provided to adapt the software to other computers with an RS232C port, 9600 Baud, 8-bit word, odd parity with 2 stop bits.

EPROM Programmer w/JE665 Option JE664-ARS \$1195.00

Assembled & Tested (Includes JM16A Module)

EPROM JUMPER MODULES - The JE664's JUMPER MODULE (Personality Module) is a plug-in Module that pre-sets the JE664 for the proper programming pulses to the EPROM and configures the EPROM socket connections for that particular EPROM.

JUMPER	EPROM	Programmer	Price
JM16A	25V	AMD, Motorola, Int. H&H, TI	\$14.95
JM16A	2716, TMS2716 (IT)	Intel, Motorola, Nat. NEC, TI	\$14.95
JM16A	2716, TMS2716 (IT)	AMD, Hitachi, Mostek	\$14.95
JM16B	TMS2716 (3-V)	Motorola, TI	\$14.95
JM32A	TMS2532	Motorola, TI, Hitachi, ONI	\$14.95
JM32B	2732	AMD, Fujitsu, NEC, Hitachi, IBM, Mitsubishi, National	\$14.95
JM32C	2732A	Fujitsu, Intel	\$14.95
JM44A	MC68764, MC68016	21V	\$14.95
JM44B	2764	21V	\$14.95
JM44C	TMS2564	25V	\$14.95

LYCO COMPUTER

GREAT OFFERS

Marketing & Consultants

GREAT PRICES

MONITORS

TAXAN		AMDEK	
210 Color RGB	255	300 Green	125
100 Green	115	300 Amber	145
100 Amber	125	310 Amber - IBM	159
400 Color RGB	295	Color 300 Audio	265
410 Color RGB	349	Color 500 Composite	379
410 Color IBM	449	Color 600	545
121 Green IBM	145	Color 700	635
121 Amber IBM	149	Color 710	675
ZENITH		NEC	
ZM 122A Amber	86	JB 1260 Green	99 00
ZM 1236 Green	82	JB 1201 Green	135 00
ZM 124 Amber - IBM	129	JB 1205 Amber	145 00
ZM 131 Color	275	JC 1215 Color	255 00
ZM 133 RGB	389	JC 1216 RGB	399 00
ZM 135 Composite	449	JC 460 Color	349 00
ZM 136 Hi-Res Color	589	SAKATA	
GORILLA		SC 100 Color	229
GA 1000	\$ 86.00	STSI Tinstand	29
GA 1000	\$ 86.00	SG 1000 Green	99
		SA 1000 Amber	109

MODEMS

NOVATION		MICROBITS		Hayes	
1 Cat	\$89.00			Smartmodem 300	\$199.00
1 Cat	\$129.00			Smartmodem 1200	\$469.00
Smart Cat 10.1	\$169.00	MPP1000C	\$109.00	Smartmodem 1200b	\$399.00
Smart Cat 10.1 212	\$189.00			Micromodem IIe	\$249.00
Autodial 10.1	\$209.00			Micromodem 100	\$289.00
212 Auto Cat	\$439.00			Chronograph	\$179.00
Apple Cat II	\$239.00	ANCHOR		Westridge C-64	Call
212 Apple Cat	\$439.00	Linkmodem	\$51.99	Total	
Apple Cat 212	\$449.00	Mark VII	\$95.99	Telecommunications	
(Upgrader)		Auto ans dial		C-64	Call
Smart Cat Plus	\$199.00	Mark VII	\$259.00	Mitey Mo C-64	Call

DISK DRIVES

MSD		INDUS	
5.25 DRIVE	\$259.00	GT Atari	269
5.25 DRIVE	\$475.00	GT Commodore	CALL
		GT Apple w/controller	219
		GT Apple	169

SAVE ON THESE IN STOCK PRINTERS

MANNESMANN		NEC		OKIDATA		PANASONIC	
TALLY		NEC8025	\$699.00	80	\$159.00	1090	\$219.00
PR-RIT 90	\$255.00	NEC8027	\$359.00	82A	\$299.00	1091	\$279.00
MTL 160L	\$549.00			83A	\$549.00	1092	\$415.00
MTL 180L	\$739.00			84	\$649.00	1093	\$599.00
JUKI				92	\$359.00	3151	\$469.00
TRK 1100	\$389.00			93	\$569.00	BLUE CHIPS	
TRACTOR KIT	\$119.00					M12010	\$275.00
EPSON						M12010 C 64	\$275.00
RX 80	\$229.00					D4015	\$1389.00
RX 80 FT	\$269.00					CARDCO	
RX 100	\$369.00					LQ1	\$449.00
RX 80	\$369.00					LQ3	\$339.00
RX 100	\$555.00					PRINTER INTERFACE W/	
						FULL GRAPHICS	\$65.75

DISKETTES

MAXELL		ELEPHANT	
5 1/4 MD 1	\$17.95	5 1/4 SSDD	\$14.99
5 1/4 MD 2	\$23.95	5 1/4 SSDD	\$16.99
SKC		5 1/4 DSDD	\$21.99
(Box 10)			
SKC SSDD	\$12.99		
SKC SSDD	\$15.99		
SKC DSDD	\$18.99		

IBM-PC COMPATABLE

CORONA		Zenith		Microprose	
PPC 22A		Z 150	Call	Solo Flight	\$22.75
Portable 256K Amber	\$1995	Columbia Data	Call	NATO	\$22.75
PPC 22G		1600	Call	Graphics Tablet	
Portable 256K Green	\$1995	Televideo		Supersketch	\$49.95
PPC XTA		TS1605	Call	Kolala	\$99.95
Portable 256K 10Meg	\$1295	Leading Edge		Illustrator	\$99.95
GORT28K 128K RAM	\$155	PC Compatible	Call	Logo Design	\$27.95
				Grams Spell	\$27.95

TOLL FREE 1-800-233-8760



TO ORDER



CALL TOLL FREE

or send order to

800-233-8760

Lyco Computer

P.O. Box 5088

Customer Service 1-717-327-1825 Jersey Shore, PA 1774C

RISK FREE POLICY

In-stock item shipped within 24 hours of order. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the Continental U.S. PA residents add sales tax. APO, FPO, and International orders add \$5.00 plus 3% for priority mail service. Advertised prices show 4% discount for cash, add 4% for Master Card or Visa. Personal checks require 4 weeks clearance before shipping. All items subject to change without notice.

PARANOIA: A FLOATING-POINT BENCHMARK

BY RICHARD KARPINSKI

Test the quality of your software, not just its speed

FLOATING-POINT ARITHMETIC was created to make programming easier and programs faster. It is complicated so that your programs can be simple, but rough edges and pitfalls are common in floating-point systems.

The Paranoia benchmark was designed to find and notify you of those places where actual results are *not* good enough. It reports pitfalls discovered in a systematic checkout of the arithmetic used by the computer running it. Why Paranoia? Webster's Ninth New Collegiate Dictionary (Springfield, MA: Merriam-Webster Inc., 1983) provides the following as its second definition of paranoia: "a tendency on the part of an individual or group toward excessive or irrational suspiciousness and distrustfulness of others"—an apt description of this program, which looks for problems at every turn. This article looks into the workings of floating-point arithmetic to see why you need such quality tests and how they work.

LIFE WITHOUT FLOATING POINT

Remember those heavy mechanical calculators with 10 long rows of keys?

If you wanted to use measurements in fractions rather than whole numbers, you could set the decimal point somewhere in the middle of the field. Numbers could grow or shrink on either side of it, but the point itself was really fixed. This is enough for many hand calculations where you need only 5 or 10 steps to get the final result. Fixed-point calculations like this are simple and match the pencil-and-paper methods we learned in grade school. They are easy to understand and use, and they work quite well almost all the time.

Almost is not enough, however. Even events that happen quite rarely require careful attention when you are designing a computer system. Because computers are so much

.....
Richard Karpinski (IEEE p854 Mailings, U-76 UCSF, San Francisco, CA 94143) is the manager of UNIX services at the computer center at the University of California at San Francisco. With interests in software engineering, Modula-2, and other aspects of computer science, Dick has enjoyed being "the consultant of last resort" for many in the past two decades.

faster than we are, a system that works correctly on 99.999 percent of its data can still fail once *every second*. With paper and pencil, if a few numbers don't fit within the limits you have chosen, you can write smaller or use another sheet of paper. Mechanical calculators and computers are not so flexible.

If you set up a calculator for numbers of the form *nnn.nnn.nnn.nnn*, for example, an intermediate result of 1 million is hopelessly damaged. There is no place to put the digit in the millions place. This problem is called overflow. There are calculators with 20 or 30 digits or even more, but you can't really solve the problem this way. Long calculations continually require you to copy an intermediate result from the calculator's dials back onto the keys in order to shift it to the left or the right to accommodate the overflow. The copying process is error-prone and tedious for those who do it. (Originally, these people were called "computers.")

Very small numbers in this format also suffer. Numbers smaller than 1

(continued)

one-millionth are lost entirely. They underflow to zero. Even numbers as large as 1 one-thousandth lose most of their significant digits. Only 3 of the 12 digits of precision initially provided remain.

When overflow and underflow problems arise in hand calculations, and even in many computer applications

that have tight constraints on hardware and timing, you can solve them by rescaling the numbers—multiplying or dividing them by 10, 100, or 1000—to bring the number back into view. Naturally, you must keep track of each scaling operation you perform so that you can readjust the final answer properly.

You must also check to see if this problem arises at every possible place, although such checking makes every program longer and more complicated. This high cost of being extra careful must be weighed against the fact that the unchecked version works most of the time. In fact, you may have tested the *unchecked* version with thousands of cases and consider it completely debugged.

In principle, if you know enough about the numbers that arise, you can build the rescaling shifts into your procedure so that they don't take any extra effort during the calculation itself. This can save up to two-thirds of the time that floating-point calculations take. John von Neumann, often called the father of computing, held the view that such a priori analysis was the proper approach. He saw no need for floating point. However, most programmers now agree that the analysis required is far too costly and error-prone to ignore floating-point hardware.

SCIENTIFIC NOTATION

As researchers and scientists have probed the further reaches of our world, they have developed scientific notation to express very large and very small numbers with equal precision. For example,

602,300,000,000,000

becomes 6.023×10^{14} while

0.000,000,000,000,006,624

becomes 6.624×10^{-15} . The precision or uncertainty figures for these numbers look very different until you express them in scientific notation: 5.0×10^{10} for the first versus 5.0×10^{-18} for the second.

When you consider imprecise numbers, it is easy to become confused between absolute uncertainty and relative uncertainty—relative to the size of the value involved. The relative uncertainty here is referred to as “half a unit-in-the-last-place” or “½ ulp.” Since we want computers to cope quickly and precisely with a wide range of numbers, we adapt the

(continued)

What do you get when you cross 1200 baud, free on-line time, and extra features at a price Hayes can't match?

Data Rate?

The MultiModem gives you a choice—either 1200 or 300 bits per second. So you can go on-line with the information utilities. Check out bulletin boards. Dial into corporate mainframes. Swap files with friends.

On-Line Time?

With the MultiModem you get CompuServe's DemoPak, a free two-hour demonstration of their service, and up to seven more free hours if you subscribe. You also get a \$50 credit towards NewsNet's business newsletter service.

Features & Price?

Of course, the MultiModem gives you automatic dial, answer, and disconnect. Gives you the Hayes-compatibility you need to support popular communications software programs like Crosstalk, Data Capture, our own MultiCom PC, and dozens of others. Gives you a two-year warranty, tops in the industry.

But Better?

Yes. The MultiModem gives you features the Hayes Smartmodem 1200™ can't match. Features like dial-tone and busy-signal detection for more accurate dialing and redialing. Like a battery-backed memory for six phone numbers. All at a retail price of just \$549—compared to \$699 for the Smartmodem.

What do you get? The new MultiModem, from Multi-Tech Systems. Isn't this the answer you've been looking for?

For the name of your local distributor, write **Multi-Tech Systems, Inc.**, 82 Second Avenue S.E., New Brighton, MN 55112. Or call us at (612) 631-3550.

MultiModem.




MultiTech
Systems

The right answer every time.

Trademarks—MultiModem, MultiCom PC, Multi-Tech Systems, Inc.—CompuServe, CompuServe Information Services, an H & R Block company—NewsNet, NewsNet, Inc.—Crosstalk, MicroSoft, Inc.—Data Capture, Southeastern Software—Smartmodem: Hayes Microcomputer Products, Inc.

In a one-to-one comparison, Westrex-One.



The one printer you can rely on.

Prints in 120 different type fonts.
Elite or Pica, single or multiple pass.
Emphasizes, italicizes, condenses, underscores.
Prints at 145 characters per second.
With RS 232 and Centronics parallel interfaces.

These are actual print samples
in 120 different type fonts.
Elite or Pica, Single or Double pass.
Emphasized, italicized, condensed, underscored.
Prints at 145 characters per second.
With RS 232 or parallel interface.
Single sheets or continuous forms.
1,000 hour MTBF, 15 minute MTTR.
Small footprint.
On-shelf delivery.
Attractive OEM pricing.
Built-in Litton quality you can count on.

Accepts single sheets
or continuous forms.

1,000 hour MTBF,
15 minute MTTR.

And graphics, too.

The new Westrex One. Compare it for yourself.

See the Westrex One in action, and you'll understand why it's far and away the winner in any one-on-one comparison.

Westrex One has the versatility that gives your product extra value. It produces some of the crispest, clearest Dot Matrix printing you can find. Plus a comprehensive variety of type fonts and styles. And the ability to handle intricate graphics. Custom interfaces where required.

Naturally, because it's built and backed by Westrex/Division of Litton, it's a reliable, long lasting product. We kept moving parts to a minimum, so there's less to go wrong.

If you need a printer with Flexibility... Quality... High Performance, the Westrex One is the 1 for you.

Send for free comparative performance matrix and make your own "one-to-one" evaluation. Contact Westrex/Division of Litton OEM Products, 51 Penn Street, Fall River, MA 02724, (617) 676-1016. TELEX: 651490, Please Relay WNJW.



WESTREX OEM PRODUCTS

Inquiry 330

FREE SHIPPING

WEST OF MISSISSIPPI
EAST — ½ UPS CHARGES

CALL FREE
1-800-841-2748

COMPUTERS

ALTOS 580-20	\$3350
ALTOS 586-20	\$5350
ALTOS 986-40	\$CALL
APPLE LOOK-A-LIKE	\$CALL
IBM PC	\$CALL
LEADING EDGE PC	\$CALL
NEC 8201	\$429
SANYO 550-555	SAVE \$CALL

TELEVIDEO

TPC I	\$1499	TPC II	\$1795
1605			\$CALL

NORTHSTAR

ADV	\$1899	15MEG	\$3799
-----	--------	-------	--------

PRINTERS

ABATI	\$369
RADIX 10	\$479
DAISYWRITER 48K	\$819
EPSON	\$CALL
GEMINI 10X	\$239
JUKI 6100	\$399
OKIDATA (LOW PRICES)	\$CALL
QUME 1140+ W/INF	\$1365

CITOH

8510	\$319	1550	\$499
F10-40C PS	\$899	F1055	\$1179

DIABLO

620	\$769	630 API	\$1669
-----	-------	---------	--------

NEC

3550	\$1495	3510	\$1235
7710	\$1645	2030	\$639

TERMINALS — MONITORS

ALTOS II	\$749
QUME 102G	\$425
WYSE 50	\$485
TELEVIDEO 924	\$655
TELEVIDEO 950	\$895
TELEVIDEO 970	\$965
AMDEK 300G	\$129
AMDEK 300A	\$145
AMDEK COLOR 300	\$245
AMDEK COLOR 600	\$469
B.M.C. COLOR	\$235
PRINSTON HX12	\$464

DISK DRIVES — MODEMS

INDUS APPLE	\$259
MICRO SCI A2	\$185
INDUS COMMODORE	\$315
INDUS ATARI	\$299
ASTRA ATARI	\$525
PROMODEM 1200	\$325
HAYS SMART MODEM	\$199
SMARTMODEM 1200	\$469
SMARTMODEM 1200B	\$415
MICROMODEM II E	\$235
RIXON 212A	\$449
U.S. ROBOTICS PASSWORD	\$315

1st PLACE

COMPUTER SYSTEMS
13422 N. CAVE CREEK RD.
PHOENIX, AZ. 85022

OTHER INFORMATION: 602-867-9897



Free shipping is on UPS ground only.

Send cashier's check or money order all other checks will
delay shipping two weeks.

Prices & availability subject to change without notice.



PARANOIA

scientific notation to the task. You don't need to store the " $\times 10$ " part because it doesn't change between various numbers, so you represent each number with a fractional significand and a whole-number exponent.

The rescaling hasn't gone away. The "exponent" is the variable in which rescaling operations note their adjustments. As you might expect, exponents are represented and used in different ways—each with its own particular problems—and each number is rescaled automatically after each operation to eliminate any leading zeros and to preserve the maximum number of significant digits.

We use decimal notation (radix 10) for numbers, but computers usually use binary notation (radix 2) to match their memory and logic-circuit components. In binary you can, for example, use a significand between $\frac{1}{2}$ and 1, that is, between 1-over-the-radix and 1. Some computers use hexadecimal (radix 16) instead; their significands can lie between $\frac{1}{16}$ and 1. Radix 2 packs the most range and precision into any given word (the number of bits devoted to representing a number). Radix 10 is also very useful because there are no errors introduced in moving ordinary decimal numbers into the computer. There are errors, but there are no new errors.

If your computer uses six decimal digits of precision, you have a pretty good idea of what happens to numbers like $\frac{1}{3}$. However many digits you type, the most precise estimate you can ever get is 0.333,333. This contains a small error—only $\frac{1}{3}$ ulp—but this error is inherently present for such fractions in any floating-point notation.

There are systems for maintaining rational numbers that avoid the problem of precision as long as possible, at a high cost in size and speed. They keep two whole numbers to represent a fraction—1 and 3 here—and save the division for later. Thus, if $\frac{1}{3}$ is later multiplied by 3, the threes cancel and the answer is exactly 1. Unfortunately, in long calculations both of these numbers grow unreasonably large all too rapidly. Unless your need for high

precision is very great, this method is uneconomical.

If you multiply 0.333,333 times 3, 0.999,999 is as close to 1 as you can get, given the round-off error of 1 ulp. Sometimes you can accept answers within several ulps of the best possible answer. In this case you must accept the 0.999,999 result if you're going to use floating point; but, even here, 0.999,998 is clearly unacceptable because we can do better.

ROUND OR CHOP?

Some computers offer you the choice of rounding off or chopping (truncating) the result of each calculation. Rounding off preserves an extra $\frac{1}{2}$ ulp of precision in each step. If the numbers are all positive, rounding off avoids the systematic underestimating error that truncation introduces.

This is an important matter. For example, the *Wall Street Journal* reported on November 8, 1983 (page 37), that the Vancouver Stock Exchange maintains a stock index rather like the Dow Jones average. It began with a nominal value of 1,000,000 and was recalculated after each recorded transaction. At each stage, the value was calculated to five decimal places, but the last two were truncated.

The exchange found that after 22 months of operation, with about 2800 transactions per working day, the index had fallen to the 520 range while stock prices were reaching new highs. Investigation showed that all those lost fractions of thousandths of a point had mounted up to a major inaccuracy.


The solution the exchange planned was to round off instead of chop. If this was done in the usual way—01 to 49 round down, 50 to 99 round up—then a consistent error still remains. The error is only one percent as large as it was and tends to inflate rather than deflate the index, so the exchange might even consider it an advantage. This new error is that while 49 of the values round down and one stays the same, 50 of them round up.

The point is that even tiny errors, when they all go the same way, can

(continued)

"Now when I talk, my broker listens."

No matter what kind of investing you do, there is a Dow Jones Software product that will make you and your broker a better team.



Dow Jones Market Manager PLUS™

is a powerful portfolio management system for serious investors. It allows you to easily monitor and account for your security transactions while providing printed reports for review and tax records. These reports include Holdings

by Portfolio, Holdings by Security, Realized Gain/Loss and Dividend Transaction.

Dow Jones Investor's Workshop™

is the perfect software for private investors who want an introduction to the world of computerized investing. The Investor's Workshop creates reports and charts that give you a clear picture of the performance of your investments. It enables you to become more proficient in portfolio management and technical analysis.

Dow Jones Market Analyzer™

is designed for sophisticated investors who chart stocks. The Market Analyzer stores historical quotes and updates daily data on your securities. It constructs comparison and price and volume charts, allowing you to test theories, identify trends and improve the timing of your investment decisions.

Each of these programs communicates with Dow Jones News/Retrieval®, the leading electronic information service.

Dow Jones Software™

For more information, mail coupon or call:

1-800-345-8500 ext. 48

(Alaska, Hawaii and foreign call: 1-215-789-7008 ext. 48)

For more information on Dow Jones Software, send this coupon to:
Ms. Lynn Filippone, Dow Jones & Company, Inc., P.O. Box 300,
Princeton, NJ 08540.

Yes, please send me more information. I am particularly interested in:

- ☐ Dow Jones Investor's Workshop™
☐ Dow Jones Market Manager PLUS™
☐ Dow Jones Market Analyzer™

Name _____

Address _____

City _____ State _____ Zip _____

Phone number(s) _____

B2

Dow Jones Investor's Workshop available for Apple® IIc, Apple® IIe and Apple® II Plus.
Dow Jones Market Manager PLUS available for IBM® PC, Apple® II and Apple® Macintosh™
Dow Jones Market Analyzer available for IBM PC, IBM® XT, Apple II and TI Professional.

Dow Jones News/Retrieval is a registered trademark of Dow Jones & Company, Inc. Dow Jones Software, Dow Jones Investor's Workshop, Dow Jones Market Manager PLUS and Dow Jones Market Analyzer are trademarks of Dow Jones & Company, Inc. Copyright © 1984 Dow Jones & Company, Inc. All Rights Reserved.

do serious damage to numerical results. The Paranoia benchmark checks your arithmetic to see whether rounding is done correctly if at all.

GUARD DIGITS

Round-off errors are unavoidable. These errors are not mistakes in the process but the inevitable result of restricting the width of floating-point

numbers. A carefully built arithmetic system can round meticulously whenever approximation is required. However, in order to round correctly, extra (guard) digits are needed temporarily in the course of ordinary calculations.

Guard digits reduce error. In a four-digit system you may need five or more digits to maintain accuracy un-

til the result is rescaled. For example, 1.144×10^1 minus 8.336×10^0 really needs five digits. Without the extra digit this simple subtraction suffers an error of 4 to 6 ulps, a serious defect that makes numeric programming even more difficult and error-prone. To illustrate: *with* the guard digit, 11.44 minus 8.336 yields 03.104, which results in an answer after rescaling of 3.104×10^0 ; *without* the guard digit, 11.44 minus 8.33 (if truncated) yields 03.11 for a result of 3.110×10^0 and 11.44 minus 8.34 (if rounded off) yields 03.10 for a result of 3.100×10^0 .

The need for guard digits becomes quite clear. What about your computer? Often the specific details of the arithmetic used on a given computer are known only to its designers. Yet they are important to programmers and other users who want to get good, precise, accurate answers.

Professor William Kahan at the University of California at Berkeley wrote Paranoia for just this reason. Paranoia checks many of the arithmetic details of your computer. For each aspect that is not handled in the best way, Paranoia reports what sort of difficulty will ensue from its use.

The full Paranoia program is some 700 lines of BASIC. Listings 1 and 2 show an extract sufficient to test for the use of a guard digit in addition and subtraction. If some part of the routine seems confusing, you may find it helpful to try a pencil-and-paper example with a four-digit system like the one above. These programs were simplified from the Pascal translation of Paranoia by B. A. Wichmann of the National Physical Laboratory in England. The full program guards itself against many (rare) problems that might possibly arise. Full Paranoia also rechecks critical calculations by a second method, just to be sure.

TEST YOUR CALCULATOR

You can use essentially the same guard-digit procedure to test your pocket calculator. Without checking for radix, etc., the results of two simple expressions will signal the

(continued)

IEEE ARITHMETIC AND PARANOIA AVAILABILITY

The IEEE has specified a particularly careful floating-point arithmetic intended to avoid the worst problems of the older arithmetics used on computers. One committee (p754) designed a very specific binary floating-point arithmetic with three sizes of numbers. A second working group (p854) relaxed some of those specifications to permit different sizes of numbers and different radices to be used. These IEEE arithmetics are so good that Paranoia finds no fault with them at all.

An example of IEEE arithmetic is the way it avoids the problem of more numbers rounding up than down (50 versus 49): it rounds numbers ending in 50 up only half the time, i.e., when the previous digit is odd. The rest of the time, the numbers round down. For this reason, the normal IEEE rounding mode is called round-to-even.

The drafts of the IEEE specifications are highly technical and quite compact. The dozen or so pages require careful reading and often some deliberate studying to fully comprehend. Still, that task is rewarding to those who seek to achieve numerical results of the highest quality with their programs.

If you would like a copy of the IEEE p754 (binary) or p854 (binary and decimal) drafts, you may write to the author (IEEE p854 Mailings, U-76 UCSF, San Francisco, CA 94143). The full Paranoia test program will also be available, on floppy disk, for a distribution charge of \$15. The author also has order forms for the disk. The floppy formats of the Paranoia disk will include at least the PC-DOS 9-sector 5¼-inch double-sided format. A page

or two of documentation will help you run the program.


The second, corrected release of Paranoia in MS-BASIC should be available by this issue's cover date. Versions in FORTRAN and Pascal are also expected to be ready. Although the author of the Paranoia program, Professor William Kahan, is a key member of the IEEE Computer Society committees, the IEEE does not guarantee the program in any way.

If you request these test programs, you will be asked to assist Professor Kahan and Mr. Karpinski by reporting back the results you get when you use them. Please send us your results for any system that is either commercially available or interesting in its own right. You may copy the test program freely, maintaining its copyright notice, and pass it on to your friends. We would appreciate their results as well.

When you run Paranoia, you will get several pages of messages about the details of the arithmetic. So far results have been collected on more than six different BASIC systems, but some of these results are already obsolete. Perhaps you can help us to bring them up-to-date. We are especially interested in hearing about any errors you may discover in the tests themselves. We would also like to hear of any problems you have running or interpreting the tests, although we do not promise anything but our thanks in return.

A benchmark of this complexity may take years to reach its full value to the computing community. When enough arithmetics have been tested to make the results interesting, the authors will try to publish them.

IT CAME FREE WITH YOUR COMPUTER.



If you've got a computer, you've got a problem. Because every computer comes equipped with something you didn't bargain for—static.

Static is the major cause of computer malfunctions, downtime and lost productivity. And sooner or later a static problem could result in costly repair charges.

But you can eliminate your problem and improve your productivity with Staticide®. So effective, just one application to floors, furniture, walls and equipment keeps the entire workstation area static-free for up to six months.

Staticide is the number one topical anti-static formula on the market. And still the most effective! Don't accept substitutes.

And when it comes to eliminating static and cleaning CRT screens, new Staticide® Wipes™ is the answer. These handy towel-


ettes are non streaking and will not harm sensitive electronic components.


Try Staticide and Staticide Wipes. After all, you may not have been charged for that something extra that came with your computer...but it may very well charge you.

Staticide

by ACL Incorporated

1960 E. Devon Avenue
Department 101
Elk Grove Village, IL 60007
(312) 981-9212 Ext. 101





**IBM-PC or PC compatible
IEEE-488 INTERFACE BOARD**



VERSATILE

- Implements the entire IEEE-488(GP-IB, HP-IB) standard with high-level commands and standard mnemonics.
- Resident firmware routines support interpreted and compiled BASIC, Pascal, C, and other languages.
- Supports **Lotus 123** and most wordprocessing programs.
- One board drives any combination of 15 IEEE-488 peripherals.
- Emulates most Hewlett-Packard controller functions and graphics language statements with single line BASIC statements.
- Supports Tektronix® Standard Codes and Formats.
- Small size - fits the PC/XT short slot.

FAST

- Burst DMA > 800KB/sec
- Continuous DMA > 300KB/sec

PROFESSIONAL

- Clear, concise documentation includes a complete tutorial and source code for interactive bus control, bus diagnostics, graphics plotting, and many other applications.
- **\$395 complete.** There are no extra software charges.



CAPITAL EQUIPMENT CORP

10 Evergreen Avenue
Burlington, MA. 01803
(617) 273-1818

IBM is a trademark of International Business Machines Corp.
Lotus 123 is a trademark of Lotus Development

PARANOIA

Listing 1: A Microsoft BASIC program to test for the presence of a guard digit in subtraction. Note: fpwidth is the smallest number formed by multiplying one by the powers of the radix. It is calculated by successive multiplications, until the product when added to 1.0 no longer gives an exact result. (Width is a Microsoft BASIC reserved word and cannot be used as the variable name.)

```

10 '      Guard — Test if add/subtract has a guard digit
20 '
30 ' One      = 1.0      Floating-point constants
40 ' Half     = 0.5
50 ' Zero     = 0.0
60 ' MinusOne = -1.0
70 '
80 ' variables:
90 '
100 ' Radix    Calculated floating-point radix
110 ' Precision Significant digits in base Radix
120 '
130 '                        Precision
140 ' fpwidth   Radix      (or Radix ^ Precision)
150 ' Wide      First estimate of fpwidth
160 '
170 ' UlpOne    Unit in last place of just less than one
180 ' UlpRadix  Radix * UlpOne
190 '
200 ' OneMinus  One      - UlpOne    calculated with care
210 ' RadixMinus Radix   - UlpRadix
220 '
230 ' s, t, u    Working variables
240 ' x, y, z
250 '
260 '
270 '      Find a Wide so big that adding one does not change it by one
280 '
290 ' Wide = One
300 '
310 ' Wide = Wide + Wide ' Double it until it grows so large that
320 ' x      = Wide + One ' Adding one does not change it or
330 '                        (with rounding) changes it by 2
340 ' y      = x      - Wide ' So the difference is zero or 2
350 ' z      = y      - One ' And this becomes + / - one
360 '
370 ' IF ( MinusOne + ABS( z ) ) < Zero THEN 310
380 '
390 '
400 ' Find the radix (or number base) as the minimum increase in Wide
410 ' Remember that Wide is just large enough that the units place
420 ' is not represented, so a one in the last represented place
430 ' (the tens place, for decimal) is exactly the radix itself.
440 ' Try it by hand.
450 '
460 ' y = One
470 '
480 ' Radix = Wide + y ' No change on first addition
490 ' y      = y      + y ' So double y
500 ' Radix = Radix - Wide ' Until some change happens
510 '
520 ' IF Radix = Zero THEN 480 ' The change is the radix
530 '
540 ' PRINT "Radix = "; Radix
550 '
560 '

```



```

570 ' Find the precision in Radix digits
580 '
590   Precision = Zero
600   fpwidth  = One
610 '
620   Precision = Precision + One ' Count the digits
630   fpwidth  = fpwidth * Radix ' And increase fpwidth
640   y        = fpwidth + One ' Until adding one
650 '
660   IF ( y - fpwidth ) = One THEN 620 ' Is imprecise
670 '
680   PRINT "Precision = "; Precision
690 '
700   PRINT "fpwidth = "; fpwidth
710 '
720   UlpOne = One / fpwidth
730 '
740   PRINT "Closest relative separation found is UlpOne = "; UlpOne
750 '
760   OneMinus = ( Half - UlpOne ) + Half
770   UlpRadix = Radix * UlpOne
780 '
790   RadixMinus = Radix - One
800   RadixMinus = ( RadixMinus - UlpRadix ) + One
810 '
820   x = One - UlpOne
830   y = One - OneMinus
840   z = One - x
850 '
860   s = Radix - UlpRadix
870   t = Radix - RadixMinus
880   u = Radix - s
890 '
900   IF y = UlpOne THEN 920
910   GOTO 960
920   IF t = UlpRadix AND u = UlpRadix THEN 940
930   GOTO 960
940   PRINT "Add/subtract has a guard digit as it should."
950   GOTO 980
960   PRINT "Add/subtract lacks guard digit, cancellation obscured."
970 '
980   END ' Guard

```

Listing 2: Pascal program to test for the presence of a guard digit in subtraction.

```

program Guard;           { Test if add/subtract has a guard digit }

const
  One      = 1.0; { Floating-point constants }
  Half     = 0.5;
  Zero     = 0.0;
  MinusOne = -1.0;

var
  Radix      : real; { Calculated floating-point radix }
  Precision  : real; { Significant digits in base Radix }

  { Precision }
  Width      : real; { Radix (or Radix ^ Precision) }
  Wide       : real; { First estimate of Width }

```

(continued)

Mac Inker

Re-ink any fabric ribbon **AUTOMATICALLY** for less than 5¢. Extremely simple operation with built-in electric motor. We have a **MAC INKER** for any printer: cartridge/spool/harmonica/zip pack. Lubricant ink safe for dot matrix printheads. Multicolored inks, uninked cartridges available. Ask for brochure. Thousands of satisfied customers.


\$54.⁹⁵ +



Mac Switch

Mac Switch lets you share your computer with any two peripherals (serial or parallel). Ideal for word processors—never type an address twice. Ask us for brochure with tips on how to share two peripherals (or two computers) with **MAC SWITCH**. Total satisfaction or full refund.

\$99.⁰⁰



Order toll free 1-800-547-3303

Computer Friends

6415 SW Canyon Court
Suite #10
Portland, Oregon 97221
(503) 297-2321

Z80 System Owners Join The 16/32 Bit Revolution Through Evolution

Starting At
\$695.00



CO-PROCESSING

The most cost effective way for Z80 system owners to obtain 16/32 bit processing power and software compatibility is via the HSC CO-16 Attached Resource Processor.

CO-16 is compatible with any Z80 system running CPM 2.2 or CPM 3. A few examples include:

- KAYPRO 2/4/10 • TRS 2/3/12/16
- AMPRO LITTLE BOARD
- HEATH 89 • SUPERBRAIN
- XEROX 820 • TELEVIDEO 802/803
- MORROW • EPSON QX-10
- LOBO • OSBORNE 1/EXEC
- CROMEMCO • Plus many more

CO-16

Every CO-16 is delivered with

- 16/32 bit micro processor • 16 bit Operating System • 256 Kilo RAM
- Z80 interface • 16 bit RAM disk driver • CPM80 2.2 RAM disk driver
- CPM 2.2 or CPM 3 compatibility
- sources with tools • hardware diagrams • board level or case with power supply.

CO-1686

The only Z80 16 bit co-processor includes

- INTEL 8086 • 6Mhz no wait states • MSDOS 2.11 • IBM BIOS emulator • Memory expansion to 768K • 8087 math co-processor
- 3-channel Real Time Clock • Runs many IBM PC applications • Shares hard disk space with CPM80 • PC diskette compatibility on many systems • CPM86 • Concurrent CPM is coming.

CO-1668

The only Z80 16/32 bit co-processor includes

- MOTOROLA 68000 microprocessor • 6 Mhz no wait states • CPM68K • Full "C" compiler with UNIX V7 library and floats
- Memory expansion to 1.25 million bytes • NS16081 math co-processor
- Real Time Clock • Complete software development environment
- 100% file compatible with CPM80
- OS9/68 UNIX look alike coming in February.

Dealer, Distributor and OEM's invited

Hallock Systems Company, Inc.
267 North Main Street
Herkimer, N.Y. 13350
(315) 866-7125



PARANOIA

```

UlpOne   : real;    { Unit in last place of just less than one }
UlpRadix : real;    { Radix * UlpOne }

OneMinus : real;    { One - UlpOne      calculated with care }
RadixMinus : real;   { Radix - UlpRadix }

s, t, u   : real;    { Working variables }
x, y, z   : real;

begin {Guard}

  { Find a Wide so big that adding one does not change it by one. }

  Wide := One;
  repeat

    Wide := Wide + Wide;    { Double it until it grows so large that }
    x := Wide + One;        { Adding one does not change it or }
                              { (with rounding) changes it by 2 }
    y := x - Wide;          { So the difference is zero or 2 }
    z := y - One;           { And this becomes + / - one }

  until ( MinusOne + abs( z ) ) >= Zero;

  { Find the radix (or number base) as the minimum increase in Wide }
  { Remember that Wide is just large enough that the units place }
  { is not represented, so a one in the last represented place }
  { (the tens place, for decimal) is exactly the radix itself. }
  { Try it by hand. }

  y := One;
  repeat

    Radix := Wide + y;    { No change on first addition }
    y := y + y;           { So double y }
    Radix := Radix - Wide { Until some change happens }

  until Radix <> Zero;    { The change is the radix! }

  writeln( 'Radix = ', Radix );

  { Find the precision in Radix digits }

  Precision := Zero;
  Width := One;
  repeat

    Precision := Precision + One;    { Count the digits }
    Width := Width * Radix;          { And increase Width }
    y := Width + One;               { Until adding one }

  until ( y - Width ) <> One;        { Is imprecise }

  writeln( 'Precision = ', Precision );

  writeln( 'Width = ', Width );

  UlpOne := One / Width;


  writeln( 'Closest relative separation found is UlpOne = ', UlpOne );

  OneMinus := ( Half - UlpOne ) + Half;
  UlpRadix := Radix * UlpOne;

```

(continued)

NEW HARD DISK PROLOK: THE FLOPPY TO END ALL FLOPPIES.



Finally there's a foolproof way to protect software against unauthorized duplication. The technology is all on the disk and is installed on a hard disk *without the ongoing need for a floppy key.*

Prolok™ doesn't need add-on hardware. Instead each diskette is marked with a unique, physical "fingerprint." No two are alike. A precise description of the individual print is encoded magnetically. The fingerprint AND the description must match exactly before the software is decrypted and released to the system. No match, no access.

Its genius is its simplicity and familiarity. Prolok looks like an unprotected disk, loads like an unprotected disk, works like an unprotected disk. The user feels immediately at home and in command. It's as easy as A>PROLOK B: filename.

Backups are easily made via normal system utilities. However, to be read they must be accompanied in the system by the original Prolok disk, *except when installed on a hard disk.*

Prolok puts the casual copier—and even the deliberate pirate—out of business. It barely

increases the price of your product, yet it makes sure your customers don't buy one program and copy ten.

Several command line slash (/) options are built into Prolok diskettes for customized security, depending on your needs.

Software can be loaded easily onto Prolok diskettes using any system from a PC to commercial mass duplication equipment.

Prolok is an engineering breakthrough of Vault Corporation, which has been successfully safeguarding software since the inception of security disk technology. Over 3500 businesses and organizations protect their valuable programs with Prolok.

Simply contact Vault Corporation at 2649 Townsgate Road, Suite 500, Westlake Village, CA 91361. Or phone us at 800-445-0193 (U.S.) or 800-821-8638 (California). And find out why software freebies are becoming a thing of the past.



SOFTWARE PROTECTION, RIGHT ON THE DISK.

Circuit-Board-Design Without the Tedium

smARTWORK™ lets the design engineer create and revise printed-circuit-board artwork on the IBM Personal Computer.

Forget tape. Forget ruling. Forget waiting for a technician, draftsman, or the CAD department to get to your project. smARTWORK™ software turns your IBM Personal Computer into a professional, high-quality drafting tool. It gives you complete control over your circuit-board artwork — from start to finish.




smARTWORK™ transforms your IBM PC into a CAD system for printed-circuit-board artwork. Display modes include both single-layer black and white and dual-layer color.


What makes smARTWORK™ so smart is that it understands electrical connections. Conductor spacing is always correct, lines don't become too narrow, and connecting lines do not intersect other conductors. smARTWORK™ can automatically find and draw the shortest route between two conductors. Or you can specify the route.

smARTWORK™ is the only low-cost printed-circuit-board artwork editor with all these important advantages:

- ☐ Complete interactive control over placement and routing
- ☐ Quick correction and revision
- ☐ Production-quality 2X artwork from pen-and-ink plotter
- ☐ Prototype-quality 2X artwork from dot-matrix printer
- ☐ Easy to learn and operate, yet capable of sophisticated layouts
- ☐ Single-sided and double-sided printed-circuit boards up to 10 x 16 inches
- ☐ Multicolor or black-and-white display
- ☐ 32 user selectable color combinations; coincident points can be displayed in contrasting colors.
- ☐ Can use optional Microsoft Mouse as pointing device



Twice scale hardcopy of your artwork is produced using the Epson dot-matrix printers or the Houston Instrument DMP-41 pen-and-ink plotter. Quick 1X check plot is also available from Epson printers.



Dual-layer color display of a 2" by 4" section of a 10" by 16" circuit board

The Smart Buy

At \$895, smARTWORK™ is an exceptional value, particularly when compared to conventional engineering workstation costs.

Call or write us for more information on smARTWORK™. We'll be glad to tell you how smARTWORK™ helps us design our own circuit boards and what it can do for your business.

Send a purchase order, or major credit card number, and smARTWORK™ can be working for you next week.

System Requirements

- ☐ IBM PC or XT with 192K RAM, 2 disk drives and DOS Version 2.0
- ☐ IBM Color/Graphics Adapter with RGB color or b&w monitor
- ☐ Epson MX-80/MX-100 or FX-80/FX-100 dot-matrix printer
- ☐ Houston Instrument DMP-41 pen-and-ink plotter (optional)
- ☐ Microsoft Mouse (optional)



"smARTWORK" and "Wintek" are trademarks of Wintek Corporation.


```

RadixMinus := Radix - One;
RadixMinus := ( RadixMinus - UlpRadix ) + One;

x := One - UlpOne;
y := One - OneMinus;
z := One - x;

s := Radix - UlpRadix;
t := Radix - RadixMinus;
u := Radix - s;

if (y = UlpOne) and (z = UlpOne) and
   (t = UlpRadix) and (u = UlpRadix)
then
  writeln( 'Add/subtract has a guard digit as it should.' )
else
  writeln( 'Add/subtract lacks guard digit, cancellation obscured.' )

end {Guard}.
    
```

$- 9 / 27 * 3 + 1$

and

$- 9 / 27 * 3 + .5 + .5$

A smaller test in Pascal could be:

```

if ( - 9 / 27 * 3 + 1 ) =
   ( - 9 / 27 * 3 + .5 + .5 )
then writeln( 'Add/subtract has a
  guard digit.' )
else writeln( 'Add/subtract lacks
  guard digit.' )
    
```

CONCLUSION

Paranoia is an unusual benchmark: it tests the *quality* of your software, not just its speed. Most common computer arithmetics have a half-dozen or more flaws that Paranoia finds, reporting what kinds of calculations are harmed by them. Its use can be highly rewarding to those who seek to achieve very accurate, precise, numerical results from their programs. ■


presence or absence of a guard digit. If their results are equal, the guard digit is present. Otherwise, it is probably not. Those expressions are

$1/2 - (9 / 27 * 3) + 1/2$

For four-function calculators without parentheses or memory, you can use

$1 - (9 / 27 * 3)$

Meet The Controllers.



*Control Power, Peripherals,
Spikes, and Glitches.*

Power Control™ protects computer circuitry and data stored in memory against the damage voltage spikes can cause.

Puts on/off control of your computer, terminal, printer, and more at your fingertips in a slim panel unit sized to fit underneath your computer terminal.

Contains a master switch (to turn your computer, terminal, printer, a modem or a lamp on or off at the same time) and three additional switches to turn peripherals on or off in any order.

Eliminates reaching over, behind and around devices to turn them on or off.

Puts control of computer at your fingertips.


16" width, 10" depth allows placement under terminal for fingertip control.

Master switch turns computer and all peripherals on or off at same time.

Additional switches give individual control over peripherals.

Less than 2" high.

Organizes power wires. 4 cords in- 1 cord out.



Relax Technology.

To order, phone: 415/471-6112 or mail to: 3101 Whipple Rd., #25, Union City, CA 94587
*Calif. Residents add applicable sales tax.
Prices include shipping.

☐ Power Control 1: \$69.95*

☐ Power Control 2: \$89.95*

10 amp circuit breaker. RFI noise filtering. IEC power connector.

☐ Power Control 3: \$129.95*

Cross suppression between all 4 outlets. Illuminated switches. 3-stage RFI filter.

☐ Check for \$_____ enclosed.

☐ VISA ☐ MasterCard

Card # _____

Exp. Date _____ Bank # _____

Name _____

Address _____

City _____ St. _____ Zip _____

Signature _____

©Relax Technology. The company that works so you can relax and get down to business.

When it comes to printers, we have the two best names in the business.

The Xerox line of Diablo printers.

Color Ink Jet Printers

Full color graphics and text capabilities make these some of the most versatile in the world.

There are a lot of printers to choose from. But there's only one Diablo line. And it's part of Xerox.

To begin with, there are our Diablo daisywheel printers which have been voted number one for print clarity and quality in a brand preference study*. But that should come as no surprise since we had a headstart on the rest of the industry, inventing the daisywheel back in 1972.

There are also our Diablo dot matrix printers, known for their speed and endurance, they deliver perfect letter definition under the heaviest use.

For producing just about any visual presentation from graphics to text, our high quality Diablo color ink jet printers generate seven vibrant colors to create over 4,000 variations.

Every Diablo printer is unusually quiet, reliable and compatible with most computers on the market including the IBM

TeamXerox PC. All are part of Team Xerox, a wide array of products, people and services to meet all your information needs.

The Xerox line of Diablo printers is serviced by the national Xerox service force and Diablo service centers across the country.

So if you're in the market for a printer, go with two of the best names in the business. For the location of the Xerox office, authorized Diablo or Xerox dealer nearest you, call 1-800-833-2323, ext. 802.

*Source Datamation Magazine 1983 Brand Preference Study of printer preference by end users and OEM's.

XEROX® and Diablo® are trademarks of Xerox Corporation.
IBM® is a trademark of International Business Machines Corporation.

Inquiry 365

Daisywheel Printers

We invented the technology, and now it's the accepted standard among letter-quality printers.

November
Mr. Phillip Wallace
Bonwit Construction Company
60 East 42nd Street
Suite 2530
New York, New York 10165

Dear Mr. Wallace:

Per our conversation of Friday, November
take this opportunity to tell you in mor
Xerox line of Diablo Daisywheel Printer


Let me begin by saying the daisywheels
output. That is, the print quality is
that of a typewriter. And you can hav
200 drop-in typestyles from legal to
daisywheels.

With a range of 20 to 60 characters
to 3 pages per minute, it's perfec
ions. company has pri

Dot Matrix Printers

At draft speed, characters come out crisp and clear; at up to 400 cps. At correspondence quality speed, characters are so readable they make the term "computer printout" almost obsolete.

Diablo Dot Matrix Printers combine speed and low quiet, maintenance-free printers. Their various designed to provide clear and easy legibility. T for long-term reliability to provide you with year free operation. Parallel interfaces enable the Dot Matrix to work w



84

would like to
ail about the
inquired about.

er "letter quality"
tinguishable to
c quality in over
ering to accounting

cond, or roughly
general office

cal computers. The
was developed
nts such as yours and
you require.

BENEFITS

TS INFORMATION IN AN EASILY
"000 COLORED FORMAT. DIRECTS
IN WHERE YOU WANT IT!!

A WIDE RANGE OF COLOR
ES AND CHOICES.

KERS.

" EASE.

AND RECOGNIZABLE

TY TO

erox Diablo

and graphics.
one color.

software or p
lphabets or grap

output in central.

draft documents.

later upgrade to a


THE 8087 AND 80287 ARE IN STOCK!

MicroWay is the world's leading retailer of 8087s and high performance PC upgrades. We stock a complete selection of 8087s that run at 5 and 8mhz. All of our coprocessors are shipped with a diagnostic disk and the best warranty in the business - 180 days! We also offer daughterboards for socketless computers such as the NEC PC and PCjr, and a board which increases the clock speed of the 80287 in the PC AT. Our new NUMBER SMASHER™ will run the IBM PC at clock speeds up to 9.5mhz and achieves a throughput of 1.1 megaflops with 87BASIC/INLINE,

Intel Fortran, or Microsoft Fortran. Software reviewers consistently cite MicroWay software as the best in the industry! Our customers frequently write to thank us for recommending the correct software and hardware to meet their specific needs. They also thank us for our same day shipping! In addition to our own products which support the 8087 and 80287, we stock the largest supply of specialized software available anywhere. These include three FORTRANs, three PASCALs, APL, Intel's ASM-86 and PL/M-86, several Cs, 87BASIC/INLINE,

87MACRO, 87FFT, and MATRIXPAK. For real time or multi-user applications we offer RTOS™ - our implementation of Intel's iRMX executive. Our new products include a professional debugger with 8087 support, support for Lotus 1-2-3, and a translator that converts object modules into readable assembly language files. If you have a question about which computer, language, compiler, operating system or application package is best suited to your problem, we can answer it. Just call:

617-746-7341



MicroWay™ 8087 Support

For the IBM PC, PC XT, PC AT and Compatibles.

SCIENTIFIC SOFTWARE

87FFT™ performs Forward and Inverse FFTs on real and complex arrays which occupy up to 512K bytes of RAM. Also does convolutions, auto correlations, hamming, complex vector multiplication, and complex to radial conversions. Callable from MS Fortran or 87BASIC/INLINE. **\$150**

87FFT-2™ performs two-dimensional FFTs. Ideal for image processing. Requires 87FFT. **\$75**

MATRIXPAK™ manages a **MEGABYTE!** Written in assembly language, our runtime package accurately manipulates large matrices at very fast speeds. Includes matrix inversion and the solution of simultaneous linear equations. Callable from MS Fortran 3.2, 87MACRO, 87BASIC/INLINE, and RTOS. each **\$150**

DATA ACQUISITION PACKAGE

Interactive, user-oriented language which allows the acquisition and analysis of large data streams. **CALL**

GRAPHICS PACKAGES

Energraphics (stand alone) **295**
Grafmatic for MS Fortran or Pascal **125**
Plotmatic for Grafmatic **125**
Halo for Basic, C or Fortran each **150**

OTHER TOOLS

Alpha Software ESP **595**
Borland Sidekick, Toolbox, or Graphics **45**
COSMOS Revelation **850**
PSI MATHPAK **75**
smARTWORK **895**
SPSS/PC **695**
STSC APL★PLUS/PC **475**
Pocket APL **85**

DFixer

A disk utility which thoroughly checks PC or AT hard disks for bad sectors and updates the MS DOS file allocation table accordingly. **150**

*Requires RTOS or iRMX-86. All Intel compiler names and iRMX-86 TM Intel Corp.

RTOS - REAL TIME OPERATING SYSTEM

RTOS is a multi-user, multi-tasking real time operating system. It includes a configured version of Intel's iRMX-86, LINK-86, LOC-86, LIB-86, OH-86, and MicroWay's 87DEBUG. Runs on the IBM-PC, XT, PC-AT and COMPAQ. **400**

INTEL COMPILERS¹

FORTAN-86 **750**
PASCAL-86 **750**
PL/M-86 **500**
87C (LATTICE/MICROWAY) **750**
ASM-86 **200**

87BASIC/INLINE™ converts the output of the IBM Basic Compiler into optimized 8087 inline code which executes up to seven times faster than 87BASIC. Supports separately compiled inline subroutines which are located in their own segments and can contain up to 64K bytes of code. This allows programs greater than 128K! Requires the IBM Basic Compiler and Macro Assembler. Includes 87BASIC **\$200**

87MACRO™ - our complete 8087 software development package. It contains a "Pre-processor," source code for a set of 8087 macros, and an object library of numeric functions including transcendental, trigonometric, hyperbolic, encoding, decoding and conversions. For the IBM Macro Assembler, Version 1.0 or 2.0. **\$150**

OBJ→ASM™ - a multipass object module translator and disassembler. Produces assembly language listings which include public symbols, external symbols, and labels commented with cross references. Ideal for understanding and patching object modules and libraries for which source is not available **\$200**

87DEBUG™ - a professional debugger with 8087 support, a sophisticated screen-oriented macro command processor, and trace features which include the ability to skip tracing through branches to calls and software and hardware interrupts. Breakpoints can be set in code or on guarded addresses in RAM. **\$150**

HARDWARE AND LANGUAGES

8087-3 5mhz \$149
Including DIAGNOSTICS and 180-day warranty For IBM PC and compatibles.

8087-2 8mhz \$275
For Wang, AT&T, DeskPro, NEC, Leading Edge

80287-3 5mhz \$275
For the IBM PC AT

64K RAM Set \$24

256K RAM Set \$150

128K RAM Set PC AT. \$225

NUMBER SMASHER™. \$995

9.5mhz 8087 coprocessor board for the IBM PC

LOTUS 1-2-3™ 8087 Support. CALL

FORTAN and UTILITIES

Microsoft Fortran 3.2 **239**
IBM Professional Fortran **595**
Intel Fortran-86¹ **750**
FORLIB+ **65**
STRINGS and THINGS **65**

C and UTILITIES

Lattice C **299**
Microsoft C **329**
C86 **299**
C TOOLS **85**
C Trigs and Trans **150**

BASIC and UTILITIES

IBM Basic Compiler **270**
87BASIC/INLINE **200**
Summit BetterBASIC™ **175**
Summit 8087 Module **87**

MACRO ASSEMBLERS

IBM Assembler with Librarian **155**
87MACRO **150**

PASCAL

Microsoft Pascal 3.2 **209**
Borland Turbo **45**
Turbo with 8087 Support **85**

1-2-3 and Lotus are trademarks of Lotus Development Corporation.

Formerly MicroWare, Inc. - not affiliated or connected with MicroWare Systems Corporation of Des Moines, Iowa.

MicroWay

P.O. Box 79
Kingston, Mass.
02364 USA
(617) 746-7341

**You Can
Talk To Us!**

MODELING MASS-ACTION KINETICS

BY ALAN CURTIS

*In the future, microcomputers may have a substantial role
in major scientific computations*

AT THE UNITED KINGDOM Atomic Energy Research Establishment, Harwell, we have assembled scientific and technological applications of our FACSIMILE reaction-kinetics program. All can be run on one mainframe or another, but for the purposes of this article I have selected a few of those that now run on an IBM PC with 512K bytes of RAM (random-access read/write memory).

Like other simulation modelers such as DYNAMO, FACSIMILE facilitates the calculation of a set of differential equations that describe the continuous evolution of a system from a known initial configuration and then flexibly formats the output.

Simulation models solve problems repeatedly and carry out thorough statistical analyses to find the best fit among parameters. For such work, whether the microcomputer is practical depends on your point of view. A fairly large program that takes, say, three minutes on an IBM mainframe might well run all night on the PC, provided you use an 8087 math coprocessor; without it, running time would probably be about 10 times longer

(this is a guess—we haven't checked it out).

Let's take a look at several examples of how simulation models can be used.

URANIUM FROM SEAWATER?

Seawater contains uranium, an extremely valuable fuel, at an extremely low concentration. Suppose we want to extract the uranium. The question is whether an economically viable extraction process exists. We might try pumping the seawater through an ion-exchange column, a tube tightly packed with minute spheres of a resin that preferentially absorbs uranium ions from solution and replaces them with ions of another metal. When sufficient water has been pumped through, the col-

.....
Alan Curtis leads the Applied Mathematics Group in the Computer Science and Systems Division at the U.K. Atomic Energy Research Establishment, Harwell. He is a graduate of Cambridge and a former lecturer at the University of Sheffield. He can be reached at AERE, Harwell, Didcot, Oxfordshire OX11 0RA, England.

umn is removed and cut up, and ordinary chemical means remove the uranium (now at high concentration in the resin) for further processing. Obviously the value of the recovered uranium must offset the costs of manufacturing the resin and the tubes, of the pumping power, and of the postprocessing to recover the uranium from the resin.

A feasibility study of the problem called for a simulation model because the rate coefficients for the absorption of uranium by the resin were not known. Experiments removed supposedly identical ion-exchange columns at different times, pumped different rates of seawater, and analyzed uranium contents at various points along the columns. Parameter-fitting options might have determined the best fit for these experimental results.

As it turned out, variations in properties, mainly the density of packing of the resin from one column to another, and even along the length of a single column, invalidated the model, which assumed a single uniform column. A more complicated

(continued)

model might have involved some of the variability, but the experiments had shown that the whole process was not likely to be economical anyway.

Such negative results are not failures in scientific investigations. On the contrary, we understand far better the requirements for the simulation if we decide to pursue it again.

A modified model, now used for demonstration purposes, contains parameter values chosen to exhibit significant saturation. (There are other ways of solving the problem of modeling an ideal ion-exchange column if you know that saturation is negligible.)

To model the behavior of the column, we divided its length into 20 equal-size sections. One array of 20 variables represents the concentration of uranium in the seawater in each section, a second array

represents the concentration in the resin, and a third array checks for saturation by monitoring available absorption sites in the resin. The simulation models the flow of seawater by passing material from one element of the array to the next at a rate reflecting the time it takes for the water to move the length of a section.

The first element receives material with the concentration in the incoming water; the last element sends material to a "waste" variable. The simulation of the exchange process between solution and resin uses modeling features for chemical reactions; a second-order reaction between corresponding elements of the first and third arrays represents absorption, and a first-order reaction represents the reverse process. The program runs on the IBM PC in about 550 seconds (compared with 2.5 sec-

onds on the IBM 3081K), so that even a parameter-fitting run, which executes several dozen simulation runs, could be done overnight on the micro. It is fair to say that this investigation could have been done on the PC from the beginning.

The model provides three types of output: "snapshot" graphs, which show how the concentrations vary along the column at any time; "time-course" graphs, which illustrate how integrated quantities, such as the total uranium trapped in the resin, vary with time; and tables of numbers that give more accurate time histories of these integrated quantities. Figure 1 is a snapshot graph from this problem. By plotting the independent variable (distance along the column) along the y-axis and the dependent variables along the x-axis, a printer can plot graphs of any length. Points X represent the concentration of uranium in solution, multiplied by 100,000,000; points Y represent concentration in the resin, multiplied by 10,000; points S represent available sites, multiplied by 10,000.

STARTING UP A CHEMICAL REACTOR

In a 1981 thesis for Imperial College, London, I. T. Cameron proposed this chemical-engineering problem. It is much simpler than the others described here, but in practice it had proved difficult to solve.

Initially a chemical reactor contains neutral gas. A pump starts to supply liquid feedstock through an inlet valve, compressing the gas and reducing the flow from the pump because of back pressure. A chemical reaction takes place in the vessel, and product mixed with unused feedstock, driven by the gas pressure and the liquid head, flows out through an outlet valve. In time the system reaches a steady state, but the main focus of the simulation is the start-up transient. Results of interest include the peak gas pressure and temperature (for vessel design) and the loss of unused feedstock and substandard product. The model includes the ef-

(continued)




Figure 1: A snapshot graph from the ion-exchange-column problem.

*If you're using more
than one of these. . .*



You should be using this.
THE INTEGRATOR from ModTech.

With THE INTEGRATOR™ you can combine YOUR choice of the world's most powerful software into your own custom-integrated system. Plus, you get a series of powerful office tools.

The greatest integrated system.

Lotus™ 1-2-3™, dBase II™, WordStar®, and other standards act as one super-powerful software system using THE INTEGRATOR.

No prepackaged integrated software product can match the power, versatility, and features of THE INTEGRATOR and your software.

More important, THE INTEGRATOR allows you to use the files you've collected over time.

Prepackaged integrated systems may not.

There are no new commands to learn to run your software. It remains unchanged; use it as always.

THE INTEGRATOR simplifies computing for the novice and expert alike, by shielding the user from the operating system with Help screens and Pull-down menus.

THE INTEGRATOR takes command of the

operations, the reformatting of files, eliminates salutation commands and keystrokes. You work faster and more efficiently.

THE INTEGRATOR also adds four quick, useful office tools.

A daily calendar with an alarm to remind you of important engagements, a full functioned calculator which can save and execute repetitive functions, a Note Pad for quick ideas, and a floppy-dump File Cabinet to free up hard disk space.

An IBM PC/XT®, or workalike with 256K, a

hard disk, and any of the software above is all you need.

Your local ModTech™ dealer has more information and the ability to add other software packages to the list. Even programs you've designed yourself.

Call ModTech for the dealer nearest you. 800-223-6250.

***In CA:
800-521-6790***




Modern Technologies International, Inc.
656 Bair Island Road, Suite 302, Redwood City, CA 94063

MODTECH AG,
Mühlegasse 25,
CH-8025 Zürich,
Switzerland
Tel. 01/252 04 20
Tlx 36 456 rlf/ ch



Trademarks: THE INTEGRATOR is a trademark of Modern Technologies International. ModTech — Modern Technologies International Inc. Registered Trademarks: IBM, PC/XT — International Business Machines Corporation. Trademarks: Lotus 1-2-3 — Lotus Development Corporation. dBase II — Ashton-Tate. Registered: WordStar — Micropro International Corporation.



fect of pressure on inlet and outlet flow rates as well as the progress of the reaction, the depth of the liquid, and the thermodynamics of the gas.

Output consists of time-course graphs and tables of numbers. The graphical output (see figure 2) illustrates an interesting phenomenon that occurs fairly often. There is a long transient before the approach of the steady state, but the initial transient is very fast. To study the initial part effectively, it is necessary to plot many points at small time intervals. Graphs, therefore, have the independent variable (time in this case) plotted downward and the dependent variables plotted from left to right; thus (with continuous paper) there is no limit to the length of the plotted graph. However, if the PC screen displays the graph as it is produced, only about 25 lines are shown at a time, so a printer is essential.


DEATH OF A STAR

When a typical "main sequence" star has been burning and radiating energy away for a few billion years, it has transmuted all of its original lighter elements into carbon and oxygen and must enter a carbon-burning phase. During this time, the internal pressure needed to support the star's weight against its own gravitational attraction has required high density and temperature, which in turn make the star opaque to radiation.

According to Planck's law, the star radiates at a rate determined by its surface area and temperature. Therefore, when the star's lighter elements are exhausted and its energy from nuclear reactions becomes inadequate to support its weight, it starts to contract under gravity; this increases its internal temperature until it reaches about 1 billion degrees

(continued)

Figure 2: A time-course graph from Cameron's reactor problem. A = concentration of feedstock; B = concentration of an intermediate (on larger scale); P = concentration of product; 1 = inlet flow rate; 2 = outlet flow rate.



NEW

A powerful multifile database with a programming language for only \$99

Versaform's new XL database isn't just promises—it's here now! And it offers—YES, FOR ONLY \$99—all the features you'd expect in a database costing 4 times as much.

Accounting applications are XL's strength. Invoicing, purchasing, receivables, and shipping almost create themselves as you design the forms—and XL transfers data between them. There's an Invoicing, A/R and Inventory application—source code included—in the package that shows how it's done. The power's there. And unlike packaged accounting programs, you can do them YOUR way.

	VersaForm XL dBASE III*		R-BASE 4000*
PRICE	99	695	495
STRUCTURED LANGUAGE	Y	Y	Y
MULTI-FILE	Y	Y	Y
COLUMNS WITHIN DATA RECORD	Y	N	N
DATA ENTRY CHECKING	BUILT-IN	MUST WRITE PROGRAM	BUILT-IN
ON-SCREEN CALC	BUILT-IN	MUST WRITE PROGRAM	MUST WRITE PROGRAM
FORMS OUTPUT	BUILT-IN	MUST WRITE PROGRAM	MUST WRITE PROGRAM
DATE ARITHMETIC	Y	Y	N
DATA TYPES	DYNAMIC	FIXED	FIXED
COLUMN TOTAL OPERATOR	Y	N	N
QUERY BY EXAMPLE	Y	N	EXTRA
MAX FILE SIZE	4 MB	OPEN	OPEN
MAX RECORD SIZE	4000	4000	1530

*dBASE III is a registered trademark of Ashton-Tate. R-BASE 4000 is a trademark of Microrim, Inc.

- XL's structured language can access multiple files. 48 built-in functions give control of file access, printing, and user dialogues. You'll develop transaction-based applications with an ease you've never experienced before. And all at this unheard-of low price.
- VersaForm XL's unique form-oriented data structures let you easily set up forms and ledgers—even those with columns! Application development is FAST, FAST, FAST. And since forms are the way that businesses already store their data, the transition is smooth. That's why VersaForm XL is so easy to operate even for high-turnover clerical people—it starts from where they are now.
- Automatic data entry checking and on-screen calculation make transactions error-free. Stored print formats make output formatting a snap—you can quickly match existing paper forms. VersaForm XL's report generator is clear and intuitive. Designers can pre-install reports,

users can set up their own.

- Query-by-forms (at no extra cost) lets users go right to the data they need. No query language to learn—forms are the natural language of business.

Ironclad Money-Back Guarantee

Try VersaForm XL for 30 days. If you're not fully satisfied, return it. We'll gladly refund your money.

Order now, and have the pleasure of using the right tool at the right price. You can't lose!

VersaForm XL runs on IBM PC, XT, AT and compatibles. Requires 192K, two 360KB drives, DOS 2.0 or later. Hard disk recommended.

Standard VersaForm (single file, no language) available for 64K, 2-drive Apple II or 128K IBM PC. \$69.

VersaForm™ XL

Applied Software Technology 170 Knowles Drive, Los Gatos, CA 95030
(408) 370-2662

Yes! Rush me Versaform XL for the IBM PC (\$99) _____

Standard Versaform (Single file, no language) for the IBM PC (\$69) _____

Apple II (+, E.C) (\$69) _____

Credit card members can order by phone.  

Toll-Free: 1-800-538-8157 ext 880

In California

Toll-Free: 1-800-672-3470 ext 880

Enclose check or money order with coupon. Include \$4.50 for U.S. Shipping and handling. \$7.00 for C.O.D. California residents add 6.5% tax.

_____ My check or money order is enclosed _____ Send C.O.D.

Charge my _____ MasterCard _____ Visa

Account No. _____ Expires _____

PLEASE PRINT CLEARLY

285

Name _____

Address _____

City _____ State _____ Zip _____

Phone _____ Signature _____

*Generation of smog
in urban areas is a
complex phenomenon
that involves numerous
reactions among over
100 trace gases
in the atmosphere.*

Kelvin. This temperature is sufficient to cause carbon nuclei to begin fusing together to form heavier elements. This carbon-burning process supplies the necessary energy to make further gravitational contraction unnecessary.

If the star is an ordinary one—not

too big—the temperature generates enough pressure to keep the star stable until the carbon is exhausted. The temperature and density do not rise further, and the carbon-burning phase takes place relatively slowly, in conditions of hydrostatic equilibrium. In a more massive star, however, the pressure is inadequate, contraction continues, the temperature and density continue to rise, and carbon burning proceeds explosively fast; the star becomes a supernova. In either case, the phase is extremely short in relation to the earlier leisurely history of the star; typical durations may be a week or two for an ordinary (less massive) star or about a second for a supernova.

Simulations have been successful for both the hydrostatic and the explosive carbon-burning phases. In both cases, the set of nuclear reactions is the same, but the rate coeffi-

cients depend on temperature and density, variables that vary with time in a way determined by the stellar dynamics. To model the hydrostatic version, temperature and density are kept constant and rate coefficients are computed only once, at the start of the run. For the supernova version, temperature and density are defined as functions of time, and the rate coefficients are frequently recalculated during the run.

The coding of the nuclear reactions, although they are numerous, is relatively easy because their structure is exactly that of chemical reactions. Protons, neutrons, neutrinos, alpha particles, and 36 heavier nuclides are simulated.

A run of the hydrostatic version takes about 8200 seconds (2.3 hours) on the PC, compared with about 25 seconds on the IBM 3081K. This is a larger speed ratio than average—about 330:1—but we may be able to improve the performance. The supernova version takes about 67 seconds on the 3081, so we expect it to take about 22,000 seconds (say, 6 hours) on the PC. Output consists of time-course graphs of the mass fractions of the various nuclides, plotted on logarithmic scales for time and for the mass fractions, and of tables giving numerical values for the mass fractions as functions of time. The graphs show clearly the stages at which the various nuclides are produced or used up; in many cases, this occurs in straight lines on the log-log plot, indicating mass fractions proportional to a (positive or negative) power of the time.

PHOTOCHEMICAL SMOG GENERATION

The generation of photochemical smog in urban areas is an extremely complex phenomenon that involves numerous reactions among well over 100 trace gases in the atmosphere. Important elementary steps in the process involve the breaking of chemical bonds when a molecule absorbs solar radiation; these steps switch off rapidly as sunset approaches and switch on equally fast

(continued)

NEW AMBER CRT'S

- ☒ Eliminates strobe, flicker, and eye fatigue
- ☒ Made with Lead/Strontium impregnated glass that stops X-ray emission
- ☒ Available in slow decay green or medium decay "European Amber" (the standard in Europe)
- ☒ High-contrast double dark face glass that also cuts U.V. radiation
- ☒ Tube face is etched to stop glare
- ☒ Ideal for word processing and programming, yet fast enough for games and graphics
- ☒ Warranted for one full year against manufacturing defects or tube failure

Now, you can easily upgrade your monitor to exceed European standards for persistence and color with the installation of a Langley-St.Clair Soft-View™ CRT! Available for the TRS-80™, TeleVideo™, Kaypro™, Heath™, DEC™, Zenith™, IBM PC™, Apple III™ and a wide variety of other monitors.

**TO ORDER:
CALL 800 221-7070**

- ☒ Comes with a 30 day money back guarantee
- ☒ Easily installed (comes with pre-mounted hardware)




Your new amber CRT is easily installed with a screwdriver and a socket.

Call now to order your Soft-View™ CRT from Langley-St.Clair—\$99.95

Plus \$7 for packing and UPS Shipping (\$17 for Overseas, Parcel Post, or UPS Blue Label). Add sales tax where applicable. Visa/MasterCard orders welcomed.

••• Langley-St.Clair

Instrumentation Systems, Inc.
132 W. 24th St., New York, NY 10011
In New York call 212 989-6876



Which electronic mail service delivers much more than mail?

Every one of these electronic mail services does a very good job of delivering the mail.

But only one delivers so many more online services with equal expertise.

The Source.

With The Source, you can have the daily news delivered along with your daily mail. Make airline reservations. Trade stocks. Hold a computer conference. Communicate with thousands of people who share your interests.

Even get the latest word on new hardware and software products, in seconds.

All this, and more, along with the electronic mail service called "the most powerful available anywhere."

And all for just \$49.95,

plus reasonable hourly usage fees.

Call 800-336-3366* and you can have the power of The Source working for you in a matter of minutes.

Or for more information, visit your nearest computer dealer or mail the coupon below.

The Source is a service mark of Source Telecomputing Corporation, a subsidiary of The Reader's Digest Association, Inc. The source services are offered in participation with Control Data Corporation. ©Source Telecomputing Corporation, 1985. MCI MailSM is a service mark of MCI Communications Corp. EasyLinkSM is a service mark of Western Union.

*In Virginia or outside the continental U.S. call (703) 734-7500.

Please send me more details about The Source.

Name Telephone #

Address

City State Zip

☐ ☐ I own a personal computer.

yes no

Mail to: Source Telecomputing Corp.
1616 Anderson Road
McLean, VA 22102

CCBY02

The SourceSM

The most powerful resource
any personal computer can have.

SourceMailSM

*Electronic Mail
Mailgram[®] Message
Service*

*PARTICIPATETM
Computer Conferencing*

*CHAT Interactive
Communications*

News Bulletins

UPI News Service

Associated Press

*Scripps-Howard News
Service*

Accu-WeatherTM

The Washington Post

Electronic Edition

Sports

BYLINES Feature

News

Portfolio Management

Real-Time Stock Quotes

Delayed Stock Quotes

Spear Securities Online

Trading

Media General

STOCKVUE

Donoghue Investment

Newsletter

INVESTEXT Research

Reports (1st Qtr. 1985)

Management Contents

Publication Abstracts

Employment Services

UNISTOX Market

Reports

Commodity World

News

BIZDATE Business

Magazine

MICROSEARCHTM

Hardware, Software

Reviews

Member Directory

POST Bulletin Board

Classifieds

Member Publications

Official Airline Guide[®]

A-Z Worldwide Hotel

Guide

Travel, Hotel

Reservations &

Ticketing

Restaurant Guides

Travel Tips, Tours,

Discounts

Movie Reviews

CompuStore Electronic

Shopping

Games, Educational

Quizzes

at dawn. Rate coefficients also depend on smaller day/night variations such as temperature and water vapor content. Thus the behavior of the chemistry during the night is quite different from that during the day, and the switching processes are technically difficult for many differential-equation solvers to handle.

The model of this process is by far the largest and most complicated of those described here. The model involves a total of 300 reactions among 135 chemical species; the data occupies about 620 lines of code. The model also requires larger working arrays than the others, but it can be fitted into 470K bytes of RAM.

Simulating 50 hours of real time (thus seeing how much greater the pollution is on the second day than the first) takes about 110 seconds on the IBM 3081K; we are not yet able to run it on the PC, but we might expect a speed ratio similar to that for the astrophysical problem. It is thus at the limit of practicability on the PC (at present) so far as running time is concerned, but it is interesting that the model would still run faster than real time. Simulation of the second 24 hours takes about one-third of the total time, and we would expect subsequent days to run at approximately this speed.

Output consists mainly of time-course graphs, which illustrate clearly the buildup, with afternoon peaks and nighttime troughs, in the concentrations of the important pollutants.

CONCLUSION

I have presented only a few of the many scientific and engineering applications that are practicable on a micro like the IBM PC with 512K bytes of RAM and an 8087 math coprocessor. I hope, nevertheless, that I have conveyed a feel for what I am sure has a very big future—the use of microcomputers for major scientific computation. ■

FOR FURTHER INFORMATION

For information on some specific microcomputer simulation modelers, contact:

ATOMIC ENERGY RESEARCH ESTABLISHMENT

Harwell, Didcot, Oxfordshire OX11
ORA, England (FACSIMILE)

PUGH-ROBERTS ASSOCIATES INC.
5 Lee St., Cambridge, MA 02139
(Micro-DYNAMO)

ACKNOWLEDGMENT

I would like to thank the United Kingdom Atomic Energy Research Establishment, Harwell, for permission to publish the material about FACSIMILE contained in this article; and I would also like to thank my colleagues Philip Sweetenham and Kevin McPherson for providing me with information about the test runs they executed.

WHY WOULD ANY SANE PERSON SPEND \$199 FOR A BetterBASIC SYSTEM WHEN DOS'S IS FREE?

HERE ARE 10 REASONS:
TEST YOUR SANITY

1. Full support for 640K memory
2. Structured language with BASIC syntax
3. Separately compiled program modules
4. Speed: FAST
5. Extensibility (Make your own BASIC.)
6. User-defined procedures and functions
7. Built-in windows support
8. Interactive programming language based on an incremental compiler
9. 8087 math support
10. Runs on IBM PC, IBM PC/XT and compatibles

Summit Software
Technology, Inc.™

P.O. Box 99
Babson Park
Wellesley, MA 02157

(617) 235-0729

BetterBASIC is a trademark of
Summit Software Technology, Inc.
IBM PC, IBM PC/XT and PC/DOS
are trademarks of International
Business Machines Corp. MS-DOS
is a trademark of Microsoft Corp.

NOW AVAILABLE FOR
THE TANDY 2000 & 1200


Better
BASIC™

Sane Programmers
Order BetterBASIC Now

Price: \$199
8087 Math Module: \$99
Runtime System: \$250
Sample Disk: \$10

MasterCard, VISA, P.O. Checks,
Money Orders, and
C.O.D. accepted.

Here's The Savvy-est True Dual Trace 10 MHz Digital Storage Scope You Ever Saw ... At The Saving-est Price. Only \$595.



The Handy New LogicScope™ 136

True Dual Trace • 10 MHz Real Time Bandwidth • 3 Input Channels • I/O Port
Digital Waveform Storage • Boolean Waveform Operations • Audio Functions
8.0 (L) x 4.5 (D) x 1.75 (H) Inches • 1.25 Pounds • 9 Volt Battery/AC Operation

Consider the LogicScope 136

- The LogicScope 136 is the next logical step in test instrumentation for you. It combines many of the features and capabilities of sophisticated logic analyzers and oscilloscopes... and it fits in your hand. Never before has so much technology been available in so small an instrument, at such a low price.
- The pocket-sized LogicScope 136 is made possible by a patented breakthrough in display technology. The conventional CRT has been replaced by a unique array of 400 LED's that permits simultaneous display of two digital waveforms.
- The 136 can be used for viewing single shot events, or repetitive waveforms. It can be operated in real time mode, or in memory mode which permits acquisition and storage of up to 50-100 bit waveforms. These can be recalled, logically compared (AND, OR, EXCLUSIVE OR) to other input waveforms, or output to an external device via an I/O port. This I/O port will also accept future add-on 136 Modules.
- Its very low cost, convenience and ease-of-use make the LogicScope the ideal instrument, for designing, troubleshooting or repairing digital systems. Made in U.S.A.

Consider its Engineering & Field Service Applications:


- On microprocessor-based systems, check the timing relationship of various parameters relative to the system clock and other key events. Its storage capability allows visual and logical comparison of non-repetitive waveforms to known reference signals. Output in the start-up of the digital device can be compared to reference signals to determine the operating state of the device. Questionable waveforms can be stored for analysis.
- Its light weight and small size make the LogicScope convenient to take on every service call. The 136 provides much more information for trouble shooting a digital system or peripheral than a logic probe or digital counter without having to lug an oscilloscope or logic analyzer along.

Contact us for the name of your local distributor




POCKET TECHNOLOGY, INC.

7320 Parkway Drive, Hanover, MD 21076 U.S.A.
301-796-3300 TELEX 908207
Division of Renaissance Technology Corp.



ASYST multiple windows permit side-by-side comparisons. The two-dimensional FFT routine, shown, is one of the many built-in functions.



With ASYST, data acquisition and analysis routines can be combined to create powerful, menu-driven functions.

Now acquire, analyze, and graph data all at the same time.


Introducing ASYST[™] Scientific Software.

ASYST. The most powerful scientific software package available for a personal computer.

ASYST is the only software that turns an IBM PC, or compatible, into a complete scientific workstation—offering full data acquisition, analysis, and graphics capabilities.

- ASYST puts you in direct control of your data. Its unique interactiveness allows you to start reducing data even as it is being collected—graphing as you proceed.
- Multiple graphics windows permit quick visual comparison and allow you to select segments for further manipulation.


ASYST gives you the speed and precision of a minicomputer—at a fraction of the cost. And because it works on a PC, you




ASYST and your IBM PC give you the power, speed and precision of a mini-computer in your own lab.

can pull information through the analytical process without timesharing delays or software bottlenecks.

- ASYST fully utilizes an IBM PC with the 8087 coprocessor. This unique combination takes all intermediate calculations to the 80-bit precision level, offering precision exceeding that of other micros—as well as many minis and mainframes.
- A 1024-point Fast Fourier Transform, with ASYST and an IBM PC with 8087 chip, takes less than 3 seconds. An optimum performance custom routine tested on a DEC 11/23+ mini-computer with FPF 11[™] took 2 seconds—at five times the price.



ASYST automatic graphics are flexible enough to handle the most demanding applications.



ASYST integrates analysis functions with graphics. On-screen cursors allow interactive selection of curve segments.

Three integrated modules.

ASYST is composed of three separate, but fully-integrated, modules—Module 1: System/Graphics/Statistics; Module 2: Analysis; and Module 3: Data Acquisition.

- Module 1 works alone—or with either of the other two modules—allowing you to tailor the system to your specific needs.
- All functions are always available for your use. You never have to leave the system to access any of its capabilities.

Module 1: System/Graphics/Statistics establishes the environment. Among other features, it provides data representation and storage capability; supplies arithmetic, trigonometric, hyperbolic and other mathematical and statistical functions; and provides direct graphics output and display. Array manipulation, control of vectors and matrices, automatic plotting, file manipulation, programming control structures, and a built-in text editor are all included in Module 1.

Module 2: Analysis reduces and analyzes data and includes a powerful selection of analytical functions. They include Eigenvalues, Eigenvectors, and polynomials. Least squares approximations, curve fitting, convolutions, integration, differentiation, smoothing, and Fast

Fourier Transform are only a few of the automatic functions provided.

Module 3: Data Acquisition allows ASYST to interface with laboratory instruments to capture data directly with a minimum of keyboarding. Standard commands such as "A/D.IN" are all that are needed to carry out communication between ASYST and standard interface boards. A/D and D/A conversions, digital I/O, timing, and triggering are all supported. Commands can be combined in programs to provide customized automatic acquisition and control.

Built-in routines make ASYST easy to use. Programmability lets you customize.

You don't have to be a computer expert to utilize ASYST. Instead of rigid, unreadable computer syntax, you deal with an assortment of built-in commands that do what their names indicate—XY.DATA.PLOT, ARRAY.EDIT, FFT, etc.

- Interactively use pre-programmed commands to get immediate control of your work.
- Combine and modify commands to extend the capability of the system for your custom applications. ASYST is fully programmable.


Supported by extensive, top-down documentation.

ASYST layered documentation—with examples, a quick reference card, and a cross-referenced index—lets you go only as deep as your needs require. A comprehensive, on-line "help" system is always ready to supply additional assistance.

**30-Day
No-Risk Offer.
1-800-348-0033**

In New York State call (212) 702-3241.

Call our ASYST hotline for more information.



ASYST

MACMILLAN SOFTWARE CO.
An Affiliate of
Macmillan Publishing Company
866 Third Avenue
New York, NY 10022

TRANSTECTOR Has A Better Way To Eliminate Computer Malfunctions

Computer foul-ups are enough to bring out the beast in even the most patient of individuals. But when random logic errors, memory loss, software damage or component failures have driven you to the brink, don't resort to wielding a sledgehammer. Fight back with TRANSTECTOR SYSTEMS.

TRANSTECTOR is the world's leading manufacturer of transient overvoltage protection systems for sensitive electronics. In fact, many FORTUNE 500 companies, such as NCR, General Electric Medical Systems and Johnson Controls, have chosen TRANSTECTOR to safeguard equipment they sell.

Now, that same famous technology is available to you. Ask your dealer for details on how TRANSTECTOR protectors can save you money--not to mention your mental health.

TRANSTECTOR

10701 Airport Dr.
Hayden Lake, ID 83835
(208) 772-8515

For the name of the
TRANSTECTOR SYSTEMS
authorized dealer nearest you,
call toll-free:

800-635-2537

FREE POSTER!
If you can empathize with the poor soul in this photo, you'll want an attractive, color poster (a \$7.50 value) to remind you that There Is A Better Way.
Get your very own poster FREE with the purchase of any TRANSTECTOR protector from your local authorized TRANSTECTOR dealer.

VIEWING MOLECULES WITH THE MACINTOSH

BY EARL J. KIRKLAND

*A BASIC program provides 3-D images
of complex molecules*

RESEARCHERS HAVE GAINED valuable insights into how molecules work by examining the basic physical structures of the molecules, which in part determine their functions. Scientists have learned, for example, that the physics of electronic conduction in a silicon crystal is influenced by the basic symmetries of the crystal.

The relative physical sizes and shapes of two molecules may also influence the rate at which they interact chemically (since, for two chemicals—i.e., atoms or molecules—to interact, they must first come into contact with each other). This is the case with a particular class of biochemical substances called enzymes, which are responsible for controlling the rate of biochemical activity without themselves being changed (i.e., they are biological catalysts). The size and shape of the enzyme molecule influences which other biochemical substances (molecules) may bind to it and hence be influenced by it.

We can gain some understanding of the basic functions of molecules by examining the size and shape of a given molecule, using either a real

physical model or a computer-graphics representation of the molecule. References 1, 2, and 3 give some examples of graphic representations of molecular structure and their usefulness in understanding molecular function.

Molecules are far too small to be seen with optical microscopes, and electron microscopes are just becoming capable of directly imaging a few specialized types of molecules. Most of the molecular structures that we know today have been determined by X-ray diffraction studies of large crystals. A crystal can be thought of as a very large, single molecule composed of a small structure of a few atoms repeated many times. This repetitive nature allows researchers to analyze many identical molecules at one time and obtain a reasonable "signal-to-noise" ratio in the results.

.....
Earl J. Kirkland (Cornell University, Ithaca, NY 14853) holds a doctorate in applied physics and is a research associate at Cornell's School of Applied and Engineering Physics. His work involves computer image processing of electron micrographs.

X-ray diffraction patterns cannot be directly interpreted but require a computer to digest the diffraction pattern. The computer outputs a sequence of numerical data describing the three-dimensional (3-D) positions of the atoms inside the molecule. This numerical data is rather difficult to understand without further reduction. Simple structures with only a few atoms may be intuitively visualized from the raw numerical data, but the more interesting or important structures often contain hundreds of atoms, each with its own numerical coordinate (x, y, z). Intuition is inadequate for complicated structures such as these.

Before the advent of computer graphics, researchers had to go through the elaborate process of building 3-D models of each molecule for further study. Because this molecular-structure data is often generated by a computer, it is a practical alternative to also let the computer draw a 3-D perspective view of the molecule using computer graphics.

Computer graphics is a powerful

(continued)

tool for visualizing the structure of large molecules in three dimensions. Sophisticated (and expensive) computer hardware and software systems for displaying molecules and crystals in 3-D perspective are discussed in references 4 and 5.

The Apple Macintosh has enough resolution and speed to draw 3-D perspective views of relatively large molecules and to rotate them in space (not in real time but fast enough to be interactive). Although not as good as the more sophisticated systems (several of which are discussed in references 4 and 5), the Macintosh is certainly less expensive and can provide quite usable and educational results. MODEL3D, a program written in Microsoft Macintosh BASIC 1.0 and designed to run on the 128K-byte Mac, is capable of displaying up to 600 atoms in three dimensions, with hidden-surface removal, and azimuthal and polar rotations (these terms are defined below).

MOLECULES

For the purposes of this discussion, think of a molecule as a group of atoms that are bound together in a

well-defined structure. Each molecule has a given number of one or more different types of atoms and each atom has a specific 3-D coordinate associated with it. A molecule may be as simple as two atoms or as complicated as the DNA molecule with its thousands of atoms. The atom-to-atom spacing varies from one molecule to the next and is determined by the chemistry and physics of the bonds. Typical atomic spacings are on the order of a few angstroms (1 angstrom = 10^{-8} centimeters).

Each atom in the molecule or crystal has a further substructure consisting of a small nucleus of positive charge (protons and neutrons) surrounded by a larger, negatively charged electron cloud. The outer electrons in this cloud form the actual bond to the neighboring atoms. The radius of the atom (i.e., the electron-cloud radius) varies from one type of atom to the next. (Typically, atomic radii are on the order of 1 angstrom.) This atomic structure may be modeled graphically as a slightly fuzzy sphere whose radius is the radius of the electron cloud. The specific 3-D coordinate of the atom is associated with the center

or nucleus of the atom. Therefore, to describe a whole molecule all you need is a list containing the 3-D coordinate and size of each atom in the molecule. This will be represented as the coordinates $(x,y,z)_i$ and atomic sizes (or radii) s_i , for $i=1,2,3,\dots,n$, where n is the total number of atoms in the molecule.

ROTATION

Once you have the list of atomic coordinates inside the computer, you can rotate the atomic structure to any angle prior to viewing it. In three dimensions there are two possible independent rotations about a given center (or any other given point). They will be referred to as an azimuthal rotation (about the z -axis) and a polar rotation (about the x -axis). To azimuthally rotate the molecule about its center point $(x,y,z)_0$ through an angle ϕ , you must transform each atomic coordinate $(x,y,z)_i$ as:

$$x'_i = (x_i - x_0)\cos(\phi) + (y_i - y_0)\sin(\phi)$$

$$y'_i = -(x_i - x_0)\sin(\phi) + (y_i - y_0)\cos(\phi)$$

and to rotate through a polar angle θ , you must transform each atomic coordinate as:

$$y''_i = y'_i\cos(\theta) + (z_i - z_0)\sin(\theta)$$

$$z'_i = -y'_i\sin(\theta) + (z_i - z_0)\cos(\theta)$$

The computer uses the new resulting rotated coordinates $(x',y'',z')_i$ to calculate the 3-D perspective view of the molecule. For convenience you may define the center of rotation $(x,y,z)_0$ to be halfway between the minimum and maximum extent of the molecule (along each axis).

3-D PERSPECTIVE

To display a molecule in 3-D on a computer screen, the light coming from the two-dimensional CRT (cathode-ray tube) screen must be made to appear as if it comes from a three-dimensional object (i.e., the molecule). One way to do this is illustrated in figure 1 (see also references 4 and 6). The human observer is in the "viewing position" at a distance D from the CRT screen, which is illustrated as a two-dimen-




Figure 1: A perspective view of a three-dimensional object as projected onto a two-dimensional CRT screen. The point $(x,y,z)_i$ represents the center of a 3-D sphere, and $(x,z)_{is}$ represents the projected screen coordinates.

sional x,z plane, seen from the side. Projected on this "screen" is a 3-D molecule, of which one atom has the coordinates $(x,y,z)_i$.

We then trace several light rays from the viewing position through the three-dimensional-object points. The points where these rays intersect the CRT plane is where the object should be placed when drawn on the CRT screen. By comparing similar right triangles formed with the viewing position, the y -axis, and either the $(x,y,z)_i$ or $(x,z)_i$ points, we can calculate the screen coordinates as:

$$x_{is} = Dx_i / (D - y_i)$$

and

$$z_{is} = Dz_i / (D - y_i)$$

In practice, the leading multiplicative factor of D will be dropped because the screen coordinates will be rescaled later to fill the screen. The apparent size of each atom should also be scaled as above so that the atoms appear smaller as they get further away.

In realistic 3-D perspective, some atoms will be in back of other atoms and hence should not be visible. This is the so-called "hidden-surface problem." An easy, if crude, solution is to simply sort the atoms by depth and draw from the back forward, always overwriting each successive layer of atoms. When each successive atom is drawn it exactly overwrites the portion of the object that it would normally obscure. This is the approach I have used here.

THE PROGRAM

I have implemented the theory outlined above in MODEL3D (listing 1), a program written in Microsoft BASIC for the Macintosh. [Editor's note: The source code for MODEL3D is available for downloading via BYTenet Listings. The number is (603) 924-9820.] The program first asks for the name of the data file containing the atomic coordinates of the molecule you wish to draw. You can obtain this information from college-level chemistry or physics textbooks, or from the

(continued)

Listing 1: The Source listing of MODEL3D, a Microsoft BASIC 1.0 program to draw 3-D perspective views of molecules.

```

10 ' *** MODEL3D.BAS ***
20 ' Draw a 3D perspective view of a molecule with rotation
30 ' For private, noncommercial use only.
40 ' ©E. Kirkland 4-JUL-84, added printer distortion 9-SEP-84
50 '
60 ' NOTE: Remember to shrink command window to lower left
70 ' hand corner so that the lower right side of screen is visible
80 '
90 DEFINT I-N:DEFSNG O-Z:DEFSNG A-G
100 DIM IE(4),IP(12),X(600),Y(600),Z(600),S(600)
110 '
120 ' Define shading bit patterns for sphere
130 IP(0) = &H4411:IP(1) = IP(0):IP(2) = IP(0):IP(3) = IP(0)
140 IP(4) = &H55AA:IP(5) = IP(4):IP(6) = IP(4):IP(7) = IP(4)
150 IP(8) = &HFFFF:IP(9) = IP(8):IP(10) = IP(8):IP(11) = IP(8)
160 '
170 ' Ask what to do
180 CLS:INPUT "Data file name : ",FILE$
190 INPUT "Azim., polar angles : ", PHI,THETA
200 INPUT "Viewing distance : ",VIEWD:INPUT "Size mag. : ",SMAG
210 INPUT "Type 1 for printer:",IPRINT
220 ' Printer distortion correction factor
230 IF IPRINT = 1 THEN DISTORT = 1.094 ELSE DISTORT = 1!
240 TIM# = TIMER
250 PHI = PHI*3.14159/180!:THETA = THETA*3.14159/180!
260 CP = COS(PHI):SP = SIN(PHI):CT = COS(THETA):ST = SIN(THETA)
270 '
280 ' Read atomic coordinates from data file and scale
290 OPEN FILE$ FOR INPUT AS #1
300 XMIN = 1E+25:XMAX = -XMIN:YMIN = XMIN:YMAX = XMAX
310 ZMIN = XMIN:ZMAX = XMAX:N = 0
320 WHILE NOT EOF(1)
330 N = N + 1
340 INPUT#1,X(N),Y(N),Z(N),S(N)
350 IF X(N) > XMAX THEN XMAX = X(N)
360 IF X(N) < XMIN THEN XMIN = X(N)
370 IF Y(N) > YMAX THEN YMAX = Y(N)
380 IF Y(N) < YMIN THEN YMIN = Y(N)
390 IF Z(N) > ZMAX THEN ZMAX = Z(N)
400 IF Z(N) < ZMIN THEN ZMIN = Z(N)
410 WEND
420 PRINT N "atomic coord."
430 XMIN = .5*(XMAX + XMIN):YMIN = .5*(YMIN + YMAX)
440 ZMIN = .5*(ZMIN + ZMAX):PRINT "Rotating..."
450 '
460 ' Rotate molecule around its center
470 FOR I = 1 TO N
480 XA = X(I) - XMIN:YA = Y(I) - YMIN
490 X(I) = CP*XA + SP*YA:Y(I) = -SP*XA + CP*YA
500 YA = Y(I):ZA = Z(I) - ZMIN
510 Y(I) = CT*YA + ST*ZA:Z(I) = -ST*YA + CT*ZA
520 NEXT I:PRINT "Sorting..."
530 '
540 ' Sort by depth (shell sort)
550 IGAP = INT(CSNG(N)/2!)
560 WHILE IGAP >= 1
570 FOR I = IGAP + 1 TO N
580 FOR J = I - IGAP TO 1 STEP -IGAP
590 JG = J + IGAP

```

(continued)

EXPOTEK**1-800-528-8960****ORDER LINE****Guaranteed Low Prices**

All prices are for cash, cashiers check or money order. Allow 4 weeks bank clearance for personal checks. C.O.D.'s, Visa, MC, and P.O.'s accepted at additional charge. Prices subject to change. Returns must have authorization number and are subject to a restocking charge.

COMPUTERS & TERMINALS

ADDS	QUME
ALTOS	SANYO
APPLE	TELEVIDEO
ESPIRIT	VISUAL
NEC	WYSE
NORTHSTAR	ZENITH

SWITCH BOXES

2 POS RS232	\$75
4 POS RS232	115
2 POS Centronics	93
4 POS Centronics	121

MODEMS

Novation-J-Cat	99
Smart Cat	399
Hayes Smart Modem 300/1200	219/479
1200B	429
Anchor Volksmodem	Call
Signalman Mark VII/XII	119/299
Qubie Internal/RS232	269/285

ACCESSORIES

AST latest boards	Call
Chips & Microprocessors	Call
GSI Surge Protector	59
Hercules Graphics Card	369
Kraft Joysticks (IBM or Apple)	35
Paradise Multidisplay Card	379
Printer Buffers & Spoolers	Call
Quadram all products	Call
Ribbons (doz.) & Printwheels	Call
Standby Power Systems	Best Price
Tractors & Sheetfeeders	Call

DISK DRIVES

Alpha Omega 10MB w/controller (IBM)	799
TEAC 55B slimline DSD	149
TEAC 55F slimline DSQD	249
Bernoulli Box	1949
Tandon 100-2	199
Maynard 10MB-WS-2 with EPROM	1149
Tallgrass Tech Hard Disk System	Call
Microsci A2 (Apple)	189
CDC, Qume, Shugart	Call

MONITORS

Amdek	Call
Leading Edge Color RGB	399
PGS-HX-12	459
PGS MAX-12 Amber	169
Zenith 122/123	89

PRINTERS

C. Itoh	Juki
1550 AP	499
1550 BCD	549
8510 AP	319
8510 BC2	419
8510 BPI	389
A10-20	449
F10-40	899
F10-55	1199
Daisywriter	
2000	985
Diablo	
620 API	739
630 API	1699
630 ECS	1999
Epson	
All	Call
NEC • NEC • NEC • NEC • NEC • NEC • NEC	
P2	515
P3	739
2050	779
P2/P3 Parallel Int. Face	139
	6100
	429
	Okidata
	All Models
	Call
	Panasonic
	All Models
	Call
	Qume
	Letter Pro
	629
	11/40 WIBM IF
	1369
	11/55 WIBM IF
	1569
	Star Microtronics
	All Models
	Call
	Tally
	160L w/Tractor
	Call
	Toshiba
	1340
	749
	1351
	1359

2017 E. Cactus, Phoenix, AZ 85022
(602) 482-0400

VIEWING MOLECULES

```

600 IF Y(J) <= Y(JG) THEN GOTO 640
610 SWAP X(J),X(JG):SWAP Y(J),Y(JG)
620 SWAP Z(J),Z(JG):SWAP S(J),S(JG)
630 NEXT J
640 NEXT I
650 IGAP = INT(CSNG(IGAP)/2!)
660 WEND
670 '
680 ' For perspective projection and scale coordinates
690 SCALE = -1E + 25:SMAX = SCALE
700 FOR I = 1 TO N
710 YA = 1/(VIEWD - Y(I)):X(I) = X(I)*YA:Z(I) = Z(I)*YA:S(I) = S(I)*YA
720 IF SCALE < ABS(X(I)) THEN SCALE = ABS(X(I))
730 IF SCALE < ABS(Z(I)) THEN SCALE = ABS(Z(I))
740 IF SMAX < S(I) THEN SMAX = S(I)
750 NEXT I:SCALE = 110/(SCALE + .5*SMAX*SMAG)
760 SCALEX = SCALE*DISTORT
770 '
780 ' Plot shaded circles (emulating spheres)
790 FOR I = 1 TO N
800 IX = FIX(X(I)*SCALEX + 350!):IY = FIX(Z(I)*SCALE + 130!)
810 IR = FIX(S(I)*SCALE*SMAG):IRX = IR*DISTORT
820 GOSUB 880
830 NEXT I
840 PRINT TIMER - TIM# " sec"
850 CLOSE#1:END
860 '
870 ' Sphere plotting subroutine using Quickdraw FILLOVAL
880 IE(0) = IY - IR:IE(1) = IX - IRX:IE(2) = IY + IR:IE(3) = IX + IRX
890 CALL FILLOVAL(VARPTR(IE(0)),VARPTR(IP(0)))
900 IR2 = .8*IR:IRX2 = .8*IRX
910 IE(0) = IY - IR2:IE(1) = IX - IRX2:IE(2) = IY + IR2:IE(3) = IX + IRX2
920 CALL FILLOVAL(VARPTR(IE(0)),VARPTR(IP(4)))
930 IR2 = .65*IR:IRX2 = .65*IRX
940 IE(0) = IY - IR2:IE(1) = IX - IRX2:IE(2) = IY + IR2:IE(3) = IX + IRX2
950 CALL FILLOVAL(VARPTR(IE(0)),VARPTR(IP(8)))
960 RETURN

```

crystallographic technical literature. Wyckoff's six-volume series (see reference 12) offers an encyclopedic tabulation of many molecular structures. [You can also make up your own coordinates, following the format below, to experiment with the program.]

Prepare the data file using MacWrite. As shown in the example in figure 2, each line of the file represents one atom in the molecule and has four numbers. The first three numbers of each line are the (x,y,z), coordinates of the ith atom and the fourth number is the size or atomic radius of this atom. These numbers may be in any convenient set of units as long as all the numbers are in the same units. Note that MacWrite sometimes leaves several blank lines at the end of the file that must be deleted. You must

also save the file as "text-only" instead of the default "entire-document."

Alternatively, if the molecule is a crystal, you can generate a data file containing the atomic coordinates for it by programming the rules for the repetitive structure of the crystal in a separate BASIC program, as I did for the crystal silicon (see below).

After asking you for the name of the data file, the program asks for the rotation angles (in degrees), the viewing distance (D in figure 1; in the same units as the atomic coordinates and sizes), the atomic-radius size magnifier (this can be used to expand or contract the apparent size of each displayed atom; to get the normal size from the input file, type 1), and finally,


(continued)

We Set the Standard in Prices!

For IBM PC Add-On Products.

Superior quality products and services at lowest prices.

Look at what we have to offer, before you buy any add-on products for your IBM PC.



QIC-01. 10 MB internal hard disk subsystem at ~~\$725~~ - *too low to quote!*

Our half-height 10 MB hard disk comes complete with controller, cables, Microscience drive and easy to follow instructions. It fits inside one of your floppy slots and draws same amount of current as a floppy. It is compatible with DOS 2.0, 2.1 and 3.0 without any patches. In fact, you can simply boot up from the hard disk. This is the same hard disk system you see advertised for hundreds of dollars more.

20 MB half-height internal hard disk **\$1095.**

20 MB drive for PC AT **\$895.**

40 MB full height with controller **\$1995.**

QIC-02. Streaming cassette tape back-up subsystem. **\$777.**

Now, you can back-up your 20 MB of hard disk in less than 10 minutes. This half-height cassette tape system fits inside your IBM PC and is very easy to install. It comes with a controller card, cables, cassette drive, one cassette tape and all necessary software. You can perform image back-up as well as file by file back-up and restore.

20-60 MB Cartridge tape subsystem **\$995.**

QIC-03. 300/1200 baud internal modem. **\$275.**

This auto dial/auto answer plug-in modem lets your PC talk to the world with reliable and easy operation. It is FCC certified, Bell 103/212 compatible as well as fully Hayes compatible. You can run all the popular communication programs as well as our superior QIC Com software program.

Our QIC-Com software program provides phone list management as well as powerful file transfer capabilities. You can even run any DOS programs such as WordStar concurrently without having to disconnect your line. Priced at \$45.00, it is an offer you don't want to miss.

QIC-04. Half-height floppy drive. **\$129.**

This half-height floppy is the quietest drive on the market. It draws the least amount of current and is compatible with your PC's floppy controller card. It's double sided, double density.

QIC-05. Five function card. **\$199.** (64 K RAM Set \$33.00).

Our five function card includes memory expansion from 0 to 384K, one serial port, one parallel port, one game port and one battery back-up clock calendar. RAM disk, print spooler and clock utilities are also included.

Expansion box with 10 MB hard disk **\$1495.**

Expansion box with 20 MB hard disk **\$1995.**

One Year Guarantee

No Risk. All our products are guaranteed for one year. And remember, if for any reason, you are not completely satisfied within 30 days, you can return it for a full refund. Check out our competition and find out which is best. We know better.

**CALL US TODAY AT
408-942-8086**

QIC RESEARCH
INCORPORATED
528 Valley Way
Milpitas, CA 95035


```

0,0,0,.15
.5,.5,0,.15
.5,0,.5,.15
0,.5,.5,.15
.5,.5,1,.15
.5,1,.5,.15
1,.5,.5,.15
.25,.25,.25,.15
.25,.75,.75,.15
.75,.25,.75,.15
.75,.75,.25,.15
0,0,1,.15
0,1,0,.15
0,1,1,.15
1,0,0,.15
1,0,1,.15
1,1,0,.15
1,1,1,.15

```

Figure 2: A sample data file showing the three-dimensional coordinates for one unit cell of silicon. This was generated by the program in listing 2.

Listing 2: A Microsoft BASIC program to generate the three-dimensional coordinates for a silicon lattice.

```

10 ' ****SIGEN.BAS ***
20 ' Generate a Silicon lattice of Nx, Ny, Nz unit cells
30 ' E. Kirkland 15-SEP-84
40 DEFINT I-N:DEFSNG A-G,O-Z
50 INPUT "Generate Nx,Ny,Nz Silicon unit cells : ",NX,NY,NZ
60 INPUT "Output file name : ",FILE$
70 OPEN FILE$ FOR OUTPUT AS #1:SIZE = .15
80 FOR IX=0 TO NX
90 FOR IY=0 TO NY
100 FOR IZ=0 TO NZ
110 WRITE#1,IX,IY,IZ,SIZE
120 IF (IX=NX) OR (IY=NY) OR (IZ=NZ) GOTO 230
130 WRITE#1,IX+.5,IY+.5,IZ,SIZE
140 WRITE#1,IX+.5,IY,IZ+.5,SIZE
150 WRITE#1,IX,IY+.5,IZ+.5,SIZE
160 WRITE#1,IX+.5,IY+.5,IZ+1,SIZE
170 WRITE#1,IX+.5,IY+1,IZ+.5,SIZE
180 WRITE#1,IX+1,IY+.5,IZ+.5,SIZE
190 WRITE#1,IX+.25,IY+.25,IZ+.25,SIZE
200 WRITE#1,IX+.25,IY+.75,IZ+.75,SIZE
210 WRITE#1,IX+.75,IY+.25,IZ+.75,SIZE
220 WRITE#1,IX+.75,IY+.75,IZ+.25,SIZE
230 NEXT IZ
240 NEXT IY
250 NEXT IX
260 CLOSE#1:END

```

A circle appears elliptical printed with the Imagewriter.

whether the drawing is to be printed. The Apple Imagewriter printer has a slightly different aspect ratio than the screen, so that a circle on the CRT screen appears slightly elliptical when printed. The program can apply a predistortion to the drawing (multiplying the *x* coordinate by 1.094) so that it will appear normal when you print it.

The program then reads from the data file until it encounters an "end-of-file" (EOF) condition (the total number of input lines determines the total number of atoms in the molecule). An "Input Past End" error indicates that the data file contains extra characters.

After reading in the atomic coordinates and size data, the program rotates them about the center point and sorts them by depth using the Shell sort method (see references 7, 8, and 9). The program then projects these new coordinates into the viewing screen coordinates with a 3-D perspective and scales them. If at this point the program signals, "Out of Memory," type CLEAR, 20000 and run the program again.

The final portion of the program draws a sphere at each of the projected atomic coordinates, from the back forward, to fulfill the hidden-surface requirements. The "sphere" is drawn using three QuickDraw FILL-OVAL calls with different shading patterns (see Appendix E of the Microsoft BASIC 1.0 manual). The first call draws a light-gray circle filling the whole atomic radius, the second draws a dark-gray circle with a slightly smaller radius, and the third draws a black circle with a still smaller radius. The net effect is a shaded circle that looks like a sphere. For a print-out of the drawing, use the print-screen (Shift-Command-4) command.

(continued)

A few smart reasons to buy our smart modem:

Features

1200 and 300 baud, auto-dial, auto-answer
 Compatible with "AT" command set
 Can be used with CROSSTALK-XVI or Smartcom II software
 Regulated DC power pack for cool, reliable operation
 Eight indicator lights to display modem status
 Speaker to monitor call progress
 Attractive, compact aluminum case
 Two built-in phone connectors
 Compatible with The Source and Dow Jones News Retrieval
 Unattended remote test capability
 Phone cable included
 Availability

Ven-Tel 1200 PLUS

Hayes

Yes
 Yes
 Yes
 Yes
 Yes
 Yes
 Yes
 Yes
 Yes
 Yes
 Yes
 Yes
 Yes
 Now

Yes
 Yes
 Yes
No
 Yes
 Yes
No
 Yes
No
 Yes
 Yes

Price

\$499

\$699



The Ven-Tel 1200 PLUS offers high speed, reliable telecommunications for your personal computer or terminal. Whether you use information services or transfer data from computer to computer, the Ven-Tel 1200 PLUS is the best product around. Available at leading computer dealers and distributors nationwide.

Also from Ven-Tel: internal modems for the IBM and HP-150 Personal Computers with all of the features of the 1200 PLUS.

You choose. The Ven-Tel 1200 PLUS—the smartest choice in modems.

Ven-Tel Inc.

2342 Walsh Avenue
 Santa Clara, CA 95051
 (408) 727-5721



Multi-function RS-232 Transfer Switches

MFJ-1240
\$ **79.95**
Choice of
8 models



Multi-function RS-232 transfer switches let you switch your computer among printers, modems, terminals, any RS-232 peripherals; monitor data/line failure, protect data lines from surges, and use as null modem for less cost than a switch alone.

Switches 10 lines (2, 3, 4, 5, 6, 8, 11, 15, 17, 20). LED data/line indicators monitor lines 2, 3, 4, 5, 6, 8, 20. Metal oxide varistors protect data lines 2, 3 from voltage spikes and surges. Push button reverses transmit-receive lines (2, 3). PC board eliminates wiring, crosstalk, line interference. Connects any one input to any one output.

Model	Price	In	Out	Model	Price	In	Out
MFJ-1240	\$79.95	1	2	MFJ-1244	\$139.95	3	3
MFJ-1241	\$99.95	2	2	MFJ-1245	\$169.95	3	5
MFJ-1242	\$119.95	2	3	MFJ-1246	\$199.95	5	5
MFJ-1243	\$119.95	1	4	MFJ-1247	\$99.95	1	2

switches 20 lines

AC Power Centers

MFJ-1108
\$ **99.95**

MFJ-1108, \$99.95. Add convenience, prevent data loss, head

bounce, equipment damage. **Relay** latches power off during power transients. **Multi-filters** isolate equipment, eliminate interaction, noise, hash. **MOVs** suppress spikes, surges. 3

isolated, switched socketpairs. One unswitched for clock, etc. Lighted power, reset switch. Pop-out fuse. 3 wire, 6 ft. cord. 15A, 125V, 1875 watts. Aluminum case. Black. 18x2 1/4x2 in. **MFJ-1107**, \$79.95. Like 1108 less relay. 8 sockets, 2 unswitched. **MFJ-1109**, \$129.95. Like 1107 but intelligent. Switch on device plugged into control socket and everything else turns on. Others available.



Acoustic/Direct Coupled Modem



Use with any
phone anywhere

MFJ-1233
\$ **129.95**

MFJ-1233 Acoustic/Direct Coupled 300 baud modem. Versatile. Use with virtually any phone, anywhere. Use battery or 110 VAC. **Direct connect mode:** Plug between handset and base. Use with single or multi-line phones. **Acoustic coupled mode:** Use with phones without modular plugs. Quality muffs give good acoustic coupling, isolates external noise for reliable data transfer. Originate/answer. Self test. Carrier detect, ON LEDs. RS-232, TTL compatible. Reliable single chip modem. Crystal controlled. Aluminum cabinet. 9x1 1/2x4 in. Other models available.

Order from MFJ and try it. If not delighted, return within 30 days for refund (less shipping).

One year unconditional guarantee.

Order yours today. Call toll free 800-647-1800. Charge VISA, MC. Or mail check, money order. Add \$4.00 each for shipping and handling.

CALL TOLL FREE ... 800-647-1800

Call 601-323-5869 in MS, outside continental USA.

**MFJ ENTERPRISES
INCORPORATED**

921 Louisville Road, Starkville, MS 39759

VIEWING MOLECULES

Note that if two atoms are located at exactly the same depth (distance from the viewer), this program will arbitrarily draw one atom in front of the other. (Obviously this will make a dif-

ference only if the atoms are close enough to each other so that their radii overlap.) This problem will probably not be significant in most cases and may be easily overcome by




Figure 3: A 3-D perspective view of 2-by-2-by-2-unit cells of a silicon lattice. The data file was generated by the program in listing 2.




Figure 4: Another 3-D perspective view of the 2-by-2-by-2-unit cell structure in figure 3.

rotating the molecule so that one atom is slightly in front of (or behind) the other. A proper solution to this problem is beyond the scope of this exercise.

EXAMPLES

As I mentioned above, a crystal may be thought of as a single large molecule whose structure is a simple pattern repeated many times. Silicon forms a crystal structure with a basic repeat distance of 5.43 angstroms. It is composed of two interpenetrating face-centered cubic (fcc) lattices (see references 10 and 11), with one fcc lattice offset from the other by $(\frac{1}{4}, \frac{1}{4}, \frac{1}{4}) \times 5.43$ angstroms. There are roughly 6.25×10^{18} unit cells per cubic millimeter of silicon. Large crystals of silicon in this form (with suitable treatment) are commonly used to make the vast majority of integrated circuits in use today. For example, the Motorola 68000 processor used in the Macintosh is made out of a single crystal of silicon. Listing 2 shows SIGEN, a short Microsoft BASIC 1.0 program that generates a data file of the positions of the atoms in crystalline silicon. The data file in figure 2 was produced by SIGEN and

contains the coordinates for one 1- by 1- by 1-unit cell of silicon. Figures 3 and 4 show computer-graphic representations of the crystal, with two slightly different orientations: the face of the cube (figure 3) and an edge of the cube (figure 4). Note the slight slope (like a roof of a house) visible in figure 4. The vertical edge in the center is nearer to the observer than the two outer edges on the left and right and hence appears larger (taller) than the outer edges in 3-D perspective. Note the characteristic symmetry of silicon that the graphic representation reveals.

Figure 5 is a computer-graphic representation of the aspirin molecule, whose structure is given in reference 12. The chemical formula for aspirin is $(\text{HOOC})\text{C}_6\text{H}_4-\text{OC}(\text{O})\text{CH}_3$. I have arbitrarily depicted the hydrogen atoms with a small radius to distinguish them from the other atoms in the molecule. The aspirin molecule has a large hexagonal carbon structure (benzene) on the bottom and clusters of carbon, hydrogen, and oxygen on the top.

CONCLUSIONS

Computer graphics offers a convenient way to visualize three-dimen-

sional structures of molecules as an aid to understanding the behavior of the molecules. The Apple Macintosh computer is capable of displaying a graphic representation of fairly complex molecules. Although there are large computer systems that can produce better graphic representations, they are beyond the price range of most individuals. The Macintosh gives a spectacular performance in relation to its cost. Even though MODEL3D is written in interpreted BASIC, most of the actual graphics is done by the Macintosh ROM via the QuickDraw subroutine. Hence, the program runs relatively fast. These built-in graphics routines make the Macintosh very useful for this application. ■

REFERENCES

1. Bechgaard, K., and D. Jerome. "Organic Superconductors." *Scientific American*, July 1982, pp. 52-61.
2. Ptashne, M., A. D. Johnson, and C. O. Pabo. "A Genetic Switch in a Bacterial Virus." *Scientific American*, November 1982, pp. 128-141.
3. Dickerson, R. E. "The DNA Helix and How it is Read." *Scientific American*, December 1983, pp. 94-111.
4. Foley, J. D., and A. Van Dam. *Fundamentals of Interactive Computer Graphics*. Reading, MA: Addison-Wesley, 1982, plate 15.
5. Greenberg, D., A. Marcus, A. H. Schmidt, and V. Gortler. *The Computer Image: Applications of Computer Graphics*. Reading, MA: Addison-Wesley, 1982, pp. 58-59.
6. Newman, W. M., and R. F. Sproull. *Principles of Interactive Computer Graphics*. 2nd ed. New York: McGraw-Hill, 1979, pp. 339-342.
7. Shell, D. L. "A High Speed Sorting Procedure." *CACM* 2, 7 (July 1959) pp. 30-32.
8. Rich, R. P. *Internal Sorting Methods Illustrated with PL/I Programs*. Englewood Cliffs, NJ: Prentice-Hall, 1972.
9. Kernighan, B. W., and P. J. Plauger. *Software Tools*. Reading, MA: Addison-Wesley, 1976, p. 106.
10. Ashcroft, N. W., and N. D. Mermin. *Solid State Physics*. New York: Holt, Rinehart, & Winston, 1976, p. 106.
11. Kittel, C. *Introduction to Solid State Physics*. 4th ed. New York: John Wiley & Sons, 1971, pp. 30, 31.
12. Wyckoff, R. W. G. *Crystal Structures: Vol. 6, Part 1, The Structure of Benzene Derivatives*. 2nd ed. New York: John Wiley & Sons, 1951, pp. 234-235.




Figure 5: 3-D perspective view of the aspirin molecule.


IT ALL ADDS UP...

IBM SYSTEMS


Starting as low as

\$1399

**64K, 1-DS/DD DRIVE
KEYBOARD**



SANYO



PC COMPATIBLES

ZENITH

PC-150 Desktop.....CALL
PC-160 Portable.....CALL
COLUMBIA
Desktops.....CALL
Portables.....CALL

SANYO

MCB 550.....\$699.00
MBC 550-2.....\$749.00
MBC 555.....\$949.00
MBC 555-2.....\$1099.00

CORONA

Desktops.....CALL
Portables.....CALL

NEC

NEC PRINTERS

NEC 2050.....\$639.00
NEC 3550.....\$1399.00
NEC 8850.....\$1749.00

TANDON

5 1/4" 320K Floppy.....\$169.00

VISICORP

VisiCalc IV.....\$159.00

IDEAdisk

5MB to 45MB Hard drives with removable Cartridge back up as low as.....\$1299.00

AST RESEARCH

Six Pak Plus.....from \$249.00
Mega Plus.....from \$299.00
I/O Plus.....from \$139.00

QUADRAM

New Quadboard...as low as.....\$249.00
Quadlink 64K.....\$479.00
Quadboard II...as low as.....\$249.00
Quad 512 Plus...as low as.....\$249.00
Quadcolor I.....\$209.00
Chronograph.....\$89.99
Parallel Interface Board.....\$79.99
64K RAM Chips Kit.....\$29.99

PARADISE

Multi-Display Card.....\$339.00
Modular Graphics Card.....\$319.00

SPI

Open Access.....\$339.00

HARVARD

Harvard Project Manager.....\$229.00

PFS

IBM/APPLE

Write.....\$89.99
Graph.....\$89.99
Report.....\$79.99
File.....\$89.99
Plan.....\$89.99

ELECTRONIC ARTS

Get Organized.....\$139.00

LOTUS

Symphony.....\$469.00
1-2-3.....\$309.00

Hayes

Please (Data Base).....\$269.00

MAI

General Ledger, Payroll, Inventory, Accounts Payable/Receivable.....CALL

MicroPro

WordStar Professional Pack.....\$279.00

MICROMIM

R:Base 4000.....\$279.00

MULTIMATE INT.

Multi Mate.....\$289.00

MICROSTUF

Crosstalk.....\$105.00

MICROSOFT

MultiPlan.....\$139.00

ASHTON-TATE

Framework.....\$379.00
dBASE II.....upgrade.....\$139.00
dBASE II.....\$299.00
dBASE III.....\$389.00
Friday!.....\$179.00

IUS

EasyWriter II.....\$249.00
EasySpeller.....\$119.00
EasyFiler.....\$229.00

CONTINENTAL SOFTWARE

1st Class Mail/Form Letter.....\$79.99
Home Accounting Plus.....\$88.99

PROFESSIONAL SOFTWARE

PC Plus/The Boss.....\$269.00

SYNAPSE

File Manager.....\$59.99

FOX & GELLER

dGraph.....\$139.00
Quick Code.....\$139.00
dUtil.....\$49.99
Grafox.....\$139.00

ALPHA SOFTWARE

Electronic Desk.....\$219.00

BORLAND

Turbo Pascal.....\$49.00

AMDEK

300 Green.....\$129.00
300 Amber.....\$149.00
310 Amber IBM Plug.....\$169.00
New Color 300/audio.....\$259.00
Color 500 Composite/RGB/VCR.....\$389.00
Color 600 Hi-Res (640 x 240).....\$439.00
Color 700 Hi-Res (720 x 240).....\$499.00
Color 710 Long Phosphor.....\$579.00

BMC

1201 Plus (12" Green Hi-Res).....\$88.99
9191U Color.....\$219.00
9191 Color +.....\$229.00

NAP

12" Amber.....\$69.99

NEC

JB 1206 Green.....\$109.00
JB 1201 Green.....\$139.00
JB 1205 Amber.....\$149.00
JB 1215 Color.....\$239.00
JC 1216 RGB.....\$379.00
JC 1260 Color.....\$269.00

PRINCETON GRAPHICS

MAX-12 Amber.....\$199.00
HX-12 RGB.....\$489.00
SR-12 RGB.....\$629.00

MONITORS

SAKATA

SC-100 Color.....\$249.00
SG-1000 Green.....\$129.00
SA-1000 Amber.....\$139.00

TAXAN

115 12" Green Mono.....\$139.00
116 12" Amber Mono.....\$149.00
121 Green TTL.....\$159.00
122 Amber TTL.....\$169.00
210 Color RGB.....\$249.00
400 Med-Res RGB.....\$319.00
415 Hi-Res RGB.....\$439.00
420 Hi-Res RGB (IBM).....\$469.00
420L Long Phosphor.....\$479.00
425 Audio + WP Feature.....CALL
440 Ultra Hi-Res RGB.....\$649.00

QUADRAM

Quadchrome 8400 Color.....\$489.00

ZENITH

ZVM 122 Amber.....\$89.99
ZVM 123 Green.....\$84.99
ZVM 124-IBM Amber.....\$149.00
ZVM 131 Color.....\$309.00
ZVM 133 RGB.....\$429.00
ZVM 135-RGB/Color.....\$459.00
ZVM 136-RGB/Color.....\$629.00

MODEMS

ANCHOR

Volksmodem.....\$59.99
Mark II Serial.....\$79.99
Mark VII (Auto Ans/Auto Dial).....\$99.99
Mark XII (1200 Baud).....\$259.00
Mark TRS-80.....\$99.99
9 Volt Power Supply.....\$9.99

Hayes

Smartmodem 300.....\$199.00
Smartmodem 1200.....\$479.00
Smartmodem 1200B.....\$399.00
Micromodem IIe.....\$269.00
Micromodem 100.....\$299.00
Smart Com II.....\$75.99
Chronograph.....\$199.00

Novation

J-Cat.....\$99.99
Cat.....\$139.00
Smart Cat 103.....\$179.00
Smart Cat 103/212.....\$399.00
AutoCat.....\$219.00
212 AutoCat.....\$549.00
Apple Cat II.....\$249.00
212 Apple Cat.....\$449.00
Apple Cat 212 Upgrade.....\$259.00
Smart Cat Plus.....\$339.00

ZENITH

ZT-1.....\$339.00
ZT-10.....\$309.00
ZT-11.....\$369.00

DISKETTES

maxell

5 1/4" MD-1.....\$19.99
5 1/4" MD-2.....\$29.99
8" FD-1.....\$39.99
8" FD-2.....\$49.99

VERBATIM

5 1/4" SS/DD.....\$21.99
5 1/4" DS/DD.....\$29.99

BIB

5 1/4" Disk Head Cleaner.....\$14.99

Dennison

Elephant 5 1/4" SS/SD.....\$15.99
Elephant 5 1/4" SS/DD.....\$17.99
Elephant 5 1/4" DS/DD.....\$24.99
Elephant EMSP 5 1/4".....\$34.99

DISK HOLDERS

INNOVATIVE CONCEPTS

Flip-in-File 10.....\$3.99
Flip-in-File 50.....\$17.99
Flip-in-File 50 w/lock.....\$24.99
Flip-in-File (400/800 ROM).....\$17.99



COMPUTER MAIL ORDER

TOLL FREE
ORDER LINE

1-800-233-8950

In PA Call: (717) 327-9575

WEST

P.O. Box 6689, Dept. A102
Stateline, NV 89449

EAST

477 E. 3rd St., Dept. A102
Williamsport, PA 17701

Order Status Number: (717) 327-9576

Customer Service Number: (717) 327-1450

CANADIAN ORDERS


Ontario/Quebec: **1-800-268-3974**

Other Provinces: **1-800-268-4559**

In Toronto: (416) 828-0866 Telex: 06-218960
2505 Dunwin Drive, Unit 3
Mississauga, Ontario, Canada L5L1T1

Open purchase orders accepted with net 30 days terms, subject to credit approval. Next day shipping on all stock items. No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (minimum \$5) shipping and handling on all orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change. Call today for our catalog.

...THE BEST PRICES



HOME COMPUTERS

PRINTERS

AXIOM		NEC	
AT-100 Atari Interface Printer	\$159.00	2010/15/30	\$719.00
AT-550 Atari Bidirectional	\$259.00	3510/15/30	\$1299.00
GP-100 Parallel Interface	\$189.00	8810/15/30	\$1699.00
GP-700 Atari Color Printer	\$489.00	8027	\$349.00
GP-550 Parallel Printer	\$269.00	OKIDATA	
BMC		82, 83, 84, 92, 93, 2350, 2410	CALL
401 Letter Quality	\$589.00	Okimate-64	\$229.00
BX-80 Dot Matrix	\$239.00	Okimate - Atari	\$209.00
BX-100 Dot Matrix	\$249.00	OLYMPIA	
C. ITOH		Compact 2	\$469.00
Prowriter 8510P	\$339.00	Compact R0	\$499.00
Prowriter 1550P	\$569.00	Needlepoint Dot Matrix	\$329.00
A10P (18 cps) Son of Starwriter	\$479.00	PANASONIC	
Hot Dot Matrix	CALL	1090	\$239.00
F10-40P Starwriter	\$949.00	1091	\$309.00
F10-55 Printmaster	\$1099.00	1092	\$449.00
COMREX		1093	\$649.00
ComWriterII Letter Quality	\$449.00	SMITH CORONA	
DIABLO		TP-1000	\$449.00
620 Letter Quality	\$749.00	Tractor Feed	\$119.00
630 API Letter Quality	\$1549.00	SILVER REED	
DAISYWRITER		400 Letter Quality	\$279.00
2000	\$949.00	500 Letter Quality	\$349.00
EPSON		550 Letter Quality	\$459.00
RX-80, RX-80FT, RX-100	CALL	770 Letter Quality	\$799.00
FX-80, FX-100	CALL	STAR	
LQ 1500, JX80 Color	CALL	Gemini 10X	\$259.00
JUKI		Gemini 15X	\$379.00
6100	\$449.00	Radix 10	\$649.00
6300	\$749.00	Radix 15	\$649.00
MANNESMAN TALLY		Powertype	\$329.00
160L	\$589.00	TOSHIBA	
180L	\$749.00	1340	\$769.00
Spirit 80	\$259.00	1351	\$1299.00

INTERFACES

PRACTICAL PERIPHERALS		ORANGE MICRO	
Graphcard	\$84.99	Grappler CD (C64)	\$99.99
Serial Card	\$109.00	Grappler + (Apple)	\$109.00
Microbuffer II +	\$179.00	Grappler 16K + (Apple)	\$189.00
Microbuffer 32K	\$199.00	QUADRAM	
		Microfazer - Printer Buffers starting at	
		\$139.00	

We carry interfaces and cables for most computers on the market today. Call to determine your requirements.



HEWLETT PACKARD

410V	\$189.99
410X	\$249.99
HP 71B	\$419.99
HP 11C	\$62.99
HP 12C	\$92.99
HP 15C	\$92.99
HP 16C	\$92.99
HP 16C	\$92.99
HP 75D	\$999.99
HPIL Module	\$98.99
HPIL Cassette or Printer	\$359.99
Card Reader	\$143.99
Extended Function Module	\$63.99
Time Module	\$63.99

We stock the full line of HP calculator products

KOALA

Atari (ROM)	\$79.99	IBM	\$99.99
C-64	\$79.99	Apple/Franklin	\$85.99

NEC

PC-8201 Portable Computer	\$299.00
PC-8231 Disk Drive	\$619.00
PC-8221A Thermal Printers	\$149.00
PC-8281A Data Recorder	\$99.99
PC-8201-06 8K RAM Chips	\$105.00
PC-8206A 32K RAM Cartridge	\$329.00

SHARP

PC-1350	\$159.99
PC-1261	\$159.99
PC-1260	\$109.99
PC-1500A	\$165.99
PC-1250A	\$88.99
CE-125 Printer/Cassette	\$128.99
CE-150 Color Printer/Cassette	\$171.99
CE-151 4K RAM	\$29.99
CE-155 8K RAM	\$49.99
CE-161 16K RAM	\$134.99
CE-500 ROM Library ea	\$29.99



CALL WHILE SUPPLIES LAST 600XL & 800XL

850 Interface	\$109.00	CX30Paddles	\$11.99
1010 Recorder	\$49.99	CX40 Joystick	\$7.99
1020 Color Printer	\$79.99	4011 Star Raiders	\$12.99
1025 Dot Matrix Printer	\$199.99	4022 Pac Man	\$16.99
1027 Letter Quality Printer	\$269.99	4025 Defender	\$32.99
1030 Direct Connect Modem	\$59.99	8026 Dig Dug	\$32.99
1050 Disk Drive	\$179.99	8031 Donkey Kong	\$32.99
Touch Table/Software	\$64.99	8034 Pole Position	\$32.99
Light Pen/Software	\$72.99	8040 Donkey Kong Jr.	\$32.99
CX22 Track Ball	\$39.99	8043 Ms Pacman	\$32.99
7097 Atari Logo	\$74.99	8044 Joust	\$32.99
4018 Pilot (Home)	\$57.99	8045 Pengo	\$16.99
405 Pilot (Educ)	\$99.99	8052 Moon Patrol	\$32.99
8036 Atari Writer	\$49.99	4003 Assembler	\$34.99
5049 VisiCalc	\$59.99	8126 Microsoft Basic I or II	\$64.99

MEMORY BOARDS

Axlon 32K	\$44.99
Axlon 48K	\$69.99
Axlon 128K	\$269.99
Microbits 64K (600)	\$109.00

DISK DRIVES

Indus GT Drive (Atari)	\$279.00
Rana 1000	\$239.00
Trak AT-D2	\$589.00
Trak AT-D4	\$539.00

SWP

ATR-8000-16K Z80 CPM	\$349.00
ATR-8000-64K Z80 CPM	\$499.00

BIT 3

Full View 80	\$239.00
--------------	----------

MODEMS

Micro Bits MB-1100	\$129.99
--------------------	----------

INTERFACES

Microbits MB-1150	\$79.99
-------------------	---------



CBM 8032	\$639.00	5X-64 Portable	\$749.00
CBM 8096	\$869.00	Commodore Plus 4	\$289.00
CBM 9000	\$999.00	CBM 64	\$189.00
BI28-80	\$99.00	C1541 Disk Drive	\$249.00
8032 to 9000 Upgrade	\$499.00	C1530 Datasette	\$59.99
2031 LP Disk Drive	\$299.00	C1520 Color Printer/Plotter	\$129.00
8050 Disk Drive	\$999.00	M-801 Dot Matrix Printer	\$219.00
8250 Disk Drive	\$1249.00	C1526 Dot Matrix/Serial	\$299.00
4023 Printer	\$329.00	C1702 Color Monitor	\$249.00
8023 Printer	\$589.00	C1600 VIC Modem	\$59.99
6400 Printer	\$1449.00	C1650 Auto Modem	\$89.99
Z-RAM	\$369.00	Simons Basic	\$29.99
Silicon Office	\$499.00	MCS 801 Color Printer	\$499.00
The Manager	\$199.00	DPS 1101 Daisy Printer	\$459.00

BATTERIES INCLUDED

PaperClip w/Spell Pack	\$84.99
The Consultant DBMS	\$69.99
Bus Card II	\$149.00
80 Col Display	\$149.00

DISK DRIVES

MSD SD1	\$349.00
MSD SD2	\$599.00
Indus GTC64	\$279.00

PERSONAL PERIPHERALS

Super Sketch Graphics Pad	\$39.99
---------------------------	---------

PFS

File (64)	\$59.99
Report (64)	\$59.99

PRECISION SOFTWARE

Superbase 64	\$59.99
--------------	---------

PROFESSIONAL SOFTWARE

Word Pro 2 Plus	\$159.00
Word Pro 3 Plus	\$189.00
Word Pro 4 Plus/5 Plus each	\$239.00
Info Pro	\$179.00
Administrator	\$399.00
Power	\$69.99
Word Pro 64 Plus	\$59.99
Fleet System II	\$59.99



COMPUTER MAIL ORDER

TOLL FREE
ORDER LINE

1-800-233-8950

In PA Call: (717) 327-9575

WEST

P.O. Box 6689, Dept. A102
Stateline, NV 89449

EAST

477 E. 3rd St., Dept. A102
Williamsport, PA 17701

CANADIAN ORDERS

Ontario/Quebec: **1-800-268-3974**

Other Provinces: **1-800-268-4559**


In Toronto: (416) 828-0866 Telex: 06-218960
2505 Dunwin Drive, Unit 3
Mississauga, Ontario, Canada L5L1T1

Order Status Number: (717) 327-9576

Customer Service Number: (717) 327-1450

CANADIAN ORDERS: All prices are subject to shipping, tax and currency fluctuations. Call for exact pricing in Canada. INTERNATIONAL ORDERS: All orders placed with U.S. offices for delivery outside the Continental United States must be pre-paid by certified check only. Include 3% (minimum \$5) shipping and handling. EDUCATIONAL DISCOUNTS: Additional discounts are available to qualified Educational Institutions. APO & FPO: Add 3% (minimum \$5) shipping and handling.

NOW AVAILABLE THE MANUAL:



**FOR ALL
THE POPULAR
PROGRAMS.**

FOR ALL OF YOU WHO WANT
A 2ND MANUAL FOR YOUR
BACK UP PROGRAMS.
CHEAPER THAN MAKING
PHOTO COPIES OF YOUR
ORIGINAL MANUAL.

NOW EVERYONE IN YOUR
FIRM CAN HAVE A COPY OF
THE MANUAL:
USE THE MANUAL:
AS A BACK UP COPY.

**LOTUS 1-2-3 • SYMPHONY
FRAME WORK • dBASE II
MULTIPLAN • WORDSTAR
APPLE WORKS**

only **\$14.95** EACH

Lotus 1-2-3 is a trademark of Lotus Development Corporation.
Symphony is a trademark of Ashton Tate.
Frame Work is a trademark of Ashton Tate.
dBase II is a trademark of Microsoft Corporation.
Wordstar is a trademark of Micropro International.
AppleWorks is a trademark of Apple Computer Corporation.
Multiplan is a trademark of Microsoft Corporation.
THE MANUAL: is a trademark of Management Information Source, Inc.

Inquiry 368

PLEASE SEND ME THE FOLLOWING BOOKS:

- | | |
|--|----------------|
| ☐ Lotus 1-2-3 | \$14.95 |
| ☐ Symphony | \$14.95 |
| ☐ Frame Work | \$14.95 |
| ☐ dBase II | \$14.95 |
| ☐ Multiplan | \$14.95 |
| ☐ Wordstar | \$14.95 |
| ☐ Appleworks | \$14.95 |

(Corporate discounts available.)

CARD No. _____ Exp. Date _____

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

TOTAL ENCLOSED \$ _____ ☐ VISA ☐ MasterCard

SIGNATURE _____ ☐ AMEX ☐ CHECK

MANAGEMENT INFORMATION SOURCE, INC.
3543 N.E. Broadway, Portland, Oregon 97232

LABORATORY INTERFACING

BY LINCOLN E. FORD, M.D.

*A medical researcher examines the capabilities and limitations
of an important laboratory device*

ALMOST ALL LABORATORY computer applications can be described as one of the following functions: (1) control of experiments, including timing and synchronizing external events and setting external voltages; (2) data acquisition, usually through the digital conversion of analog electrical signals; (3) data storage; and (4) data analysis. While data storage and analysis make computers most appealing in the laboratory, these functions are common to most computer applications. The functions that make laboratory applications different from other computer uses are the first two, control of experiments and data acquisition. The following discussion is directed at these two areas. The two functions together require five distinct hardware components: analog-to-digital (A/D) converters, digital-to-analog (D/A) converters, digital input-output (I/O) ports, counters, and an accurate frequency generator. This discussion is developed from my experience with a hardware device that provides all five functions.

A/D CONVERSION

In a typical application, analog signals from some electronic device are

sampled and converted to digital data at regular intervals. Usually sampling continues for some well-defined period. The sampling may progress at different speeds at different times. For example, it is frequently desirable to record high-speed events that occur within the setting of lower-speed events. To record both types of events with an analog recorder (an oscilloscope or chart recorder), it is usually necessary to make two recordings, one at a high speed and one at a low speed. Using a computer, it is relatively simple to record a single input at different speeds.

Analog-to-digital conversion is perhaps the most critical of laboratory applications because errors at this step will greatly distort the data. It is also frequently the function that most taxes the speed of the computer. Speed at this stage is sometimes limited by the A/D converters,

.....
Lincoln E. Ford, M.D., is an associate professor of medicine and cardiology at the University of Chicago (Cardiology Section, Department of Medicine, University of Chicago, 950 East 59th St., Chicago, IL 60637). His hobbies include gardening and skiing.

but more often it is limited by software. Ultimately, the software is limited by the design of the computer, but more frequently it is limited by having to perform some other task concomitantly. One such task is the generation of control pulses during A/D sampling.

In many instances the initiation of an A/D recording must be synchronized with the experiment. Instead of having an external device initiate the A/D conversion sequence, it is tempting to have the computer control the experiment at the same time that it is collecting data. An additional advantage of this combined approach is that the data collection is very accurately synchronized to the experimental procedure. The difficulty with this approach is that it requires the computer to perform two tasks at once. This can call for some relatively sophisticated programming, particularly when high speeds are necessary.

INTERFACE BOARDS

There are several commercially available devices that will perform at least four of the five functions required for

(continued)

the laboratory applications described above. Several of my colleagues and I bought the LabMaster board made by Tecmar because it provides all five functions and because it was the first one available. It also costs less than more recent devices. It consists of a motherboard that fits into the IBM PC and a daughterboard that houses the A/D converters outside the computer. This arrangement isolates the incoming analog signals from electrical interference inside the computer.

The Data Translation Company makes a similar board that has the capability of direct memory access not available on the LabMaster but does not have the Tecmar board's programmable counters. We preferred the Tecmar board in part because we wanted to put out logic pulses to control the experimental apparatus while collecting data with the A/D converter. The five programmable counters simplify this task because they operate independently of the central processing unit of the host computer. The counters can be programmed to begin counting the same frequency pulses that trigger the A/D conversions. When they have completed their count they toggle their external outputs without intervention from the computer. Thus, the logic pulses are synchronized exactly to data acquisition without interfering with the high-speed operation of the central processor.

When very high speeds are not required, the digital I/O port can be used for applications control. Although most commonly used as a single interface to other digital equipment, the individual channels in the port can be used separately to control different pieces of apparatus. In addition, these channels can be configured to accept logic pulses from the apparatus, thereby allowing a bidirectional interaction.

A final way of controlling experiments is to use the D/A converters to set voltage levels for external devices.

POSSIBLE IMPROVEMENTS

In spite of our general satisfaction with the Tecmar board, we found

several areas that need improvement, both in the LabMaster and in the other devices that are available. As explained in John Mertus's letter to BYTE ("Data Collection with an IBM PC," October 1984, page 14), the absence of direct memory access on the Tecmar board severely limits this board in multitasking operations.

The cable connections could be greatly improved. Tecmar sells a set of cables for external connections to the board, but they are simply that—bare cables. Users must make their own interfaces. We have made an interface box with BNC connectors for each connection, and while we were at it, we put in some buffer chips to protect the digital I/O ports. Several other manufacturers supply slightly less primitive connections for their devices, but at best these consist of screw terminals for bare wires. I do not know of many laboratory scientists who relish the thought of bringing their signals out on bare wires. Any manufacturer who supplied a device with an interface having standard connectors such as BNCs and well-protected inputs would find a ready market.

There is one improvement related to signal processing that I would especially like to see. This is the addition of filters to the analog inputs of the A/D converters. It is well known that no information can be derived about the frequency components of a digitized signal that are greater than half the sampling frequency. Noise and oscillations in the signal that are faster than the sampling frequency at best decrease the signal-to-noise ratio. In many cases, faster signals introduce "aliasing," spurious low-frequency oscillations that result from sampling a high-frequency oscillation at systematically different parts of its period. Although filters generally introduce lags in electronic signals, the lags introduced by antialiasing filters are likely to cause far less signal distortion than will high-frequency oscillations. The antialiasing device should consist of a low-pass filter with a sharp cutoff frequency near the sampling frequency. The main argu-

ment against such a filter is that the sampling frequency varies widely, sometimes within the same record, so that the cutoff frequency must be made to vary in the same way. The solution to this problem is to use an integrator that averages the signal between sample intervals. A. F. Huxley and G. L. Reed recently described a clever circuit that performs this averaging (see "An Automatic Smoothing Circuit for Input to Digitizing Equipment," *Journal of Physiology*, volume 292, 1979, page 11P). It is triggered by the same clock pulse that triggers the A/D conversions, so that its cutoff frequency always varies with the sampling frequency.


A major way in which A/D converters could be improved is by the use of separate converters for each input channel and the use of on-board data buffers. Most computer-controlled multichannel devices have a single A/D converter with a multiplexer that switches different channels into it. Only one channel is converted at a time, so that the samples in each channel are displaced in time relative to those in other channels. This time displacement can cause a systematic error when the data from one channel is plotted as a function of that in another. The samples from different channels can be brought into coincidence either by using separate A/D converters for each channel or by holding the signals from all channels in sample-and-hold circuits that are triggered when the first channel begins its conversion. The advantage of separate converters and on-board data buffers is that they increase the speed of operation while effecting the synchronization.

COMPUTER CONSIDERATIONS

Your choice of interface board has an effect on the size of the central processor and data bus needed. Most data is collected from 10-, 12-, or 16-bit A/D converters, so one A/D conversion will require a 2-byte word. In a machine with a 16-bit bus (a true 16-bit computer) entire words can be moved at once. In a smaller computer

(continued)

We make everybody look good.



No matter what kind of computer you have, chances are your output would look better on an NEC monitor.

Need the finest in color graphics? We've got the monitor for that.

Need easy-view amber screen for lots of word processing? We've got it.

A bigger screen? A small screen?

A more affordable screen?

Check it out; We've got them.

So it's no wonder we're becoming everybody's No. 1 choice for monitors.

Special cables or boards may be necessary so call NEC service department for details. Or see your nearby dealer.

#1 for me. NEC.

NEC

NEC Corporation

Tokyo, Japan

NEC monitor models: (a) JB1201: 12" monochrome; (b) JB1205: 12" amber monochrome; (c) JC1215: 12" color composite with audio; (d) JC1216: 12" color RGB; (e) JB1260: 12" monochrome; (f) JC1460: 14" color RGB; (g) JB1410: 14" monochrome; (h) JC1410: 14" color RGB. Specifications and prices are subject to change without notice.

For the location of your nearest NEC dealer dial 1-800-323-1728. In Illinois, 1-312-228-5900.

NEC Home Electronics (U.S.A.), Inc., Personal Computer Division, 1401 Estes Avenue, Elk Grove Village, IL 60007, NEC Corporation, Tokyo, Japan.

DeSmet C

**8086/8088
Development
Package**

\$109

FULL DEVELOPMENT PACKAGE

- Full K&R C Compiler
- Assembler, Linker & Librarian
- Full-Screen Editor
- Execution Profiler
- Complete **STDIO** Library (>120 Func)

**Automatic DOS 1.X/2.X SUPPORT
BOTH 8087 AND S/W FLOATING POINT
OVERLAYS**

OUTSTANDING PERFORMANCE

- First and Second in AUG '83 BYTE benchmarks

SYMBOLIC DEBUGGER

\$50

- Examine & change variables by name using C expressions
- Flip between debug and display screen
- Display C source during execution
- Set multiple breakpoints by function or line number

DOS LINK SUPPORT

\$35

- Uses DOS .OBJ Format
- LINKs with DOS ASM
- Uses Lattice® naming conventions

Check: ☐ Dev. Pkg (109)
☐ Debugger (50)
☐ DOS Link Supt (35)

SHIP TO: _____

ZIP _____

CWARE
CORPORATION

**P.O. BOX C
Sunnyvale, CA 94087
(408) 720-9696**

All orders shipped UPS surface on IBM format disks. Shipping included in price. California residents add sales tax. Canada shipping add \$5, elsewhere add \$15. Checks must be on US Bank and in US Dollars. Call 9 a.m. - 1 p.m. to CHARGE by VISA/MC/AMEX.

LABORATORY INTERFACING

having an 8-bit bus, words must be moved in two sequential steps. This need to make two-step transfers greatly slows most of the computer's operation. Since most time-critical operations involve data transfers along the bus, this slowing occurs at a very vulnerable stage. Although a true 16-bit computer transfers data twice as fast as an 8-bit machine, it does not follow that a 32-bit computer would be still faster in handling integer data. Since integer data occurs in 2-byte words, increasing the bus size to 32 bits would not produce any increase in speed unless some way could be devised to move two words at once. The 16-bit machines available today are therefore as large as many operations require.

A question related to size is whether it is better to have several small, single-purpose computers or one large, multipurpose machine. My own preference is for the former. A major consideration is cost. In addition, the failure of a single computer in a group does not incapacitate the entire laboratory in the way that the failure of a single large computer does. Another advantage of a group of computers is that each can be dedicated to a single task. Even with the best multitasking arrangements, there will always be some time-critical operation that requires the uninterrupted use of the computer, forcing other users to wait. With multiple computers such interactive interruptions do not occur.

The main disadvantage of small computers is that they are slow. This disadvantage is usually more than offset by the ability to dedicate the machine to a specific task for an extended period.

THE IBM PC COMPROMISE

In spite of the negative considerations about the 8-bit bus, my colleagues and I bought several IBM PCs for use in the laboratory. We selected this computer rather than a true 16-bit machine because of its popularity. Many peripherals and programs are available for it, and we felt that it would not go out of production near-

ly as quickly as some of the other, less popular models.

We have found the PC to be as good as or better than expected in almost all areas except for one peculiarity: the absence of a limited interrupt or a software-controllable wait state. Once an A/D conversion is made, a flag consisting of one bit in a status register is set. The computer must then detect the flag and take the digital data from the converter. The PC can detect the flag in only two ways: polling the status register or generating a full interrupt. A full interrupt, together with its return, requires 83 clock cycles. This many cycles would take more than 20 microseconds (μ s) just to detect the flag. Polling takes substantially less time. Using a polling routine, we have written sequential A/D sampling programs that operate at a rate of 22 μ s per conversion. Over half that time is spent polling the status register. If a more rapid way of detecting the flag could be devised, this routine could operate at more than twice the speed. If the central processor could be put in a wait state immediately before each A/D conversion and be released by the "A/D done" flag, detection of the conversion would be virtually instantaneous. An otherwise-similar computer that had such a capability would be able to accept A/D conversions about every 10 μ s.

SOFTWARE

Software is the most crucial part of any laboratory system. Clever programming can introduce great flexibility and compensate for many deficiencies in hardware. Poor programming can hobble even the best system. The time required to develop good programs should not be underestimated. Many of us have bought a piece of equipment that was physically capable of performing some desired task only to find that weeks of programming were required to make it work. For those of us who have had this experience, there is no stronger selling point for equipment than the concomitant availability of adequate programs to run it. ■



LOMAS DATA PRODUCTS PRESENTS:

COLOR MAGIC


IBM-PC COMPATIBLE COLOR GRAPHICS FOR THE S100 BUS

COLOR MAGIC brings to the S100 bus a new level of compatibility with the IBM-PC. In combination with our other boards, COLOR MAGIC allows execution of IBM PC-DOS programs without modification. COLOR MAGIC maps to the same port addresses and memory space as the IBM-PC color graphic board.

COLOR MAGIC has the following features:

- 32 K bytes of onboard video memory (The IBM-PC has only 16 K bytes)
- DISPLAY MODES:
 - 80 by 25 alpha-numeric
 - 40 by 25 alpha-numeric
 - 160 by 100 16 color graphic
 - 320 by 200 4 color
 - 640 by 200 4 color — 32k version (not supported by IBM)
- RGB and composite video outputs
- Light pen input
- IBM-PC compatible KEYBOARD INTERFACE onboard


COLOR MAGIC is supported under MS-DOS 2.11 now and will be supported under Concurrent DOS by MAR 1. With COLOR MAGIC in combination with our



other high performance boards, you can now configure an S100 bus system with up to 5 times the performance of an IBM-PC and 1.5 times the performance of an IBM-PC/AT. If your application requires IBM compatibility and high performance LOMAS DATA PRODUCTS IS THE ONLY LOGICAL CHOICE.

PRICE . . . 16K VERSION - \$595.00, 32K - \$695.00

ANNOUNCING MEGARAM: THE HIGH PERFORMANCE DYNAMIC RAM FOR THE S100 BUS



Application programs being written for today's 16 bit computers are requiring more and more memory, while the performance requirements of the memory are increasing as the 16 bit processors require faster and faster access times. MEGARAM has been designed to address this problem and provide FAST, RELIABLE, HIGH DENSITY memory for the S100 BUS. MEGARAM requires no wait states with any of our 8086 (up to 10MHZ) or 80186 CPU boards and only one wait state with our 6MHZ 80286 CPU board. Our board does not resort to piggybacking to attain up to 2 Megabytes of on board memory (piggybacking generally reduces reliability). Parity is included to insure data corruption, due to memory errors, will not go undetected.

256 Kbyte	\$595.00	512 Kbytes	\$1095.00
1Mbyte	\$1995.00	— (Feb 1) — 2 Mbytes	\$3795.00

■ LIGHTNING ONE *** 8086/8088 CPU

8086 or 8088, with 8087 and 8089 coprocessors. Up to 10 MHZ operation **PRICES start at \$425.00**

■ HAZITALL SYSTEM SUPPORT BOARD

2 serial, 2 parallel ports, battery protected clock calendar, Hard disk controller host interface **PRICE \$325.00**

■ RAM67 HIGH PERFORMANCE STATIC RAM

High speed (100ns) low power CMOS static RAM 128K bytes, extended addressing **PRICE \$995.00**

■ LDP72 FLOPPY DISK CONTROLLER

Single/double density, single/double sided disks, both 8" and 5 1/4" inch drives simultaneously **PRICE \$275.00**

■ LIGHTNING 286—80286 CPU BOARD

Offers 4 times the performance of a 5MHZ 8086 CPU while maintaining software compatibility **PRICE \$1395.00**

■ OCTAPORT 8 PORT SERIAL BOARD

8 serial ports 0 to 19200 baud operation real time clock interrupt. Ideal for multi-user systems such as MP/M-86.* . . . **PRICE \$395.00**

*CP/M-86, MP/M-86 and CONCURRENT CP/M-86 are trademarks of Digital Research.

**MS-DOS is a trademark of Microsoft.

***Lightning One is a trademark of Lomas Data Products, Inc.

****PC-DOS is a trademark of IBM.

Dealer inquiries invited.

LOMAS DATA PRODUCTS, INC. LDP

66 Hopkinton Road, Westboro, MA 01581

Tel: (617) 366-6434 □ Telex: 4996272

Inquiry 188

For orders outside the U.S., contact our exclusive dealers:

□ **Australia** — LAMRON PTY. LTD., (02) 85-6228

□ **England** — FULCRUM 0621828763

□ **England** — Rational Systems, Newport Pagnell, Buckinghamshire

□ **Malaysia** — EXA COMPUTER (M)

Sendirian Berhad, 795284

Prices and specifications are subject to change.

HIGH TECHNOLOGY AT AFFORDABLE PRICES

Dot Matrix Printers

BROTHER/DYNAX

Brother 2024L..... \$ 1039.88

C. ITOH

Prowriter (8510) 369.88

Prowriter-2 (136 col) 624.88

Prowriter BPI (IBM-PC)..... 399.88

HotDot 509.88

HotDot-2 (136 col) 729.88

CITIZEN

MSP-10 349.88

MSP-15 (136 col) 519.88

EPSON

RX/FX/LQ Series..... CALL

OKIDATA

Microline 92..... 399.88

92 w/PC compatibility 399.88

92 w/Mac compatibility 499.88

Microline 93..... 639.88

93 w/PC compatibility 639.88

Microline 84..... 739.88

MEMOTECH

DMX-80 (Panasonic 1090).... 189.88

NEC

Pinwriter (80 col)..... 699.88

Pinwriter (132 col) 929.88

STAR MICRONICS

SG-10 (Gemini) 249.88

SG-15 (Gemini) 399.88

SD-10 (Delta) 369.88

SD-15 (Delta) 489.88

SR-10 (Radix) 529.88

SR-15 (Radix) 649.88

Letter-Quality Printers

BROTHER/DYNAX

Brother DX-15..... \$ 399.88

Brother HR-25..... 669.88

Brother HR-35..... 939.88

C. ITOH

Starwriter A-10 (18 cps) 549.88

Starwriter (40 cps) 1079.88

Printmaster (55 cps) 1249.88

Diablo 620/630/Series 35.... CALL

NEC

2010/2030 (18 cps)..... 739.88

2050 for IBM (18 cps)..... 759.88

3510/3530 (33 cps) 1379.88

3550 for IBM (33 cps) 1449.88

7710/7730 (55 cps) 1779.88

QUME

Letter Pro 20 (18 cps) 459.88

SILVER REED

EXP-770 (35 cps) 899.88

EXP-550 (18 cps) 469.88

EXP-500 (12 cps) 369.88

EXP-400 (10 cps) 289.88

STAR MICRONICS

PowerType (18 cps) 359.88

Modems

HAYES

Micromodem IIe (Apple).... \$ 249.88

Smartmodem, 300 bd..... CALL

Smartmodem, 1200 bd..... CALL

Smartmodem 1200B (PC) ... CALL

NOVATION

SmartCat+ w/software, IBM-PC Internal, 1200bd... 349.88

External, (MS-DOS) 349.88

US ROBOTICS

Password, 1200 bd 369.88

Monitors

AMDEK

300A (amber)..... \$ 159.88

310A (TTL amber)..... 179.88

Color 300 (composite)..... CALL

PGS

HX-12 499.88

Max-12 189.88

QUADRAM

QuadChrome..... 529.88

ROLAND DG

DG-121 (amber) 144.88

DG-122 (TTL output)..... 169.88

TATUNG

Big Blue's RGB 449.88

IBM-PC Software

ALPHA SOFTWARE

Electric Desk..... \$ 239.88

ASHTON-TATE

dBase II/III CALL

Framework..... 479.88

BEST PROGRAMS

PC TaxCut..... 174.88

BORLAND INTERNATIONAL

Sidekick (non-protected).... 59.88

Turbo Pascal 39.88

BRODERBUND

Bank Street Writer 54.88

FUNK SOFTWARE

Sideways 44.88

LIFETREE SOFTWARE

Volkswriter Deluxe w/ATI... 204.88

LIVING VIDEOTEXT

ThinkTank 134.88

MECA/ANDREW TOBIAS

Managing Your Money.... 139.88

MICROPRO

Wordstar 2000 314.88

MICRORIM

R:Base 4000 284.88

Clout Ver 1.0..... 134.88

MICROSOFT

Multipan 134.88

Chart 174.88

Flight Simulator 34.88

PETER NORTON

Norton Utilities 54.88

SATELLITE SOFTWARE

Word Perfect 284.88

SOFTWARE ARTS

TK! Solver 274.88

SOFTWARE PUBLISHING

PFS: Write 99.88

PFS: File 99.88

PFS: Report..... 89.88

VIRTUAL COMBINATICS

Micro Cookbook 29.88

WARNER SOFTWARE

Desk Organizer (3 Pak) ... 134.88

IBM-PC Peripherals

200ns 64K Memory Kit \$ 49.88

ALLOY

41 MB Hard Disk w/Tape ... CALL

PC Tape Backup CALL

CURTIS

Monitor Stand..... 39.88

Monitor Extension Cable ... 39.88

Keyboard Extension Cable... 29.88

KEYTRONICS

5151 keyboard 219.88

MOUSE SYSTEMS

PC-Mouse w/PC-Paint.... \$ 154.88

QUADRAM

384K Quadboard w/64K... 269.88

Quad 512 + w/512K 456.88

QuadColor-1..... 219.88

QuadVue (TTL output) 259.88

Parallel Card, RS-232C Card or

Clock/Calendar Card..... 79.88

QuadLink (IBM)..... 509.88

STB

Super I/O..... 169.88

Super RIO (64K)..... 289.88

Super RIO Plus (64K)..... 309.88

TANDON

TM 100-2 DSDD..... 199.88

TITAN

Cygnus I/O (clk/par) 149.88

Cygnus I/O (clk/RS-232) ... 169.88

Apple Peripherals

ALS

CP/M 3.0 Plus Card..... \$ 279.88

Smarterm II (80 col)..... 139.88

Dispatcher (RS-232)..... 74.88

AMT MicroDrive 179.88

Grappler+ Card w/cable ... 109.88

Buffered Grappler (16K).... 164.88

MICROSOFT

CP/M Softcard IIe 279.88

Pkasso-U Card & cable ... 129.88

QUADRAM

E-Ram (IIe, 80 col/64K) ... 109.88

RANA SYSTEMS

Elite-1 Disk Drive 219.88

Controller..... 99.88

TITAN/SATURN

Accelerator II/IIe..... 224.88

Memory Boards CALL

Neptune 64K/80 col (IIe) ... 194.88

System Saver Fan..... 69.88

Videx

VideoTerm..... 199.88

VideoTerm/softswitch..... 219.88

PSIO (parallel/RS-232).... 159.88

Macintosh Software

DATABASES

1st Base \$ 134.88

DB Master 134.88

FactFinder..... 99.88

Filevision 134.88

Habadex DB 69.88

Habadex Adapter 39.88

Main Street Filer..... 139.88

MegaFiler 134.88

Microsoft File..... 134.88

Odesta Helix 279.88

Omnis 2 (Req. 2 drives) ... 189.88

OverVue..... 199.88

PFS: File 89.88

PFS: Report..... 89.88

FINANCIAL/BUSINESS

Back to Basics GL..... \$ 109.88

Dollars & Sense 99.88

Front Desk 104.88

Microsoft Chart 89.88

Microsoft Multiplan 134.88

Human Edge Series..... CALL

TK! Solver 169.88

TK! Templates..... 44.88

LANGUAGES

MacASM (Assembler)..... \$ 69.88

MacForth (Level I)..... 99.88

MacForth (Level II)..... 169.88

Microsoft BASIC 2.0..... 99.88

Softworks "C" 289.88

WORD PROCESSING

Hayden Speller..... \$ 54.88

Mac Daisy Connection 79.88

Mac Epson Connection 69.88

Mac Spell Right..... 64.88

MasterType 34.88

MegaMerge..... 89.88

Palantir MacType 34.88

ThinkTank 128 99.88

ThinkTank 512..... 169.88

Typing Tutor III..... 44.88

GRAPHICS

Building Blocks..... \$ 54.88

Click Art Series..... 34.88

Commercial Interiors 139.88

daVinci Series..... 34.88

Mac the Knife..... 29.88

Mac the Knife Fonts..... 34.88

McPic! Series 34.88

Slide Show Magician..... 44.88

OTHER

Copy II Mac \$ 29.88

Dow Jones Straight Talk ... 54.88

Hayden MusicWorks..... 54.88

Hey, **MAC!** Newsletter 10.00

Mind Prober..... 34.88

Smoothtalker 99.88

Videx MacCalendar 59.88

Macintosh Hardware

3 1/2" Diskettes (10 pkg).... \$ 34.88

Diskette Holder 24.88

Field Pro Carrying Case ... 79.88

HabaDisk (2nd drive) 369.88

Kensington Starter Pak 69.88

Kensington Modem..... 119.88

Surge Suppressor..... 44.88

Koala MacVision..... 259.88

Tecmar MacDrives CALL

Microcom MacModem.... 499.88

Smartcat+ modem..... 349.88

Turbo Touch 94.88

INTERFACING FOR DATA ACQUISITION

BY THOMAS R. CLUNE

A comparison of three interfaces

THE USE OF MICROCOMPUTERS for data acquisition in the sciences is surprisingly limited. It is widely recognized that the need for such applications exists. But I discovered in my experience at Brandeis University that most researchers have either had bad experiences with data acquisition on minicomputers or simply don't feel that they have the time to learn what they would need to know to retool their labs. Nonetheless, the advantages of computerizing are so substantial that microcomputer-based data acquisition is slowly moving into the lab. In this article, I'll share some of my experience with different approaches to computerizing data acquisition. Since I find the IEEE-488 to be the most versatile option for laboratory data acquisition, I will devote a fair amount of time to explaining that interface. My hope is that my experience may ease the problems that you might encounter in computerizing your setup.

THE PROBLEM

There are three basic reasons why microcomputers are so important in

the context of data acquisition. First, for a minicomputer or mainframe to be affordable, its use must be shared by more than one person, but in data acquisition it is crucial to have the computer's attention when the data is ready. Microcomputers make single-user systems affordable. Second, mainframe computers are generally not located in the laboratory. Thus, in any but very low speed data-acquisition contexts, there is a communications bottleneck created by the data transmission. Third, there is no common standard for interfacing with laboratory instruments on mainframes, so each laboratory setup presents substantial and individual problems of design and implementation that exacerbate the financial and logistical difficulties.

At least one other concern is fueling the drive toward computerization

.....
Thomas R. Clune is a BYTE technical editor. Before coming to BYTE, he was the physical-chemistry lab coordinator at Brandeis University, where he taught data acquisition by microcomputer. He can be contacted at POB 372, Hancock, NH 03449.

in the lab: The cost of turnkey instruments has become so high that most institutions are unable to afford the state-of-the-art equipment needed to conduct research. This is particularly irritating because most instruments in the sciences have essentially the same components. You end up paying over and over again for a built-in chart recorder, a waveform digitizer, a monochrometer, a photomultiplier, etc. And when the new generation of an instrument comes out with a broader dynamic range or some other improvement in one component, the entire turnkey instrument must be replaced. We simply can't afford to pay for research done that way any more. With the availability of microcomputers, we don't have to. We can tie chart recorders, waveform digitizers, and whatever else we need together into a dedicated instrument and recycle the components as the field or our research evolves.

A/D CONVERTERS

The least expensive way to automate a lab is with an analog-to-digital (A/D)

(continued)

*The speed of a
transient tracked
by D/D equipment
is not limited by the
computer's throughput.*

converter. There are, however, a number of limitations to this approach. First, an A/D converter samples only one voltage source at a time. Typically, an experiment requires correlating one reading to others for the same instant of time (e.g., pressure versus temperature at time t). If the time requirements are sufficiently lax, that is, if readings taken 10 or 20 microseconds apart can be treated as simultaneous, an A/D converter may be acceptable. But often this time lag is sufficient to make the data hopelessly imprecise. The second problem with A/D converters is that they are slow. The maximum sampling rate on most "high-speed" A/D converter boards is 100 kilohertz (kHz). Practically speaking, this means that you can't track a transient of greater than approximately 20 kHz. Much of scientific data acquisition now requires at least the ability to track a transient of a few megahertz. A third problem with A/D converters is that, because the boards are made to be inexpensive, their linearity is not very good. A 12-bit board may have an effective resolution of only 7 or 8 bits. Finally, A/D converters are very susceptible to noise in a lab. Commonly, the cabling will be either twisted-pair or ribbon cable—very good antennae. In a well-designed board, the cabling is simple coax, which may still not give the level of noise immunity required in a laboratory environment.

Nonetheless, an A/D converter is a good buy if it will do your task. My feeling is that the best use of an A/D converter is to connect it to the chart output of a stand-alone instrument.

Instead of junking a high-quality analog instrument in the interests of modernizing, use the capabilities available in your lab now. One big advantage of this kind of setup is that you can use a very slow A/D converter. This is desirable for two reasons: first, a slow A/D converter will be better made than a comparably priced high-speed board, and second, since you will only need a 30-Hz-or-so A/D converter, most noise in the lab will be too fast for the A/D converter to respond to it. Further, your low-pass filter will be able to cut out line voltages, which are an inevitable source of noise in any lab.

D/D AND RS-232C

If an A/D converter won't meet your needs, you need stand-alone instruments that can transfer digital information to the computer via a digital-to-digital (D/D) interface. The first advantage of D/D over A/D is that data may be analyzed at high speed and the digital "snapshot" of the analysis stored in a buffer of a few kilobytes on the stand-alone instrument. The buffer data can then be downloaded to the computer at whatever speed the interface will support. That is, A/D conversion necessarily requires real-time analysis, whereas the speed of a transient that can be tracked by D/D equipment is not limited by the microcomputer's throughput. Of course, speed of data transfer is still important because it determines how quickly the instrument can repeat an analysis.

D/D interfaces come in two flavors: serial, which transfers information a bit at a time; and parallel, which transfers data a word (commonly one byte) at a time. The most common serial port is an RS-232C interface.

There is a lot to dislike about the RS-232C. First, it is not standard. There are two ends to an RS-232C interface: the DTE (data-terminal equipment) end and the DCE (data-communications equipment) end. Often the two instruments you want to hook together will both be configured as DTEs, so you will probably have to create a cable that matches your par-

ticular setup once you find out what it is. Second, the only handshaking provided is on the level of whole messages. The interface does not verify that data has been received before proceeding. It is very easy to lose data on this interface. Third, RS-232C is a notoriously noisy interface—perhaps no worse than an A/D converter, but that isn't saying much. Fourth, RS-232C is slow. Since it sends only one bit at a time, it has a built-in speed disadvantage over parallel interfaces. And interference is an increasing problem with increasing transmission rates (as is true of any system). Finally, RS-232C is able to connect only two devices together. Thus, coordination and control of multiple data sources requires more than one RS-232C port on the computer and makes for devilishly difficult software integration.

The strong points of RS-232C are twofold. First, it is capable of transmitting information over long distances by telephone. Second, it is the only interface available on some older instruments. If you have to use it, you learn to live with it. But you'll never learn to love it.


IEEE-488

The IEEE-488 is a byte-serial, bit-parallel interface that overcomes the problems of the interfaces outlined above. First, the interface is incredibly resistant to interference. For example, at the Brandeis University chemistry department, we used the interface in a pulsed-nitrogen-laser experiment and found that the data transmission was unaffected by noise in any environment where the computer itself was able to function. Figure 1 shows the physical layout of the cable that provides such excellent noise immunity.

The second virtue of IEEE-488 is that the interface has a bus structure. That is, you can interface up to 15 devices at a time using the same board. This structure simplifies process control and allows true simultaneous data acquisition, as we shall see presently.

(continued)

The PCturbo 186™ takes a good computer and makes it the **BEST!**



Good

PC

- Vast selection of software

Better

PC AT

- Faster than the PC
- Software compatible

PC + PCturbo 186

- Faster than the PC
- Total software compatibility
- Automatic Disk Caching
- More affordable than a PC AT
- 80186 works in complement to 8088

Best!

**Orchid's
PCturbo 186**

First the standard was the IBM™ PC. Then it became the IBM PC AT with its high processing speed. For those, however, who have an IBM PC and need PC AT-like performance, Orchid Technology will put you out in front again with a new standard—the PCturbo 186. The PCturbo outperforms the PC AT in speed with fast disk access, and unmatched performance while providing **complete software compatibility**.

Best of all, PCturbo allows you to protect your existing hardware and software investment without the cost of replacing your existing PC or the need to learn to use a new computer and its software. **Simply install the PCturbo adapter board and Orchid's "Productivity Software" and your PC becomes a powerful turbo-driven computer.**

The PCturbo 186 is actually a second computer within your PC. Powered by the advanced Intel 80186 processor, the PCturbo

is transparent to your favorite programs like Lotus 1-2-3™, Symphony™, dBase II or III™, Framework™ and Multimate™, running them at turbo speeds. **So, with PCturbo, your PC looks and acts the same as before; it just runs faster.**

While the PCturbo is speeding up your processing power the 8088 microprocessor in your PC takes care of the I/O functions. Most importantly, complete compatibility is assured since the PCturbo allows you to switch back and forth between Turbo Mode and PC Mode with a simple command.

Since PCturbo boosts the processing speed of your PC, there's no more waiting to recalculate spreadsheets or to retrieve data. With the unique built-in features like automatic disk caching, electronic RAM disks and print spooling, you can get even more done in less time. **Now isn't that why you bought a PC in the first place?**

TECHNICAL DETAILS:

Hardware

- Single slot plug-in board with high-speed 16-bit processor (80186).
- Up to 640K memory expansion for a maximum of 1.28 Megabytes total memory.
- Simple "one-step" installation.

Software

- Runs IBM PC-DOS 2.x/3.x on either the IBM PC/XT and versions of most compatibles.
- Provides high speed disk caching, RAM disk and print spooling.
- Standard PC (8088) operation for total compatibility.

Write or call for more information today.



ORCHID TECHNOLOGY
47790 Westinghouse Drive
Fremont, CA 94539

(415) 490-8586 Telex: 709289

PCturbo 186 is a trademark of Orchid Technology. IBM is a registered trademark of International Business Machines Corporation. Lotus 1-2-3 and Symphony are trademarks of Lotus Development Corporation. dBase II, dBase III, and Framework are trademarks of Ashton-Tate. Multimate is a trademark of Multimate International.

Third, the interface is fast for a micro. Data can be transferred at up to 1 million bytes per second (using special tristate drivers on the lines) and without any special care will support transmission rates of about 250K to 300K bytes per second using DMA (direct memory access).

Fourth, the interface is standard and widely available. All IEEE-488 instruments are plug-compatible, and the interface is available on every major kind of laboratory device. Over 2000 devices are currently available with an IEEE-488 interface. Given that the standard was not set in its current form until 1978 and that there is a lag between specification and implementation, the rapid adoption of the standard gives an indication of how sorely needed it was.

The primary limitation of the standard is that the total cable length on an installation cannot exceed 20 meters without special (and expensive) repeaters. In practice, you will seldom need to exceed that length. And given that long cabling slows transmission rates and is more susceptible to noise, you generally do

better to keep the cabling short anyway.

THE STANDARD EXPLANATION

The IEEE-488 standard is relatively involved because it accommodates a wide variety of uses. In the rest of this article, I'll examine the standard and then take a close look at a setup using the interface.

IEEE-488 began life as the General-Purpose Interface Bus (GPIB) of the Hewlett-Packard Corporation. In 1975, the IEEE adopted the GPIB as its standard. Some minor modifications were made to the standard in 1978, but IEEE-488 still goes by the name GPIB on HP products.

Devices on the interface may perform three kinds of functions. They may be talkers; that is, they may transmit data to other devices on the interface. Of course, there can be only one active talker at any given time. Alternatively, a device may be a listener—it may receive data or instructions from another device on the interface. There may be more than one active listener on the interface at any given time. And a device may act

as a controller, a coordinator of which device may talk when and which devices may listen. Finally, a device may do nothing but stand by. A device may, at different times, assume any of the above functions.

The interface supports two modes of operation: command and data. As the name suggests, the command mode is for process control. For example, if one of the devices on the interface is a digital multimeter (DMM), the controller may program the DMM for reading DC voltages in the 3-volt full-scale deflection range. In the data mode, data is transferred from talker to listener(s) over the interface.

The interface has 24 lines, 8 of which are ground lines. The other 16 are divided into three groups: 8 bi-directional data lines, 3 data-byte control lines (handshake lines), and 5 general interface-management lines.

The three-line handshake protocol functions as follows: When information is going to be transferred over the bus, the listeners must be ready to receive the data. If they are not, they signal NRFD (not ready for data) by

(continued)




Figure 1: Cutaway view of an IEEE-488 cable. Notice the large number of grounds for shielding.

Expand Your PC To A Multi-User System With Advanced Digital's PC-Slave



Up To 32 Users

Expanding your PC to a multi-user system is easy. Simply plug in a PC SLAVE processor board and ASCII terminal for each user. With ADC's unique Master/Slave concept, each user runs independent of other users without speed degradation.

RTNX executive software turns your PC into a master processor and shares disks, peripherals and data with the slaves. ADC's **PC-File Server** provides you with additional expansion slots, hard disk drive and a high-speed streaming tape back-up for your IBM PC System.

PC SLAVE FEATURES:

- 8 MHz, 8088 CPU
- 256 kB of RAM, expandable to 768 kB
- Two Serial I/O Ports

**ADVANCED
DIGITAL
CORPORATION**

Advanced Digital Corporation, USA
5432 Production Drive, Huntington Beach, CA 92649
Tel. (714) 891-4004 • Telex 183210 ADVANCED HTBH

Advanced Digital U.K. Limited
27 Princes St., Hanover Square
London W1R8NQ • United Kingdom
(01) 409-0077 • (01) 409-3351 • Telex 265840 FINEST

*RTNX is a trademark of LOGIC LEAF
*PC DOS is a trademark of International Business Machines
*MS DOS is a trademark of Microsoft Corporation
*LOTUS 1-2-3 is a trademark of Lotus Development Corporation
*Multi-Plan is a trademark of Micro Soft Corporation
*WordStar is a trademark of MicroPro Corporation

pulling the NRFD line low (low is defined as true by the IEEE-488 standard). The NRFD line has an open-collector design, so if any one listener is not ready, the line is kept low. When all the listeners are ready, the NRFD line goes high. If the talker is ready to transmit data, it sets the DAV (data valid) line low. The transition of the DAV line triggers the resetting of the NRFD line and the listeners pick up the latched byte of data. When each listener receives the data, it releases the NDAC (not data accepted) line, which is also open-collector. When all listeners have received the data, the NDAC line goes high, causing a reset of the DAV line, which in turn triggers the resetting of the NDAC line. This sequence, outlined in figure 2, is repeated for each byte in a transmission. It may not be immediately apparent why three lines are useful in this sequence. At first glance it appears that the DAV and NDAC line would accomplish everything necessary for the transmission of data. However, the NDAC line is released as soon as the IEEE-488 board of the listener has received the data. The information must still be downloaded from the IEEE-488 data register to, for example, the computer's main memory to be stored more permanently. By releasing the talker as soon as the data has been transferred, the talker becomes free to prepare the next byte for transmission at the same time that the listeners are "digesting" the last byte, so the rate of information transfer may be maximized. The NRFD line is thus necessary to pre-

vent the possibility of a listener's data register being prematurely overwritten.

Since each byte of data transferred is a self-contained event on the interface, there must be some way of signaling the end of a data-transfer sequence. This may be done in two ways. The one I will mention here is to use one of the bus-management lines, the EOI (end or identify) line. When a talker sets this line, it signals that the data-transfer sequence is complete.

The "identify" in EOI applies to the controller's use of the line. If the interface is to be used for process control, there must be a way for the controller to monitor the "fitness for duty" of the various devices. One way it may do so is by conducting a parallel poll of the devices. If the controller asserts ATN (attention) and EOI, each device responds by using one data line to say whether or not it has any problems. If one does, the computer (the controller) can query that device further to determine the precise nature of the difficulty. The limitation of a parallel poll is that the controller must initiate the inquiry. IEEE-488 also provides for a serial poll, in which a device in trouble may alert the controller that all is not well by asserting SRQ (service request). The computer then can ask each device in turn what its status is to determine the source and nature of the problem.

ATN serves another, more general purpose as well. Any time the controller asserts ATN, it can change the

function of a device from, say, talker to listener. When ATN is asserted, the board goes into the command mode. All subsequent information is control data. In general, control information will apply to only some of the available devices. How is the information restricted to only the appropriate devices' attention? Each instrument on the interface can be assigned a unique 5-bit address, generally by DIP (dual-inline package) switches on the backplane of the instrument. Valid addresses are numbers up to and including 30. When the computer wants to address its control data to a specific set of devices, it asserts ATN and outputs a list of the appropriate address numbers (notice that the same string of outputs would be treated as data were the board not in the command mode). Table 1 shows the protocols of the computer addressing for different functions. If a device is being told to listen to control information, an addressed command follows its address-to-listen call. Addressed control information defined by the IEEE-488 standard includes GTL (go to local), which releases a device from remote control; SDC (selected-device clear), which resets a device to its default setting; PPC (parallel-poll configure), which is used to assign a data line to a device for answering a parallel poll; GET (group-enable trigger), which initiates simultaneous data acquisition by each addressed device; and TCT (take control), which passes control of the bus management from the present controller to the specified device.

Two other kinds of multiline commands are shown in table 1. First is a secondary address. This is information after the primary address that configures a device for a particular kind of operation. This is one way that a DMM may be set for DC volts, for example. The primary address specifies the DMM device number, and the secondary address specifies the DC voltmeter function in the DMM. The significance of secondary addresses is not part of the standard. Each manufacturer decides whether

(continued)





Figure 2: The logic flow of the IEEE-488 handshake sequence. Low is true.

SOME DARK TRUTHS ABOUT BACKING UP YOUR DATA ON TAPE.

- Tape backup manufacturers promise speed, peace of mind and a good night's sleep for a small investment!
- Your sleep can turn into a nightmare when your hard disk crashes!
- If your replacement disk has bad sectors in locations that were good on your original drive, the restoration of a 'physical image' backup will not work as it cannot distinguish bad sectors and will attempt to write on the bad sectors. You will lose all data continuity from that point on!!



DATASAFE BY **AFTEK**

Introducing the next generation of tape drives for the micro computer industry - Only \$695⁰⁰ U.S.

• Reliable

The DATASAFE addresses all the problem issues of tape backup. The DATASAFE has a simple and elegant tape self threading tape transport system that puts it far ahead of any other on the market. It has been consistently tested for over 150,000 self threading loads without failure.

• Unlimited Capacity

Each tape holds 10 meg data on the ADI 1010 and 20 meg on the ADS 1020, but this does not limit the capacity, using the MS-DOS BACKUP utility, you can backup any amount of data.

• No Fancy Installation

The DATASAFE can be mounted internally (it is daisy chained off the existing floppy controller so you don't need any additional slots), or you can use the standalone unit. The standalone unit plugs into the connector at the back of the computer. It needs no special installation. You can easily move it from computer to computer.

• Easy to Use

The tape drive looks just like a floppy to the computer, the DOS commands you are familiar with work just the same on the DATASAFE.

THE TAPE MEDIA



The DATASAFE uses industry standard 1/4" tape on a self threading 2.2" spool. You just drop the reel in the drive and close the door - the drive does the rest, no messing with leader tape! The loading arrangement is similar to the system used in large computers. You do not have to pay fancy prices for tape cartridges, the 10 or 20 meg spools are only \$14.95 (US)/\$22.95 (C)

• Random Access

If your hard disk fails, the DATASAFE can be used just like a disk with a seek time of 45 sec end to end! No more down time for hard disk failures.

**To order in U.S.A. or Canada
Call Toll Free:**

1-800-268-5412

Internal Mount ADI 1010

**U.S.A. \$695.00
Canada \$1195.00**

Standalone ADS 1010

**U.S.A. \$945.00
Canada \$1495.00**



BUSINESS MACHINES INC.

762 Gordon Baker Rd., Willowdale, Ont. Canada M2H 3B4
Tel.: (416) 497-0531 Telex: 06-986133

1050 Clinton St., Buffalo, New York 14206
Tel.: (716) 694-5366 Telex: 916428

PRIME DEALER DISTRIBUTOR TERRITORIES AVAILABLE. OEM CALLS INVITED.

Pascal and C Programmers

Your programs can
now compile the
FirstTime™

FirstTime is an intelligent editor that knows the rules of the language being programmed. It checks your statements as you enter them, and if it spots a mistake, it identifies it. *FirstTime* then positions the cursor over the error so you can correct it easily. *FirstTime* will identify all syntax errors, undefined variables, and even statements with mismatched variable types. In fact, any program developed with the *FirstTime* editor will compile on the first try.

More than a syntax checker!

FirstTime has many unique features found in no other editor. These powerful capabilities include a zoom command that allows you to examine the structure of your program, automatic program formatting, and block transforms.

If you wish, you can work even faster by automatically generating program structures with a single key-stroke. This feature is especially useful to those learning a new language, or to those who often switch between different languages.

Other Features: Full screen editing, horizontal scrolling, function key menus, help screens, inserts, deletes, appends, searches, and global replacing.

Programmers enjoy using *FirstTime*. It allows them to concentrate on program logic without having to worry about coding details. Debugging is reduced dramatically, and deadlines are more easily met.

FirstTime for PASCAL	\$245
FirstTime for C	\$295
Microsoft PASCAL Compiler	\$245
Microsoft C Compiler	\$395
Demonstration disk	\$25

Get an extra **\$100 off** the compiler when it is purchased with **FirstTime**.
(N.J. residents please add 6% sales tax.)

Spruce
Technology Corporation
110 Whispering Pines Drive
Lincroft, N.J. 07738
(201) 741-8188 or (201) 663-0063

Dealer enquiries welcome. Custom versions for computer manufacturers and language developers are available.

FirstTime is a trademark of Spruce Technology Corporation.



VISA

INTERFACING

to use secondary addresses and, if so, what they will mean. The last kind of multiline command is a universal command. Reasonably enough, universal commands apply to all devices on the bus and are therefore not preceded by an address list. The universal commands defined by the standard include LLO (local lockout), which disables instrument front-panel control; DCL (device clear), which resets all devices to their factory-selected default states (this is the universal version of SDC); PPU (parallel-poll unconfigure), which deactivates parallel polling; SPE (serial-poll enable), which initiates a serial poll; and SPD (serial-poll disable), which terminates a serial poll.

The logical difference between the uniline commands and the multiline commands is that uniline commands are unconditioned. That is, they operate immediately instead of requiring that the bus be in command mode. The last two uniline bus-management lines illustrate the need for such immediacy. REN (remote enable) places a device under computer control. When a device is first going to be addressed by the computer, this provides the "warm boot" needed to get its attention. IFC (interface clear) is the "panic button." When the controller asserts IFC, the active talker must immediately relinquish control of the data lines to the computer. As you can

see, the standard is rather involved. But it is not complete.

HPIB


The IEEE-488 standard ensures electrical compatibility among instruments, but it does not insure that two instruments will understand each other. The analogy has been drawn between IEEE-488 and the telephone system: You can call Rome on your telephone, but you may not understand what the person who answers the phone is saying. Similarly, the IEEE-488 standard does not specify the code that is to be used by instruments in transmitting data. Some instruments speak binary, some speak ASCII, etc. The Hewlett-Packard Corporation has developed a software standard for IEEE-488 data that is not universally employed. However, it is the most common format for data transfers on the bus. The protocol is called the Hewlett-Packard Interface Bus (HPIB). GPIB and HPIB are often used interchangeably, but strictly speaking GPIB is the IEEE-488 standard and HPIB is the conformance to HP's software protocol. HPIB specifies the following:

1. All information is transferred in ASCII code.
2. Information is transmitted "left to right"; that is, "C A T" is transmitted "67 65 84," not "84 65 67."

(continued)

Table 1: IEEE-488 interface management command bit protocols. These apply only when the controller asserts ATN. A=address bit, C=command bit, S=secondary address bit, N=not used.

Data Lines Bit	Significance
7 6 5 4 3 2 1 0	
N 0 0 0 C C C C	addressed command
N 0 0 1 C C C C	universal command
N 0 1 A A A A A	address to listen
N 1 0 A A A A A	address to talk
N 1 1 S S S S S	secondary address



Hot to plot.

Epson® puts the HI-80™ four-pen plotter on your desk for \$599.

If you're still doing your charts and graphs in black and white, have we got a plotter for you.

High speed, low cost.

The new Epson HI-80 is small enough to sit on your desk, yet it plots in any four of ten available colors at a remarkable nine inches per second, with resolution, accuracy and repeatability comparable to units costing twice as much.

No. 1 on the charts.

The HI-80 draws on paper for reports, or acetate for overhead projection. It has 42 intelligent commands to reduce programming time. And it even prints text formatted for the Epson RX-80™ dot matrix printer.

It's an Epson.

Which means you can count on it to be extraordinarily reliable, ex-

tremely versatile, supported by virtually all graphics software, and backed by the Epson one-year Number One Warranty.

Get an art department for your desk. Get an Epson HI-80 Plotter.

Number one. And built like it.

EPSON
EPSON AMERICA, INC.

2780 Lomita Boulevard • Torrance, CA 90505 • (213) 539-9140 • Call (800) 421-5426 for the Epson dealer in your area. In California call (213) 539-9140

Epson is a registered trademark of Epson Corporation. HI-80 and RX-80 are trademarks of Epson America, Inc.

The significance of a device's program data is determined by the manufacturer, not IEEE-488.

3. All sequences of data transmission end with ASCII 13 (a carriage return) and, optionally, ASCII 10 (a linefeed) instead of using the EOI line.

The advantage of the standard is that data can be fed directly to a printer to produce properly formatted output in continuous-data-collection applica-

tions. Of course, the biggest advantage of the standard is simply that it is a standard.

USING THE INTERFACE

So much for the standard. Now let's take a look at how to use it. Manufacturers of IEEE-488 interface boards provide interface drivers for you, so using the interface is easier than learning about the standard in the first place. Usually the interface driver is a set of assembly-language routines that you can call. In high-speed applications you will want an assembly-language driver. But in the program I provide here (listing 1), I use an interpreted BASIC driver. The program is taken from a course in interfacing I taught at Brandeis University. It is used to calculate the lattice energy of solid argon from temperature and

pressure data pairs. This is a low-speed application, with readings being taken every 30 seconds. Thus, an interpreted BASIC interface driver will provide adequate speed. A further benefit to me is that students can study the driver routines to understand how the interface works. Tecmar also makes an assembly version of its interface driver.

The equipment used in this experiment includes an IBM PC with 128K bytes of memory, a Tecmar IEEE-488 interface for the PC, two HP 3478A DMMs with IEEE-488 installed, a copper-constantan thermocouple wire, and a Barytron 220 pressure transducer. The program listing includes only the data-acquisition part of the program, and Tecmar's interface driver routine is not reprinted here. Before the experiment can be run, the DMMs must be set to their respective addresses (17 and 19) by DIP switches on the DMM backplanes.

The program is largely self-explanatory. I will limit my remarks on it to points that the listing may not make sufficiently clear. Notice the statement `BD.ADDR%=&H310` in line 40. This initializes the beginning memory location of the 16-byte buffer used for communication between the IEEE-488 interface and the computer. `MY.ADDR%=1` in line 60 declares that the computer's device address number will be 1. Both these variable names are specified by the driver software. Line 110 shows the way that the Tecmar driver routine is invoked. The routine begins at line 10000 and is merged with your application program. `PARAM$` is the variable name for any parameter to be passed to the driver routine. In this case, the operation performed is initializing the IEEE board for controller operation. In line 130, `ADTR` is the mnemonic for asserting `REN`, to let the DMMs know that they are connected to and will be controlled by the computer. Line 150 contains the information to be output to the DMM that will monitor the pressure transducer. The significance of this data is determined by the DMM manufac-

Listing 1: A sample data-acquisition routine using the IEEE-488 interface.

```

10 REM IEEE-488 PROGRAM FOR HEAT OF SUBLIMATION OF SOLID
   ARGON. PROGRAM SHOULD BE MERGED WITH TECMAR
   IEEE-488 SOFTWARE VER. 3.
20 REM PROGRAM BY THOMAS CLUNE, BRANDEIS UNIVERSITY
   CHEMISTRY DEPARTMENT
30 REM DMM #19 READS THE THERMOCOUPLE, DMM #17 READS THE
   PRESSURE TRANSDUCER.
   INITIALIZE IEEE-488 BUFFER LOCATION, DIMENSION ARRAYS
40 BD.ADDR%=&H310:DIM PRES(250):DIM TEMP(250)
50 REM SPECIFY COMPUTER DEVICE NUMBER, INITIALIZE DATA
   POINTER
60 MY.ADDR%=1:DPT=1
70 REM WAIT UNTIL READY TO BEGIN RUN. PRESSURE READINGS
   MUST BE POSITIVE AND THERMAL EQUILIBRIUM MUST BE
   REACHED BEFORE THE RUN BEGINS.
80 CLS:PRINT "PRESS ANY KEY WHEN YOU ARE READY TO BEGIN YOUR
   RUN"
90 AS$=INKEY$:IF AS$="" THEN 90
100 REM INITIALIZE BOARD WITH COMPUTER AS CONTROLLER
110 PARAM$="INIT.C":GOSUB 10000
120 REM SET BOTH DMM'S FOR REMOTE CONTROL BY COMPUTER
130 PARAM$="ADTR":GOSUB 10000
140 REM SET INTERRUPT REGISTERS OF DMM'S FOR SYNTAX ERROR
   AND FRONT PANEL SRQ.
150 DATA.STRING$="KM24D2PRESSURE"
160 PARAM$="WR.STR/17/14//":GOSUB 10000
170 DATA.STRING$="KM24D2TEMPERATURE"
180 PARAM$="WR.STR/19/17//":GOSUB 10000
190 REM ENTER DATA.STRING$ AND WRITE PROGRAMMING
   INFORMATION TO DMM #17. ADD <CR> FOR EOS.
200 CLS:INPUT "ENTER COMMAND STRING FOR PRES. DMM
   (#17)":DATA.STRING$
210 DATA.STRING$=DATA.STRING$+CHR$(13)
220 REM OUTPUT DATA.STRING$ TO DMM
230 PARAM$="WR.STR/17//13/EOS//":GOSUB 10000

```

(continued)

(continued)

BASF QUALIMETRIC™ FLEXYDISKS.® A GUARANTEED LIFETIME OF OUTSTANDING PERFORMANCE.


BASF Qualimetric FlexyDisks feature a unique lifetime warranty, firm assurance that the vital information you enter on BASF FlexyDisks today will be secure and unchanged tomorrow. Key to this extraordinary warranted performance is the BASF Qualimetric standard... a totally new set of criteria against which all other magnetic media will be judged.*

You can count on BASF FlexyDisks because the Qualimetric standard reflects a continuing BASF commitment to perfection in magnetic media. One example is the unique two-piece liner in our FlexyDisk jacket. This BASF feature traps damaging debris away from the disk's surface and creates extra space in the head access area for optimum media-head alignment. The result is a guaranteed lifetime of outstanding performance.

For information security that bridges the gap between today and tomorrow, look for the distinctive BASF package with the Qualimetric seal. Call 800-343-4600 for the name of your nearest supplier.

Inquiry 344

*Contact BASF for warranty details.



ENTER TOMORROW ON BASF TODAY.

© 1983 BASF Systems Corp., Bedford, MA



BASF

magnum p.c.

800-544-4354


GA Residents

(404) 441-3112



5965 PEACHTREE CORNERS E, B-2, NORCROSS, GA 30071

COMPUTERS

 IBM PC YOU CONFIGURE.....CALL
 SANYO MBC & SUPER.....NEW LOW PRICES

BOARDS

 AST SIX PAC PLUS & MONOGRAPH.....CALL
 EVEREX GRAPHICS EDGE.....399
 HERCULES GRAPHICS CARD.....335
 IRMA 3278 EMULATOR.....BEST PRICE
 MICROTEK NEW PRODUCTS.....CALL
 ORANGE MICRO ALL BOARDS.....CALL
 ORCHID PC BLOSSOM & TURBO.....CALL
 PERSYST BOARDS & CARDS.....SAVE
 QUADRAM ALL PRODUCTS.....CALL
 STB GRAPHIX PLUS II.....CALL
 TECMAR ALL PRODUCTS.....CALL
 TITAN ACCELERATORS FOR IBM OR APPLE.....CALL
 TSENG LABS ULTRA PAK.....NEW

DISK DRIVES

 FULL HEIGHTS (FOR IBM).....FROM 110
 HALF HEIGHTS (FOR IBM).....FROM 125
 ALPHA OMEGA TURBO 10 (FASTER THAN XT)800
 EVEREX 10 MEG INTERNAL HARD DISK.....750
 1/2 HT 1/4" TAPE STREAMER.....999
 IOMEGA BERNOULLI BOX (20 MEG).....2795
 MICRO SCI (FOR APPLE).....CALL
 PCjr 2ND DISK DRIVE OR HARD DISK.....CALL
 PEACHTREE PERIPHERALS.....CALL
 QUADDISK 6 MEG REMOVABLE.....1725
 QUENTIN (FOR APPLE & IBM).....SAVE
 SUPER 5 (FOR APPLE).....179
 TALLGRASS HARD DISK WITH BACKUP.....CALL
 TANDON TM100-2.....189

PRINTERS

 C. ITOH LETTER QUALITY.....CALL
 EPSON FX, RX.....SAVE
 FUJITSU.....CALL
 NEC SPINWRITER, P2 & P3.....CALL
 OKIDATA ALL MODELS.....BEST PRICES
 PANASONIC.....CALL
 QUME.....SAVE
 STAR MICRONICS GEMINI 10X/15X.....269/379
 TOSHIBA P1350 & P1340.....CALL

MONITORS

 AMDEK.....CALL
 PRINCETON GRAPHICS.....SAVE
 QUADRAM QUADCHROME.....CALL
 SUPER 5.....CALL
 TAXAN ALL MODELS.....CALL

SOFTWARE

 COPY II PC.....SAVE D-BASE III.....399
 FRAMEWORK.....399 JANUS/ADA.....SAVE
 LOTUS 1-2-3.....SAVE MULTIMATE.....279
 SYMPHONY.....475 10 BASE.....CALL

MODEMS

 HAYES SMART MODEM 300/1200.....212/499
 NOVATION SMART CAT PLUS W/MITE.....399
 VEN-TEL HALF CARD 1200 BAUD.....425
 PENRII.....SAVE MAXWELL.....NEW

ACCESSORIES

 BUFFERS/SPOOLERS.....CALL
 CHIPS 64K - SET OF 9.....39
 COMPUERVE STARTER KIT.....32
 2 & 4 WAY SWITCH BOXES PAR. & SERIAL.....SAVE

DISKETTES

VERBATIM/MAXELL. SAVE	CASE 100	BOX 10
BASF 5 1/4 SS/DD	145	17
5 1/4 DS/DD	170	20

AVAILABILITY AND PRICES SUBJECT TO CHANGE

APPROVED CORPORATE ACCOUNTS WELCOMED

INTERFACING

```

240 REM CHECK FOR SYNTAX ERROR IN DATA.STRING$. IF YES, LOOP
    BACK TO REENTER DATA.STRING$
250 PARAM$ = "RBST/":GOSUB 10000
260 IF SRQ% = 1 THEN PARAM$ = "SER.POLL/17/":GOSUB 10000:IF
    POLL.RESP% AND 4 = 4 THEN PRINT "SYNTAX ERROR IN
    COMMAND":SRQ% = 0:GOTO 200
270 REM IF ERROR < > SYNTAX ERROR, LIST ERROR MESSAGE IN
    OCTAL AND END.
280 IF SRQ% = 1 THEN PRINT "ERROR. STATUS REGISTER (IN
    OCTAL) = ";OCT$(POLL.RESP%):END
290 REM ENTER DATA.STRING$ AND WRITE PROGRAMMING
    INFORMATION TO DMM #19. ADD <CR> FOR EOS.
300 INPUT "ENTER COMMAND STRING FOR TEMP. DMM
    (#19)":DATA.STRING$
310 DATA.STRING$ = DATA.STRING$ + CHR$(13)
320 REM OUTPUT DATA.STRING$ TO DMM
330 PARAM$ = "WR.STR/19/13/EOS/":GOSUB 10000
340 REM CHECK FOR SYNTAX ERROR IN DATA.STRING$. IF YES, LOOP
    BACK TO REENTER DATA.STRING$
350 PARAM$ = "RBST/":GOSUB 10000
360 REM IF ERROR < > SYNTAX ERROR, LIST ERROR MESSAGE IN
    OCTAL AND END.
370 IF SRQ% = 1 THEN PARAM$ = "SER.POLL/19/":GOSUB 10000:IF
    POLL.RESP% AND 4 = 4 THEN PRINT "SYNTAX ERROR IN
    COMMAND":SRQ% = 0:GOTO 300
380 IF SRQ% = 1 THEN PRINT "ERROR. STATUS REGISTER = (IN
    OCTAL) ";OCT$(POLL.RESP%):END
390 REM BEGINNING OF DATA-ACQUISITION LOOP. INITIATE A GROUP-
    EXECUTE TRIGGER TO RECORD THERMOCOUPLE AND
    PRESSURE TRANSDUCER READINGS SIMULTANEOUSLY.
400 PARAM$ = "GET/17,19/":GOSUB 10000
410 REM READ THE DMM VALUES INTO THE COMPUTER
420 PARAM$ = "RD.STR/17//10/EOS/":GOSUB 10000
430 REM STORE THE READING IN THE PRESSURE ARRAY. 1
    TORR = 10mV, SO *100 MAKES V = PRES IN TORR.
440 PRES(DPT) = VAL(DATA.STRING$)*100
450 REM NOTE THAT THE LINE FEED IS USED TO SIGNAL THE END OF
    DATA INSTEAD OF THE LENGTH OF COUNT. LENGTH OF
    COUNT CAUSES AN ERROR CONDITION HERE WITH V.3
460 PARAM$ = "RD.STR/19//10/EOS/":GOSUB 10000
470 REM STORE THE READING IN THE TEMPERATURE ARRAY. IF
    TEMP > 77K GO TO CALCULATION ROUTINE
480 TEMP(DPT) = VAL(DATA.STRING$)*1000:IF TEMP(DPT) > -5.539 THEN 630
490 REM CHECK FOR FRONT PANEL SRQ. IF YES, GO TO
    CALCULATION ROUTINE
500 PARAM$ = "RBST/":GOSUB 10000
510 IF SRQ% < > 1 THEN 550
520 PARAM$ = "SER.POLL/17/":GOSUB 10000:IF POLL.RESP% < > 0 THEN 630
530 PARAM$ = "SER.POLL/19/":GOSUB 10000:IF POLL.RESP% < > 0 THEN 630
540 REM READ NEW TIME, CHECK ELAPSED TIME
550 REM TIME$ IS RESET TO 0 WHEN RBST CHECKS FOR TIMEOUT
    FAULTS
560 ENDCLK = VAL(RIGHT$(TIME$,2)):PRINT ENDCLK
570 REM IF AT LEAST 30 SEC HAVE ELAPSED, GET NEW READING
580 IF ENDCLK < 30 THEN 560
590 REM CHECK FOR END OF ARRAY. IF YES, JUMP TO CALCULATION
    ROUTINE. OTHERWISE INCREMENT DPT AND COLLECT NEXT
    POINT
600 IF DPT > 249 THEN 630
610 DPT = DPT + 1:GOTO 400
620 REM PRINT DATA AND DO SEMILOG REGRESSION GOES HERE.
    ROUTINE DELETED FOR BYTE ARTICLE. FULL ROUTINE
    AVAILABLE FROM AUTHOR.
  
```

(continued)

DATAEASE™

*"I was very impressed
with its overall performance
and features... excellent interactive
and data quality assurance capabilities
...relatively easy to master..."*

Bill Jacobson
From a feature article in
BYTE, October 1984

Over 20,000 large and small business clients worldwide have turned to DATAEASE to increase productivity. In fact, leading software suppliers to Corporate America like MIS, Inc. have recently sold more DATAEASE than dBASEIII™, Symphony™, Framework™ and R:BASE™ 4000!

DATAEASE, with its ideal combination of power and ease-of-use lets you harness the full power of your micro to create forms and custom menus, gather, sort, group and calculate statistical information, update and link files, generate standard or custom reports, interchange data with mainframes and popular programs.

DATAEASE, the complete information management system. Available through highly competent dealers throughout the U.S. Call or write for information on The SOFTEASE Family of Products™: DATAEASE, WORDEASE™, GRAPHEASE™, DOSEASE™.

DATAEASE

BYT-2/85

Demonstration Diskette

- Check one: ☐ IBM PC ☐ WANG ☐ DEC ☐ TI
☐ Check attached for \$10. Send information package with demonstration.
☐ Send information only.

Name: _____

Title: _____ Phone: _____

Company: _____

Street: _____

City: _____ State: _____ Zip: _____

Software Solutions, Inc., 305 Bic Drive
Milford, CT 06460 • 203-877-9268 • Telex: 703972

For dealer, corporate and product information call:

800-243-5123

Scandinavia West Soft A/S, Alesund, Norway: (47) 71-41141	South Africa Dataflex, Craighill: 11724-6555
United Kingdom Sapphire Systems, Essex: 01-544-0582	West Germany Markt & Technik, Munich: 089-4613-0

*The cost of adding
an IEEE-488 interface
is nominal and the
added flexibility
is not available
from any other source.*

turer and is not a part of the IEEE-488 standard. This data is used to program the 3478A instead of secondary addresses, which the HP does not support. The significance of the string to the DMM is as follows: K = "clear the maskable interrupt register;" M24 = "set a new mask to generate an SRQ if programming data sent to the DMM has a syntax error or if the front-panel SRQ button is pushed;" and D2PRESSURE = "display the word 'PRESSURE' on the DMM's display panel." Since the pressure-monitoring DMM and the temperature-monitoring DMM look exactly the same, this prompt ensures that the instrument is connected to the right transducer. Line 160 has the programming string output to the correct DMM. Field 2 of WR.STR specifies the device number (17) of the appropriate DMM and field 3 says to transmit 14 characters. That is, the end of sequence (EOS) is identified by simply

counting the number of characters transmitted. At the end of 14 characters, the computer will UNLISTEN the DMM to terminate transmission. Line 200 has the operator input the programming information that will specify the functions that the pressure-monitoring DMM will use. Since the number of characters in the command string will vary with what options the operator selects, we don't use a character count to signal EOS here. Rather, in line 210 we tack a <CR> code onto the end of the data and in line 230 specify that the transmission to the DMM should continue until "13" (the carriage-return code in ASCII) is encountered. Since each operator enters the programming information on each experimental run, we want to verify that the DMM string does not contain any typographical mistakes. Therefore, we read the IEEE-bus status (line 250) and see whether an SRQ flag has been set (line 260). Remember that the DMM was programmed in line 160 to generate an SRQ on a syntax error. If an SRQ has been sent, we examine the status register of the DMM (260 also) to make sure that the SRQ was caused by a syntax error and, if so, have the operator reenter valid programming information for the DMM. Note that the SRQ does not automatically interrupt the central processing unit. It only sets a flag on the IEEE bus. If we want to ignore it, all devices that are still able to function properly can carry on with their business as usual.

If we want an SRQ to automatically interrupt the computer, we can tie the SRQ line to an IRQ line.

Now let's skip to line 400. This initiates a group-enable trigger for both DMMs (numbers 17 and 19). Thus, our pressure and temperature data readings are triggered at the same time and are truly simultaneous. In line 420, we read the pressure DMM data into the pressure array PRES. Character 10, a linefeed, is used as an EOS by the DMM and is so declared in line 420. Lines 500 through 530 check to see if an SRQ was sent by any device and, if so, conducts a serial poll. This is done because the program allows the experimenter to interrupt the experiment at any time by pressing a front-panel button on either DMM. The program will then treat the data collected up to that time as the complete data set and begin the data analysis routine. If there was no SRQ, the program waits 30 seconds, checks to make sure that the data arrays are not about to overflow, and then takes another data reading.

The program presented above is a very simple routine. However, even this basic level of process control is very difficult to achieve on interfaces other than the IEEE-488. If you have a choice, you should begin reshaping your lab to support IEEE-488 interfacing. As you replace outdated or broken equipment, the cost of adding an IEEE-488 interface is nominal and the added flexibility is not available from any other source. ■

ATTENTION : OKIDATA : OWNERS!

USE YOUR PRINTER TO ITS FULLEST WITH MARVEL PRINT™ I

MARVEL PRINT FEATURES:

- Proportional Spacing of letter quality text—(justifies right margins).
- Enables you to create **graphics**—even in the middle of text.
- Lets you create your own **character sets**.
- Allows you to **backspace**.
- Includes a **powerful Label Printing Program**.
- Uses only **one character** for common codes:

SUBSCRIPT	EMPHASIZED
SUPERSCRIPT	DOUBLE WIDTH
UNDERLINE	PICA
ENHANCED	ELITE
DATA MODE	CONDENSED



MARVEL PRINT—the new user-friendly program that generates ALL the features of the Okidata 92 & 93 printers using ANY text-producing program (word processor, spread sheet, data base).

We sell Okidata 92 & 93 printers bundled with Marvel Print hardware at discount prices. Call or write for more information. Dealers welcome. Okidata is a trademark of the Okidata Corp.

Also available from Marvel Software by Popular Demand:

Character Sets: Italics • Script • Science & Math Symbols • Hebrew • Russian • Arabic • Greek • Foreign Language Marks

Character Clone Set: Allows you to take characters from different sets & combine them for simultaneous use.

Marvel Print only \$70
 Marvel Print with any 1 character set \$85
 Marvel Print with any 2 character sets \$90
 Character Clone set \$10
 Works with Apple, CP/M-80, PC-DOS, MS-DOS. **State System.** Visa, American Express, Mastercard welcome. Phone orders accepted or Send check or M.O. to:

MARVEL SOFTWARE

1922 Ave. N, B'klyn, N.Y. 11230, (718) 336-2323

The PC Plotter: It will change the way business looks at graphics.

The lowest-priced professional plotter on the market today is Houston Instrument's new four-pen PC Plotter. It is designed to produce the crisp graphics you need to compete — and communicate — in business. Just what makes this plotter so competitive? Let's take a look:

Price — A multi-pen, compact, single-sheet plotter at \$595* isn't just a low price — it's an unbelievably low price. What an affordable way to link the power of graphics communication to your personal computer.

Performance — Yours and Ours — Until the PC Plotter was born, it was too expensive to let the pictures do the talking. Now that's no longer true. So, the next time the boss walks into the office needing some "nice charts and graphs," you can quickly fill the request with clean, colorful, wonderful graphics. Who knows, you might even get a raise!

As to our performance, we're the only plotter manufacturer offering you hundreds of graphics software packages which are

compatible with the PC Plotter. That means you can produce any type of drawing you require.

Flexibility — Depending on your needs, you can select from two PC Plotter models. One (PC Plotter Model 595 for \$595.00*) allows you to produce graphics or overhead transparencies on 8½" × 11" paper or film; the other (PC Plotter Model 695 for \$695.00*) permits either 8½" × 11" or 11" × 17" graphics. And we didn't forget the OEM. Houston Instrument will work with you to configure a plotter that's perfect for your particular application.


For the name of your closest PC Plotter distributor or dealer, contact Houston Instrument, P.O. Box 15720, Austin, Texas, 78761 or call (512)835-0900. Outside Texas call 800-531-5205. In Europe, contact Houston Instrument, Belgium NV., Rochesterlaan 6, 8240 Gistel, Belgium. Tel. 059-27-74-45, Tlx. 846-81399.

Inquiry 139



**houston
instrument**





A NEW LEGEND BEGINS.

INTRODUCING NEW KODAK DISKETTES.

For as long as anyone can remember, the world has trusted Kodak film to capture its memories. Now the world can trust legendary Kodak quality to capture its computer data.

Introducing Kodak diskettes. And the beginning of a new legend.

We know you expect nothing less than extraordinary performance from a Kodak product. We didn't disappoint you.

These remarkable new diskettes are so thoroughly tested, they're certified error-free.

Every Kodak diskette has a highly burnished head surface for optimum read-write accuracy. And every standard diskette is made to

withstand 4½ million passes before significant wear occurs.




With accuracy and durability like that, we can offer this no-questions-asked replacement policy:

This KODAK Diskette will be free from manufacturing defects, or we will replace it.

Kodak diskettes for home and business PC use are available in standard 8- and 5¼-inch formats, high-density 5¼-inch diskettes, and 3½-inch micro diskettes in our HD 600 Series.

New Kodak diskettes. Because the only thing that can follow a legend is another legend.





Eugene Pothier

Reviews

REVIEWER'S NOTEBOOK	
<i>by Glenn Hartwig</i>	289
NEWWORD	
<i>by John Heilborn and Nanci Reel</i>	291
JANUS/ADA	
<i>by Mark J. Welch</i>	295
THE EPSON GENEVA PX-8	
<i>by Rich Malloy</i>	302
TWO MODULA-2 COMPILERS	
FOR THE IBM PC	
<i>by Kevin Bowyer</i>	311
E-MAIL FOR THE MASSES	
<i>by Wayne Rash Jr.</i>	317
MANNESMANN TALLY MT 160	
<i>by Mark J. Welch</i>	325
REVIEW FEEDBACK	331

EVEN WITH ITS MULTIPLE-KEYSTROKE FUNCTIONS and non-mnemonic commands, WordStar has retained its reputation as a powerful and popular word processor. Now some of the people who developed WordStar have gotten together and written a package designed to capitalize on WordStar's strengths while addressing its weaknesses. Called NewWord, this program from NewStar Software has strengths and weaknesses of its own. In our first review this month, John Heilborn and Nanci Reel take a close look at whether it fails or succeeds in its objectives.

Next, Mark Welch gives us his investigations of Janus/Ada. A nonstandard subset of Ada for MS-DOS and CP/M-80, Janus/Ada lacks a lot of features that give Ada its special character and utility. On the other hand, its fundamental structure is that of Ada's, and it can give you a definite head start in your attempts to pick up a new and complex programming language.

The Geneva PX-8 is Epson's lap-size computer. These small machines look now to be a permanent feature of the microcomputing landscape. The PX-8's credentials are impressive: a CMOS Z80, 96K bytes of two kinds of memory, an 8 by 80 LCD, and a comprehensive list of bundled software for less (just less) than \$1000. Still, what we've seen for some time are systems that do very similar things with their major difference being price. How well can one of these briefcase computers help you work? Rich Malloy has taken a hard look at the PX-8. His review this month shows you what you can expect.

When confronted with a choice between two products designed to do the same thing, do you ever find yourself asking why one costs more than 10 times as much as the other—and is it worth it? A case in point is demonstrated in this month's review of "Two Modula-2 Compilers for the IBM PC." Both are adaptations of the original Swiss compiler and neither is a trivial implementation. Why then does one cost \$40 and the other \$495? Is the more expensive product necessarily the better product? While not primarily a comparison on a cost basis, Kevin Bowyer's review provides good evidence about what each compiler can do.


Another comparative review is offered by Wayne Rash Jr. in his look at MCI Mail and EasyLink. In theory, electronic-mail services have a lot to recommend them. Why haven't they caught on as well as their advance billing a few years ago would lead us to expect? Both of these packages are full services, and each has been heavily promoted. Do you want one to call your own? If so, do you want either of these? Good questions. Mr. Rash provides some good answers.

Closing out this month's review section, Mark Welch provides a straightforward look at a straightforward product. Mannesmann Tally's latest printer, the MT 160, has a variety of print modes, speeds, configuration capabilities, and programmable features. Mark Welch details the MT 160 and gives you as good an idea as anyone could about what this machine will and won't do.

—Glenn Hartwig, Technical Editor, Reviews

A Picture's Worth:

U.S. SHIPMENTS (\$ BILLIONS)



** GRAPHICS CAPABILITIES **

- ♦ HIGH PERFORMANCE GRAPHICS
- ♦ TEKTRONIX 4010 COMPATIBILITY
- ♦ AUTOMATIC SCALING (1023x1023) WITH 250x512 RESOLUTION
- ♦ ALPHA MODE (35 LINES x 73 COLS)
- ♦ OPTIONAL JOYSTICK
- ♦ CONNECTION TO LOW COST PRINTER FOR GRAPHICS HARDCOPY
- ♦ ASCII AND APL CHARACTER SETS
- ♦ BLOCK FILL, DOTTED/DASHED LINES

** DISPLAY TERMINAL CAPABILITIES **

- ♦ ANSI STANDARD CONFORMANCE
- ♦ DEC SOFTWARE COMPATIBILITY
- ♦ 80/132 COLUMNS, WINDOWING
- ♦ 4 PAGES OF MEMORY STANDARD (UP TO 8)
- ♦ 46 PROGRAMMABLE FUNCTIONS
- ♦ ASCII AND APL MODELS
- ♦ COMPACT ULTRA-THIN KEYBOARD
- ♦ 15" 100% LUMINOUS AMBER PHOSPHOR

High
performance
graphics
at a new
low price!

\$1190*

**CONCEPT GVT+™
Graphics
Display Terminal**

*Small quantity price



**human
designed
systems,
inc.**

Whether used in video display mode or in its high-performance graphics mode, Human Designed Systems' GVT+™ Graphics Display Terminal offers more user friendliness, more design features, and more advanced functionality to optimize productivity — and encourage creativity — for the terminal operator, interactive user, and applications developer than any other terminal available today.

Atlanta — (404) 391-9763; Boston — (617) 449-6446; Chicago — (312) 825-2960; Dallas — (214) 437-1888; Delaware — Infocon: (302) 239-2942; Denver — (303) 469-1953; Detroit — (313) 471-2807; Hawaii — Gray Associates: (808) 261-3751; Houston — (713) 952-1403; Los Angeles — (213) 410-9454; Northern New Jersey — Infocon: (201) 624-1372; New York City Area — Infocon: (212) 689-8833; New York State — Nanco Electronics: Rochester: (716) 223-4490; Syracuse: (315) 699-2651; San Francisco — (415) 692-4184; Washington, DC — International Systems Marketing: (301) 279-5775; Argentina — Itron SA: (01) 774-9369; Australia — Computer Clarity Pty. Ltd.: (02) 241 3385; Belgium — BELCOMP: 091-31.52.22; Canada — CAIL Systems: Toronto: (416) 362-1063; Denmark — ADCOM Data Aps: 1-19 44 66; Finland — Valtamatic Oy: 0-742 011; France — Walton: (1) 226.06.90; Japan — Ampere: 03 (365) 0825; Portugal — Soc. Com. Crocker, Dellatorre Co. Ltd.: 1-6801 41; Singapore — DTS Singapore: 33-88-566; South Africa — Psitac (Pty.) Ltd.: (11) 836-9181; Switzerland — Mitek ag: 01/461 22 52; United Kingdom — Shandell Systems Ltd.: 2407-2027; Venezuela — H. Blohm SA: 2 541.21.22; West Germany — COMIKO Computersysteme GmbH: 221-48 30 51. INTERNATIONAL DISTRIBUTORSHIP INQUIRIES INVITED.

R·E·V·I·E·W·E·R'S N·O·T·E·B·O·O·K

Two software packages for laboratory data acquisition tie in with this month's theme, computing in the sciences. Up for future review are Labtech Notebook, from Laboratory Technologies Corp., 328 Broadway, Cambridge, MA 02139, (617) 497-1010; and Asyst, from Macmillan Software Co., 866 Third Ave., New York, NY 10022, (212) 702-3241. Also slated for closer scrutiny in upcoming issues is the software provided by various A/D (analog-to-digital) board manufacturers. Those companies include Tecmar, 6225 Cochran Rd., Cleveland, OH 44139, (216) 349-0600, maker of the Labmaster board; and Data Translation, 100 Locke Dr., Marlboro, MA 01752, (617) 481-3700. While the A/D board makers seem to concentrate on producing driver software, the two packages first mentioned are integrated data-acquisition and data-analysis software.

Beginning with hardware requirements, there are key differences between the two main packages. The Labtech Notebook (which Data Translation also markets, under the name DT Notebook) *can* use the Intel 8087 math coprocessor chip; the Asyst package *requires* it.

There are other differences between the two. Asyst supports complex number types, while Labtech Notebook does not. Asyst includes a wide variety of statistical-analysis options, while Labtech Notebook is more limited. Asyst includes routines to calculate polynomials, to operate on vectors and matrices (including matrix inversions), to determine the eigenvalues and eigenvectors of a matrix, to fit data to curves using least-squares approximations and multi-linear regression, and to do fast Fourier transforms (including two-dimensional forward and inverse forms). Labtech Notebook lacks

these sophisticated mathematical functions. Arguing on behalf of Labtech Notebook is its ability to continuously stream input data to disk up to the limit of mass-storage space. Additionally, Labtech Notebook (written in FORTH-like MAGIC/L) is menu-driven and easy to use, while Asyst is a FORTH extension and requires the use of FORTH syntax, making it more difficult for some people to use. Finally, Labtech Notebook supports a wider variety of A/D boards. Both packages, however, support curve fitting.

Labtech Notebook uses Lotus 1-2-3 or similar products to do its graphing (except for real-time graphing, which is built in) and requires a spreadsheet or user-written program to perform data analysis. What is good about this is that the data files are written in comma-delimited ASCII (American Standard Code for Information Interchange), which could be transported to most other software packages that include a user-written analysis routine. What is not so good is that we don't know many scientists who can so easily write good graphing routines that they actually want to spend time doing it. Further, Lotus 1-2-3 has been characterized as inappropriate for creating sophisticated analysis programs. You'll need to take a serious look at this Labtech Notebook/Lotus 1-2-3 interdependency if you're considering it for your application. Right now, being tied into Lotus's graphing capabilities strikes a number of people around here as providing less functionality than needed for serious laboratory data analysis.

Nor is Asyst a likely "white knight" for the scientist. True, it has everything you could want except continuous data acquisition, but it is so hard to use that some of the company's own demonstrators seemed to have

learned their presentations by rote. At a recent demonstration in Washington, DC, they wouldn't vary the input data at the suggestion of the audience.


Neither of these packages is cheap. Asyst comes in three separate modules and is priced at \$1695 when all three are bundled together. The first module contains the system/graphics/statistics routines, is required to run the other two modules, and costs \$795. The second module handles data analysis and costs \$495. The third takes care of data acquisition and sets you back another \$495.

Labtech Notebook is a single package and is less expensive in strictly relative terms—\$795. The catch is that you have to provide your own Lotus 1-2-3.

Reporters are slowly realizing that system crackers cannot magically break into any computer. They are more likely invited in by poorly designed security measures. One of the devices that has arisen from this purported problem is the call-back modem, a device that allows access only from a group of specially selected phone numbers. And the first to arrive here at BYTE is the GTX-100 secure modem, from Lockheed-GETEX, 86 South Cobb Dr., Marietta, GA 30063. This modem, which sells for about \$1000, can be set up so that nobody can call in to the system directly. You merely give it a password and the modem will then call you back after referring to a list of phone numbers in its memory. Unfortunately, the modem is not completely compatible with the Hayes modem, so some software may not work with it, but it seems to be a pretty interesting idea.

—Glenn Hartwig, Technical Editor, Reviews

Hayes sets the standard for personal computer communications. Again. Smartmodem 2400.TM



The new fast mover from Hayes. The telecomputing leader. When it comes to communications products for personal computers, we're the leader! Hayes Smartmodem 1200TM set the industry standards for quality, reliability and performance.

Now our new, faster Smartmodem 2400 goes even further to lower telephone line costs and improve user productivity. So, at twice the speed of a 1200 bps modem, it quickly pays for itself in any high-volume communications operation.

Smartmodem 2400 provides a quick link to minis and mainframes. Both synchronous and asynchronous transmissions are supported by an advanced version of the well-known Hayes "AT" command set. You can download from the IBM mainframe at the home office. Send data to the mini upstairs. And guarantee accurate transmission with information services.

With worldwide communications in mind, Smartmodem 2400 was designed to meet CCITT international standards. It provides a fast, cost-effective way to transmit data between approved countries.

New version of Hayes Smartcom II[®] communications software creates a complete telecomputing system with Smartmodem 2400. Our new Smartcom II, Version 2.1, is available for the IBM^{*} PC and many popular compatibles. Smartcom II makes the most of Smartmodem's exceptional features, at the same time it makes communicating easy for you. And, if you're currently using an earlier version of Smartcom II, Hayes offers a \$25 upgrade to Version 2.1.

So if you're looking for ways to streamline your communications, see your authorized Hayes dealer right away. For a hands-on demonstration of Smartcom II and our new Smartmodem 2400. Guaranteed to get you moving fast!

Hayes Microcomputer Products, Inc., 5923 Peachtree Industrial Blvd., Norcross, Georgia 30092. 404/441-1617.

Smartmodem 2400


- Direct connect • Asynchronous and synchronous communications
- Accommodates Hayes-compatible modems of slower speeds
- Meets CCITT worldwide standards • Keyboard control of all communications parameters • High speed indicator • Voice/data capabilities • Call progress monitoring • Two-year limited warranty with optional four-year extended warranty available.

Smartcom II

- Hayes Verification and XMODEM protocols • Emulates DEC^{*} VT52 and VT100/102 • Totally unattended operation • Voice/data capabilities.

Hayes[®]

Smartcom II is a registered trademark and Smartmodem 2400 and Smartmodem 1200 are trademarks of Hayes Microcomputer Products, Inc.
*Trademarks of their respective companies. ©1985 Hayes Microcomputer Products, Inc.



S·O·F·T·W·A·R·E R·E·V·I·E·W

NewWord

A WordStar clone with significant improvements

BY JOHN HEILBORN
AND Nanci REEL

WordStar, the archetypal word processor, is a versatile text-manipulating tool, but it can be difficult to master. NewWord, developed by NewStar Software, retains the strengths that have made WordStar popular while addressing most of WordStar's shortcomings.

NewWord, available for the IBM PC, PC-compatibles, and CP/M-80 systems, is priced at \$249. Functionally, NewWord is similar to WordStar—it was, in fact, designed by some of the same people—but it is not merely a WordStar clone. And although it is not perfect, NewWord offers some significant advantages over WordStar.

WordStar's delete commands (Control-G, Control-T, Control-Y) are permanently destructive; when you delete something, it's gone forever. If you change your mind (or if you erase accidentally), you need to retype. To make matters worse, Control-Y (delete line) is right next to Control-T (delete word), so you can easily delete an entire line by mistake.

NewWord has an undo command (Control-U) and an "unerase" buffer. This command will usually undo whatever the last command did. For example, it will unerase a block that you erased with the command Control-KY. You can set the size of the unerase buffer during installation. Its original setting is 255 characters, or about 10 words.

When you request a document to edit, WordStar does not check to make sure that you typed the name correctly. If you misspell a document name, WordStar assumes that you want to create a new document. You have to abandon your misspelled file with Control-KQ. On the other hand, NewWord looks for the document and asks for verification if the entered name does not match a file in the disk directory. This eliminates abandoning empty files inadvertently created when you try to retrieve an existing document for editing.

When WordStar saves a file during editing (Control-KS), the cursor returns to the top

of the document, not to where you were editing. You must then use Control-OP to move the cursor back. NewWord returns the cursor to your editing location without extra keystrokes.

PRINT FEATURES

In general, WordStar displays a document on the screen that looks exactly the way the printed page will look. Unfortunately, it also displays the control commands that you have to insert before and after text to turn boldface, underline, and other print features on and off. WordStar does have a special command that hides these commands, but it prevents you from seeing the control codes. You might forget where they are or leave out a trailing command and, for example, italicize the remainder of your document.

NewWord can display special print options such as boldface, underline, and strikeover on the screen if your terminal supports this capability. And NewWord's search function recognizes these embedded print control characters. For example, you can find all the boldfaced words and change them to underlined words; with WordStar, you have to conduct such a search visually without program support.

Another feature WordStar lacks is the ability to print more than one copy of a document at a time unless you buy the MailMerge program at extra cost. NewWord, however, includes the option of printing multiple copies of a document via a selection from the print menu. Also, you do not need an extra program to create form letters and perform other merge-printing tasks. NewWord has a merge-print function with features and commands similar to Micro-Pro's MailMerge, and advanced features such as conditional merge-print commands.

RULERS AND HEADERS

WordStar has other shortcomings that might be visible only to advanced users. For

(continued)

John Heilborn (POB 20102, Castro Valley, CA 94546) is president of ThinkWorks Inc., and Nanci Reel (6700 Southwest 105th St., Suite 200, Beaverton, OR 97005) is a technical writer for Tenceron Corporation.

AT A GLANCE

Name

NewWord

Type

Word-processing software

Manufacturer

NewStar Software Inc.
1601 Oak Park Blvd.
Pleasant Hill, CA 94523
(415) 932-2278

Price

\$249

Format

5¼-inch floppy disk, PC-DOS (MS-DOS)
and CP/M

Language

8080 machine language or 8086/8088
machine language

Computer

MS-DOS- and CP/M-80-based
microcomputers


Documentation

420-page manual, *Read Me First* (23
pages), Pocket Reference flyer, and disk
tutorial


Audience

Business and home users of microcom-
puter word-processing software who re-
quire advanced features


LOAD (SEC)




SAVE (SEC)



SEARCH (SEC)



SCROLL (SEC)



NEWWORD

WORDSTAR 3.3

VOLKSWRITER DELUXE

Document Load measures how long it takes each word processor to load a standard 4000-word document from disk. Document Save measures how long it takes to save

the document to disk. Search measures the time it takes to find the last word in the document. Scroll measures how long it takes to scroll through the document manually.

example, in WordStar a "ruler" indicates left and right margins and tab stops. If you use several rulers within a document, you must embed each ruler in the text of your document. Each time you edit a document with several rulers, you must use a special command to turn on the new rulers as you encounter them.

NewWord allows more flexible use of multiple rulers. When you edit, NewWord automatically changes the ruler line every time it encounters a new ruler (when moving either forward or backward through a file). The command Control-OO inserts a copy of the current ruler into your text, and the factory setting lets you use up to six rulers per file, although you can increase the number during installation.

NewWord also lets you use up to three lines in page headings and footings, where WordStar limits you to single lines.

PRINTER INSTALLATION

WordStar operates with a wide variety of printers but usually does not take advantage of their most sophisticated capabilities, such as proportional spacing (with microjustification) and italics, without assembly-language patches to the printer drivers. Also, if you have more than one printer hooked up to your system (for example, a dot-matrix printer for drafts and a letter-quality printer for final copies), you need to customize a WordStar disk for each printer and load the appropriate one.

NewWord lets you attach more than one printer to your computer and select the right one when you are ready to print. NewWord accomplishes this with multiple printer drivers, including dot-matrix, letter-quality, and electronic typewriter drivers, which are available as overlays. This package uses the advanced capabilities of the printers supported, including microjustification, variable character width and line height, and alternate pitches on the same line.

OTHER FEATURES

NewWord's IBM PC version (with DOS 2.0 or higher) protects a document

when you use the opening menu's C command. You cannot edit or delete a protected document.

NewWord also lets you find a particular page using Control-OP.

The Control-T command (delete word) works differently in NewWord than in WordStar. WordStar treats a punctuation mark as part of a word; if you use Control-T to delete the word "end," the trailing period is deleted with the word. NewWord deletes the word but not the period.

A minor difference between NewWord and WordStar is that NewWord's left-arrow key is a destructive backspace (WordStar's is nondestructive).

Finally, in NewWord you can set the right margin to 255 (WordStar's limit is 240). The wider margin is not significant for most applications, but it might be important in yours.

DISADVANTAGES

You have to give up some WordStar features for NewWord's improvements. For example, you can't print a document while editing (Control-KP). This is NewWord's most serious flaw. Even when you use a print spooler, printing a long document requires a fair amount of time before the program accepts additional input.

You can change logged disks while editing, but NewWord can't turn on the file directory (Control-KF in WordStar), so you can't see what's on your disk. For a way around this, issue the command Control-KJ (delete file). NewWord will display the directory of the currently logged disk and prompt you for the name of the file to delete. You can check the directory of the currently logged disk and cancel the command with Control-U; NewWord won't delete anything.

The R command, which temporarily returns you to DOS and runs a program, is missing from NewWord, and NewStar Software has no plans to add it to NewWord's vocabulary. If you want to format a blank disk from within NewWord, you're out of luck.

Another missing command is WordStar's "repeat this key" (Control-Q Control-Q*). Also, NewWord doesn't separate program messages and text

clearly, which often makes the screen display confusing.

USING NEWWORD

Like WordStar, NewWord uses a multiple-menu-oriented command struc-

ture, but because NewWord's menus are less cluttered, they are easier to read (see photo 1).

When you begin program execution, NewWord presents an opening

(continued)




Photo 1: (a) NewWord's opening menu compared with (b) WordStar's no-file menu.



Photo 2: (a) NewWord's edit menu compared with (b) WordStar's main menu.

menu (older versions of WordStar call this a no-file menu). You select one of the activities listed by typing a single character.

If you select D or N, you enter edit mode (see photo 2). Once you are in the edit mode, the edit menu (called the main menu in WordStar) appears on the screen. From this menu, you access commands by pressing the Control key and entering a character. The four commands labeled EXTENSIONS (Control-O, Control-K, Control-P, and Control-Q) are for submenus. Pressing these commands calls submenus that let you select the third character required for each command sequence. If you are familiar with NewWord, you can enter the commands without waiting for the submenus.

Fortunately, NewWord can read and edit WordStar files without conversion or translation. The program can also use some of the same auxiliary programs; for example, we use the same print spooler we use with WordStar.

PERFORMANCE

We tested NewWord version 1.29, which is available for the IBM PC and compatibles (we used a PC, PCjr, and Compaq) and for CP/M-80 systems (we used a Morrow MD-11). Some improved versions are available: version 1.40 for the IBM PC and compatibles is slightly faster than 1.29 and contains some minor program changes, and version 2.0 for CP/M-80 systems contains the column block-move feature, which NewStar reports will be available soon (two to three weeks) for IBM PC users. [Editor's note: We used NewWord version 1.43 to perform our benchmark tests.]

Unlike WordStar, NewWord uses no

overlays except the printer driver. In cases where WordStar must load an overlay to perform a function, NewWord's performance is faster. Overall though, we judge WordStar to be faster than NewWord on the IBM PC and compatibles and slightly slower on the CP/M computers. See table 1 for data on the IBM PC, and John Heilborn's article "The Morrow MD-11" (September 1984 BYTE, page 325) for benchmarks using CP/M systems (in table 2, page 334).

INSTALLATION

The NewWord installation procedure is long (13 pages of step-by-step instructions) and critical, because the custom installation procedure is also the copy-protection scheme. Prior to this installation (called "unlocking") the software won't run on any computer. In order to unlock the software, you have to call a special 800 number maintained by NewStar. After unlocking, the software runs only on the machine on which it was installed.

The unlocking procedure is described in *Read Me First*, a 13-step instruction guide accompanying NewWord. The steps are clearly stated and even an inexperienced novice could follow the guidelines.

To customize NewWord to fit your own needs, NewStar has included a utility called NWINSTALL, a customization program. Like NewWord, NWINSTALL is menu-driven. Some users will need to use the utility to install special terminals and printers (the default terminal is a TeleVideo 925). The program is easy to use and well documented; the menus are comprehensive but not intimidating. NewWord's many customization op-

tions are described in the manual's Nuts and Bolts section. The organization of this section could use work (and there are several typographical errors) but, in general, the guidelines for using NWINSTALL are clear.

NewWord includes another utility program called NWCOLOR that lets you customize the screen display for a color monitor. You can select any one of eight colors for the foreground and background of text display, as well as high intensity (boldface), blinking, and blinking boldface mode for the foreground. You can display text in seven different ways and change any or all of them. NWCOLOR makes it easy to play with possibilities.

DOCUMENTATION

NewWord's documentation includes a 420-page manual divided into three major sections: Do It Yourself, a tutorial that is organized into 12 sections, each covering important word-processing tasks; Nuts and Bolts, a customization guide; and NewWord Encyclopedia, a reference manual. The manual was written for the CP/M version and has not been updated for the MS-DOS version, so it does not include the information required to make full use of some of NewWord's enhancements (such as built-in special printer drivers and programmable function keys).


NewWord also includes the aforementioned *Read Me First*, a disk tutorial for word-processing novices, a Pocket Reference flyer, and a Do-It-Yourself supplement that describes conditional merge-print dot commands.

CONCLUSIONS

NewWord has some features WordStar users have longed for (such as sophisticated yet flexible printer control and the undo command, which reverses whatever you just did). However, NewWord is not perfect. It can be slower than WordStar and it doesn't have some of the capabilities you might be dependent on if you've used WordStar more than casually. But at \$249, NewWord is useful enough so that the lack of a few features is tolerable. ■

Table 1: A comparison of benchmarks for NewWord, WordStar, and Volkswriter Deluxe.

Benchmark	NewWord 1.43	WordStar 3.3	Volkswriter Deluxe
Document Load	19.76	9.9	22.0
Document Save	23.17	24.9	21.9
Search	10.75	10.5	7.0
Scroll	1:21.45	41.2	30.1



Janus/Ada

A useful nonstandard tool for learning Ada

BY MARK J. WELCH

Ada is the U.S. Department of Defense's "Language of the Future." Although the DOD ordered that all defense contractors use Ada beginning this year, a lack of available, proven compilers has delayed its wide use. Whether or not you agree with the DOD that Ada is the best language, it will soon be the language of preference for government work. The DOD hopes that using a single standardized language will reduce maintenance costs for software.

Microcomputer owners seeking to learn Ada will likely feel a sense of despair, since the compilers available for microcomputers are either partial implementations or nonstandard subsets of the full Ada language.

RR Software's Janus/Ada (version 1.4.7) is a nonstandard subset of Ada for MS-DOS and CP/M-80. Janus lacks most of the features that distinguish Ada from other high-level languages, and it includes a number of nonstandard features.

However, Janus is a useful tool for learning about a complex programming language; those who have tried realize how hard it is to learn any programming language by reading even the best books or magazines. For a written overview of Ada, see Sabina H. Saib's two-part tutorial, "An Ada Language Primer," in June 1984 *BYTE*, page 131, and July 1984, page 139.

I used the MS-DOS version of Janus for the IBM PC. I am not an experienced Ada programmer; most Janus/Ada buyers will probably be in the same situation.

Ada was originally designed for real-time applications like guiding missiles or processing radar data. I don't have access to guided missiles and Janus doesn't implement Ada's concurrent tasking, so I wrote sample programs exercising Ada's usefulness as a general-purpose language. Since Janus doesn't have built-in graphics libraries, I wrote a simple text-based adventure game.

I had written a similar adventure game in BASIC in about 10 hours. Programming the game in Janus/Ada took quite a bit longer,

perhaps due to my lack of experience. However, the resulting code was more structured and easier to understand and update later.

I am familiar with Pascal, the language Ada most resembles. Pascal programmers should have an easier time learning Ada than those experienced in other, less structured languages. A warning, though: the similarity between the languages is also confusing. I was often slow to locate an error because the illegal Janus/Ada line resembled valid Pascal code.

Included with the compiler are several sample Janus/Ada programs translated from Pascal. While none of the programs are noteworthy, they show how some functions are implemented.

After compiling several of the included packages, I wrote a simple program of my own to print a message, read a line of text, and echo it. It took four hours and a phone call to RR Software before I could compile the program.

JANUS IS NOT ADA

Janus is not an entirely accurate subset of Ada. The problem I battled for hours involved parameter calls. Standard Ada lets you call any function or procedure that assumes default parameter values by invoking its name. Janus—like an earlier version of Ada—requires that you add an empty set of parentheses so the use of default parameters is explicitly stated.

Because Janus doesn't use standard Ada strings, it does not have a simple way to read in a string with the valid Ada procedure:

```
get(word);
```

or

```
get_line(word);
```

Instead, Janus excludes strings from the `get` procedure. You must use the `get_line` function instead of the `get` procedure. This

(continued)

Mark J. Welch is a *BYTE* staff writer. He can be contacted at POB 372, Hancock, NH 03449.

AT A GLANCE

Name

Janus/Ada Compiler

Type

Ada programming language
subset compiler

Manufacturer

RR Software Inc.
2718 Dryden Dr.
POB 1512
Madison, WI 53701
(608) 244-6436

Price

\$300 for CP/M-80 (not reviewed)
\$500 for MS-DOS
\$700 for MS-DOS with tools disk

Format

Three 5¼-inch double-sided floppy
disks (compiler, linker, and tools)

Documentation

237-page loose-leaf manual in
three-ring binder

Audience

Applications software developers,
Ada programmers,
aspiring Ada programmers

makes any program that uses I/O (input/output) nonstandard Ada. To read a string, you must call the `get_line` function:

```
word := get_line();
```

Note the required parentheses.

To make finished code look more like standard Ada, I created simple procedures to hide these nonstandard calls; if you compile such a program with a more complete Ada compiler, you need to change only these procedures.

Janus's nonstandard array handling also creates problems. You can create patches to cover some missing features, but some of Ada's elegance is lost. For example, the valid Ada array assignment:

```
y(1..10) := x(1..10);
```

will copy each element of `x(i)` into the corresponding `y(i)` element. This won't

work in Janus because Janus doesn't implement array or string "slicing." That is, it cannot access groups of array elements. If `x` and `y` are non-string arrays, the following replaces the above code:

```
for i in 1..10 loop
  y(i) := x(i);
end loop; -- for i
```

If `x` and `y` are strings, the job is tougher. An appendix to the manual explains several nonstandard substring functions and procedures. To do exactly the same as the original, I'd have to use:

```
y := extract(y,11,length(y));
insert(y,extract(x,1,10),1);
```

where the first line removes the first 10 characters of `y` and the second inserts the first 10 characters of `x` into the beginning of `y`. Somehow this lacks the simple elegance of the valid Ada array assignment.

SEPARATE COMPILE

Any Ada or Janus code can easily be bundled off in a separate segment and separately compiled. By doing this, several programmers can develop code independently, each knowing only the names and parameters of the subprograms the others are developing. Any changes made to the subprograms later will require only that dependent segments be recompiled and the program relinked with a minimum of debugging.

THE COMPILER

The compiler makes four separate passes; I've only experienced errors on the first three. Much information is echoed to the screen, most of it useless to the typical user; during each pass of the source or intermediate code, screen symbols show that the compiler is working.

When the compiler finds an error, it displays the guilty line and the line preceding it along with the line number; it points out the error and displays a fairly helpful error message.

Run-time errors are more confusing. When an error occurs during run time, the system merely displays the error

message and line number. Since my text editor isn't line-oriented, I had to count lines to find the error—not an easy task when the error is in line 675.

Each compilation takes from two to five minutes, depending on the length of the file and on whether the file being compiled is merely a specification or includes executable code. Long files can be broken into segments for separate compilation; this is helpful when a single procedure must be recompiled many times during debugging. After all segments are compiled, you can link the main program and generate a .COM file. Like most compilers, Janus/Ada generates .COM files that are longer than the source code because library subprograms are linked into the file as well.

BENCHMARK PERFORMANCE

Janus/Ada is not an optimized compiler, nor does it optimize the code it generates. This is forgivable given its price and the speed with which it was brought to market. Still, it needs substantial performance improvements before I would use it for commercial software development.

The Sieve program in Ada compiled in 184.7 seconds, linked in 15.1 seconds, and ran in 29.4 seconds. Most, if not all, other language compilers on the IBM PC generate faster code more quickly. (RR Software includes with the compiler a version of the Sieve program translated from Pascal to Ada that is different from the BYTE Ada Sieve benchmark.)

The floating-point benchmark (listing 1) compiled in 184 seconds, linked in 15.8 seconds, and ran in 2.6 seconds. In this case, execution time was faster than the speed of several C compilers, although compilation speed was slow by comparison. Note that an 8087 coprocessor was used and that Janus can use floating-point numbers on the IBM PC only if it is equipped with this math coprocessor; no provision is made for floating-point arithmetic in software.

A benchmark that computes Fibonacci numbers wouldn't run when translated because Janus/Ada doesn't support 16-bit unsigned integers; they

cause a run-time error when the highest value is computed. When rewritten to use Janus's `long__integer` type, a stack/heap overflow occurs because Janus uses only 64K bytes of memory for data. (It uses another 64K bytes for code.) The Quicksort and IOfile programs used in benchmarking compilers also use long integers but were not benchmarked.

Janus's `long__integer` type was not easy to figure out, even after several calls to RR Software. The manual notes that `long__integer` is a standard type, but in fact you must use a separate library package called LONGOPS. Copies of the library packages are included on disk, a fact I discovered only after calling the company several times.

Janus `long__integers` can't be manipulated like integers, since they're essentially user-defined types; addition or type conversion has to be done using one of the functions in LONGOPS. As a result, a program using `long__integers` in Janus looks radically different from one using integers in a more standard compiler. Listing 2 shows the Fibonacci program in standard Ada; an overflow error is generated because the 24th Fibonacci number is a 16-bit unsigned number and Janus supports only 15-bit unsigned or 16-bit signed integers. Listing 3 shows the program converted to use the type `long__integer` in Janus; a heap overflow occurs because of the deep recursion and large data space required.

DOCUMENTATION

The Janus/Ada manual follows the format of Ada's military standard reference manual: each section mimics the reference manual and discusses any differences between Janus and Ada. The manual warns that it is not a complete guide and suggests that you have a copy of the Ada reference manual and an Ada textbook.

The Janus manual refers to the Ada reference manual of 1980, which is no longer accurate; changes were made during the ANSI (American National Standards Institute) review process,

(continued)

Listing 1: *The floating-point benchmark program translated from the C version.*

```
package body floatbch is
  const1 : constant float := 3.141597E0;
  const2 : constant float := 1.7839032E4;
  count  : constant integer := 1000;
  a, b, c : float;
  i : integer;
begin -- float main program body
  a := const1;
  b := const2;
  for i in 1..count loop
    c := a * b;
    c := c / a;
    c := a * b;
    c := c / a;
    c := a * b;
    c := c / a;
    c := a * b;
    c := c / a;
    c := a * b;
    c := c / a;
    c := a * b;
    c := c / a;
    c := a * b;
    c := c / a;
  end loop; -- for i
  put ("Done"); new__line;
end floatbch;
```

Listing 2: *The Fibonacci benchmark program in the standard Ada language translated from the C version as printed in BYTE, June 1984, page 307.*

```
package body fibo is
  ntimes : constant integer := 10; -- # of times to compute fibonacci value
  number  : constant integer := 24; -- biggest we can compute in 16 bits
  value   : integer;
  i       : integer;
  -----
  function fib(x: in integer) return integer is
  begin
    if x > 2 then
      return (fib(x - 1) + fib(x - 2));
    else
      return 1;
    end if;
  end; -- function fib
  -----
begin -- fibo
  put(ntimes);
  put(" iterations: ");
  new__line;
  for i in 1..ntimes loop
    value := fib(number);
  end loop; -- for i
  put("fibonacci(");
  put(number);
  put(") = ");
  put(value);
  new__line;
end; -- fibo
```


Listing 3: *The Fibonacci benchmark program translated from C (BYTE, June 1984, page 307) into Janus/Ada using the necessary long_integer type.*

```

with longops;
package body fibo is
  use longops;
  ntimes : constant integer := 10; -- # of times to compute fibonacci value
  number: constant long_integer := lint(24); -- biggest we can compute
                                         -- in 16 bits

  one   : constant long_integer := lint(1);
  two   : constant long_integer := lint(2);
  value : long_integer;
  i      : long_integer;

  -----
  function fib(x: in long_integer) return long_integer is
  begin
    if Lgt(x,two) then
      return Ladd(fib(Lsub(x,one)),fib(Lsub(x,two)));
    else
      return one;
    end if;
  end; -- function fib
  -----
begin -- fibo
  put(ntimes);
  put(" iterations: ");
  new_line;
  for i in 1..ntimes loop
    value := fib(number);
  end loop; -- for i
  put ("fibonacci(");
  put (L_to_Int(number));
  put (") = ");
  put (L_to_Int(value));
  new_line;
end; -- fibo

```

Table 1: *A partial list of unimplemented or nonstandard features of Janus/Ada.*

Item	Purpose/Difference
Slices	Allows references to sections of arrays or strings Example: <i>a(1..5)</i>
Strings	Not Ada standard (dynamic length)
Named/default parameters	Allows default input parameters or named parameters in subprogram call Examples: <i>attack(enemy => sam, weapon => knife);</i> <i>attack(enemy => fred);</i> <i>procedure attack (enemy: IN person := dave;</i> <i> weapon: IN tools := gun);</i>
Tasks	Ada's multitasking facilities
Exceptions	Exception/error-handling facilities
Generics	Subprograms can be easily redefined for new data types Example: <i>procedure EXCHANGE (u,v: in out ELEM) is</i> <i> t: ELEM;</i> <i>begin</i> <i> t := u; u := v; v := t;</i> <i>end EXCHANGE;</i> <i>procedure swap is new EXCHANGE (character);</i> <i>procedure swap is new EXCHANGE(ELEM => integer);</i>

You need to rewrite Janus programs to run on an Ada compiler.

and the true Ada is now reflected in the reference manual of January 1983. (Like its manual, Janus conforms to the earlier version of Ada.)

A fairly complete index is included in the manual, but some items are omitted. When I tried to learn about string-handling routines, for example, I found that section 15—which includes the list of string functions—was not in the index under "string."

As noted above, the manual says that `long_integer` is a standard type, although it isn't. RR Software admits that the manual (version 3.2) is behind the compiler.

SUMMARY

The Ada Joint Program Office (AJPO) insists that any partial implementation of Ada be so marked and all missing features be clearly identified. RR Software includes a list of implemented and unimplemented features in its brochure and its documentation. Some of the most significant missing features are listed in table 1.

While missing Ada features make experience with Janus less helpful to programmers, its nonstandard implementations of other features can be downright confusing. String and file handling are nonstandard, which means that you will need to rewrite almost all Janus programs in order to run them on a valid Ada compiler.

RR Software expected the next version of Janus/Ada to be available in the fall of 1984 and said that many extensions and changes would be made to the compiler. The new version might be available by the time you read this article.

While Janus is not a true implementation and lacks many of Ada's features, it is a useful, inexpensive tool for those wishing to learn the language before true Ada compilers are available for microcomputers. ■

JUKI® 6300: THE SPEED OF A BEE AT ONE HONEY OF A PRICE— \$995!

It's the buzz of the industry—our new letter-quality printer that zips along at **40 characters per second** and sells for less than a thousand dollars! Its 13" print line will handle your spreadsheets and every imaginable kind of correspondence—plus graphics! Quiet, too—less than 60 dbA. And the 3K buffer memory (expandable to 15K) lets you use your computer for other purposes while the JUKI is printing. Compatible with most computers. (You can even get an optional tractor feed and cut-sheet feeder for it!) Now you know why JUKI printers are humming in offices all over the world!



JUKI®

The worker.

JUKI OFFICE MACHINE CORP.


EAST COAST:

299 Market St., Saddle Brook, NJ 07662
(201) 368-3666

WEST COAST:

23844 Hawthorne Blvd., Suite 101, Torrance, CA 90503
(213) 373-9060

*C Is The Language.
Lifeboat Is The Source.*



*Lifeboat.TM
The Leading Source And Authority For Serious Software.
1-800-847-7078.*

In NY State: 212-860-0300

Serious Software For The C Programmer From Lifeboat.™

Lattice® C Compiler: *The serious software developer's first choice.*

Selected for use by IBM,® Texas Instruments, Wang,® MicroPro,® Ashton-Tate,™ IUS/Sorcim,® Microsoft® and Lotus™ to name a few of the many. Why? Lattice C is clearly the finest 16 bit C compiler available today.

- Renowned for speed and code quality.
- Fully compatible with the C standards set forth by Kernighan and Ritchie.
- Four memory model options offer you unsurpassed control and versatility.
- Superior quality documentation.
- Now includes automatic sensing and use of the 8087 chip.
- Widest selection of supporting add-on packages.

Halo™: *A graphics development package rapidly emerging as the industry standard.*

- 140 graphics commands including plot, line, arc, box circle and ellipse primitives, bar and pie charts; pattern fill and dithering commands.
- New: multiple viewports and "stroke text" for angling, scaling and filling text.

C Food Smorgasbord™: *This beautifully written collection of C functions is a valuable time saver.*

- Library includes a binary coded decimal arithmetic package, level 0 I/O functions, a terminal independence package, IBM PC ROM BIOS access functions and much more.

Pmate™: *The premier editor for the programming professional.*

Pmate is a full screen editor with its own powerful macro command language:

- Perform on screen row and column arithmetic, alphabetize lists, translate code from one language to another, call up other macros.
- Customize Pmate almost any way you like.
- Contains 10 auxiliary buffers for storage of macros, text, subroutines.
- An "undo" feature allows the programmer to retrieve whole series of deleted items.

Additional C Tools

Available From Lifeboat:

Panel™: Screen formatter and data entry aid.

Lattice Windows™: Windowing utility; create "Virtual Screens."

Plink-86™: The popular linker; includes extensive overlay capabilities.

Pfix86™: Dynamic debugging utility.

Pfix86 Plus™: Symbolic debugger with capacity to debug overlays.

Btrieve™: Database record access/retrieval library.

Phact: Multikeyed ISAM C-Function library.

Fabs: Fast access B-tree database function library.

Autosort: Fast sort/merge utility.

ES/P: 'C' program entry with automatic syntax checking and formatting.

Greenleaf Functions™: Library of over 200 popular C functions.

And much more.

YES! Please rush me the latest FREE Lifeboat™ catalog of C products.

Company
Name

Business
Phone

Name

Title

Address

City

State

Zip

Please check the category where Lifeboat can best help you:

☐ Software development

☐ Corporate

☐ Education

☐ Dealer/distributor

☐ Government


☐ Other

Call Direct: 1-800-847-7078 (In NY State: 212-860-0300)

Return coupon to: Lifeboat Associates™
1651 Third Avenue, New York, NY 10128.

B/2





S·Y·S·T·E·M R·E·V·I·E·W

The Epson Geneva PX-8

Epson strikes back

BY RICH MALLOY

The Epson Geneva PX-8 (see photo 1) has a low-power CMOS (complementary metal-oxide semiconductor) version of the Z80 processor, 64K bytes of CMOS memory, 32K bytes of permanent ROM (read-only memory), an 8-line by 80-character LCD (liquid-crystal display), a rechargeable battery, a full-size keyboard, and a microcassette drive. In addition, the PX-8 comes with a full complement of software: the CP/M operating system (version 2.2), WordStar, CalcStar, BASIC, a scheduling program, and a communications program. This package (\$995), in combination with a healthy supply of expansion hardware, makes the PX-8 a good second computer, especially for people with CP/M systems.

HARDWARE

At five pounds and with physical dimensions just slightly larger than a heavily packed three-ring binder, the PX-8 is quite at home in a briefcase. With its LCD folded tightly and a plastic cover over its keyboard, it is fairly well protected for the ordeals of the road. There is even a large plastic handle that slides out near the keyboard. When you want to use it, the cover quickly slides off and the display unfolds to the desired angle, revealing a speaker and microcassette drive.

On the rear panel of the PX-8 are several ports: an RS-232C DIN (Deutsche Institut für Normung, the German standards organization) connector, a serial DIN connector (for an optional floppy-disk drive), a connector for a bar-code reader, an external speaker connector, and a 50-pin expansion connector covered by a plastic strip. The power switch is conveniently placed on the right side of the unit.

DISPLAY

The size of the Geneva's LCD is acceptable, but it is a little hard to read (see photo 2). You can adjust the display to whatever angle gives you the least glare and the most

contrast, and you can adjust the screen contrast further by sliding a switch that's below the screen.

The PX-8 can display 8 lines of 80 characters each. (The characters are composed on a 5- by 7-pixel matrix inside a 6- by 8-pixel matrix.) However, lowercase letters such as *g* and *y* do not have descenders, and you can't display in reverse video (i.e., light character on dark background). The characters are much smaller and thinner than those on the TRS-80 Model 100, and the screen is slower, but the Epson does display twice as many characters.

The screen displays all 96 standard ASCII (American Standard Code for Information Interchange) characters plus 32 common graphics symbols (codes 128–159 decimal), which are compatible with *some* Epson printers but not with the IBM-compatible ones. Character sets are available for France, Germany, U.K., Denmark, Sweden, Italy, Spain, and Norway.

The PX-8's keyboard is similar to but better than the HX-20's (see photo 3). It has four cursor keys above the Return key and a Help key plus five function keys in the upper left. And there are indicators for caps-lock and num-lock features.

MEMORY

The PX-8 uses a low-power CMOS version of the Z80 microprocessor with a clock rate of 2.45 MHz. In tests with BASIC and CalcStar, it appeared slower than most other office computers at calculating. The PX-8 also uses two slave processors. A 6303 controls access to the display, the external disk drive, and the application ROM chips, among other things. A 7508 works with the system clock and keyboard and controls the Geneva's alarm features.

The Geneva comes with 64K bytes of CMOS memory that is always *on*; even if the main battery fails, a small backup battery keeps the memory chips powered on for a week or so until you can recharge it. The only event that should clear memory is if

Rich Malloy is a senior technical editor for BYTE. He can be contacted at BYTE, 43rd Floor, 1221 Avenue of the Americas, New York, NY 10020.

you press a special hidden reset button on the bottom of the machine and do a cold reboot. You can set part of the memory up as a RAM disk with a size of 2K to 24K bytes.

The operating system is held in 32K bytes of ROM. When you turn on the system, it replaces (bank-switches) the lower 32K bytes of RAM (random-access read/write memory) with this ROM. When you run an application, the system bank-switches the RAM back into this location. The net result is a virtual 96K-byte machine.

The machine has two sockets for ROM chips hidden under a panel on the bottom of the computer. The software bundled with the PX-8 comes on four 32K-byte ROM chips: one each for CP/M system utilities, WordStar, BASIC, and a combination of CalcStar and a scheduling program. Only two of these chips can be resident in the machine at one time.

Epson has done a good job of implementing a microcassette drive in the Geneva. Even though it looks and acts like a tape drive, the operating system sees it as a disk drive, albeit a slow one. It even has its own directory and drive specification (H:). However, it has some quirks. To save time, the system doesn't write the directory onto the cassette until you tell it that you are going to remove the tape. If you forget to tell the system, some data stored on the cassette will be lost.

A 60-minute cassette (30 minutes per side) stores up to 12 files and up to 60K bytes per side.

You can also use the microcassette drive much like a regular audio-tape drive. Under certain conditions, the programmable function keys can simulate the control keys on a cassette tape player. You can even use it to listen to your audio cassettes, but the volume is very low.

The PX-8 is powered by an internal nicad (nickel-cadmium) battery, which can supply full power for about 15 hours. (Use of the microcassette drive or serial port shortens

this time.) You can recharge the battery with a small transformer that plugs into any power outlet. A full recharge takes about 8 hours, longer if you use the machine during the process.

INTERFACES

The Geneva has a number of interfaces for external peripherals. The most useful is probably the RS-232C serial port configured as a round eight-pin DIN jack. It has pins for all the most commonly used signals—GND, TD, RD, RTS, CTS, DSR, DTR, DCD, and FG (frame ground)—and a maximum speed of 19,200 bps (bits per second). You can use two protocols: SI/SO (shift in/shift out), which can transmit a full 256 characters over a 7-bit communications link, and XON/XOFF.

To use the RS-232C port you need to purchase a DIN/DB-25 converter cable (approximately \$25). Although we didn't test a large number of serial devices, we found the Geneva worked well with an Epson acoustic modem and with an IBM Personal Computer (PC) using a null modem adapter.

(continued)



Photo 1: The Epson Geneva PX-8 computer, shown with optional battery-powered 3½-inch floppy-disk drive. Note the internal microcassette drive located between the keyboard and the display.

The PX-8 has another similar connector labeled serial, which you can use to connect an external disk drive (at 38,400 bps) or a serial printer (at 4800 bps). It also has three other ports: an external speaker jack (in addition to the internal speaker), an analog input jack (which connects to an internal analog-to-digital (A/D) converter, 0–2 volts, 6 bits of resolution), and a connector for a bar-code reader.

One interface noticeably absent is a parallel printer interface. Another desirable connection would be for a full-size 80- by 24-character display.

The PF-10 portable 3½-inch disk drive (see photo 1) is available for \$599. Powered by an internal battery, it is rechargeable by the same transformer that recharges the Geneva. The disk drive can store about 320K bytes on a 3½-inch microfloppy disk and connects to the PX-8 with a short

cable through the serial port. You can connect two disk drives in daisy-chain fashion. The data-transmission rate is 38,400 bps, slower than the parallel connections most disk drives use. When you purchase the disk drive, you also get the following familiar CP/M utilities: FORMAT, DISKCOPY, ED, DDT, ASM, LOAD, and DUMP.

EXPANSION

The Geneva has some other interesting accessories. All are wedge-shaped modules that attach to the bottom of the computer and connect through the 50-pin expansion bus. These modules add little to the size and weight of the unit and elevate the keyboard to a comfortable typing angle.

The first of these are memory-expansion modules (see photo 4), which come in two flavors: 60K bytes (\$329) and 120K bytes (\$460). Since the Z80 microprocessor can address only the basic 64K bytes of memory, the second and third 60K-byte segments are set up as a RAM drive.

A second add-on module is a direct-connect, 300-bps modem (\$180). A third module combines that modem with 60K bytes of memory for \$360. We did not test either of these modules.

These expansion units all connect through the 50-pin expansion-bus connector on the back of the computer. This connector was not designed for easy access, but once you attach an accessory you probably won't have to touch it again.

SOFTWARE

The Geneva comes equipped with 128K bytes of software on ROM chips—four 32K-byte chips. The first one contains the BASIC interpreter; the second, some CP/M utilities; the third, Portable WordStar; and the fourth, a combination of Portable Calc (CalcStar) and Portable Scheduler. Only two of these chips can be present in the system at one time (see photo 5).

The Geneva's operating system has some interesting features. First, it all resides on yet another ROM chip,

(continued)



Photo 2: The display of the Epson PX-8. Under certain lighting conditions this 80-character by 8-line display can be difficult to read.



Photo 3: The keyboard of the Epson PX-8. In this picture the display is folded down over the microcassette drive. Note the second Control key to the right of the space bar and the caps-lock, num-lock, and insert-mode indicators above the zero key.

AT A GLANCE

Name

Geneva PX-8

Manufacturer

Epson America
2780 Lomita Blvd.
Torrance, CA 90505
(213) 539-9140

Size

11.7 by 8.5 by 1.9 inches
(29.7 by 21.6 by 4.8 cm),
5.1 pounds (2.3 kg)

Components

Display: 80-character by
8-line LCD, 480- by 64-pixel
graphics

Keyboard: 72 keys, 4 cursor
keys, 5 programmable
function keys

Processor: Z80-compatible,
low-power CMOS version,
2.45-MHz clock speed

Memory: 64K RAM; 6K RAM
for display; 32K ROM
(system); 64K ROM
(applications)

Power: Nicad battery rated
at 15 hours, small
transformer/recharger

Options: 320K, 3½-inch disk
drive (\$599); 60K memory
expansion (\$329); 120K
memory expansion (\$460);
300-bps, direct-connect
modem (\$180); combination
60K memory plus modem
(\$360)

Software

CP/M 2.2, BASIC (Microsoft),
Portable WordStar, Portable
Calc, Portable Scheduler,
TERM (communications)

Documentation


Five manuals

Price


\$995




MEMORY SIZE (K BYTES)




DISK STORAGE (K BYTES)



BUNDLED SOFTWARE PACKAGES




PRICE (\$1000)




■ EPSON PX-8 ■ IBM PC ■ APPLE IIe

The Memory Size graph shows the standard and optional memory available for the computers under comparison. The graph of Disk Storage capacity shows the highest capacity of one and two floppy-disk drives for each system. The Bundled Software Packages graph shows the number of software packages included with each system. The Price graph

shows the list price of a system with two high-capacity floppy-disk drives; a monochrome monitor; graphics and color-display capability; a printer port and a serial port; 256K bytes of memory (64K for 8-bit systems); and the standard operating system and standard BASIC interpreter for each system. Note that the price of the Epson does not include a disk drive.




The rear panel reveals (among other things) a speaker jack, an expansion bus, and an RS-232C port.




A look inside the PX-8 shows the processor chips (left) and the ROM chips (lower center).


DISK ACCESS IN BASIC (SEC)




BASIC PERFORMANCE (SEC)



SYSTEM UTILITIES (SEC)



SPREADSHEET (SEC)



||||| EPSON RAM DISK ■ EPSON PX-8 ■ IBM PC ▨ APPLE IIe

The graphs for Disk Access in BASIC show how long it takes to write a 64K-byte sequential text file to a blank floppy disk and how long it takes to read this file. (For the program listings see June 1984 BYTE, page 327, and October 1984, page 33.) The Sieve column shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. Note that the Epson could not run the Sieve test because of insufficient available memory. The Calculations column shows how long it takes to do 10,000 multiplication and division operations using single-precision numbers. The System Utilities

graph shows how long it takes to format and copy a disk (adjusted time for 40K bytes of disk data). The file-copy test involved copying a file from one part of a floppy disk to another. The Spreadsheet graph shows how long the computers take to load and recalculate a 25- by 25-cell spreadsheet where each cell equals 1.001 times the cell to its left. The spreadsheet programs used were Portable Calc for the Epson and Microsoft Multiplan for the others. The tests for the Apple IIe were done with the ProDOS operating system. The IIe Multiplan test was done with DOS 3.3, the IBM with PC-DOS 2.0.

which is permanently installed in the system. Second, when you turn the machine on for the first time, the system asks you how much memory you want in your RAM disk—from 2K to 24K bytes. Thereafter when you turn on the system, you see a menu of all the files on a particular drive. (By drive I refer to any device: a disk, a RAM drive, a microcassette tape. The operating system treats them all alike.) You then move the cursor to the program or document you want and press the Enter key. This loads the selected program into RAM and executes it.

If you press Control-Help, you see the System Display, which includes information on various operating-system parameters. The display contains the date and time, the size of the RAM disk, whether or not a password is in effect, which drives are listed on the menu, and which data files are linked to which programs.

The password feature on this machine is pretty secure. If you set a password, the machine won't do anything until you give it the correct one. The only way around it is to do a cold reboot and lose all your data.

You can turn the menu on or off and choose which drives are to be listed on the menu and in which order.

The System Display also lets you control the cassette drive manually. The function keys become like the controls on a tape recorder.

In practice, the menu is quite useful, but sometimes it gets in the way. For example, it is hard to enter a command such as STAT A:*. *—how many files are on the A drive and how large are they. To do this you must leave the menu by hitting Escape. Fortunately, you can turn the menu on or off.

The most significant piece of software in the Geneva is the ROM-based version of WordStar. Despite its small size, this version seems to contain most of the features of the larger version. The only features lacking are certain printing capabilities.

The spreadsheet supplied with the PX-8 is Portable Calc, a ROM-based version of CalcStar. Portable Calc performed our standard recalculation

(continued)

Table 1: Word-processing benchmarks for Portable WordStar on the Epson Geneva PX-8 (times in seconds). In many tests the Epson with a RAM disk performs as fast or faster than a floppy-disk-based IBM PC. There are two glaring exceptions, however: the scroll test and any test involving the Epson's floppy disk. All tests were done using a standard BYTE 4000-word test file (21K bytes). The RAM disk used was a 128K-byte external memory-expansion module. The data for the IBM PC was obtained using an IBM PC with WordStar version 3.3, DOS 2.0, two floppy-disk drives, and a monochrome monitor and adapter.

	Geneva PX-8		IBM PC
	RAM disk	Floppy disk	
Load text file	8.3	17.3	9.9
Save text file	15.6	80.0	24.2
Search	12.5	37.6	10.5
Scroll	287.0	n.a.	41.2



Photo 4: The optional memory-expansion module for the Epson PX-8, shown ready to attach to the bottom of the computer.




Photo 5: The sockets for the Epson's ROM chips are hidden in a special compartment on the bottom of the machine. A soft metallic sheet minimizes radio-frequency interference in the surrounding environment.

COMPUTER BROKERAGE SERVICES

"We do the Shopping for You"
800/233-1147



TX Residents
713/240-5515



4242 BLUEBONNET • STAFFORD, TX 77477

MONITORS

TAXAN 121 Green/122 Amber	135/140
Direct IBM Plug In	
115 Green/116 Amber	125/130
411 RGB-IBM Look Alike	365
High Res/With mono switch	
425 RGB-IBM Look Alike	465
Super High Res/With mono switch	
AMDEK New Color Monitors	CALL
310 Direct IBM Plug In	CALL
300 Amber/Green	CALL

BOARDS

TECMAR All Boards	SAVE\$\$\$
TAXAN Monocard with Parallel Port	199
Color Graphics Card	165
PERSYST	CALL
APSTEK HandiOne Plus/1 yr. warranty	195
Same features as Six Pac Plus But Much Lower Priced Bare Memory Board 256K	120

PRINTERS

OKIDATA All Models	SAVE\$\$\$
EPSON All Models	BEST PRICE
PANASONIC 1090	LOWEST PRICE
1091	CALL
TOSHIBA P1351/P1340	SAVE\$\$\$
TI 855	CALL
NEC LQ PRINTERS	CALL
DIABLO LQ PRINTERS	CALL
TTX LQ PRINTER w/Pin Feed Guide	370
TTX PRINTER — same as Diablo 630 API	390

MODEMS

ANCHOR MARK XII	245
MARK X	105
MARK VII	89
HAYES	CALL

DISK DRIVES

TANDOM TM100-2	165.00
TEAC HALF HEIGHT FLOPPY	175.00
I² INTERFACE Internal 10 Meg	CALL
External 10 Meg/Will boot from Disk	SAVE\$\$\$

COMPUTERS

THE VERY BEST PRICES

IBM PC All Configurations	CALL
COLUMBIA	SAVE\$\$\$
COMPAQ	CALL

MEMORY CHIPS

64K D-RAM KITS	33.00
-----------------------	-------

ACCESSORIES

SWITCH BOXES Parallel 2/3 Position	96/109
Serial 2/3 Position	66/84
DESK TOP PRINTER STANDS Lg./Sm.	29/24
DUST COVERS	CALL
DISKBANK MEDIA MATE 5	12
Holds 50 Diskettes	
CABLES IBM PARALLEL	19
PRINTER BUFFERS	CALL
DISKETTES Nasua DSDD	17
SURGE SUPPRESSORS /All Types	BEST PRICE

TERMS • We guarantee our products against Manufacturer's defects. • Add 3% for shipping charges. \$5.00 minimum. • Checks: Allow two weeks for clearance. • Texas orders +6% Sales Tax. • C.O.D.'s payable w/certified check, money order or cash.

Availability and prices subject to change.
IBM is a registered trademark.
APPROVED CORPORATE ACCOUNTS WELCOME.

REVIEW: EPSON GENEVA PX-8

test as fast as Multiplan did on the Apple IIe, and it was much faster than the CalcStar version that comes with the 16-bit Sanyo MBC 550.

Portable Scheduler runs rings around the SCHED program on the Radio Shack Model 100 and approaches the usefulness of the scheduler features on the HP 75 portable. You can set an alarm, and you can have the computer remind you of a series of appointments.

BASIC AND CP/M

The BASIC interpreter on the Geneva takes up about 32K bytes of memory, compared to about 16K bytes used by the Model 100's BASIC. The Geneva version lets you do quite a few more things; for example, you can access the alarm features directly from BASIC. It also includes AUTO (automatic line numbering) and WHILE ... WEND. Both BASICs were created by Microsoft, and they are fairly compatible.

In terms of performance, the Geneva's BASIC does not compare well with desktop-machine versions. The results of our single-precision calculation test were significantly slower on the Epson than on the IBM PC and the Apple IIe. Also, we could not get our Sieve of Eratosthenes test to run. Of course, anything that involved disk accesses was significantly slower.

Finally, we come to the utility programs of CP/M version 2.2, such as copy files (PIP), check disk or RAM-drive status (STAT), and perform several different programs in sequence (SUBMIT). To these programs Epson has added a configuration utility and two communications programs.

TERM is a general-purpose program for communicating with other computers via phone or direct connection. It doesn't support automatic dialing or logging on, but it is quite easy to use. FILINK is for file transfer to and from an Epson QX-10. We didn't test this program.

The practicality of these application programs is somewhat limited by the fact that only two ROM chips can be

present in the PX-8 at one time. If, however, you have one of the optional memory-expansion modules, you can load some of the more useful utilities into the RAM drive, then remove the CP/M utility chip and use that socket for another ROM chip.

One advantage of owning a CP/M system is that you potentially have a wide selection of available software. The Geneva display and keyboard emulate a Soroc IQ-120 terminal, and, theoretically, the Epson can run any CP/M software that is compatible with the Soroc. In actuality, the Geneva doesn't support features such as high-intensity or inverse-video characters, and although it has a virtual screen of 24 lines, its physical screen has only 8. According to Bob Diaz of Epson, most of the simple CP/M utility programs such as DU and CATALOG run on the Geneva. More complex CP/M programs, such as PeachText, will run but with some minor problems. And CP/M programs customized for a particular terminal or computer probably won't run at all.

DOCUMENTATION

The documentation for the Geneva and its software is, on the whole, good. The manuals are typeset, well written, accurate, and practically devoid of typographical errors. I was particularly impressed with the easy-to-read Portable WordStar manual, which included a reference card and stick-on labels for certain keys.

The main manual lists the entry addresses and functions of all the BIOS (basic input/output system) and BDOS (basic disk operating system) routines of the Geneva's version of CP/M.

SUMMARY

After the disappointment of the Epson HX-20, the Geneva PX-8 represents a giant improvement. It is, at this time, the most powerful 8-bit portable available. And its price of \$995 makes it fairly affordable. With the CP/M 2.2 operating system, the Geneva is an ideal second computer for CP/M system owners. It is also a good second computer for people who use WordStar on a desktop system. ■

**THE FOOL PROOF
XT/PC
TAPE BACKUP**

THE WORLD OF PC UPGRADES

MT10	10 Mbyte Micro Tape Backup "add it to your XT"	\$695
XT01	Micro Tape Backup and 1/2 High Floppy "add it to your XT"	\$895
IS10	10 Mbyte Hard Disk with Controller	\$795
IS10R	10 Mbyte Removable Hard Disk/Controller	\$1295
IS20	20 Mbyte Hard Disk with Controller	\$1095
IS33	33 Mbyte Hard Disk/Controller & Power Supply	\$1995
ISPS	Power Supply "Internal" (140 watts)	\$295
CC01	Floppy/Hard Disk/Controller Card (1.6 Meg Floppy Compatible)	\$465
	when included in any of above Hard Disk Systems add	\$185

NOTE: The above pricing is for internal units. External units are available. **Micro Design International** has been serving the Computer Industry for over 8 years and all our products carry a one year warranty with a 30-day money back guarantee.

**MAGNETIC MEMORY
PRODUCTS FOR THE
IBM XT/PC AND
COMPATIBLES. . .**

FROM **\$695**

FREE

WITH THE
PURCHASE
OF ANY
HARD DISK

COMMAND

ASSIST \$49.95
(DOS manual on disk)
...as reviewed in P.C. Week

AND

CACHE

ASSIST \$49.95
(For faster disk access)

**TO ORDER CALL COLLECT
(305) 677-8333**

MasterCard/Visa/Check/or Money Order



Micro Design International Inc.

6566 University Blvd., Winter Park, Florida 32792

(305) 677-8333

Now you can get personal with a Datasouth.



Say hello to the Datasouth Personal Printer—an office-quality dot matrix printer that makes itself right at home next to your personal computer.

Technically speaking, the Personal Printer is “Epson compatible.” But it’s better than the competing Epson because it also does near-letter-quality printing.

Personally speaking, the Personal Printer is “checkbook compatible.” So you don’t have to sacrifice the money you need to get the printer you want. And it comes in two models—one with a 10-inch and one with a 17-inch carriage.

Make a personal visit to your local computer store, and bring home legendary Datasouth performance for an affordably personal price. The Personal Printer. Only from Datasouth.



personal


datasouth

H I G H P E R F O R M A N C E M A T R I X P R I N T E R S

Find Datasouth Printers At
Participating **ComputerLand**® Stores
And Other Fine Dealers.

Datasouth Computer Corporation
Box 240947 • Charlotte, NC 28224
704/523-8500 • Telex 6843018 DASOU UW
Inquiry 87

CALL TOLL FREE:
1-800-222-4528



S·O·F·T·W·A·R·E R·E·V·I·E·W

Two Modula-2 Compilers for the IBM PC

**A great buy
is pitted
against a
professional
system**

BY KEVIN BOWYER

Two Modula-2 compilers are available for the IBM PC and run under PC-DOS. Both are adaptations of the original Modula-2 compiler developed at the ETH (Federal Institute of Technology, Zürich, Switzerland) to run on the Lilith personal workstation. One is the Modula Research Institute (MRI) Modula-2 compiler, version 1.35, available for \$40 from the Modula Research Institute in Provo, Utah. The other is the Logitech Modula-2/86 compiler, version 1.0, available for \$495 from Logitech Inc. in Redwood City, California. The one other Modula-2 compiler for the IBM PC is marketed by Volition Systems of Del Mar, California. However, this compiler runs under the UCSD p-System and so is not directly comparable to the two I discuss here. [Editor's note: A PC-DOS version of this compiler has recently become available.]

The MRI and Logitech compilers have many similarities traceable to their common ancestor. The essential difference between them is that the MRI compiler generates M-code, the machine language developed at ETH for the Lilith workstations, whereas the Logitech compiler generates 8088 machine language. The noticeable differences in compilation and program execution speed are a result of this difference.

REQUIRED RESOURCES

The Logitech compiler requires an IBM PC equipped with an 8087 numeric coprocessor chip, two double-sided disk drives, and at least 170K bytes of RAM (random-access read/write memory) in addition to whatever space the operating system uses. It runs under PC-DOS 1.1 or 2.0. A practical minimum for using the Logitech Modula-2 compiler with PC-DOS 2.0 is 256K bytes of memory. The MRI compiler might function on a system of two single-sided disk drives and 128K bytes of RAM, but a practical minimum is two double-sided drives and 196K bytes of RAM.

I did all the testing for this comparison on a PC XT with 256K bytes of RAM. Judg-

ing by the number of disk accesses made by either system, enough extra internal memory to create an "electronic disk" would greatly increase speed.

EASE OF USE

Both the MRI and Logitech systems require some care in setting up the original configuration. You have to decide where to put the many files that make up either system, and your CONFIG.SYS file at the root level of the file system must have certain options. All this is well described in the documentation and should present no problem.

Neither the MRI nor the Logitech compiler runs directly from PC-DOS. Nor do they produce standard EXE or COM format files, so the programs created with the compilers cannot be executed directly from PC-DOS. The MRI system runs its own "shell," or command interpreter, on top of PC-DOS. The compiler and any programs that you write are run from this shell. The Logitech system is similar. While it doesn't have a shell that stays resident on top of PC-DOS, it does have a "run-time system" that you have to invoke for running the compiler or programs created with the compiler.

Since neither the Logitech nor MRI system includes a text editor, you must use your own (or EDLIN) to prepare a standard PC-DOS text file that contains the program's source code. Assume that you have already prepared a source program in the file SAMPLE.MOD. You can start up the MRI shell with the command `interp`. The MRI shell then displays the copyright notice and an asterisk prompt. You can now run the compiler by entering the command `modula`. You can run the resulting compiled program by entering its name. When you want to leave the MRI shell, you type `Control-C`.

In the case of the Logitech system, you invoke the compiler from PC-DOS with the command `m2 comp`. The `m2` is the name of the Logitech run-time system, so any Logitech program running under PC-DOS

(continued)

Kevin Bowyer is on the faculty of Computer Science and Engineering at the University of South Florida in Tampa. He was previously on the faculty of the Swiss Federal Institute of Technology in Zürich. He received his Ph.D. in Computer Science from Duke University. Among several books he has written are *An Introduction to Modula-2* (Reston Publishing, available early 1985, co-authored with Warren Jones of the University of Alabama at Birmingham) and *Pascal for the IBM PC* (Robert J. Brady Co.).

must be prefaced with m2 at run time.

Both systems will then prompt you for the source file and give almost exactly the same messages as the compiler progresses:

```
source file sample.mod
p1
InOut: C:\InOut.SYM
p2
p3
p4
end compilation
```

The sameness of the messages reflects the origin of both compilers—the Modula-2 compiler developed at ETH. The four-pass structure of the compilers is a carryover from the original Lilith compiler, which was ported from a PDP-11 Modula-2 compiler that had to run in a small address space.

Unlike the MRI system, the output

of the Logitech compiler must undergo a separate link step before it can be executed. The linker collects all the separately compiled parts of the program and groups them into a single load file. The m2 command executes this load file.

The MRI interpreter takes rather long to load into memory: about 10 seconds on a hard-disk system, more with a floppy-disk system. This can be annoying if you have to leave and reenter the interpreter to use an editor for correcting errors in your program. For this reason, the MRI shell incorporates an "escape to DOS" feature. You can enter an exclamation point to start up a copy of the PC-DOS command interpreter (COMMAND.COM) on top of the MRI shell. Then you can edit your program and return to the MRI system with the exit command.

The escape-to-DOS feature works quite well and is much faster than the alternative most of the time. However, if you change directories while in DOS and forget to change back before returning to the MRI shell, things get hopelessly confused and you have to reboot the system. If you want to use the escape-to-DOS feature and have the MRI software in a subdirectory of the file system, you need to place a copy of COMMAND.COM in the same directory as the MRI software.

SPEED

After running lots of small test programs, I am convinced that Logitech's compiler is substantially slower than the one from MRI. However, the Logitech compiler can produce programs that execute much faster than those produced with the MRI compiler. A program that does nothing but write "Hello, World!" to the display (listing 1) compiles in a little less than 40 seconds with the MRI compiler and about 65 seconds under the Logitech system. This does not include time for the link step required by the Logitech system, which takes another minute or so.

An equivalent IBM PC-DOS Pascal program could be compiled and linked in under 30 seconds—even though it involves entering three separate commands to PC-DOS (PAS1, PAS2, and LINK). Neither Modula-2 system could be called speedy as far as compile time is concerned.

If program execution speed is what you are after, Logitech's compile time might be worth waiting for. The Logitech compiler can produce programs that are many times faster than those produced by the MRI system. Another trivial example program (listing 2), using nested loops and integer arithmetic, takes about 20 seconds for the MRI system to compile and something over 60 seconds to execute. The Logitech system takes 55 seconds to compile the same program, again not counting the required link step. (The link step would be quick here because there are no IMPORTs from separately compiled modules.) However,

Listing 1: "Hello, World!" program.

```
MODULE sample;
FROM InOut IMPORT WriteString;
BEGIN
  WriteString("Hello, World!");
END sample.
```

Listing 2: Nothing to the nearest integer program.

```
MODULE sample;
VAR i, j, sum: INTEGER;
BEGIN
  sum := 0;
  FOR i := 1 TO 1000 DO
    FOR j := 100 TO 1 BY -1 DO
      sum := sum + (i-j) + (j-i);
    END;
  END;
END sample.
```

Listing 3: Extended-precision nothing program.

```
MODULE sample;
VAR x, y: ARRAY[1..100] OF REAL;
    sum: REAL;
VAR i, j: INTEGER;
BEGIN
  FOR i := 1 TO 100 DO (* initialize *)
    x[i] := FLOAT(i); y[i] := FLOAT(i); END;
  sum := 0.0;
  FOR i := 1 TO 100 DO
    FOR j := i TO 100 DO
      sum := sum + x[j]*y[j] - y[j]*x[j];
      sum := sum / FLOAT(i);
    END;
  END;
END sample.
```


AT A GLANCE

the Logitech program executes in about 8 seconds—which is less than one-sixth the time of the MRI program.

Both systems compile this second example more quickly than the first one, even though the executable part is more complex. This is because the first example imports a procedure from a separate module. Nearly any useful Modula-2 program will import procedures from at least one module, if for no other reason than to do input/output (I/O). Importing objects from separate modules takes time because the compiler must read the definition of the module and check it against the **IMPORT** clause.

For one more comparison on compiler and execution speed, I ran the Sieve of Eratosthenes prime-number generator used as a benchmark in previous **BYTE** articles (see reference 1). The Logitech compiler took about 65 seconds to process the program, 25 seconds to link, and about 17 seconds to execute. The MRI compiler took about 55 seconds to process the program and nearly 3 minutes to execute it. (The definition of "execution time" here is the same as that used in the article referenced above: the time between seeing the messages from the two output statements in the benchmark program.)

REAL NUMBERS

The MRI and Logitech compilers are similar in how they represent all the standard data types except real. The MRI system implements real values as 32-bit quantities, and arithmetic operations on these values are performed in software. The Logitech system uses 64-bit real numbers and can generate code for the 8087 numeric coprocessor. For a PC with the 8087 installed, this can be a great advantage. Consider the program in listing 3.

The MRI compiler took just under 30 seconds to compile this program, and the resulting program took about 25 seconds to execute. The Logitech compiler took just over 50 seconds to compile the program, but the resulting program executed in about 3 sec-

(continued)

Name
MRI Modula-2 Compiler

Vendor
Modula Research Institute
950 North University Ave.
Provo, UT 84604
(801) 375-7402

Computer
IBM PC or compatible

Price
\$40 plus \$2.50 shipping and handling

Audience
Anyone who wants a good, inexpensive introduction to Modula-2 on the PC




Name
Logitech Modula-2/86

Vendor
Logitech Inc.
805 Veterans Blvd.
Redwood City, CA 94063
(415) 365-9852

Computer
IBM PC or compatible

Price
\$495

Audience
Anyone who wants to develop software using Modula-2 and the 8087 numeric coprocessor chip; the 8087 is required with Modula-2/86



KEY
 MRI
 LOGITECH
 1 = LISTING 1 PROGRAM
 2 = LISTING 2 PROGRAM
 3 = SIEVE OF ERATOSTHENES
 * = NOT TIMED

Note that the Logitech compiler requires an 8087 coprocessor and the MRI compiler does not support the 8087, so execution times do not involve commensurable hardware. Compile times for the Logitech

compiler include link times. The Logitech compiler compiles to 8088 machine code, while the MRI compiles to M-code and operates as an M-code-to-8088 interpreter at run time.

TOP QUALITY COLOR DISKETTES SUPER LOW PRICES

LIFETIME WARRANTY

SS-DD

DSDD

\$1 19

ea. — 5 1/4" QTY 50 —

\$1 59

ea.

\$1 89

— 96 TPI —

\$2 14

GENERIC COLORED DISKETTES

Definitely color-coded diskettes are the most effective method for organizing your diskette files. Available in Red, Blue, Green, Yellow and Orange. Bulk poly-bagged with protective Tyvek sleeves. Labels are included.

These disks are made by a leading manufacturer of magnetic media under the strictest industry standards. In fact, 163% of the industry standards. And then certified 100% error-free and backed by LIFETIME WARRANTY.

SPECIAL BONUS OFFER



Order 50 diskettes and get a 10-pack Library Case for only \$1.50. The Library Case is of high quality, and with all functional features to organize your color-coded disk files. A great buy at \$1.50!!

DISK STORAGE



Amaray Media
Mate 50
(holds 50 5 1/4" diskettes).

\$995*

**A SUPER BUY

PRINTER RIBBONS

Epson MX-70, 80..... \$3.32 ea
Epson MX-100..... \$5.95 ea
Okidata Microline 83..... \$1.45 ea
Okidata Microline 84..... \$3.55 ea

(PLUS 25¢ SHIPPING)

HEADCLEANING KITS

3M Headcleaning Kit
has everything you need
for 30 applications.....

\$1 795

* (PLUS \$3.00 SHIPPING)

PRICE PROMISE

We will better any lower delivered price on the same product and quantities advertised nationally.

TERMS: FREE USE OF VISA & MASTER-CARD. Add \$3.00 per 100 diskettes or fraction thereof. COD orders only add \$3.00 handling charges. Utah residents only—add 5 3/4% sales tax. Minimum order: \$25.00.

TOLL FREE ORDER LINE:

1-800-233-2477
(1-800-AFFAIRS)

INFORMATION AND INQUIRIES:

1-801-942-6717

HOURS: 9AM - 6PM M-F (MT. STATE TIME)

**Computer
Affairs, Inc.**

2028 E. FT. UNION BLVD. #105
SALT LAKE CITY, UTAH 84121
CALL 1-800-AFFAIRS

REVIEW: COMPILERS

onds on a PC XT equipped with the 8087 numeric coprocessor.

COMPILER DIRECTIVES

Compiler directives in Modula-2 are specified much the same as in Pascal. The directive letter and setting are given inside a comment. The Logitech compiler has three directives:

- (*R + *) code generation for sub-range and type checking
- (*T + *) index testing (arrays, case statements)
- (*S + *) stack overflow

The directives can be turned off by using a minus sign instead of a plus sign, or an equal sign can be used to change the setting back to the previous value.

Directives work the same way in the MRI system, but only the first two of the three options above are available. Both systems also allow several possible options on the command line that invokes the compiler. Among these are a listing file and prompting for the names of symbol files.

LANGUAGE EXTENSIONS

Both compilers claim to accept the same Modula-2 language as defined by the Modula-2 report (see reference 2). However, the Logitech system has the advantage of some extra PC-specific routines available in the System module. Technically, these don't count as extensions to the language, but most users will think of them that way. Among the extensions are routines to read and set the values of 8088 registers; enable, disable, and initiate interrupts; read and write to the 8088 I/O ports; and generate a call to the DOS system interrupt.

The MRI System module contains only procedures defined in the Modula-2 report. It might be easier to write processor and operating-system-specific programs with Logitech Modula-2.

To test whether these compilers might be useful to owners of PC-compatibles, I checked them out on a Compaq portable equipped with two floppy-disk drives and 256K bytes of

memory. Both compilers ran several small examples properly. Both also seemed painfully slow—with all the file I/O, a hard-disk drive is almost a necessity for using one of these compilers.

SUMMARY

The compilation/execution speed comparisons between the two compilers are not surprising. The MRI system compiles programs into M-code, which was designed with the goal of efficient Modula-2 compilation. Given this background, it makes sense that the MRI compiler is faster than the Logitech compiler. But the MRI programs pay for this advantage with their slower execution. The MRI software executes programs by interpreting the compiled M-code, but the Logitech programs' 8088 machine code doesn't need interpretation.

If you just want to learn Modula-2 and write some programs for your own use, the MRI software is probably for you. You will appreciate the faster compile time with small programs, in which execution speed probably depends on user input anyway. And the MRI software is much cheaper.

On the other hand, if you want to write software to distribute or sell, the Logitech system is probably right for you. This is especially true if Logitech comes out with a linker to produce COM or EXE format files.

If you are one of the relatively few PC owners who operates the UCSD p-System, you should look into the Modula-2 compiler available from Volition Systems. However, better compilers are likely to become available at any time, from these companies as well as others. Professor Wirth and Jurg Gutknecht of ETH have created a fast one-pass Modula-2 compiler for the Lilith; a compiler for the IBM PC derived from this one is likely to show up in the future. ■

REFERENCES

1. Gilbreath, Jim, and Gary Gilbreath. "Eratosthenes Revisited: Once More through the Sieve." BYTE, January 1983, page 283.
2. Wirth, Niklaus. *Programming in Modula-2*. Springer-Verlag, 1982.

SoftCard squeezes the most juice out of your Apple.



Microsoft® Premium SoftCard™ IIe is the high-performance CP/M® board that really juices the Apple® IIe.

Hard facts on SoftCard.

It has a high speed (6MHz) Z-80 that runs CP/M up to three times faster than lesser boards. Plus 64K memory and 80-column display that fits the IIe auxiliary slot and acts like Apple's own Extended 80-column Card. So it works with CP/M, Apple DOS and ProDOS programs, too.

Microsoft BASIC is built-in, so it's compatible with more Apple CP/M software than any other board on the market: Thousands of the juiciest business programs including dBase II®, WordStar® and sophisticated Microsoft languages like

FORTRAN-80, COBOL and BASIC Compiler.


It also has a new low price.

Juicing up the performance of computers is nothing new for us. We invented the SoftCard and make versions for the entire Apple family. We wrote Applesoft for the Apple II.

MICROSOFT In fact, our The High Performance Software BASIC is the language spoken by nine out of ten microcomputers worldwide.

Get the Apple juicer from Washington. Call 800-426-9400 (in Washington State call 206-828-8088) for the name of your nearest Microsoft dealer.


SoftCard is a trademark and Microsoft is a registered trademark of Microsoft Corporation. Apple is a registered trademark of Apple Computer, Inc. IBM is a registered trademark of International Business Machines Corporation. dBASE II is a registered trademark of Ashton-Tate. WordStar is a registered trademark of MicroPro. CP/M is a registered trademark of Digital Research, Inc.



Actual unretouched video image of Fred Molinari, President.

"It's easy to spot the difference between our IBM PC™-based frame grabber and the others."

High performance and affordable cost, just \$1495 for a single plug-in board.



Laplacian Filter



False Color

Unlike other video I/O systems, the new DT2803 provides real-time image capture capabilities, digitizing a 6-bit video field every 1/30 second. An on-board, memory-mapped, dual-ported frame store memory ($256 \times 256 \times 8$) makes it ideal for the IBM PC's 64K buffer size. And for real number crunching,

the DT2803's external ports interface to high speed co-processors.

With our software package, VIDEOLAB™, the DT2803 is easy to use for image operations like averages, histograms, and convolutions.

So, if your application is manufacturing/automatic inspection, robotics, or medical research,

our new high performance video I/O board will really open your eyes—at an unbeatable price.

Call (617) 481-3700



Call for our new 576 pg. catalog/handbook or see it in Gold Book 1985.

SPECIFICATIONS: DT2803	
A/D Input	RS-170 (CCIR), 6-bits at 5MHz
Frame Grab	1/30 (1/25) second per field
LUT's	8, 64×8 input; 4, 256×12 output
D/A Output	64 colors $\times$ 64 intensities, R-G-B; 64 grey levels, monochrome
Frame Memory	$256 \times 256 \times 8$ (2-bits for graphic overlays)


DATA TRANSLATION

World Headquarters: Data Translation, Inc., 100 Locke Dr., Marlboro, MA 01752 (617) 481-3700 Tlx 951 646.

European Headquarters: Data Translation, Ltd., 430 Bath Rd., Slough, Berkshire SL1 6BB England (06286) 3412 Tlx 849 862.

In Canada: (416) 625-1907.

IBM PC is a registered trademark of IBM. VIDEOLAB is a registered trademark of Data Translation, Inc.



S·O·F·T·W·A·R·E R·E·V·I·E·W

E-Mail for the Masses

MCI Mail and Western Union's EasyLink

BY WAYNE RASH JR.

Two giants of the telecommunications industry have started electronic mail services. MCI Telecommunications Corporation's MCI Mail and Western Union Telegraph Company's EasyLink offer the services to individual consumers and businesses. Both services are heavily advertised, and both promise to open the world of easy and inexpensive instant communications to nearly anyone. Only one fully delivers on this promise.

MCI MAIL

MCI Mail is part of the same corporation that provides MCI telephone communications. MCI has expanded its operations to include electronic mail, billing itself as the "nation's new postal system." You can access MCI Mail with a local phone call in 64 cities around the country and with a toll-free number to its Washington, DC, headquarters. You can use these numbers with your computer to transmit letters and documents to other MCI Mail subscribers in the U.S. and Canada or to Telex addresses anywhere in the world. If your recipient does not have access to MCI Mail or Telex, you can have a paper copy of the communication mailed or delivered. As of January 1, 1985, MCI Mail service was available in 41 countries.

MCI Mail's hard-copy communications are prepared using a laser printer at 18 locations in the U.S. Courier delivery is available within four hours in some locations, and overnight courier delivery is available in most major metropolitan areas. Delivery by mail usually takes two business days. Because they are prepared on a laser printer, the MCI letters look like they were done on a letter-quality printer and then photocopied. You can have your letterhead and signature placed on file with MCI so they can appear on your letters. Otherwise, the MCI Mail letterhead will appear on the first page of your letter.

You can log on to MCI Mail with either a 300- or 1200-bps (bit per second) modem.

After you enter your user name and password, you will read some announcements and get a couple of news headlines before the main menu appears. Every function of MCI Mail is menu operated, and the service has extensive help files for every function. You can use the built-in text editor to prepare your document, or you can transmit a document you have already prepared. Once you finish, you can edit the document or reformat it before sending it. There is no limit to the length of the document you can send, but longer documents cost more.

You can read incoming messages or refer to messages you sent out earlier. MCI Mail also offers you access to Dow Jones News/Retrieval or lets you order discount merchandise from on-line advertisers.

EASYLINK

Western Union apparently designed EasyLink for experienced users who already understand how the system works. You can access EasyLink with either a 300- or 1200-bps modem. You will find no descriptive prompts or menus to lead you through the system. You log on at the ID? prompt by giving a terminal description, your ID number, your user name, and your password. You enter these on a single line, separated by spaces and a period. You will not see what you are typing if you are operating in full duplex.

Once you gain access to EasyLink, the cryptic PTS prompt greets you. You can find out what your options are by using the on-line help facility or by reading the package's *User Guide* or quick-reference guide. Essentially, your choices are: send one of several types of messages, read messages waiting for you, or use the help facility. An information database called FYI is also available to EasyLink subscribers, but not from within EasyLink.

EasyLink gives you a wide variety of ways to send a communication to others. You can send a message directly to another sub-

(continued)

Wayne Rash Jr. is a member of the professional staff of American Management Systems Inc. (Federal Consulting Group, 5th Floor, 1925 North Lynn St., Arlington, VA 22209). He consults with the federal government in areas concerning microcomputers.

scriber's mailbox, just as you can with MCI Mail, and you can have a message mailed to a nonsubscriber using what Western Union calls a "computer letter." Computer letters are mailed from Western Union's facility in the Washington, DC, area, which means that delivery can take a while for some sections of the country. Unlike MCI's laser-printed letters, the EasyLink computer letter is printed on what appears to be a Teletype printer using only uppercase letters.

Like MCI Mail, EasyLink lets you send messages to Telex addresses and gives you a Telex address for replies. Since you are using Western Union, you can use EasyLink to send telegrams, mailgrams, and cablegrams. Western Union also has an arrangement with the U.S. Postal Service that lets you send messages through the E-COM system, although the long-term existence of that service is questionable.

USING MCI MAIL

Working with MCI Mail, especially for the inexperienced, casual, or infre-

quent user, is a pleasant experience. About the only information you have to remember is your password. As you enter the system, every possible command is listed for you (see photo 1). The help files are extensive and detailed, and you can specify the command or function for which you need help. Since the on-line time on MCI Mail is free, you don't feel the need to rush the process unless you're using the 15-cents-per-minute 800 number.

Creating a message is easy. Following the directions on the main menu, you type the word CREATE and enter the text editor. The next prompt asks for the addressee. After you type in the name, MCI Mail checks to see whether it matches the name of a subscriber. If one or more names match, you are shown a list of names and asked to pick the proper one. If the person you want is on the list, you choose him; otherwise, you will be asked to enter his address so the message can be mailed. You can name any number of addressees since the TO: prompt will appear un-

til you enter a blank line. You will be prompted to enter the mailing address of the recipient and the subject of the message. Then MCI Mail prompts you to enter the text of the message.

The basic rate for an MCI Mail message is \$1 for an "MCI ounce" transmitted electronically. An ounce equals 7500 characters. Short messages of 500 characters or less cost 45 cents. The cost for the first ounce is \$2 if the letter is mailed. In areas where courier service is available, you can have a letter hand-delivered overnight for \$8 and within four hours for \$30. In each case the cost for an additional ounce is \$1, although for courier delivery the second ounce is free. If you are sending to a Telex address, the ounce is quite a bit less, about 400 characters, due to a limit set by Telex. International rates are higher than domestic rates, but still within reason. MCI gives you a Telex number so your correspondents can answer you by Telex. If you use the toll-free number, you are charged an extra 15 cents per minute.

Once you complete your message, you can read it. If you want to make changes, an MCI editing mode has its own menus, prompts, and help files. You can also see what your document will look like when it's printed, complete with spaces reserved for the letterhead and the page breaks. You can use the edit mode to reformat the letter. Once you are satisfied, you tell MCI to send your document by typing SEND followed by any optional delivery methods. Once you send the message, a copy is placed in your Out box for a day or two. This makes it easy to refer to messages later.

Checking for messages is also easy; MCI Mail tells you that your In box has a message. You might also be told that an unfinished draft is on your desk, in the event that you terminated an earlier session for some reason before sending a message. This is one of the nice features of MCI Mail. Once you start creating a message, it stays in the MCI system. If your computer or phone goes dead or your modem explodes, the draft of your message




Photo 1: Entry-level and Scan menus for MCI Mail. Your correspondence is organized like an office desk. The In box holds incoming messages, the Out box holds copies of messages sent, the desk holds copies of messages received, and the draft folder contains a message written but not sent.

will be waiting when you return.

As I mentioned earlier, you can do a lot besides send and receive messages. MCI Mail has an advertising section where you can order anything from gifts and travel services to fan-fold paper and floppy disks. You also have access to Dow Jones News/Retrieval at regular Dow Jones rates. Off-peak rates are 20 cents a minute for 300-bps connections or 40 cents for 1200-bps service. Incidentally, Dow Jones customers also have access to MCI Mail as part of their subscription.

USING EASYLINK

My first impression of EasyLink is that it isn't very easy. As I've already discussed, logging on to the system is complicated and tedious.

Logging on wouldn't be such a problem if you were given the necessary information to enter. For example, the terminal ID is necessary if you are using a personal computer and a modem, since EasyLink's default mode does not seem to work with that type of equipment. The terminal codes are listed in Appendix E in the *User Guide*, but the differences between the 24 terminal codes aren't explained. Many users will have little luck deciphering them. The first time I used EasyLink it took me four tries to log on.

Once you get past the log-on sequence, you are faced with the PTS prompt (see photo 2). At this point you have to enter a slash followed by a command. Since EasyLink has no menu, you will have to look up all the commands in the documentation or read the on-line help file. If you don't have a local-access phone number, looking at the help file is going to cost you 15 cents per minute. Fortunately, Western Union has over 400 local-access phone numbers in the U.S.

Since the charges for EasyLink are based on the actual connect time, you will save yourself money if you prepare your messages ahead of time and transmit them to EasyLink. You can also save money if you minimize use of the on-line help by using the manual instead.

You are also charged by the minute for the time it takes you to send messages. The normal charge for a 1200-bps connection is 45 cents per minute. If you like to compose on line or if your modem program can't transmit easily, this can run into money. You can save 40 percent by calling during off-peak hours (12:01 a.m. to 7 a.m. local time).

EasyLink has a number of charges besides the connect time. For example, a computer letter costs you \$1.25 for the first page and 40 cents for each additional page. A three-page letter that costs you \$2 to send on MCI Mail will cost you \$3.30 on EasyLink, assuming the total connect time was two minutes, the time required to send the document was one minute, and you called using the EasyLink toll-free number. Using a local-access number would reduce the cost by 45 cents.

Sending messages to other EasyLink subscribers is less expensive. The basic charge is only 45 cents per minute for 1200-bps service, plus 15 cents per address. A short message could go out for less than the

equivalent message on MCI Mail, but a longer one could cost somewhat more. If you have to use the WATS line to call EasyLink, your costs are almost certain to be higher.

If you are a low-volume user of electronic mail, EasyLink will be a substantially more expensive service. Even though it has no sign-up fee, EasyLink has a \$25-per-month minimum charge. Depending on the type of electronic mail you use, you might have to send one piece of mail per day just to break even.

DOCUMENTATION

EasyLink definitely has the more complete and attractive documentation. When you sign up for EasyLink, Western Union sends you a bookshelf-size binder. Sections of the book are marked by tab dividers, and the pages are attractively typeset and easy to read. This is an advantage because you're probably going to spend lots of time reading this manual.

A disadvantage is that the manual is not well organized. The process of calling EasyLink, logging on, creating

(continued)




Photo 2: Entry-level prompt and help menu for EasyLink. You enter commands by typing a slash and a command word, such as /SCAN to list all messages, /READ to read a message, or /HELP for the help files.

AT A GLANCE

Name

EasyLink

Service Supplier

Western Union Telegraph Company
One Lake St.
Upper Saddle River, NJ 07458
(800) 336-3797 ext. 908

Requirements

Personal computer, modem, and telecommunications software, or dedicated communications terminal

Special Features

Messages can also be sent via Telex, telegrams, cablegrams, mailgrams, and through the U.S. Postal Service E-COM system

Optional Software

EasyLink Instant Mail Manager program (\$95) requires IBM PC or compatible computer with one disk drive, 256K bytes of RAM, and asynchronous communications modem

Price

Minimum monthly charge: \$25
EasyLink mailbox message (maximum 200,000 characters):
200 cents/minute (300 bps)
45 cents/minute (1200 bps)
EasyLink to Telex (maximum 200,000 characters):
43 cents/minute (300 and 1200 bps)
Mailgram message overnight letter (maximum 15,000 characters):
First page (2700 characters) \$3
Each additional page (3500 characters) 75 cents
Computer letter service (maximum 25,000 characters):
First page (2700 characters) \$1.25
Each additional page (3500 characters) 35 cents

Name

MCI Mail

Service Supplier

MCI Telecommunications Corporation
1900 M St. NW
Washington, DC 20036
(800) 424-6677

Requirements

Personal computer, modem, and telecommunications software, or dedicated communications terminal

Special Features

Messages can also be sent via Telex, via mail delivery, or via overnight or four-hour hand delivery

Optional Software

MCI Mail Access program (\$49.95) requires IBM PC or compatible computer with one disk drive, 256K bytes of RAM, and asynchronous communications modem

Price

Instant letter	
500 characters or less	\$0.45
7500 characters	\$1
MCI letter (mail delivery)	\$2
Overnight letter	\$8
Four-hour letter	\$30
Each additional 7500 characters	\$1
Annual mailbox fee	\$18

and sending a message, and getting off again requires a great deal of flipping through the manual. All the time you're looking up what to do next, the connect charges are mounting if you're calling on the WATS line or are in the midst of creating a message. [Editor's note: EasyLink has since issued a new User Manual Release 1.3 that appears to be rewritten and better organized.]

The MCI Mail manuals are shorter, less fancy, and paper-bound. They include the *Welcome Kit and Service Guide*, which gives an overview of the service, contains some basic information on performing routine functions, and explains the services available; and the *Basic User's Guide*, which gives detailed information on the use of MCI Mail. The manuals skip some of the functions of MCI Mail (for example, sending a Telex message).

The manuals are much less important for the routine use of MCI Mail, however, since the menus lead you through most functions quite well. The help files are also excellent and do not have a connect charge.

CUSTOMER SUPPORT

I had occasion to call customer support at MCI Mail twice, and at Western Union three times. The personnel at MCI Mail were helpful and familiar with the service. I received accurate, complete answers to both questions. Unfortunately, MCI Mail customer support is not open on weekends.

Western Union's customer service is nearly a total contrast. The customer-service lines are open on weekends, but they might as well be closed. Regardless of the time I called, the support representatives showed little familiarity with EasyLink. Once I was told that no one knew anything about it, but that the representatives were trying to learn. In another case, the representative had never heard of a computer letter and could offer no information on how to send one or on how long it would take to deliver.

CONCLUSIONS

Both EasyLink and MCI Mail offer communications packages to make

(continued)

"Despite the recent press notices, multiuser microcomputers aren't anything new!"


This is the first in a series of discussions with Rod Coleman, President of Stride Micro (formerly Sage Computer) on the 68000 multiuser market and its current environment.

Q: Why do you say that?

RC: "The technology to build a high performance multiuser system has been around for five years. And while some of the leaders in this industry have been pretending that micro multiuser didn't exist, we've been shipping complete systems for nearly three years. The benefits of multiuser are undeniable; it is more cost effective, and offers greater flexibility and utility. But until just recently, the marketing pressure to be compatible instead of being better, has blinded the industry."

Q: What do you mean?

RC: "Well, for example, the Motorola 68000 processor introduced 16/32-bit technology to the personal computer world a long time ago. It was fully capable of



"A surprising feature is compatibility. Everybody talks about it, but nobody does anything about it."

meeting high performance and multiuser design requirements in 1980. Instead of this trend taking off, most energy was spent promoting 8088/8086 products that

were clearly inferior from a technical point of view. This phenomenon leads me to believe that they will soon rewrite the old proverb: 'Build a better mousetrap and the world will beat a path to your door,' but only if they can find the way through the marketing fog."

Q: Are things changing now?


RC: "Yes and no. With the business world starting to take more and more interest in microcomputer solutions, the advantages of a solid multiuser system couldn't be kept hidden forever; companies like ours and a few others were beginning to make a dent. Instead of taking a fresh approach, some of the newest multiuser offerings will probably only give the technology an undeserved black eye! Multiuser is far more than the ability to plug in more terminals. It involves things like machine compatibility, fast processors, adequate memory, large storage capacities, backup features, networking, and operating system flexibility."

Q: Is this what makes the new Stride 400 Series different?

RC: "Exactly. That sounds self-serving, but it's true. Today a number of companies are introducing their first multiuser system. We've been building and shipping multiuser machines for almost three years. We know the pitfalls, we've fallen into some of them. But we have learned from our mistakes."

Q: Give me some examples.

RC: A hard disk is almost mandatory for any large multiuser installation. Yet, backing up a hard disk can be a nightmare if you only have floppies to work with. That's why we've added a tape backup option to all the larger Stride 400 Series machines. It's irresponsible for a manufacturer to market a multiuser system without such backup. Another good lesson was bus design. We started with one of our own designs, but learned that it's important not only to find a bus that is powerful, but also one that has good support and a strong future to serve tomorrow's needs. We



"The marketing pressure to be compatible instead of being better, has blinded the industry."

think the VMEbus is the only design that meets both criteria and thus have made it a standard feature of every Stride 400 Series machine."

Q: What are some of the other unique features of the 400 Series?

RC: "A surprising feature is compatibility. Everybody talks about it, but nobody does anything about it. Our systems are completely compatible with each other from the 420 model starting at \$2900, through the 440, on to the powerful 460 which tops out near \$60,000. Each system can talk to the others via the standard built-in local area network. Go ahead and compare this with others in the industry. You'll find their little machines don't talk to their big ones, or that the networking and multiuser are incompatible, or that they have different processors or operating systems, and so on."

Q: When you were still known as Sage Computer, you had a reputation for performance, is that still the case with the new Stride 400 Series?

RC: "Certainly, that's our calling card: 'Performance By Design.' Our new systems are actually faster; our standard processor is a 10 MHz 68000 running with no wait

states. That gives us a 25% increase over the Sage models. And, we have a 12 MHz processor as an option. Let me add that speed isn't the only way to judge performance. I think it is also measured in our flexibility. We support a dozen different operating systems, not just one. And our systems service a wide variety of applications from the garage software developer to the corporate consumer running high volume business applications."

Q: Isn't that the same thing all manufacturers say in their ads?

RC: "Sure it is. But to use another over used-term, 'shop around'. We like to think of our systems as 'full service 68000 supermicrocomputers.' Take a look at everyone else's literature and then compare. When you examine cost, performance, flexibility, and utility, we don't think there's anyone else in the race. Maybe that's why we've shipped and installed more multiuser 68000 systems than anyone else."



STRIDE
MICRO

Formerly Sage Computer

For more information on Stride or the location of the nearest Stride Dealer call or write us today. We'll also send you a free copy of our 32 page product catalog.

Corporate Offices:
4905 Energy Way
Reno, NV 89502
(702) 322-6868

Regional Offices:
Boston: (617) 229-6868
Dallas: (214) 392-7070

GILTRONIX SWITCHES ARE THE BEST CHOICE.

... and here are 10 good reasons why:

IBM PC



1. Serial (RS232) or Parallel (Centronics)
2. Prompt Deliveries
3. Nationally Advertised Products
4. Broad Product Line
5. Over 30,000 Units Sold to Date
6. Sales and Technical Support

APPLE



7. F.C.C. Approved Units
8. Manual and Automatic Units
9. Highest Quality PC Board Switch Technology
10. Buy Direct From Giltronix, or From Any Authorized Distributor

Manual Units—2 to 6 Ports
Automatic Units—3 to 15 Ports

Apple is a registered trademark of Apple Computer, Inc.
IBM is a registered trademark of International Business Machines Corporation.




Giltronix

3780 Fabian Way
Palo Alto, CA 94303
(415) 493-1300

ORDER HOT-LINE: 1-800-531-1300 (Outside of California)

Inquiry 122

ZENITH/Heath Users



Double Your
5 1/4" disk storage
capacity without adding a drive.

Get twice as much from your H88 or H89 microcomputer. Our FDC-880H floppy disk controller, in conjunction with your 5 1/4" drives, for example, expands memory capacity from 256 bytes to 512 bytes per sector.

And it handles single and double-sided, single and double-density, 8" and 5 1/4" drives — simultaneously.



C.D.R. Systems Inc.

Controlled Data Recording Systems Inc.
7210 Clairmont Mesa Blvd., San Diego, CA 92111
(619) 560-1272

Inquiry 45

VT100 \$150.*

*plus your IBM PC or compatible

Use your IBM PC as a DEC VT100 with ZSTEMpc-VT100 smart terminal emulator
132 columns by windowing —
no additional hardware

Double High/Double Wide Characters
Complete VT100 line graphics
Smooth scrolling

Full keyboard softkeys / MACROS
Bidirectional file transfers —
including XMODEM

Speeds to 38.4KB. High throughput.

ZSTEM Communications Division
KEA SYSTEMS LTD.

#412 - 2150 W. Broadway
Vancouver, B.C.
CANADA V6K 4L9
(604) 732-7411

Inquiry 348

SAVE
TODAY
WITH OUR
LOW
PRICES
FOR YOUR
IBM PC
AND
COMPAT-
IBLES

INTERNAL SUBSYSTEMS: DRIVE, CONTROLLER, CABLES
FULL HEIGHT
10MB \$675 15MB \$750 20MB \$1225 32MB \$1525
HALF HEIGHT 10MB \$775

WINCHESTER DRIVES (DRIVE ONLY)

FULL HEIGHT
10MB FORMATTED \$425 15MB FORMATTED \$500
20MB FORMATTED (same as what IBM-AT uses) \$895
32MB FORMATTED \$1095
HALF HEIGHT 10MB \$450

EXTERNAL SUBSYSTEMS

	10MB	15MB	20MB	32MB
APPLE	\$1150	\$1250	\$1575	—
IBM	\$1050	\$1150	\$1525	\$1825

MISCELLANEOUS

130 WATT POWER SUPPLY FOR IBM PC \$165 ea.
4164-150 ns 9 CHIP SET (64K) \$35 set
41296-150 ns 256K CERAMIC \$25
8087-3 \$170



UNUSUAL
GIFTS!!!!

10 KT GOLD FLOPPY DISK SHAPED JEWELRY WITH
GENUINE SAPPHIRE, DIAMOND AND RUBY.
CUFF LINKS (SAPPHIRE AND DIAMOND) \$210
TIE PIN (SAPPHIRE AND DIAMOND) \$175
LADIES PIN (RUBY AND DIAMOND) \$150

CALL MET-CHEM BULLETIN BOARD (300/1200 BAUD)/203-281-7287
5 P.M.-8 A.M. WEEKDAYS — ANY TIME ON WEEKENDS



Met-Chem

Met-Chem International Corporation
2911 Dixwell Avenue, Hamden, Conn. 06518
Phone: (203) 248-3212 or 1-800-638-2436

Inquiry 204

3M

diskettes



5 1/4"

Specify soft,
10 or 16 sector

Minimum Order 20

Single sided
double density

1.49 ea

Double sided
double density

1.99 ea

Certified Check - Money Order - Personal Check. Allow up
to 2 weeks for personal checks to clear. Add \$3.00 per 100
or part to each order for U.P.S. shipping charges.
NJ Residents add 6% sales tax.

DATA
EXCHANGE, INC.

178 Route 206 South, P.O. Box 993
Department C
Somerville, N.J. 08876 • (201) 874-5050

Inquiry 83

INSIGHT™

Advises,
Forecasts,
Simulates,
Tutors,
Decides,
Evaluates,
Solves,
Reports.

Lets you Design,
create and run
problem solving
expert systems on
the IBM-PC or
DEC Rainbow. No
programming, uses
English language
knowledge base.
\$95.



**Level 5
Research**

4980 S-A1A, Melbourne Bch. FL 32951

305/729-9046

CREDIT CARD ORDERS ACCEPTED

Inquiry 179

REVIEW: E-MAIL

*EasyLink is slow
in sending printed
material and can be
"user-hostile."*


using their services easier. I have not had the opportunity to test them, but the information I have about them indicates that they are functionally equivalent. Both systems run on the IBM PC or close compatibles, and both make logging on and sending messages almost automatic. I would consider such a package essential for the use of EasyLink.

I found the difference between these two services to be substantial. MCI Mail was easy to use and fairly inexpensive for the low-volume user, and it presented a much more attractive product when messages were delivered on paper. Overnight or four-hour delivery of printed material can be critically important in some circumstances.

On the other hand, EasyLink was anything but easy. For the low-volume user it can be very expensive, and a printed computer letter is not particularly attractive. In addition, EasyLink is slow in sending printed material and can be "user-hostile" in the process. Twice I tried to send myself a computer letter in order to compare delivery time and appearance. The first try was canceled two days after I sent it because a line was too long. The second try took eight days to arrive. I should add that Western Union has plans to implement two-hour and overnight courier delivery in 1985.

EasyLink might be easy if you have the communications software sold by Western Union, and it might be relatively inexpensive if you send large volumes of electronic mail. This is especially true if you need the ability to send telegrams or use the Postal Service's E-COM system. Otherwise, MCI Mail appears to be the electronic mail service of choice. ■

A COMPUTER PROGRAM DELIVERED VIA SATELLITE!



The Computer Chronicles, a half-hour weekly television series brings you an in-depth look at the latest developments in the computer world.

Correspondent Stewart Cheifet and Gary Kildall, creator of CP/M provide interviews with industry leaders plus news and information from Silicon Valley and around the world.


The Computer Chronicles, every week on a public television station near you.

(Check local listings for time and channel.)

Produced by KCSM, San Mateo, CA and WITF, Harrisburg, PA with funding from McGraw-Hill's **BYTE** and **POPULAR COMPUTING** magazines.



THIS IS COMPUTER PROTECTION.



To safeguard your computer against mysterious errors and costly servicing, not just any surge and noise suppressor will do. *Serious computer problems demand serious computer protection...* DATAGARD® by SL WABER.

For more information about DATAGARD and our complete line of Computer Accessories, call or write today.




WABER

Inquiry 281

A Division of SL Industries, Inc.

Computer Accessories Group
300 Harvard Avenue
Westville, NJ 08093
Toll-free (800) 257-8384
In NJ (609) 456-5400

Nobody does it better. Nobody can.



H·A·R·D·W·A·R·E R·E·V·I·E·W

Mannesmann Tally MT 160

An
adaptable
dot-matrix
printer

BY MARK J. WELCH

Mannesmann Tally's MT 160 is a small, high-speed, dot-matrix printer. You can configure the printer using front-panel buttons and a printer-generated menu. The printer features high-speed, draft-quality printing; a slower correspondence-quality mode; and a wide range of character sets and printing formats.

The MT 160 is compact—considerably more compact than, for example, Epson's MX-80—but surprisingly heavy at 18 pounds. It includes both serial and parallel interfaces, so it can be connected to virtually any computer.

Mannesmann Tally advertises the MT 160 as printing at 160 characters per second (cps) in draft-quality mode, or 40 cps in correspondence-quality mode. In actual use, the MT 160 is faster in draft mode than the Epson FX-80, also advertised as a 160-cps printer. In its higher-quality correspondence mode, however, the MT 160 slows down severely, lagging behind the FX-80.

A wide variety of print modes are supported by the MT 160, including underlining, emphasized (bold), superscript, and subscript (see figure 1). In draft-quality mode it can print 5, 6, 8, 3, 10, 12, 16, 7, and 20 characters per inch (cpi). In correspondence-quality mode, it can print 10 or 12.5 cpi or proportional spacing.

In draft mode, the MT 160 prints characters in a 7- by 9-dot matrix. Uppercase characters use the top 7 by 7 matrix, with lowercase descenders using the bottom of the matrix. In correspondence mode characters look almost like typewriter quality. A line is printed in two passes. The paper is advanced a fraction of a line between passes, so characters are printed in a 7 by 18 matrix. In emphasized mode, characters are again printed twice; the second impression is slightly offset to the side. When the correspondence and emphasized modes are combined, it's almost impossible to distinguish any dots.

The printer can be reconfigured to recog-

nize control codes used for other printers. This is especially helpful since very little software supports the MT 160's standard control codes. WordStar text and Lotus 1-2-3 graphs were printed accurately by the MT 160 using this mode. Mannesmann Tally also offers a configuration program for Lotus 1-2-3.

The MT 160 doesn't support italic characters even when Epson control codes are used. The lack of italics is a serious handicap, although emphasized characters or underlining could be used instead.

PROGRAMMABLE FEATURES

One of the most convenient features of the MT 160 is that configuration details can be selected using the front-panel buttons and printed menus, so no DIP (dual-inline package) switches or jumpers are involved in configuring the printer for your computer (see listing 1). The current configuration is stored when the printer is turned off.

Many of the print features available through software control can be set as default parameters (see listing 2). Any of the seven character sets available can be chosen. If the printer is usually used for printing documents in another language, a European or other character set can be selected as the default. Likewise, form-length, print-format, and communications parameters can be reset.

To reconfigure the printer for my serial interface, for example, I simply pressed the Yes and No buttons to activate the menu, answered Yes to the CHANGE COMM CONFIG? prompt, and again to SERIAL prompt. While responding to prompts, I had to press No quite a few times, but this is far simpler than removing the cover to move jumpers and reset DIP switches.

There are six control buttons on the front panel of the MT 160. The on-line, form-feed, line-feed, and test buttons do what you'd expect. Two additional buttons labeled Yes and No allow you to answer the questions

(continued)

Mark Welch is a BYTE staff writer.
He can be contacted at POB 372,
Hancock, NH 03449.

*You'll have to go
out of your way to
build a special cable
to hook the MT 160
up to your system.*

in the reconfiguration mode and also combine with other buttons for special functions. For example, pressing the Yes and the line-feed buttons causes the printer to toggle from correspondence to draft mode.

I dislike loud, nonstop fault alarms, so I appreciate that the MT 160 makes no noise when a fault occurs. A red light indicates a problem. While this is better than the endless whine some printers produce when the paper runs out, I wish it would give a little beep so I'd know something was wrong right away.

The MT 160 is not a standard serial printer. Its RS-232C connector uses pins 11 and 19 to send a busy signal,

something most computers don't expect. As a result, you'll almost certainly have to buy or build a special cable to connect the MT 160 to your computer. For my older CP/M system, I switched pins 19 and 20. For the IBM Personal Computer (PC), Mannesmann Tally's service department says pin 5 must be swapped with either pin 11 or 19. Since the MT 160 is configured as data-terminal equipment (DTE), IBM PC users will also have to swap the connections to pins 2 and 3 (printer cables are readily available that way). The use of pins 11 and 19 was a surprise to me. You'll have to go out of your way to hook up the MT 160 to your system by either paying a premium to have a cable built your way or spending the extra time building your own.

Another problem I often find with printers is that the paper feeding out can feed right back into the printer. You'd almost have to work at it to get that to happen with the MT 160.

Power and interface cables often seem to need the same path as the paper. The MT 160's power cable has a right-angle connector at the printer end and feeds through a slot in the

back of the left side of the printer, so there's no interference with the paper feed.

The parallel and serial connectors, however, feed straight out through the path the paper needs when it feeds from below. This problem was aggravated when, rather than rewire the printer cable, I used an adapter that also extended the printer's serial port. The right side of the paper dragged against this adapter and tore several times; there seems to be no solution except to wire a new cable especially for the MT 160. The parallel port is closer to the center of the back of the printer, so the cable would have to be routed underneath the printer.

There's never been a standard printer ribbon and Mannesmann Tally hasn't tried to change that. When my first ribbon faded, I tried to buy a replacement at several local computer stores. No one at any of the stores had seen this kind of ribbon before and delivery estimates ranged from two days to two weeks. The ribbons cost about \$13 each—well above an average price for other types. If you buy an MT 160, you should probably

(continued)

```

This is the Mannesmann Tally MT-160 printer.
This is regular draft-quality output.
This is the double-pass 'correspondence-quality' mode.
This is emphasized mode.
This is emphasized correspondence-quality mode.
This is 10 cpi printing.
This is 12 cpi printing.
This is 16.7 cpi printing.
This is 20 cpi printing.
This is double-width 5 cpi print
This is double-width 6 cpi printing.
This is double-width 8.3 cpi printing.
This is double-width 10 cpi printing.
This is 10 cpi correspondence-quality.
This is 12.5 cpi correspondence-quality.
This is proportional spaced correspondence-quality.
This is underlined text.

```

Figure 1: Print samples from the Mannesmann Tally MT 160 printer.

AT A GLANCE

Name

MT 160

Manufacturer

Mannesmann Tally
8301 South 180th St.
Kent, WA 98032
(206) 251-5500

Type

High-speed, 80-column dot-matrix printer

Size

14¼ by 9¾ by 6¼ inches

Weight

18 pounds

Equipment Needed

Computer with parallel or serial interface, cable

Features

Six front-panel buttons; reprogrammable configuration; high-speed draft quality or slower correspondence quality; international character sets; graphics

Documentation


Operator's manual, 64 pages

Price


\$798



PRINT SPEED (CHARACTERS/SEC)



LIST PRICE (\$100)



MT 160

GEMINI 10-X

EPSON FX-80

This is the Mannesmann Tally MT-160 printe
This is the Epson FX-80, draft mode. This
This is the Star Gemini-10X This is the St

The output from the Mannesmann Tally MT 160 dot-matrix printer in draft mode is compared with the Epson FX-80 and the Star Micronics Gemini 10-X, both in draft mode. The pitch for all printers is 10 cpi. The print speeds were

determined by dividing 3000 characters (50 lines of 60 As each) by the time required to produce the output. (See "The Art of Benchmarking Printers" by Sergio Mello-Grand, February 1984 BYTE, page 193.) Prices shown are list.

Listing 1: An example of the interactive way of changing the configuration of the MT 160 printer. The printer prints out a short question to which you might respond by pressing either a Yes or No button on the printer's control panel.

```

RESTORE DEFAULTS ?          NO
CHANGE FORM LENGTH ?        NO
CHANGE PRINT FORMAT ?        YES
  CHANGE LPI ?                NO
  CHANGE CPI ?                YES
    10 ?                      NO
    12 ?                      NO
    16 ?                      NO
    20 ?                      NO
  CORR.QUAL. 10 ?            NO
  CORR.QUAL. 12 ?            YES
  CR IMPLIES LF ?            NO
  LF AT FULL LINE ?          YES
  POPC ?                     NO
CHANGE CHAR SET ?            YES
  USA ?                      NO
  UK ?                      NO
  NOR/DAN ?                  NO
  SWE/FIN ?                  NO
  GER ?                      NO
  FREN ?                     NO
  SPAN ?                     YES
SLASH ZERO ?                 NO
CHANGE AUX CODE SET ?        YES
  NONE ?                     NO
  E CODES ?                  NO
  D CODES ?                  YES
CHANGE COMM CONFIG ?         YES
  CHANGE BUFFER SIZE ?        NO
  PARALLEL ?                  NO
  SERIAL ?                    YES
  CHANGE BAUD ?               YES
    9600 ?                    NO
    4800 ?                    NO
    2400 ?                    YES
  CHANGE NO. DATA BITS ?     NO
  CHANGE NO. STOP BITS ?     NO
  CHANGE PARITY ?             NO
  CHANGE BUSY ?               NO
  CHANGE COMM PROTOCOL ?     NO
END OF MENU

```

Listing 2: The current status of the printer can be printed out by pressing the No button.

```

FORM LENGTH      11 INCH
LPI               6
CPI              CORR. QUAL.
CR IMPLIES LF    NO
LF AT FULL LINE  YES
POPC             NO
LF IMPLIES CR    NO
CHAR SET         SPAN
SLASH ZERO       NO
AUX CODE SET     D CODES
BUFFER SIZE      MAX
INTERFACE TYPE    SERIAL
BAUD             2400
NO. DATA BITS   8
NO. STOP BITS    1
PARITY           NONE
BUSY             LOW
PROTOCOL         NONE

```

be able to figure it out fairly quickly. There is enough information in both manuals for a programmer to use most of the printer's features, though some experimenting may be necessary.

Mannesmann Tally doesn't have a toll-free number, but I called the company several times while configuring the printer and looking for a new ribbon. Each time I was put through to the service department quickly, and the person I spoke with answered my questions competently.

CONCLUSIONS

The Mannesmann Tally MT 160 is a fast, high-quality, dot-matrix printer, but its price led me to expect more. Particularly irritating was the lack of italic characters, the unusual serial cable configuration, and the nonstandard printer ribbon. Even though the printer is well designed, small and quiet, I had problems using an adapter with the serial port.

This machine is probably not as suited for the home user as some other printers, notably the Epson FX-80. However, its speed, print quality, and diverse print modes might make it appropriate for office use. ■

buy spare ribbons and reorder when you install the last one.

DOCUMENTATION

I've never seen a printer manual that I liked. I found myself flipping through the MT 160 manual hunting for simple details I wish were included in a one-page appendix. To its credit, the manual does include a careful description of most (not all) of the configuration menu, as well as brief ex-


planations for each print command with examples in BASIC.

However, the explanations were too short, while the four-page control-code appendix was too long to be useful as a quick-reference guide. Several control-code commands weren't explained enough and left me wondering exactly what they did.

I'm not sure a novice would understand the MT 160 manual, but anyone who has used another printer should

Q. WHY IS OUR WORKSTATION DATA ACQUISITION SYSTEM THE COMPLETE SOLUTION?

Keithley DAS' Series 500 workstation data acquisition system is the complete solution to your control and measurement needs, present and future. Even a basic configuration provides enough power and capacity for most lab and test bench applications. As your needs become greater, you can set it up to perform more complex or varied operations later on. The key is: you configure it for your needs, whenever you need to.



software environment in charge of both interfaces. For special needs, there's our Chem500 analytical chemistry software package for chromatography, spectroscopy, thermal analysis and colorimetry. And the Series 500 is also supported

transducers: thermocouples, strain gauges and RTDs; pulse counting; 4-20 mA current loop input and output; direct switching and sensing of AC and DC power lines; and programmable excitation for transducers. All with full software support.

A. A CHOICE OF PCs.

First of all, the Series 500 supports the PCs most commonly used in lab and R&D work: the IBM PC, PC-XT and Portable PC; the Apple II+ and IIe; and the Compaq Portable. We even support the 8087 coprocessor.

A. A CHOICE OF SOFTWARE.

Our Soft500 package was written to give beginners the accessibility and ease of use they need to get results, yet it also offers more experienced users the depth and extra facilities necessary for more complex applications. Facilities like high-speed sampling, data storage, graphics, statistical analyses and memory-mapped I/O for high-speed data transfer. Our unique interrupt-driven architecture allows data acquisition in the background and simultaneous real-time analysis, control and display in the foreground. What's more, with our new Plus500 interface, you can also connect IEEE-488 instruments to your PC and put the same

by the Macmillan ASYST™ and Lab Notebook™ software packages.

A. A CHOICE OF FUNCTIONS.

With the Series 500, you can choose from a larger library of plug-in function cards than any other company offers.

A. ALL THIS, BACKED BY KEITHLEY QUALITY.

Behind the Series 500 is Keithley's 40-year reputation for engineering excellence and low-level measurement expertise. We designed it to provide the least noise, the highest accuracy and the greatest thermal stability of any PC-based data acquisition system.

A. BACKED BY KEITHLEY SUPPORT, TOO.

We haven't provided a complete solution unless we provide complete support. And we do. Your Series 500 comes with a one-year full warranty and 90 days' free software counseling. Most important, Keithley DAS provides you with a toll-free applications hot line, for the times you need a helping hand.

For a demonstration or more information, call us toll-free at 1-800-552-1115. In Massachusetts call 617-423-7780. Or write us at Keithley DAS, 349 Congress Street, Boston, MA 02210. For literature on the Series 500, circle Reader Service Number 168.



Choose from 18 analog and digital I/O modules; isolated and non-isolated analog input; direct connection of

Series 500

KEITHLEY *das*

© 1984 by Keithley DAS, Boston, Massachusetts

SuperSoft Languages When Performance Counts

A programmer's most important software tool is the language compiler or interpreter he uses. He has to depend on it to work and work well.

At SuperSoft, we believe it. That's why we offer three excellent compilers: SuperSoft FORTRAN, SuperSoft C, and SuperSoft BASIC. They answer the programmer's need for rock solid, dependable performance on microcomputers.

SuperSoft FORTRAN

With large code and data.

SuperSoft FORTRAN version 2.0 with large code and data space is now available under MS DOS and PC DOS. It gives you the power to compile extremely large FORTRAN programs on micros. It allows double precision and complex numbers, full IEEE floating point, and a full range of other important features for the serious FORTRAN programmer. Both 8087 support and a RATFOR pre-processor are optionally available. FORTRAN (CP/M-80 & 86, MS DOS, PC DOS): \$325
8087 support: \$50 RATFOR: \$100

SuperSoft A

A true Ada* subset

SuperSoft A is a completely standard subset of the Ada language, incorporating approximately 63% of the standard Ada syntax and including such important features as packages and separate compilation. For CP/M-80 microcomputers: \$300.

SuperSoft C

SuperSoft C is a high-powered, full-featured C compiler designed for serious C applications. It is fast — both in compilation and execution, and it is packed with more than 135 library functions (all delivered in source code form). SuperSoft C produces optimized assembly code, and object code can be ROMed.

SuperSoft C (for CP/M-80, CP/M-86, MS DOS, PC DOS): \$350



SuperSoft BASIC

The SuperSoft BASIC compiler lets you get serious with business and financial programs. It uses BCD math to give you highly accurate results for demanding applications. SuperSoft BASIC is a true native code compiler that is generally compatible with Microsoft's BASIC interpreter. And an additional bonus — no run time license fee is required.

SuperSoft BASIC Compiler (for MS DOS, PC DOS, and CP/M-86): \$300

Also available for programmers:

Star-Edit, a full-featured programmer's text editor: \$225.00
Disk-Edit, an invaluable programmer's disk data editor: \$100.00

To order call: **800-762-6629**

In Illinois call **217-359-2112**

In conjunction with SuperSoft, SuperSoft FORTRAN was developed by Small Systems Services, Urbana, IL, a leader in FORTRAN development.

Japanese Distributor: ASR Corporation International, TBL Building, 7th Floor, 1-19-9 Toranomon, Minato-Ku, Tokyo 105, Japan Tel. 03-5025550. Telex 222-5650 ASRTYO J.

*Ada is a trademark of the Department of Defense
PC DOS is a trademark of International Business Machines.
MS DOS is a trademark of Microsoft.
CP/M-80 and CP/M-86 are trademarks of Digital Research, Inc.

SuperSoft

**SuperSoft, Inc., 1713 S. Neil St.,
P.O. Box 1628, Champaign, IL 61820**

SAGE II AND IV

I was pleased to see the review by Allen Munro of the Sage II and Sage IV in your July 1984 issue (page 235). I agree with the author's conclusion that the Sages are fast, powerful, and reliable machines. I've owned a Sage IV for almost a year now and I'm extremely pleased with it. Not one single glitch so far.

After getting used to the power and speed of the Sage it's hard to imagine going back to a slower machine. The amount of Sage software in terms of operating systems, languages, utilities, and applications may cover the broadest range in the industry. (How many computers offer 10 operating systems and languages such as Ada and APL?) I do have some problems with Mr. Munro's review, however. I find several misleading and simply incorrect items.

First, the graphs are terribly misleading. The price graph states that the comparison is for systems with "two high-capacity floppy-disk drives;" yet the Sage line lists the Sage IV at \$7300, which includes a hard disk. By the way, the price shown for the IBM PC XT is considerably lower than we've paid for that machine.

The spreadsheet comparison reaches the point of being ridiculous. The graph is labeled "Multiplan." Yet we read in the fine print that the Sage run was actually on Timberline, a p-System spreadsheet with many more bells and whistles than Multiplan that is consequently much slower. This is NOT a benchmark.

The BASIC calculation comparison is not valid. Even though the Sage's power is shown to be an advantage here, the comparison is still against the Sage. The procedure states that the calculation test involved 10,000 multiplication and division operations. Later, in the fine print, we find that the Sage runs were using 64-bit real arithmetic.

There are also minor discrepancies in the system standard configurations. For instance, both the II and IV come equipped with the IEEE-488 interface as standard equipment, not just the IV. Also, the picture of the computer shown in "At a Glance" is a Sage II, not a Sage IV. True, Sage did try for a short time to market all

machines as the IV, but soon returned to the II/IV separation. As many Sage ads as you've run, I'm sure you could have obtained the right pictures.

Incidentally, Mr. Munro failed to note some of the more exotic standard features of the Sage, such as the fact that its multiuser capacity is not operating-system-dependent, which means that different operating systems with multiusers on each can operate simultaneously. Or that multiusers can be assigned to the same terminal, thus producing concurrency with any operating system.

I'm a professional engineer with over 20 years of experience in the computer arena. I currently direct a large staff of scientific programmers using everything from PCs, HPs, 3033s, and 3081s up to the CRAY-1. I'm convinced that the Sage is by far the best computer value in today's market. It outperforms many upper-end "business oriented" machines, including several minicomputers, at a fraction of the price.

BILL BRUMMETT
Dhahran, Saudi Arabia

We thank Mr. Brummett for noting an error in our Sage review. The prices listed for the Sage II/IV on the "At a Glance" page were incorrect. The prices were listed as \$3200 and \$7300. The prices for the BYTE standard configuration (including terminal, two drives, and BASIC) should have been \$4790 and \$8190. The price of the IBM PC, not the XT, was given in the graph and was labeled as such.

For our Spreadsheet test we usually use Multiplan. For the Sage, we used the only spreadsheet available, Timberline. The purpose of our spreadsheet test is to determine how fast a given system/software combination can perform a given task. In this case, the Sage/Timberline combination is twice as slow as the IBM PC/Multiplan combination. Incidentally, bells and whistles do not always slow down a program: for example, Lotus 1-2-3 runs three times faster than Multiplan on the IBM PC.

As for the BASIC calculation test, again we wanted to time how long it took a given system to do a given task. Most cal-

culations only require seven significant digits. If a system cannot efficiently support this type of arithmetic, then in this test that system is penalized slightly and justifiably.

Finally, there was what looked to be a discrepancy in the photograph of the Sage. The machine in the picture, which we received directly from Sage, was configured as a Sage II but was marked as a Sage IV. We were aware of the discrepancy at the time, but we can only photograph what we receive. We do not change or alter products to put them in a better light. We are, however, glad to hear that Sage is now labeling their products more logically.

—Rich Malloy
Senior Technical Editor

SANYO MBC 550

Bill Sudbrink was generally fair in his review of the Sanyo MBC 550 (August 1984, page 270). However, there were obvious errors in the article that do a disservice to an excellent product. To begin with, the comparison of execution time between the IBM and Apple running Multiplan to the Sanyo running CalcStar was misleading and irresponsible. Only the fine print at the bottom of the page explained the untruth of the spreadsheet (Multiplan) caption. The fine print further stated that "Sanyo BASIC apparently cannot access other disk drives." This is incorrect. The author apparently was not aware that the catch here is that the drive specifier *must* be in uppercase, such as LOAD "B:filename". Granted, the documentation did not point this out, and I agree that it was an unfortunate oversight.

James G. Droppo Jr. feels that the Sanyo BASIC screen editor is limited in comparison to the IBM Personal Computer (PC) BASIC screen editor (see "The Double-Drive MBC-555," August 1984, page 278). Maybe so. However, I find it much more convenient than that which comes with some of the PC-compatibles. The Sanyo's feature of being able to suspend and resume scrolling during a list is super. Entering changes during program debugging is also far superior. I can make

(continued)

changes all over the screen, then with one touch of the Break key I can be assured that every change has, in fact, been entered into the program. Try that in IBM's BASICA!

After having used a Columbia professionally and a Sanyo recreationally on a daily basis for several months, I find that I prefer to use the Sanyo, if possible, because of its superior keyboard arrangement, its large Return key, a better key "feel," its handy reset switch, and the dedicated asterisk key.

ORRIN B. ISEMINER
Colton, WA

REVISING THE SIEVE

Mark Bridger's article, "Four Logos for the IBM PC" (August 1984, page 287), includes two benchmark programs using the Sieve of Eratosthenes—one iterative and one recursive. They execute in about the same amount of time but differ in how many primes can be discovered before stack space is gone. IBM Logo used the stack space best but it could not get all the primes through 1500 using the recursive version in the review.

In the November 1984 BYTE (page 356), Ian MacMillan of Logo Computer Systems Inc. gives a revision of the recursive version that finds all primes through 1500 on

a 128K-byte IBM PC. MacMillan's program runs about as fast as the other two; its main feature is efficient use of tail recursion.

The version in listing 1 uses Logo's property lists to increase simplicity. It might not use stack space as efficiently, but it seems to execute on a 128K-byte IBM PC.

It also seems to execute faster. For example, the Zenith Z-150 takes over 35 minutes for the primes through 1500 using MacMillan's version but only 15 minutes for the version in listing 1.

FURMAN SMITH
Montgomery, AL

PEACHTEXT 5000

In the September 1984 Review Feedback (page 355), A. Stanbury reported problems with the PROP ON and PROP OFF commands for PeachText 5000. We had similar problems, and after about two months of talking to our dealer I was allowed to talk directly to people at Peachtree. They told me about the following patch that corrected the problem.

Use the Debug (under PC-DOS 2.0) utility to patch the PRINT.PGM portion of PeachText. When you are done the screen should look like the following:

DEBUG PRINT.PGM

Listing 1: Revised recursive version of the Sieve program.

```
TO SIMPLE.SIEVE :LIMIT
MAKE "PRIME 2
CARRY.ON
END

TO CARRY.ON
IF :PRIME > :LIMIT (TONE 300 3 STOP)
PRINT :PRIME
MAKE "FOOT.PRINT :PRIME
CROSS.OUT
MAKE "PRIME.PRIME.AFTER :PRIME
CARRY.ON
END

TO CROSS.OUT
IF :FOOT.PRINT > :LIMIT (STOP)
MAKE "FOOT.PRINT :FOOT.PRINT + :PRIME
PPROP :FOOT.PRINT "" "N
CROSS.OUT
END

TO PRIME.AFTER :NUMBER
MAKE "NUMBER :NUMBER + 1
IF NOT GPROP :NUMBER "" = "N (OUTPUT :NUMBER)
OUTPUT PRIME.AFTER :NUMBER
END
```

- E3558

091B:3558 A0.F6 0D.06 08.FC 34.07
80.01 A2.75 0D.0C 08.A0
091B:3560 F6.0D 06.08 FC.34 07.80
01.A2 74.0D 04.08 FF.

- W
- Q

Refer to the Debug instructions for the correct interpretation of this information.

To make the superscript and subscript function work, it is absolutely essential to use one of the printers listed on the configuration menu. Unfortunately, there is no way to customize the printer driver to accommodate printers other than those listed. I hope this helps.

JOHN SONEWALD
Rolla, MO

I am writing in regard to the letter in Review Feedback from A. Stanbury (September 1984, page 355).

I have been using PeachText and its predecessor, the MagicWand, for more than six years and have yet to find anything I like better. By comparison, WordStar with its voluminous help messages, disk-intensive editing, and complicated commands is not worth the trouble. Stanbury complains that proportional spacing, character spreading, and sub- and superscript don't work with PeachText. It is stated clearly and often in the manual that these functions will only work with printers (such as the NEC Spinwriter) equipped to handle them.

The only complaint I have with PeachText 5000 is that it is not integrated, but it does the job and the price is right. The Heath H-110 (Zenith Z-100 clone) is also a best buy. It does everything better than the IBM.

ROD HALLEN
Medan, Indonesia

LEADING EDGE PC

Jeffrey Mazur did a good job in the review of the Leading Edge PC (September 1984, page 312). However, I want to bring up a couple of points.

First, the fan was not correctly designed. It draws air from inside the system unit and expels it out the back. This air is drawn through such convenient openings as the disk-drive doors. This results in dust deposits on the inside of the disk drive and other boards.

The second item concerns the Leading Edge word processor, which is excellent. However, the program came with very few printer drivers. After all, many users own

Okidatas and the newer Epsoms. What caused my concern was that my MX-80 (type 3) is capable of solid underlining, italics, and super- and subscripting, but the word processor does not support these features. My dealer told me that Leading Edge will provide additional printer drivers in the future.

I feel that I have made the right decision in buying the Leading Edge PC. The only alternative is an IBM PC; if purchased locally with similar software, it would cost almost \$14,000.

RAMESH INDHEWAT
Bangkok, Thailand

LEADING EDGE WORD PROCESSING

The software review entitled "Leading Edge and MultiMate" (November 1984, page 287) is strewn with bias and inaccuracies. Our documentation is being rewritten, the latest 1.2 version of the software has increased speed, and at no point in time could it be considered inefficient. If during the reviewing process the reviewer had called us to find out something about the future of our package, that could have been reported.

We are, if anything, faster than MultiMate in just about everything and give WordStar a run for the money in almost all categories. We also provide easy-to-use and easy-to-learn word processing that we feel is leagues ahead of WordStar. How does the reviewer know that "Programs like MultiMate and Leading Edge might be easy to teach because they are designed for correspondence and short reports, projects that require few commands"? Both Leading Edge and MultiMate have many similarities to the Wang word processor. Surely the reviewer doesn't intend us to believe that the original Wang word processor was designed solely for short reports and correspondence.

Finally, this is the only reviewer to date who did not like Leading Edge Word Processing or see it as a great value for the money. It is not wrong to be different or to state opposing points of view, as long as one has done the research correctly, thoroughly, and fairly. In comparing our 1.1 version with the current version of MultiMate and WordStar, the author has done a grave disservice to BYTE's readers.

J. B. ROYAL
Senior Vice President
Word Processing R&D
Leading Edge Products Inc.
Canton, MA

SPIRIT 80

I was pleased to see Mark Welch's review of the Mannesmann Tally Spirit 80 printer, (November 1984, page 335). I agree with your conclusions that it represents a fine combination of improved print quality and lower price.

I've experienced the occasional paper jamming that Welch mentioned, but only when I tried to print from the top of a cut sheet of paper. What seems to happen is that the paper is hampered as it first goes through the paper bail rollers and jams either against them or against the removable cover. The remedy is to have about a half-inch of paper past the print head when starting printing or a full sheet if beginning precisely at the top of the form is essential. If an adjustment of the top of the form is desirable you can ask the printer to pause at the end of the first page. Using these procedures, I've had no jamming.

Two points Welch does not mention might be of importance to some users. The cassette ribbons used by the Spirit 80

are specific to it and list for about \$12, though I've found them for \$7 at a discount house. Second, the replaceable print head is rated at 30 million characters, significantly less than some other dot-matrix printers; for medium use, I still consider it adequate (at 1.6K bytes per page, that represents about 19,000 double-spaced pages).

CHRISTOPHER CONLY
Seattle, WA

SANYO CUSTOMER SUPPORT

I would like to share Harvey J. Cooper-Smith's complaint in Review Feedback (November 1984, page 357) about Sanyo's poor response to owner's problems. I bought the Sanyo 1250 and had difficulty booting up the CalcStar program.

I forwarded to Sanyo the error messages, original disks, warranty, and original purchase receipt with instructions written in large letters to return the receipt for my income tax records. Sanyo returned the original disks with a scribbled note stating


(continued)

Once you choose Lattice, our friends will C you through...

LATTICE INC.: LATTICE WINDOWS, CURSES UNIX SCREEN CONTROL LIBRARY, C-FOOD SMORGASBORD, dB-C ISAM COMPATIBLE WITH dBASE II AND III... **LIFEBOT ASSOCIATES:** FLOAT 87 8087 SUPPORT PACKAGE, HALO GRAPHICS PACKAGE, PANEL SCREEN LIBRARY... **GREENLEAF SOFTWARE:** THE GREENLEAF C FUNCTIONS... **C SOURCE:** BASIC C C FUNCTIONS FOR BASIC USER... **SOFTCRAFT:** BTREIVE ISAM FILE SYSTEM, BTREIVE ISAM NETWORK FILE SYSTEM... **BLAISE COMPUTING:** TOOLS, TOOLS2, VIEW MANAGER SCREEN PACKAGE... **MORNING STAR SYSTEMS:** PROLIBRARY, PROSCREEN... **CREATIVE SOLUTIONS:** WINDOWS FOR C... **NOVUM ORGANUM:** C POWERS PACKS, MATHEMATICS POWER PACKS, ADVANCED POWER PACKS, DATABASE POWER PACKS, TELECOMMUNICATIONS POWER PACKS W/ SOURCE... **PHACT ASSOCIATES:** PHACT ISAM LIBRARY... **RAIMA CORPORATION:**

db_ VISTA DBMS... **PHOENIX:** PLINK86, PFI86... **RELATIONAL DATABASE SYSTEMS:** C-ISAM FILE ACCESS METHOD... **MINDBANK:** V-FILE VIRTUAL MEMORY/FILE SYSTEM... **HUNTER & READY:** VRTX C INTERFACE LIBRARY... **GRAPHIC SOFTWARE SYSTEMS:** GSS DRIVERS, GSS TOOLKIT KERNEL SYSTEM... **OPTITECH DATA PROCESSING:** OPT-TECH SORT... **ACCUDEA SOFTWARE:** C-TREE ISAM, C-SORT SORT... **TRIO SYSTEMS:** C-INDEX+ ISAM... **COMPU CRAFT:** C VIEW FORMS/WINDOW/MANAGEMENT... **SCIENTIFIC ENDEAVORS:** GRAPHIC PRESENTATION SCIENTIFIC GRAPHICS... **LEMMA SYSTEMS, INC.:** C LIBRARY... **ESSENTIAL SOFTWARE, INC.:** C UTILITY LIBRARY... **SOFTWARE LABS:** C UTILITIES PACKAGE... **FAIRCOM:** C-tree BY FAIRCOM ISAM WITH SOURCE

Contact Lattice to learn how we can help your C program development.



LATTICE

P.O. Box 3072
Glen Ellyn, IL 60138
312/858-7950
TWX 910-291-2190

that its testing equipment found no problems. The booting problem remained, and Sanyo offered no explanations for the error messages. Moreover, the company did not return the warranty or the original purchase receipt as I requested. Fortunately, I resolved the booting problem by PIPping the components of CalcStar between the two disks.

MAXIM W. MIKULAK
Nesconset, NY

GIFFORD UPDATE

Since my recent review ("Gifford's MP/M 8-16," January, page 305) Gifford Computer Systems (2446 Verna Court, San Leandro, CA 94577, (415) 895-0798) has started shipping MC-DOS, the multiuser concurrent disk operating system. This operating system is one of the first implementations of Digital Research Inc.'s Concurrent CP/M 3.1 to be available for non-IBM hardware. MC-DOS resembles MP/M 8-16 at the user-interface level, so the user who is already familiar with the older Gifford offering needs little training. Upgrades include a

simple update guide for converting from MP/M 8-16 to MC-DOS.

MC-DOS has several advantages, including increased speed. Concurrent CP/M is basically an outgrowth of MP/M-86 and uses disk buffering, directory buffering, hashing, etc., to allow faster operation. The M-Drive/H 512K-byte board is no longer used as a disk emulator but serves as a large hard-disk buffer. A utility locks any files into this buffer, so they are unaffected by the LRU (least recently used) technique of buffer flushing. This provides an MC-DOS user with the advantages of a large buffer and a solid-state disk emulator.

Gifford incorporated local-area networking into its new operating system. Optional Arcnet hardware is available for Gifford's S-100 systems and IBM PCs, and all appropriate utilities in the MC-DOS package have been modified.

Also new from Gifford is the Macrotech MI-286 dual-processor board, now supported and shipped in most Gifford systems. This board was designed as a plug-compatible replacement for the Compu-

Pro 8085/8088 board. It comes in its standard configuration with a 6-MHz 80286, an 8-MHz Z80H, and a socket for an optional 5.33-MHz 80287 numeric processor. Operating in an 8086-compatible mode, the MI-286 offers as much as two-and-a-half times more throughput under ideal circumstances.

MC-DOS lists for \$695, and you must order it for a specific hardware configuration. MP/M 8-16 is listed in the price guide for \$1345. The networking software and a single board cost \$895. A networking package for the IBM PC XT and compatibles is available. Passive hubs (connecting up to four nodes, 200-foot maximum) are \$95, while an active hub (eight nodes, 2000-foot maximum) is \$795. The Macrotech MI-286 processor board with the standard Gifford two-year replacement warranty is \$1595, and the 80287 numeric processor is \$650.

CHARLES H. STROM
New York, NY

THE COMPAQ DESKPRO

I noticed with interest in the November 1984 Reviewer's Notebook (page 261) that you have been using a Compaq DeskPro. The DeskPro is not compatible with the 384K-byte Quadram Quadboards; I have tried three in my DeskPro and each makes the screen go into outer space when the machine tries to switch resolutions on the monochrome monitor. Compaq claims on the telephone that this board is compatible with the machine, and people at Quadram have discussed it for the past six weeks or so, but I think it is clear that the board is not usable with this computer. Dealing with Quadram about this has soured me on them as a source of peripherals for IBM-type machines—their support is weak.

A couple of additional points: Compaq's documentation is helpful in setting up the machine, but it doesn't include much technical information (like a memory map), and Compaq's customer-support telephone number will only answer real questions from dealers, not end users.

GEORGE CAREY
Marietta, GA

TOUGH LOCAL NETWORK PROBLEM:

"How can our department get our six computers and three printers to work together efficiently? We also want to be able to access outside data services and our future company LAN."

SIMPLE NETWORK SOLUTION: NetCommander

NetCommander is a smart, small Local Area Network manager. It lets you link from four to 40 computers and peripherals — in any mix of models and makes. A 50K buffer (expandable to 250K) makes sure that productivity is high — keeping fewer printers humming — while computer and PC users do their thing, without waiting for a printer, modem, or shared disk. Those devices can be specified with names defined by users — and allocated on the basis of availability and capability. And NetCommander handles multiple protocols and different baud rates simultaneously — without modifications to hardware or software. It will also tie into your company's LAN. The latest in a family of products in use since 1979, NetCommander is a smart, small, efficient network manager.



For more information, call or write:

NetCommander

Digital Products Inc. • The Simple Network Solution Company
600 Pleasant Street • Watertown, MA • 02172
(617) 924-1680 • Outside Mass., call 1-800-243-2333
And check out our 30-day trial evaluation.

REVIEW FEEDBACK is a new column of readers' letters. We welcome responses that support or challenge BYTE reviews. Send letters to Review Feedback, BYTE Publications, POB 372, Hancock, NH 03449. Name and address must be on all letters.

Inside Outside



PC212A/1200 \$299
212A/1200E \$329

Why pay more for a 300/1200 baud modem than you have to? Through the use of four low-cost, state-of-the-art microprocessors, we can now offer two versions of our full featured modems at prices, hundreds less than the competition. PC212A/1200 is available for \$299, the 212A/1200E for \$329.

Our modems are fully compatible with all Hayes software commands. Software packages like Crosstalk™, Sidekick™ and SmartcomII™ will work with our modems.

Our internal modem card, PC212A/1200, is designed specifically for the IBM PC, PC/XT or other PC-compatible units.* The board occupies only one slot, since it is just 6/10" in thickness. The optional asynchronous port, available for \$40, can be used for other peripherals when the modem is not being used. The modem comes complete with PC-TALK III™, modular phone cable, card edge guide, and user's guide.

Our external standalone modem, 212A/1200E, can be used with any computer or terminal that has an RS-232C serial port. The modem is housed in an attractive gold anodized case and fits comfortably under a standard telephone.

An easily accessible volume control knob adjusts the modem speaker's output. The modem comes complete with modular phone cable, serial connector cable, and user's guide.

Both modems are Bell 103/212A compatible. Both feature auto-dial and can be accessed remotely through an auto-answer mode.

Good service starts with answering your questions before and after you buy. It continues with same or next day shipment of your order. Since we only sell a few selected products, we have the information and inventory to help you fast.

We perform repairs in our own service department within 48 hours, should you ever need service during the one year warranty period.

Our price is the whole price. All prices include UPS surface charges and insurance. In a hurry? Two day UPS air service is just \$5.

Corporations, dealers and institutions, call for volume purchase price information.

Inquiry 266

*Call for information.

No Risk Guarantee

If you are not completely satisfied with your purchase, you may return it within 30 days for a full refund, including the cost to send it back. If you can get any of our competitors to give you the same guarantee, buy both and return the one you don't like.

Order Today, Shipped Tomorrow!

For fastest delivery, send cashiers check, money order, or order by credit card. Personal checks, allow 18 days to clear. California residents, add 6% sales tax. Hours: Mon.-Fri. 8:00 a.m.-6:00 p.m. PST Sat. 9:00 a.m.-1:00 p.m. PST

(800) 821-4479

Toll Free Outside California

(805) 987-9741

Inside California

QUBIE'

4809 Calle Alto
 Camarillo, CA 93010

London (01) 223-4569
 Paris (01) 321-5316
 Sydney (02) 579-3322

© Qubie' 1984



Now, You Can Buy an IBM-PC™ and OPTOMUX from Opto 22.

(Industrial Control has never been Easier!)



Opto 22, an IBM-PC Value Added Dealer, combines OPTOMUX and the IBM-PC to provide a powerful general purpose industrial control or data acquisition system. Optically isolated analog and digital I/O modules plug into a variety of mounting racks which communicate to the IBM-PC over a simple pair of twisted wires.

Opto 22 provides the software to program the PC in a high level language, commanding OPTOMUX to perform:

- Process Control
- Energy Management
- Machine Control
- Data Acquisition or any combination of analog or digital control.

Our application engineers are ready to answer any questions you may have regarding the use of the IBM-PC and OPTOMUX. Call us at 1-800-854-8851.*



15461 Springdale Street ▪ Huntington Beach ▪ California ▪ (714) 891-5861

*In California use our direct line.

Inquiry 237 for Dealers.
Inquiry 238 for End-Users.

Kernel

TROUBLES HAVE WE ALL, and this month Jerry Pournelle mentions some space problems at Chaos Manor, talks about the problem of choosing computer books, and still finds time to look at some interesting goodies.

In BYTE Japan, columnist Bill Raike's trip to the 1984 Data Show provides some information on disk-drive storage technology and laser printers.


From California, BYTE West Coast looks at a high-resolution digitizer for the Mac, some new workstations, and the windowing game.

Dick Pountain, our U.K. contributing editor, appears to have found the system that he's always wanted—and this time it's affordable.

We introduce a new column this month—Computers and Law. Attorneys Robert Greene Sterne and Perry J. Saidman begin with the legal issues of copying software.

Also this month, Steve Ciarcia again finds time to answer readers' questions about his projects in Circuit Cellar Feedback.

COMPUTING AT CHAOS MANOR: TROUBLES by Jerry Pournelle	339
CHAOS MANOR MAIL conducted by Jerry Pournelle	359
BYTE JAPAN: DISKS AND PRINTERS by William M. Raike	367
BYTE WEST COAST: WHAT NEXT? by John Markoff, Phillip Robinson, and Ezra Shapiro	371
BYTE U.K.: REALIZING A DREAM by Dick Pountain	379
COMPUTERS AND LAW: COPYING MASS-MARKETED SOFTWARE by Robert Greene Sterne and Perry J. Saidman	387
CIRCUIT CELLAR FEEDBACK conducted by Steve Ciarcia	393



Ernest Ansharov

Don't buy a disk/tape system that can't grow with you.



Get the SysgenTM XLTM *expandable* hard disk and tape back-up system.

Most popular disk/tape systems offer 20 Megabytes of hard disk, plus a 20-Megabyte tape back-up.

That may seem ample now, but do you know whether, a year down the road, 20 Megabytes will give you enough storage?

You don't. So it makes sense to get the *only* disk/tape system that gives you room for expansion later on.

And that doesn't cost you any more now.

The new Sysgen XL comes with 20 Megabytes of fast, reliable hard disk storage, a built-in 60-Megabyte tape for fast, reliable back-up, *plus* room for an additional hard disk drive.

What happens if you later need more hard disk storage?

With the XL, you simply add a second 5¼" disk drive. It fits inside the cabinet, and plugs right into the XL controller.

You can add an additional 20 Megabytes, and back-up with a single pass of the 60-Megabyte tape.

Or add up to 100, and back-up with two tapes.

With the low cost of hard disk drives, expansion is *much*

more economical than buying a whole new \$3,000 system. Plus, you save desktop space by expanding *inside* the cabinet.

The XL sells for \$3,295, including cabling, host adaptor, and utility software. You get everything you need.

(Watch out. Some companies charge extra for cabling and the host adaptor.)


Installation? Just snap in the controller, plug in the system, install the system software, and you're running.

Compare before you buy.

You'll find the XL to be the outstanding disk/tape system for your PC, XT, ATTM, or compatible today. And the only system that can expand for your needs for tomorrow.

Trademarks: Sysgen, XL—Sysgen, Inc.; AT—International Business Machines, Inc.

SYSGEN 47853 Warm Springs Blvd.,
Fremont, CA. 94539
INCORPORATED (415) 490-6770 Telex 4990843



COMPUTING AT CHAOS MANOR

Troubles

Computer Books

SemiDisk

Valdocs/QX-10 Revisited

PCturbo 186

PC Reset

Electric Dragon

Small Disks

Newmedia

SPUZ

UNIX

Flow Charting

Free Filer

BY JERRY POURNELLE

I have problems. My office, its extension, the back room, and indeed my whole house are filled with software, books, computers, and computer components.

I've foreseen the crisis. We have plans for rebuilding Chaos Manor, adding a large new library, office, and workshop as a second story. If I can get that up, I'll last awhile longer. Alas, my *real* problem is with the city of Los Angeles, which has taken nearly a year to process my application to let me build that second story. If I have any friends in the appropriate departments—it's a yard variance I need, to let me build out even with the existing office extension—HELP!

BOOKS AHOY

I've just sent in the final version of my *Adventures in Microland* (Baen Books, spring 1985). Like *The Users Guide to Small Computers* (Baen Books, 1984), it's a collection of my BYTE and *Popular Computing* columns with considerable updating. I don't *change* the columns, but I do add information and comments to make them up-to-the-minute timely. Indeed, *Adventures* will contain columns that haven't been published as I write this.

After I finished the book I called my publisher, Jim Baen; what he told me is very disturbing.

It also gives me a problem. I want to enlist your help in what I think is a cause important to all of us. So far, so good, but I'm hardly a disinterested party.

THE BOOK EXPLOSION

The problem is real: there's been an enormous explosion of computer books. *Publishers Weekly* estimated the total 1985 sales of computer books to be comparable to *fiction*. However, there are so many computer books that no one of them does very well. Moreover, many of those books are pure schlock. Many publishers, seeing the rapid expansion of the computer-book category, simply flooded the market with books regardless of their quality. Quick in,

quick profit, quick out. The result is that the field will soon be awash in dreck; and by a kind of Gresham's law, the bad books drive out the good ones. Publishers who take their time, bringing out carefully edited books of high quality—publishers like Que—are already being forced out, leaving the field to the schlockmeisters and hypesters.

The problem is curable but complicated. What's happening is that book buyers—the book-chain and book-distributor officials charged with actually ordering the books—do not know the difference between the good and the bad. How could they? A year ago these same people were buying romances. Romances are down, computer books are up, so their assignments changed. They didn't read the romances they used to buy, and they aren't reading the computer books they buy now.

My books sell fine once they get to the bookstores—but the only reason they get to the store in the first place is that the salespeople remember me as a science-fiction writer. Frank Herbert wrote a computer book. So did Pournelle. Neither the book buyers nor the publisher's sales force ever heard of this column, or indeed of BYTE magazine; magazine sales are handled by entirely different people. Since buyers don't know the difference between good and bad computer books, they order "some of each." If the salespeople insist that a particular book is hot, the buyer may order twice as many of that one; still not enough to make any sales.

THE REMEDY

The only cure for this is consumer organization, and the only relevant organized consumer groups I know of are the enthusiasts and hobbyists. The largest block of those are BYTE readers. There was a time when we enthusiasts *were* the computer revolution. We're still the largest organized part of it. We're also the people who lose the most

(continued)

Jerry Pournelle holds a doctorate in psychology and is a science-fiction writer who also earns a comfortable living writing about computers present and future.

if computer-book publishing is abandoned to drecksters and schlock-meisters. We *need* good books.

It's time for us to do something about the situation. If we don't, no one will.

Several things must happen. First, most of us are accustomed to buying computer books in specialty stores. That's not the way to influence what's published. The impact is made in regular bookstores, and particularly in the big book chains: which means that if you don't see the computer books you want at your local B. Dalton and Waldenbooks, say something to the manager. Better yet, put in a special order. The only way the book buyers will know which are the best computer books is for store managers to tell them—and the only information source the managers have is *us*. Most of their customers don't know a good computer book from a bad one. The average computer-book buyer is so used to being ripped off that yet another overhyped horror isn't even noticed.

It isn't enough to praise the good books. You must also condemn the bad. Now do understand what I mean by a bad book. I'm not talking about books that I disagree with or say "bad things," as for example the silly books that try to claim that computers are bad for poor people. I am thoroughly uninterested in censorship of ideas. No; by "bad books" I mean those that are poorly edited, filled with typos and misspelled words, crammed with jargon; books with neither index nor analytical table of contents; books written so poorly that you don't know whether or not you disagree with the authors because you can't understand what they said. Books with programs that can't possibly run. Books filled with obsolete materials.

There are plenty of such books, and if you discover that a particular publisher seems to bring out a lot of them—you won't have any trouble finding them if you look on the shelves of your local B. Dalton—then take them to the bookstore manager. Show her why these are bad books. Make sure she notices which pub-

lisher put them out.

There's another odd phenomenon: newcomers to the computer field are desperate for books, so much so that they pay little attention to price. It's strange: but a book will sell about as well at \$19.95 as it does at \$9.95. Publishers notice this sort of thing. If it keeps up, pretty soon there aren't going to be any low-cost books. Incidentally, my own Pournelle Users Guide books, including both *The Users Guide to Small Computers* and *Adventures in Microland*, sell for \$9.95. They'd sell for even less if there were the slightest evidence that lowering the price would sell significantly more books.

If a certain publishing line consistently puts out overpriced schlock, complain loudly and often. If you find a publisher who consistently puts out good books at decent prices, tell your store manager that.

Baen tells me that he can make five times the profit publishing science fiction—quality science fiction—than computer books. It's true for me, too: my advances for computer books are a pretty small fraction of what I can get for science fiction. So far, the love of the field—I really *like* writing about little computers—keeps me putting out the books, while hope that the market will settle into something reasonable keeps quality outfits like Baen Books publishing them, but it's a strain. The real computer enthusiasts, led by BYTE readers, could make things a lot easier for the good guys.

SEMI-DISK

Speaking of good guys, SemiDisk Systems of Beaverton, Oregon, continues to develop a high-quality line of RAM-disk products for S-100 machines, IBM PCs and PC clones, and the Epson QX-10. They've now got SemiDisk boards with up to 2 megabytes on board, and I believe their costs are now the lowest per megabyte in the industry. A RAM (random-access read/write memory) disk, for those few who tuned in late, is a method of fooling your computer into believing that a block of memory is a *very* fast disk; indeed, the computer can't tell

the difference. In CP/M systems, we generally designate the RAM disk as M: (for memory drive); once installed, you use it as you would any other disk drive, copying files to and from it (use COPY in MS-DOS and PIP in CP/M), renaming files, erasing them, marking them read-only, etc.

The time saved can be quite significant. For instance, my accounting system begins with a journal, which is a report, in chronological order, of every financial transaction: income from my agent, or BYTE, or speaking engagements; travel expenses, computer supplies, salaries to my assistants, etc. From time to time, these must be posted into the general ledger. Since the files are quite large, each page of my ledger is a random-access disk file. There are about 200 ledger pages, and each month's journal has a couple of hundred entries.

Due to sloth, I seldom post all these until year's end. That can take *time*. With 8-inch floppy disks, it takes about three hours. With my CompuPro (Quantum) hard disk, it takes about 50 minutes. With a RAM disk, it takes just under 11 minutes to do a year's posting. Now true: in my CompuPro system I'm using a CompuPro M-Drive/H RAM disk; but we've done speed comparisons between SemiDisk's S-100 boards and the CompuPro, and they're nearly identical. We've had a SemiDisk board running in Helen, Alex's CCS S-100 computer, for nearly three years with no problems at all.

Except for power failures, RAM disks are much more reliable than physical disk drives. There are no moving parts and no door latches to break (Barry Workman reports that he's still doing a brisk business in Tandon drive-door latches). There's no maintenance and no problems with disks lunched by cats, tobacco, or stray magnetic fields. SemiDisk makes a battery backup unit; you can plug it into the wall, so that if you turn off your computer, the memory stored on SemiDisk doesn't go away; and if there is a power failure, the files are protected for up to six hours.

That six-hour limit does bother me

somewhat, but in actual fact the longest power failure we've endured in 20 years here at Chaos Manor was only about four hours, and it happened in the middle of the night. In fact, that data on my RAM disks is safer than the rest of what I'm doing since, although I've intended to get one for years, I blush to confess I am not using an uninterruptible power supply. I intend to get one Real Soon Now.

As I said above, SemiDisk makes RAM-disk boards for the Epson QX-10; they've done that for years, and therein lies a tale.

VALDOCS COMES FORTH AGAIN

The Epson QX-10 story is very odd. Back in mid-1982 Chris Rutkowski, president of Rising Star Industries, secretly showed the upcoming Epson computer to a number of writers. Rutkowski had been heavily involved in marketing the Epson printers (he once told me that he had made them the success they were) and was given a contract to develop unique software for the QX-10; he seemed to be involved with marketing the QX-10 at that time.

The Epson QX-10 was yet another Z80 in a market flooded with new Z80 machines, but it did have some special features. First, it had a bit-mapped screen, meaning that it was capable of better graphics than almost anything then on the market. Second, it could hook into an Epson dot-matrix printer, so that the on-screen graphics could be translated into hard copy.

Third, the QX-10 would come out with Rutkowski's own keyboard design, which he called the HASCI; the acronym stood for human applications standard computer interface. Rutkowski predicted a great future for that design; so great that he was going to license it and charge 50 cents a copy, the money to go to a research institute that would improve human/machine interface designs. The HASCI keyboard had a good feel and was intended for newcomers; Rutkowski

(continued)

4,000 Programmers depend on us to find, compare, evaluate products and for *solid value*.

THE PROGRAMMER'S SHOP serves serious microcomputer programmers . . . from giant institutions to small independents. *Specializing* helps us provide 100s of programming products . . . technical literature . . . specialized evaluations and more to help you find and evaluate. Other services like . . . special formats . . . rush delivery . . . payment options (POs, COD, credit cards, etc.) . . . newsletters . . . and reports *help you save time, money, and frustration and get solid value.*

ARTIFICIAL INTELLIGENCE

EXSYS - Expert System building tool. Full RAM, Probability, Why, Intriguing, serious. PC DOS \$295

GC LISP - "COMMON LISP", Help, tutorial, co-routines, compiled functions, thorough. PC DOS \$475

TLC LISP - "LISP-machine"-like, all RAM, classes, turtle graphics 8087 for CP/M-86, PC DOS or MSDOS \$235

Expert System front-ends for PROLOG: APES (\$275), ES/P (\$1895)

Other solid alternatives include: IQ LISP (\$155), MuLISP-86 (\$250), WALTZ LISP for CPM (\$159), MicroPROLOG (\$275). PROLOG-86 (\$125), more.

C PROGRAMMING

C SHARP Realtime Toolikit - well supported, thorough, portable, objects, state sys. Source \$600

INSTANT C - Interactive development - Edit, Source Debug, run. Edit to Run - 3 Secs. MSDOS \$500

"INTRODUCING C" - Interactive C to learn fast. 500 page tutorial, examples, graphics. PC DOS \$95

MEGAMAX C - native Macintosh has fast compile, tight code, K&R, toolkit, .OBJ, DisASM MAC \$295

SUPPORT PRODUCTS

BRIEF Programmer's Editor - undo, windows, powerful. PC DOS \$195

PERISCOPE DEBUGGER - load after "bombs", symbolic, PC DOS \$295

Call for a Catalog, literature on any product or a **free literature "Packet"** on: "AI", BASIC, C, COBOL, Debuggers, Editors, FORTH, FORTRAN, Libraries, PASCAL

CALL TOLL FREE 800-421-8006

THE PROGRAMMER'S SHOP™

The programmer's complete source for software, services and answers

128-B Rockland Street, Hanover, MA 02339 In Mass.: 800-442-8070 or 617-826-7531

PROLOG-86™

Become Familiar in One Evening

The tutorials combined with the interactive PROLOG-86 Interpreter help you to learn the fundamentals of PROLOG quickly. In a few days modify samples like an EXPERT SYSTEM or a NATURAL LANGUAGE INTERFACE.

1 or 2 pages of LOGIC and FACTS create a significant PROLOG program that might take 10 to 15 pages in C. Programming experience is not required; logic is.

FULL REFUND if not satisfied during first 3 weeks.

Intro Price: \$125 for PC DOS, MSDOS or CP/M-86. Most formats available.

For questions/orders, call
800-821-2492
Use Visa, MC, COD.

**Solution
Systems**

335-B Washington St.
Norwell, Mass. 02061
617-659-1571

COMPUTERS AND MORE


CHALLENGE

- For Savings
- For Selection
- For Service
- For Corporations
- **FOR YOU!**

Putting the latest products and best prices in our customers' hands is our goal. We challenge any company to match our pricing, selection and service.

Take the challenge & save!

This Month's Special Saver!



PC / AT
Call!

COMPUTERS

IBM		CORONA	
256K PC w/ 2	1550	Desktop w/ 2 256K	1989
PC 256K w/ 10 meg	2195	Portable w/ 2 256K	1795
New PC JR.	ON SALE		
New Models at	CALL		
XT w/ 2 drives	3495		

LEADING EDGE		APPLE	
PC-1	1395	Mac All Models	CALL
PC-2	1549	Apple Entry Sys	CALL
PC-4	1956	Apple IIe	CALL
PC-6	2695	Call for Accessories	CALL

NEC		COMPAQ	
All Models	CALL	Portable	2195
8201A	389	Desktop w/ 10 meg	3450
		Desktop Models	CALL

TELEVIDEO		ZENITH	
1605 color	2350	151-21	1795
1605 20 meg color	3990	151-52	3490
PM-16 & PM4	CALL	161-21	1990

COLUMBIA		AT&T	
MPC 4210	1895	All Models	CALL
MPC 4220	1989		
MPC 4620	3359	MBC 775	2250
MPC 4820	3795	MBC 550	ON
MPC 4750	4129	MBC 55	SALE
UP 2220	2059	MBC 550-2	NOW!

ACCESSORIES

For IBM JR, PC/AT		For APPLE 2/MAC	
AST MP Mini	ON	MAC Phone	144
AST I O Mini	SALE	Kensington Port Modem	109
AST Advantage	CALL	5.5 Omni drive	1450
AST Monograph	FOR	11.1 Omni drive	1990
AST Graph Pak 64	PRICE	MAC drive 5 meg	1650
Promodem 1200	359	MAC 10 meg fixed	1639
USROB 1200	349	AST Multi I/O	CALL
Hayes 1200B	379	Videk Videoterm	179
320K drive	159	Hayes Micro IIe	229
1/2 height Teac	149	Hayes IIc	259
Auto-boot 10 meg	789	Nova 212	399
Fuji DS DD (box)	21	MAC cat	359
Paradise Mod. Graf	214	IIc drive	189
New XP Quad 64K	239	Apple drive	159
Quad 512	249	Micro seq	CALL
Hercules color cd	179	Apple card 4 125K	369
Hercules GREFX cd	349	Apple card 6 128K	429
Teac GREFX mast	489	Microbuffer II +	194
Jecmar PC JR's	CALL	Promodem IIc	359
Vutek Best Buy	239	Promodem MAC	369

PRINTERS

JUKI		CITIZEN	
6100	389	MSP-10	359
6300	699	MSP-15	499
6100 tractor	109		
EPSON		NEC	
LQ 1500	1049	8050 Models	CALL
RX 100	389	Pinwriter 2	499
RX 80	219	Pinwriter 3	769
JX 80 color	559	2030-PAR	779
FX 100	589	2050-PAR	889
DAISYWRITER		3510	1299
Daisy 2000	839	3515	1325
Daisy M45	CALL	3550	1499
PANASONIC		STAR	
1090	219	Delta 10	339
1091	279	Delta 15	469
1092	399	Radix 10	494
1093	589	All Models	CALL
Ribbons (w/ purchase)	8	OKIDATA	
TOSHIBA		OKI 92 MAC	449
P 1351 P or S	1259	OKI 93 MAC	729
P 1340 P or S	749	84 P	CALL
QUADRAM		02 P	CALL
Quadjet	695	2350	CALL
IBM kit	19	2410	CALL
		All Models	ON SALE

MONITORS

Roland DG-121-G	139	Quadscreen w/ Card	1650
Roland DG-121-A	249	Zenith 131	319
Roland CB-141	319	Zenith 135	487
Roland CC-141	595	Zenith 122	109
Taxan 420	389	Amdek 310	159
Taxan Amber	119	Amdek Color IV-T	597
Taxan 415	499	Amdek 300 G	134
TGB-80 col IIe	139	Amdek 300 A	144
RGB Card IIe	89	NEC JC 1215	269
Quadchrome	559	NEC JC 1216	397

SOFTWARE

FOR PC & XT		APPLE	
OZ by Fox & Geller	299	dBase III by Ash/Tate	419
Quick Code	219	Friday by Aston-Tate	199
FrameWork by	SALE!	Bottom Line Strategist	269
dBase III	419	C Dex Packages (ea.)	39
Friday	199	CPA Modules 1 thru 4	(each) 174
Please by Hayes	CALL	OZ by Fox & Geller	319
Lotus 1-2-3	275	Graphox	197
Mayday by Teletex	CALL	Sales Edge	174
Symphony by Lotus	SALE	Format IIe	104
Upgrades for 1-2-3	CALL	Knoware	64
DESO	CALL	Master Type	27
Inves Anyly by Dow Jones	249	Micro Pro	CALL
Market Analyzer	219	Micro Soft	CALL
Market Manager	65	PFS: Access IIe	49
PFS: Access	89	PFS: File II	84
PFS: File	89	PFS: File IIe	84
PFS: Write	89	The Handlers (all)	149
PFS: Report	84	Terrapin Logo	99
Bankstreet Writer	47	VersaForm	259
EasyWriter II by IUS	269	BPI GL	267
Dow Jones Soft	CALL	Pie Writer by Hayden	97
VolksWriter Delux	179		



CALIF.
Sales Office

1-800-433-9449



NEVADA
Sales Office

1-800-621-0852 ex 988

Equipment subject to price change and availability

NOW SERVING YOU
FROM OUR NEW
NEVADA LOCATION

No Sales Tax

COMPUTERS
and MORE
THE CHALLENGERS!

8265 Commercial Dr., La Mesa, CA 92041

580 Greenbrae Drive #234, Sparks, Nevada 89431

CHAOS MANOR

tried to make it like a typewriter by, for example, putting the Escape key well off to one side and labeling it "Margin Release." There were some other special-function keys with labels like "Edit" and "Copy" and "Delete Line."

The QX-10's really big feature, though, was to be the integrated software known as Valdocs; this was going to be so wonderful that Epson would stop the IBM flood, save the Z80 computer, and, while they were at it, wipe out CP/M. Epson pinned so many hopes on Valdocs that the company didn't even have a CP/M version of the machine. Valdocs ran under TP/M, which is a kind of CP/M work-alike different enough from CP/M that CP/M hackers have real problems with it.


More: the whole Valdocs/TP/M software package was developed in STOIC, which is an offshoot of FORTH. The machine itself used a hardware bus developed by Epson America and employed by no one else. The result was that there were essentially no independent software or hardware developers interested in the Epson QX-10.

Freezing out independent developers has been the formula for financial disaster for every computer company that has tried it so far. Epson was going to bring it off, though, because of Chris Rutkowski, Rising Star Industries, and Valdocs. Valdocs would do everything. It made charts, wrote documents, kept track of files, made file indexes, took care of communications, did calculations, and kept track of calendars: in other words, at least what Borland's Sidekick plus WordStar does on the IBM PC and other 16-bit machines. Rutkowski had promised a salable version of Valdocs by the end of 1982. Epson America believed him and began a big advertising campaign.

Alas, Valdocs wasn't ready in January of 1983. The first versions were sent to test sites. I got one. I really wanted it to succeed, but it was a disaster. Valdocs was slow, sent without documents, easy to learn but

(continued)

Where to find all the software without all the hype



Today it seems that everybody's trying to sell you on their software.

So how do you locate the best programs for your needs at the best price?

Send for a copy of Vanloves 1985 Software Directory for your Apple, IBM or CP/M-system micro.

Each system-specific Directory gives you complete, reliable, up-to-date information on approximately 3,000 different programs in more than 60 different categories.

And it's objective information from the most-trusted name in the information business, not advertising copy from the software supplier.

You'll find out the package name, the publisher, the memory requirements, operating system and cost of each program.


You can look up and compare programs by the precise application you have in mind. Locate programs by their titles. Or check for all the offerings from a particular publisher.

You can even use our electronic bulletin board and club lists for free access to valuable information and independent advice from users like yourself.

So before you spend another dollar or another hour searching for software that might not do the trick, send for the Vanloves Software Directory of your choice and get all the information you need before making a buying decision.

For a free 10-day examination, call toll-free or clip and nail the coupon.

Vanloves 1985 Software Directories Free 10-day Examination Order Form



☐ **YES, I need information, not hype!**

Send me the Vanloves Software Directory checked below to examine free for 10 days.

If I like it, I'll pay your bill of \$24.95 for each directory ordered. If not, I'll return your invoice along with the book(s) within 10 days and owe nothing.

- Send the ☐ IBM Software Directory
0-8352-1969-0, 968 pp., Order Code: 1969-OS
☐ Apple Software Directory
0-088674-001-0, 965 pp., Order Code: 001-OS
☐ CP/M Software Directory
0-8352-1973-9, 768 pp., Order Code: 1973-9S

☐ Payment enclosed ☐ Bill me
Charge to my credit card ☐ MC ☐ VISA ☐ AMEX

Account # _____ Exp. date _____

Signature _____

Name _____

Company _____

Address _____

City/State/Zip _____

Telephone () _____

Clip and mail to:
R.R. Bowker Order Department
P.O. Box 1807, Ann Arbor, MI 48106

FOR FASTEST SERVICE, CALL TOLL-FREE: 1-800/521-8110
(In MI, AK, HI and CN, call 1-313-761-4700)

Prices are applicable in the U.S., its territories and possessions, and in Canada, and are 10% higher in all other Western Hemisphere countries. All invoices are payable in U.S. dollars. Prices and publication dates are subject to change without notice. Applicable sales tax must be included. Shipping and handling will be added to each order. (Outside WH: Erasmus House, Epping, Essex, CM16 4BU, England.)

Vanloves 1985 Software Directories
from R.R. Bowker, The Information Company

hard to use, and quite capable of losing your files without warning. It could take up to a full minute simply to erase an unwanted file, and it took about 15 minutes to use Valdoks to create a one-paragraph letter. As to TP/M, the only documentation was some photocopied sheets so dim that I couldn't read them in strong light with a powerful glass; and it blew up if you tried to use standard CP/M utilities such as SWEEP.

Over the course of 1983, version after version of Valdoks (and, I suppose, of TP/M) emerged from Rising Star. All were improvements, but none were very good. In the September 1983 BYTE (Valdoks Revisited, page 480), Rutkowski promised that Valdoks 2.0 would fix everything and that it would be available *soon* (italics his). My answer was that I hoped he was right, but I didn't believe it; in my view, Valdoks was too ambitious for the Z80 chip. To do what Rutkowski wanted his software to do, you'd need a great deal more memory (8-bit computer chips such as the Z80 can address only 64K bytes of memory directly; to have access to more requires kludges).

ONE POSSIBLE FIX

There was, though, one obvious improvement that could be made to Valdoks: a RAM disk could probably take the software well past tolerable. The Epson used a very conservative—and slow—disk-control system, and Valdoks is heavily dependent on disk operations, making it painful; but with a RAM disk it might become a pleasure to use.

Apparently the people at SemiDisk thought so. In any event, they developed a SemiDisk for the Epson QX-10. In the meantime, Epson had brought out a CP/M version of the QX-10. The CP/M Epson was a nice little machine, well made and handsome, but not particularly distinguished among Z80 machines except for its extremely nice screen and graphics. The SemiDisk worked splendidly with the CP/M Epson—but of course that wasn't the system that needed the RAM disk. Alas, they never did get the software

to connect up the SemiDisk to Valdoks.

I don't blame them, understand. Working with an operating system written in FORTH and intended to ape CP/M is my idea of purgatory. The fact remains that even with plenty of cooperation from Rising Star, they never were able to tie SemiDisk to Valdoks; so we were never able to see whether the speed improvements would make Valdoks tolerable.

A RAM disk would certainly have helped Valdoks. The trouble is that it's not *really* an integrated software package. It's not even callable on demand. It's only a set of chained programs.

That is: when you invoke Sidekick on your IBM PC, the program is *already* in memory and so is your own work in progress. Whatever you were doing stays where it was, while Sidekick operates with its own section of the PC's memory cells. If Sidekick needs to call in a file from disk—such as the calendar or the help file—it does it, but it still hasn't disturbed what you were doing. The result is that when you exit Sidekick, you're right back where you were when you brought it in.

Valdoks doesn't work that way. When you change functions in Valdoks, it must first save your current work to disk, then bring the new job in off the disk. When you return to your previous work, that process is reversed. Disk operations are slow. Five-inch floppies are *very* slow. If Valdoks could have been hooked up with a good RAM disk, the slowest and worst part would be speeded by a factor of at least 10, and Valdoks might have been tolerable. Alas, that didn't happen.

REAL SOON NOW

In October 1984 Rutkowski announced the imminent release of Valdoks 2.0 in a big press conference. Computer writers who were present—I didn't go; it was in the Bay Area and I live in Hollywood—had mixed reactions. The BYTE staff wasn't very impressed, especially when they were told that certain features promised for

2.0 would be implemented in "the next version."

Valdoks 2.0 was developed with a new language: according to Rising Star, a greatly improved version of FORTH. It will employ a new operating system, TP/M 3. It was developed under a radical new organizational structure: many programmers, working individually in locations from New Hampshire to Hollywood, linked by electronic mail, each working on a small part of the system. I wasn't told whether the documents were developed that way; perhaps it doesn't matter, since Rutkowski once told me that he didn't consider documents necessary anyway. The program ought to teach itself.

The people at SemiDisk have been told by Rising Star that the software drivers for using a SemiDisk RAM disk with Valdoks 2.0 and TP/M 3 are "already written and installed directly into the operating system." Moreover, they actually have a copy of TP/M; they do not have Valdoks.

My advice to QX-10 owners is not to hold your breath. The Valdoks 2.0 release date is said to be January of 1985. At the moment (December 12, 1984), the software technicians inside Epson America do not have copies of Valdoks 2.0.

Valdoks was a valiant effort. In my judgment, it was doomed from the beginning: 8-bit machinery just isn't powerful enough for what Valdoks attempted even if you don't further handicap it by trying to do it in FORTH. It's a kind of moot question anyway, now that the 16-bit integrated software packages are beginning to deliver what Valdoks promised.

I've never understood the people at Epson America. They had everything going for them, but somehow they hitched themselves irrevocably to Rising Star and Rutkowski's obsession with proving that you can write good, fast, compact, usable software in FORTH. Epson's loyalty to Rising Star is touching. I guess they can afford it.

MORE ORCHIDS

Last month I reviewed Orchid Technology's Pcturbo 186 board ("Orchids

to You," page 363), which speeds up your IBM PC something wonderful. We've been running it for nearly two months now: no glitches, no problems, and it's fast, **FAST, FAST.**

The Orchid board uses its own on-board memory, allowing the original memory in your PC to become one or more RAM disks. Last month there was a problem: the Orchid manuals weren't clear enough on how to install the RAM disks.

That's been fixed. Orchid now has an Options program that runs fine and lets you configure your PC in a number of ways, allocating memory to I/O (input/output) buffers, RAM disks, etc. The version sent to me still had documentation problems; but after my phone call to get Orchid's people to walk me through it, they once more rewrote the instructions, and I don't think you'll have trouble with them now.

I'm very impressed with the Orchid PCTurbo 186.

So THAT'S It ...

I've often wondered why there's no hardware reset key on the IBM PC. (There isn't one on the PC AT either.) The lack of such a key can be pretty serious, as for instance when your machine locks up and won't listen to the keyboard at all, and you have to turn it off to get it going again. This is not good for hard disks. It isn't particularly good for power supplies, either.

Deep Blue, my source inside IBM, has told me why there's no hardware reset: Microsoft didn't want IBM to put one on. It seems that if you can reset the machine it's easier to pirate software. IBM, for reasons not known to my source, went along with this nonsense. It didn't even put a hardware reset on the AT.

Of course, all the IBM people at Boca Raton use an expensive hardware addition called PC Trace that contains, among other things, a hardware reset. That's a pretty costly way out.

Fortunately, there's a less expensive remedy. Security Microsystems, the manufacturer of Quickon, the nifty little switch that lets you dispense with the PC's memory test on power-on, now makes PC Reset, a combination gadget that will disable the memory test and also do a hardware reset. There's a version for the PC and another for the PC XT; so far none for the AT, although I wouldn't be surprised if one is in the works.

I've had Security's memory-disabler in Lucy Van Pelt, our fussy budget PC, for eight or nine months now with no problems. When we were installing the reset switch, we brought up the

(continued)

THE PROGRAMMER'S SHOP™

helps compare, evaluate, find products. Straight answers for serious programmers.

SERVICES

- Programmer's Referral List
- Compare Products
- Help find a Publisher
- Evaluation Literature free
- BULLETIN BOARD - 7 PM to 7 AM 617-826-4086
- Dealer's Inquire
- Newsletter
- Rush Order
- Over 300 products

Free Literature - Compare Products

Evaluate products Compare competitors. Learn about new alternatives. One free call brings information on just about any programming need. Ask for any "Packet" or "Addon Packet": ☐ ADA, Modula ☐ AI ☐ BASIC ☐ C ☐ COBOL ☐ Editors ☐ FORTH ☐ FORTRAN ☐ PASCAL ☐ UNIX/PC or ☐ Debuggers, Linkers, etc.

RECENT DISCOVERIES

Introducing C: C Interpreter and training system. Nice, Thorough. PCDOS. Only \$95.

"C" LANGUAGE

	OUR PRICE
MSDOS: C86-8087, reliable	
Instant C - Inter., fast, full	500
Lattice 2.1 - improved	call
Microsoft C 2.x	329
Williams - NEW, debugger	call
CPM80: Ecosoft C-now, solid, full	225
BDS C - solid value	125
MACINTOSH: Softworks	365
Megamax-object, full	295

Compare, evaluate, consider other Cs

BASIC

	ENVIRONMENT
Active Trace-debug	86/80 75
BASCOM-86 - MicroSoft	8086 279
BASIC Dev't System	PCDOS 115
BASIC Compiler	
BetterBASIC - 640K	PCDOS 185
CB-86 - DRI	CPM86 439
Prof. BASIC Compiler	PCDOS 89
SCREEN SCULPTOR	PCDOS 119

Ask about ISAM, other addons for BASIC

FEATURES

C-English - BBMS to C. Complete, powerful. MSDOS \$795, dBase to C + \$200.
GC LISP - "COMMON" LISP, Help, tutorial, co-routines, arrays, thorough. PCDOS \$475.
EXSYS - Expert System building tool. Full memory. Probability. Why. Intriguing. PCDOS \$295

EDITORS Programming

	OUR PRICE
BRIEF - Intuitive, flexible	PCDOS 195
C Screen with source	86/80 75
EDIX - Nice interfaces	PCDOS 149
FINAL WORD - for manuals	86/80 215
MINCE-like EMACS	PC/80 149
PMATE-powerful	8086 195
VEDIT-full, liked	86/80 119

UNIX PC

COHERENT - for "C" users	PClike 475
COHERENT-NCI-Realtime	PClike call
XENIX - plus C to MSDOS	PC 1295

Ask about run-times, applications, DOS compatibility, other alternatives. UNIX is a trademark of Bell Labs

LANGUAGE LIBRARIES

GRAPHICS: GraphiC-source	MSDOS 195
GRAPHMATIC-3D, FTN, PAS	PCDOS 125
HALO-fast, full-all lang.	PCDOS 175
FILE MGMT: Btrieve-all lang.	MSDOS 215
CIndex + -source, no royal.	86/80 375
Ctree-source, no royal.	ALL 375
dbC ISAM by Lattice	8086 250
db VISTA - "Network"	MSDOS 465
PHACT-up under UNIX, addons	MSDOS 250
OTHER: Cutil by Essential	MSDOS 139
Greenleaf-200 +	MSDOS 165
CSharp-Real-Time	MSDOS 600
PORTABLE C to PC, Mac, II	Many 125
SOFT Horizons-Communicate	PCDOS 139
SCREEN: CURSES by Lattice	PCDOS 125
CView-input, validate	PCDOS 195
MetaWINDOW-icons, clip	PCDOS 139
PANEL-many lang, term	MSDOS 265

	ENVIRONMENT	OUR PRICE
MS FORTRAN-86 - Impr.	MSDOS	\$ 239
DR Fortran-86 - full '77	8086	280
PolyFORTRAN-XREF, Xtract	PCDOS	165

OTHER PRODUCTS

Assembler & Tools-DRI	8086	159
Atron Debugger for Lattice	PCDOS	395
CODESMITH-86-debug	PCDOS	139
HS/FORTH-fast	PCDOS	239
IQ LISP-full 1000K RAM	PCDOS	call
MacASM-full, fast, tools	MAC	100
MBP Cobol-86-fast	8086	695
MicroPROLOG	PCDOS	285
Microsoft MASM-86	MSDOS	85
MSD Debugger	PCDOS	119
MultiLink-Multitasking	PCDOS	265
PC/FORTH + -well liked	MSDOS	219
Periscope-debug, "reset"	PCDOS	295
PFIX-86 Debugger	MSDOS	169
PL/1-86	8086	495
PLINK-86-overlays	8086	345
Polylibrarian-thorough	MSDOS	95
PolyMAKE	PCDOS	95
PROFILER-86-easier	MSDOS	125
PROFILER-flexible	MSDOS	125
Prolog-86-Learn, Experiment	MSDOS	125
SCIL-control "Versions"	86/80	349
SYMD debugger-symbols	PCDOS	119
TLC LISP-86-full, liked	MSDOS	250
TRACE86 debugger ASM	MSDOS	115

Note: All prices subject to change without notice. Mention this ad. Some prices are specials. Ask about COD and PDs. All formats available.

Call for a catalog, literature, and solid value

800-421-8006

THE PROGRAMMER'S SHOP™

128-B Rockland Street, Hanover, MA 02339

Visa Mass: 800-442-8070 or 617-826-7531 MasterCard

PC with the memory test. We'd forgotten how long that takes: 90 seconds, if you have your system chock-full of memory. That's a long time.

We've just put in the reset switch system. It works: push the button and it forces reset. To install it, you have to cut one power wire; Security Microsystems thoughtfully includes a gizmo

to reconnect the wire if you ever decide to remove the switch. The kit also includes an IC (integrated circuit) puller. Interestingly enough, it works with the PCturbo 186 board installed; I don't know whether or not it forces the 186 to reset. That board has its own hardware reset button on the back, and if I ever lock up the 186, I'll

probably use both reset buttons just to be sure.

With an S-100 system, the contents of a RAM disk will survive a reset; at least they do with my CompuPro, which won't reformat a RAM disk that's already formatted. Alas, the Orchid PCturbo 186 RAM-disk files do not survive resetting the PC, whether that's done by the Security Microsystems button or by Ctrl-Alt-Del. I suspect that's a function of the Orchid Software, but it may be inherent in the way Security Microsystems forces system reset.

The Security Microsystems reset comes out the back of the machine to a big button reminiscent of the pickle switch on the old Norden bombsight. The company has thoughtfully included some sticky-back Velcro so that you can attach the button to the side of your PC at any convenient place. Alas, the Orchid PCturbo 186 button remains on the back where it's hard to get at.

Anyway, you can now have hardware reset for your PC; gee, if this keeps up, the machine will have most of the features the Altair did.

PC AT RUMORS

Knowledgeable sources are ordering their PC AT for delivery in six to nine months; it seems there are some hairy power-supply problems on many of the ATs recently delivered. This comes from a company that orders IBM PC equipment by the pallet load.

Deep Blue tells me there are about 80,000 PC ATs sitting in warehouses waiting for Intel to deliver 80286 chips. The production yields on those chips are *much* lower than expected. There's also some concern that the power supplies in many of those warehoused machines will have to be replaced or at least reworked. By the time you read this, you can be sure that IBM will have done something about the problem. Big Blue does not intend to ship equipment that frustrates users.

I've further information on the AT: according to a friend in an independent laboratory, the AT is set up for

(continued)

GET UP THE RAMP WITH OUR EE/EPROM PROGRAMMERS & UV ERASERS

Reliability
Affordability
Maintainability
Program



Choose from our **Stand Alone, Intelligent, RS-232 units.**
COMPATIBLE WITH ANY COMPUTER OR TERMINAL.

GANGPRO-8\$995.00

High throughput. Gang 8 EPROMs with the fast Algorithm. Optional 512K buffer. Programs **ALL** 24 pin & 28 pin EPROMs. Other units to gang 24 EPROMs.

PROMPRO-8\$689.00

Powerful commands, easy communications, 128/256K buffer. Alpha Display. Simulation and Keypad option. Programs **ALL** EPROMs & MPU's.

PROMPRO-7\$489.00

32K RAM buffer, ideal for programming 8748, 8749, other Intel MPU's and 16K-128K EPROMs.

BIPOLAR & PAL Programmers...Call!

TELEX 383 142

UV ERASERS

ECONOMY MODEL QUV-T8/1\$49.95

Erases over 15 EPROMs. Plastic case.

INDUSTRIAL QUV-T8/2N\$68.95

Metal case, UV indicator, tray, erases over 15 EPROMs in 15 minutes.

INDUSTRIAL QUV-T8/2T\$97.50

With 60 minute timer and safety switch.

INDUSTRIAL QUV-T8/Z\$124.95

Fast Eraser, 15 EPROMs in 7 minutes, 30 EPROMs in 15 minutes.

PRODUCTION UNIT\$149.95

Model: ULTRA-LITE*. Erases 50 EPROMs in 15 minutes.

TOLL FREE **1-800-EEI-PROM**
(331-7766) • FLORIDA (305) 974-0967

AVAILABLE SOFTWARE DRIVERS

1. IBM PC	2. APPLE II	3. Intel-MDS	4. CPM
5. TEXTRONIX8002	6. COMMODORE 64	7. TRS-80 COLOR	8. FLEX

LOGICAL DEVICES, INC.

DEPT. 6, 1321-E N.W. 65th PLACE • FT. LAUDERDALE, FL 33309
DISTRIBUTORS INQUIRY WELCOME

LOGICAL

The C Compiler Thousands Rely On

C-86™

NEW-IMPROVED Version 2.2 Compiles 25% Faster
IBM-PC AT Support

When the going gets tough, Optimizing C86 comes through time and time again. C86 is a highly dependable C compiler that has been optimized through the years to provide the best combination of reliability, speed, and performance.

FAST, IN-LINE 8087/80287 SUPPORT

Now you can take full advantage of 8087/80287 capabilities, allowing your programs to run many times faster than possible with other C compilers. Plus the source code to all routines is included, so you have complete control over all functions.

MORE OF THE FEATURES YOU WANT

- **SOURCE** is provided to all libraries for total programming control. The source includes a set of standard UNIX routines plus many DOS specific functions.
- **SPECIAL IBM-PC LIBRARY** including communication, screen, and keyboard handling functions.



**COMPUTER
INNOVATIONS, INC.**

980 Shrewsbury Avenue, Tinton Falls, NJ 07724

© 1984 Computer Innovations, Inc.

- **COMPATIBLE WITH WIDELY AVAILABLE LIBRARIES** such as HALO screen graphics and many, many others (call for list).
- **TOPVIEW SUPPORT LIBRARY** provides windowing capabilities.
- **SPEED OPTIMIZATION** — there's always room to tighten your code, and Computer Innovations has the tools to help. For example, *PROFILER-86* helps identify key areas for optimization.

TECHNICAL SUPPORT, NOBODY DOES IT BETTER

Computer Innovations has earned a reputation for providing customer support that is **unequalled** in the industry. This includes a user's group, an on-line bulletin board, and a user's newsletter.

JOIN THE THOUSANDS OF PROGRAMMERS WHO TRUST AND RELY ON C86

For Further Information Call 800-922-0169.

Technical Assistance Call (201) 542-5920.

Computer Innovations features a full line of C products including **C-to-dBase** (dBase development tool) and **Introducing C** (C Interpreter Language Learning System). Call or write for a product profile.

**For Further Information Call
800-922-0169**

Technical Assistance Call (201) 542-5920

Inquiry 66

REAL MEN DON'T USE MENUS.
I WANT TO KNOW HOW TO USE
POWER COMMANDS.



HERE'S HOW:



FRAMEWORK SOFTWARE

Framework™ has elegant menus that are handy for beginners and occasional users, but are easily bypassed once you know your way around the program.

We're going to show you the simplicity and speed of using power commands to create and use our unique automatic outline.

This fancy keywork is typical of the power commands for all of the powerful integrated functions of Framework: word processing, spreadsheet, graphics, data management, and telecommunications, as well as running other sophisticated software such as dBASE III™ within Framework. And for writing macros or creating custom programs with FRED™, the built-in programming language, power commands are the only way to go.

Boot Framework, and you've created the Framework desktop.



Press the Ctrl

and C keys together, then press the O key. An outline appears on the screen.



Type Outline (or any title you like) and press the Return key.

The outline is titled.



Press the grey + key. You move to heading 1.0.



Type Main Point 1 then press the Return key. Heading 1.0 is titled.



Press the (down) arrow key. You've moved to subhead 1.1.



Press the Ctrl and C keys together, then the E key.

A new heading is inserted under 1.1.



Press Ctrl and the grey + key. A subhead is added to the heading you just created. (Under any of these heads or subheads, you can be writing text, creating spreadsheets, generating graphics, etc.)



Press the Ctrl and C keys

together, then the S key.

A spreadsheet frame is created as the second subhead.



Press the F9 key. There's the spreadsheet you created, full screen.



Press F9 again. Back to the outline.



Press the Ctrl and D keys

together, then the C key.

Your desktop is cleaned up.

Now, how's that for a power trip. And you did it by following a few simple directions. Amazing. In just seconds you were in control of a powerful creative tool. Which is the way we think software should work.

For a dealer near you call (800) 437-4329, ext. 222. In Colorado, (303) 799-4900, ext. 222.



Software from

ASHTON-TATE™

We'll put you in control.

Subscription Problems?



We want to help!

*If you have a problem with your **BYTE** subscription, write us with the details. We'll do our best to set it right. But we **must** have the name, address, and zip of the subscription (new and old address, if it's a change of address). If the problem involves a payment, be sure to include copies of the credit card statement, or front and back of cancelled checks. Include a "business hours" phone number if possible. We'll respond A.S.A.P.*

BYTE
Subscriber Service
P.O. Box 328
Hancock, NH 03449

CHAOS MANOR

multiprocessing—there are signals on the extra bus for it. (The "extra bus" is another strip of connectors that make the AT's bus 16 bits wide.) The extra bus seems to run all of the current PC cards just fine but also will run "wider" cards.

Another thing: the AT's crystal is socketed, just as if IBM were planning for faster 80286s already.

SYNCHRONICITY

Talking with Jim Baen reminds me that he has a new software line. It includes a number of games, many based on the works of authors he's published—the most notable is Fred Saberhagen's Berserker series, and of course I'll finish the game based on Niven and Pournelle's *Inferno* Real Soon Now. I've mentioned Baen's Magic Keyboard several times before.

There's also The Electric Dragon.

The *I Ching* or *Book of Changes* has been around a long time; Confucius thought it was old at the time of Christ. It is supposed to have been composed about the time of the Trojan War. Scholars including Confucius and Jung have thought it worth a great deal of study. Many science-fiction readers first heard of it through the late Philip K. Dick's masterful *The Man in the High Castle*, which, according to Dick, was largely written through the aid of the oracle.

One uses the *I Ching* by tossing joss sticks to generate random numbers. The theory is that all events in the universe are connected, and thus the study of any event will lead to understanding of events (and total situations) existing simultaneously; and thus the total pattern of the universe will be brought to bear on the fall of the yarrow stalks.

You can also generate the *I Ching* hexagrams by tossing coins; Chinese coins were supposed to be preferable, but I used to use silver dollars. Whatever method you use generates a hexagram of six lines. Each possible hexagram has a name and considerable text concerning it. Study of that text is supposed to give you sage advice on what to do at this particular moment.

Modern science, particularly the general theory of relativity, holds that the concept of simultaneity is meaningless; and it isn't necessary to believe in the theory of the *I Ching* to be fascinated with it. You can also believe that its author was a very astute judge of human nature and wrote a number of mind-concentrating passages designed to focus an individual's powers of thought.

In any event, the standard way to consult the *I Ching* involves hand washing, lighting incense, taking the book down from a high shelf, and unwrapping it from its silk cover with great respect; laying it on a south-facing table in the middle of the room; and, after suitably composing one's mind, tossing the yarrow stalks in a precisely defined manner.

With The Electric Dragon you merely put a floppy disk into an IBM PC and type ICHING <return>. The system will prompt you from there. The manual tells you that you may, if you like, treat your floppy disk with the proper reverence, place your computer facing south on a table in the middle of the room, and use incense. Somehow it's not quite the same.

However, the program does all that the yarrow stalks could do. Instead of tossing the sticks (or coins), you press any key whenever you feel that the time is propitious; this generates one line of the six-line *I Ching* hexagram. Lines are either yin or yang and can be either fixed or moving; if any of the lines is a "moving line" (the odds are good that at least one will be), you have actually generated two hexagrams, and their meaning, modified by the meaning of the moving line or lines, must also be considered. The odds for generating each kind of line (as generated by tossing yarrow stalks) are easily calculated; one supposes that The Electric Dragon program duplicates those odds as closely as possible.

The manual was written by Steve Rasnic Tem. I've not read a lot of his poetry, but I have twice included poems by Tem in anthologies I've edited. The *I Ching* implemented in the

(continued)

WHAT TO WEAR WHILE BALANCING THE BOOKS.

Go ahead. Slip into something comfortable. Wear the most comfortable, most sophisticated microcomputer accounting software in the world. Open Systems. Accounting software so rich in features, it can handle the complex problems of today's small business with unprecedented ease. Software so flexible, it runs on all popular microcomputers. And can grow right along with your business needs.

No other accounting software line is so complete. With a choice of General Ledger, Accounts Receivable, Accounts Payable, Inventory, Payroll, Job Cost, Sales Order, Purchase Order and Fixed Assets as well as a

Report Writer that links your accounting data to popular spreadsheets, word processors and graphics software. Assuring you the luxury of a perfect software fit.

The fact is, Open Systems meets the needs of today's small business so completely, it's become one of the best selling lines of accounting software on the market. More than 300,000 accounting products are providing comprehensive accounting solutions for businesses throughout the world. Now that's comforting. Call Open Systems right now. And get your mind off the books.

For the dealer nearest you call 1-800-328-2276

A man and a woman are shown in a close-up, intimate setting. The woman, with blonde hair and wearing a red dress and a pearl necklace, is leaning over the man. The man, with dark hair and wearing a blue shirt, is looking down at a stack of software boxes and manuals on a table. The boxes are labeled 'Inventory', 'General Ledger', and 'Accounts Receivable', all under the 'OPEN SYSTEMS' brand and 'UCCEL' logo. There are also some manuals or manuals with the 'THAT THL' logo. The scene is dimly lit, with a warm, intimate atmosphere. The overall image conveys a sense of comfort and ease while working with the software.

OPEN SYSTEMS
The accounting
software that makes
you look good.
UCCEL

program is the 1950 Richard Wilhelm translation rendered into English by Cary F. Baynes from Princeton University Press. I'm no authority on versions of the *I Ching*; I assume this is a good one mostly because I've known Jim Baen a long time, and he's always pretty careful to do things right—and I also know he's been intrigued by the *I Ching* for many years. Certainly the messages read poetically—and enigmatically—enough.

The Electric Dragon program contains what amounts to a log book. You can type in your question, and after receiving an answer from the oracle, type in a comment; after which you can save the whole thing. The file is time- and date-stamped, so that it can become a kind of diary of your problems and your thoughts about them. Alas, I've found no way to make hard copy to paste into my regular log book.

You can also review previous sessions or study an individual hexagram.

If you've ever wondered about the *I Ching*, this is a reasonably painless way to consult it. At worst, it's an expensive electronic log book.

SMALL DISKS!

Everyone has moved to 5¼-inch disks; everyone, that is, except me. Eight-inch disks are still the main workhorses here at Chaos Manor. The CompuPro 8-inch double-sided format holds 1.1 megabytes per disk; that's 180,000 English words, more than enough for a novel. I can copy all that in about two minutes flat. It's easy to keep *lots* of backup copies. Eight-inch drives are much faster than 5¼ and significantly more reliable; I almost never get "retry" errors on the 8-inch drives, and there's at least one a week with 5¼.

However, most software now comes on the small disks, and it's a pain to have to get Peter to use the Disk Maker I to transfer it over to 8-inch format so that I can get it into the Golem, my big CompuPro 8/16 system. For some time now I've been promised small disks for the Golem; when the CompuPro hard disk ar-

rived, it had a blank spot with a piece of yellow stick-on saying "5¼ drive goes here"; but nothing happened.

Last week that got fixed. CompuPro sent down a big box that contained a new power supply and two Mitsubishi 96-tpi (tracks per inch) 5¼-inch drives. There was also a CompuPro Disk One-A controller that will handle both the 5¼-inch and 8-inch drives.

We took the hard disk out of the old box and put it in the new; the old power-supply box went back up to Hayward, where CompuPro intends to take it apart to see how it has held up under nearly a year of intense use. Then Tony Pietsch came over to set things up. In the course of the installation, we discovered one mode of board failure that the CompuPro quality-assurance people hadn't tested for. A quick phone call took care of that; they've now changed their test procedure.

One of the main reasons I get so much attention from the people at CompuPro is that nearly everything they put out gets set up and used here before it gets to the public; and I often find problems that did not show up in other tests, precisely because I do not "test" equipment and software. I use it; and since we do almost everything here, from writing books to running accounting software to writing programs, it gets "tested" a great deal more thoroughly than most test sites can manage.

I generally find some problems. That's why I have more than one computer, including one I don't touch; when we get a problem with the experimental system, I leave it alone until Tony can look at it. He finds the problem, consults with CompuPro, and they modify the design, change software, or do what it takes to make things work properly.

The result can be impressive. Take the Golem as an example. He's often torn apart and filled with experimental equipment. We work him *hard*. Yet he hasn't been off duty for two weeks cumulatively in the more than two years we've had him.

Anyway, the board glitch was fixed, as was a minor software problem; and

I can now run my 5¼-inch drives as well as 8-inch. They run under Tony's Newmedia program. Newmedia tells your system that any one of about 40 different disk formats (he's adding to them all the time) is *native*. Once that's done, you can read, write to, and *format* 5¼-inch disks in the format you chose. Possible formats include both 48- and 96-tpi, IBM, Epson, Kaypro, and a whole bunch of others.

Changing native formats with Newmedia takes about 30 seconds, after which you can use COPY or PIP to move files to the new format from the hard disk, 8-inch drive, or RAM disk. Like all of Tony's recent programs, it contains its own instructions: type **NEWMEDIA ?** <return> and it tells you all you want to know about using it. Newmedia with the CompuPro Disk One-A is going to save Peter and the Disk Maker I a lot of work. Incidentally, all of Tony Pietsch's software uses that convention: type the program name, space, and a question mark and the program explains itself. Nifty.

Tony also brought the new very fast Copy and Format programs that cut disk-copy time in about half.

My system was installed by Tony; but CompuPro has been working on making its stuff easier to get running, and installation of the new BIOS (basic input/output system) software can now be accomplished by running a single Submit file, which assembles the BIOS (you get the source code) and does the system installation. Pournelle's law still obtains though: if you don't know what you're doing, deal with people who do. In CompuPro's case, that translates to "work with Systems Centers unless you're pretty familiar with S-100 bus systems."

THAT VIDEO BOARD AND THE SPUZ

Tony also brought over a copy of the new CompuPro PC-compatible S-100 video board. Alas, he couldn't leave it; as of now there are only five of them in existence. CompuPro is making more next week, and I ought to have mine Real Soon Now. I can hard-

(continued)

Your Career Is Our Business- Catch Our Magazine

**Grab the brass ring through
McGraw-Hill's COMPUTER CAREERS**

McGraw-Hill's COMPUTER CAREERS magazine will be published in May 1985. This McGraw-Hill publication, focusing on career development, will be edited for computer specialists working in leading edge areas such as computer graphics, communications and robotics, as well as mainstream design and application of computer technology.

You are only eligible to receive a free subscription if you graduated between 1978-1985 with a:

Computer Engineering/Science major or Electrical/Electronic Engineering major with computer related curriculum, and/or


Are actively involved in computer technology in your job function.

To receive this free subscription to COMPUTER CAREERS, fill in one of the attached postcards which will trigger an application form for you to complete. We must have your home address only. If both cards are missing, send your request to: Violet Frey, Circulation Manager, McGraw-Hill's COMPUTER CAREERS, McGraw-Hill Publications Company, 1221 Avenue of the Americas, New York, NY 10020.

COMPUTER CAREERS editorial content will focus on interests and concerns of the computer science/engineering specialist. Articles will sift through the maze of computer-related jobs to show you what and where the opportunities are...tell you how to weigh them now and in the future...offer expert advice that will help you move successfully ahead in your career...identify areas where you can build your personal attributes to enrich your career. In addition, the reader has available a Resume Forwarding Service in each issue.



**McGraw-Hill's
Computer
Careers**



maxell DISKS

LIFETIME WARRANTY

Think you're getting the best price on Maxell Diskettes?

You're right . . . BUT ONLY IF . . .

You're buying from
NORTH HILLS CORP.

We will beat any nationally advertised price* or give you a 15 disk library case FREE!

Call us last—TOLL FREE—for our best shot every time.

1-800-328-3472

Formatted and hard sectored disks in stock.

Dealer inquiries invited. COD's and charge cards accepted. All orders shipped from stock within 24 hours. Why wait 10 days to be shipped?



North Hills Corporation

3564 Rolling View Dr.
White Bear Lake, MN 55110
MN Call Collect 1 612 770-0485

*verifiable; same product, same quantities

Inquiry 235

C Preprocessor

If you have ever found yourself wishing that C had a more sophisticated preprocessor, you will appreciate this stand-alone preprocessor from Hyperon Software.

- ☐ Supports Harbison & Steele Preprocessor
- ☐ Preprocessor Variables & Expressions
- ☐ #While & #Do Loops
- ☐ Full Macros
- ☐ One Pass
- ☐ C Source & Documentation Provided

Designed for portability. Presently PCDOS diskettes are available; please inquire about other formats.

Price: \$39.95 (California residents add 6%)

Hyperon Software
PO Box 3349
Costa Mesa CA 92628

EXPAND! For the NEC PC 8201;
SIDECAR/\$349.
32K Memory Cartridge,
expandable to 128K

32K ROM
SPREADSHEET/\$88.
For the NEC PC 8201, TRS 80 Model 100
and the Olivetti M10;

**8K MEMORY MODULE/
\$44.95 each**

- Simple installation instructions included.
- 30 day satisfaction guarantee or your money back.
- 1 year warranty.
- Prompt shipment via UPS.

Shipping: from stock. Free UPS surface 2 day air - add \$4.00 Continental USA, add \$7.00 Canada. **Payment:** Visa, M/C, American Express. **Checks held 14 days.** **GOD add \$5.00**
Tax: 6% (California only).

PURPLE COMPUTING
2068 Ventura Blvd.
Camarillo, CA 93010

(800) 732-5012
Inside California
(805) 987-4788

Inquiry 259

CHAOS MANOR

ly wait. When I get that in, we'll change my 8/16 over to Concurrent DOS, replacing the CompuPro 8/16 processor board with the new 80286 microprocessor and one or more SPUZes.

SPUZ is CompuPro's code name for a concurrent Z80 board, which is already running in test sites, including at Tony's house. Once Tony is happy, it's my turn. I'm eager to get at it. When it's all done, there will be no more Switch! and Swap programs; if the machine's fed a Z80 program, it will run that simultaneously with 16-bit 80286 programs. Bill Godbout says it's like having a box full of computers; turn 'em loose and let 'em all play together, each one running at its own speed.

CompuPro also has a new version of Shirley, otherwise known as the CompuPro 10 multiuser system. The new one will fly with Concurrent DOS. Owners of the older machines will be able to upgrade through local Systems Centers.

UNIX?

I've not changed my views on UNIX: on Mondays and Wednesdays I'm convinced it's going to sweep through the computer world like wildfire and be the unifying influence we all need. After all, Digital Research is supposed to be working on ways to make Concurrent DOS run under UNIX; and since PC-DOS runs under Concurrent DOS, that will go a long way toward integrating the micro world into one happy family.

On Tuesdays and Thursdays I recall that UNIX is enormous, too big and too slow, changes all the time, and generally requires a UNIX wizard to maintain; there's no way it's going to be popular outside large computer establishments. Give vanilla UNIX to business users and hear the screams of agony.

For those interested, though, these rumors out of CompuPro: the European branch of the firm has shipped a beta-test version of UNIX for the 68000 chip to CompuPro Canada. This is supposed to be the full Berkeley UNIX plus System V. Compu-

Pro also has UNIX System V for the 80286 chip. It shouldn't take the company all that long to bring UNIX into the United States.

FLOWCHARTS

Mrs. Pournelle is doing a book plus computer program that will allow any child with access to a computer to learn to read. She can do that because she has for years been the reading teacher of last resort for the Los Angeles County juvenile justice system. Her students are teenage illiterates in a lockup. They mostly come with pound after pound of psychological mumbo jumbo that "proves" the kid can't possibly learn to read; it wasn't the school system's fault.

She ignores that junk and teaches the kids to read. She hasn't failed yet.

Now she's doing a book on methods. With the book will come a computer program. Alex and I are working on it. Her contract specifies that part of the advance will be paid when we turn in a flowchart of the computer program. By coincidence, we got that contract the same day that Flow Charting, a program by Patton and Patton, arrived.

This looks as if it would be an easy system for producing flowcharts; heaven knows I'd like to use something like that, because modifying and redrawing flowcharts is one of the more boring ways to spend time.

Alas, Flow Charting is copy-protected. The manual says a backup copy of the program is provided, but there's none in my package.

I'm not about to waste my time designing flowcharts that can then be accessed only by use of an off-brand disk that I can't make backups of. For that matter, I don't much like using programs I can't put on a RAM disk. Looks as if Flow Charting goes off into the same corner as the other stuff I'll get to when things are slack.

FREE FILER

One of Peter Flynn's jobs is compiling the Items Discussed box. This can be a pretty tedious job. He has recent-

(continued)

ly found an excellent CP/M program that makes it considerably easier.

Free Filer from Telion Software was designed to work with WordStar files, but it works fine with WRITE text files, too. Free Filer is a "free form information retrieval system" that will let you keep card files, search through them on single or multiple keys, and make sorted files of the kind you see in the Items Discussed box.

His example: suppose you had the following card entries:

—Cats

furry, sneaky, warm, smart, small, edible (although eating them is not socially acceptable), semidomesticated, cheap to expensive

—Sheep

wooly, medium-sized, warm, edible, domesticated, expensive

—Toads

small, wet, cold, beautiful [it's Peter's file, not mine], inedible [as far as I'm concerned], cheap

Free Filer could be used to search for all animals that are small (toads and cats) or warm and expensive (cats and sheep) or cheap and edible (cats). Each time a record is found that contains the word or words searched for, it is displayed by itself on the screen. You then have the option to print it or add it to the search file.

There are a number of ways to sort your data once you retrieve it.

The program is not copy-protected and indeed urges you to make a backup copy before using it. It can be run from within WordStar as an information utility to generate specialized files that can then be included in the text you're working on.

The instructions are simple, in English, and easy to use. There are plenty of examples. Free Filer is one of those wonderful little general-purpose text utilities that simplify life with computers.

Recommended.

WINDING DOWN

Tony just called. He's got a CompuPro 80286 board and SPUZ intended for me; first they go into his system for

checkout. COMDEX is coming up in two weeks; just after that I ought to have the new stuff aboard.

I could say the book of the month was mine; certainly that was the book I put the most time and effort into. However, the real book of the month is *The World of Digital Typesetting* by John W. Seybold (1984; Seybold Publications, POB 644, Media, PA 19063; no price shown). This book will tell you a lot about typesetting equipment, software, and interfaces. It is not complete. There's more to the story; but this is a good introduction and history. Like Skillin and Gay's *Words Into Print*, Seybold's book belongs on the reference shelf of any serious professional writer. It's not easy reading, but it's stuff that professional wordsmiths had better know.

There hasn't been enough time for games, so there is no game of the

month. However, I have been promoted to Vice Admiral in the Cygnus Star Fleet I game.

We've ordered 512K-byte upgrades for our Macintosh computers, but they haven't come yet. Our dealer says Real Soon Now.

Finally, I just got a call from AT&T, and it looks as if I'm going to get one of the UNIX-running 3B2 systems to play with; hopefully, in a couple of months I'll know what to think about UNIX on Fridays and weekends. ■

Jerry Pournelle welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE Publications, POB 372, Hancock, NH 03449. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply.

ITEMS DISCUSSED

COMPUPro DISK ONE-A (5 1/4) .. \$695
 NEWMEDIA Not Available
 SPUZ \$695
 UNIX 68000 Not Available
 CompuPro
 3506 Breakwater Court
 Hayward, CA 94545
 (415) 786-0909

FLOW CHARTING \$167
 Patton and Patton
 340 Lassenpark Circle
 San Jose, CA 95136
 (408) 629-5044

FREE FILER Not Available
 Telion Software
 POB 1464
 La Mirada, CA 90637-1464

PC AT \$6694
 IBM Entry Systems Division
 POB 1328
 Boca Raton, FL 33432
 (800) 447-4700

PC RESET PACKAGE (includes
 Quickon) \$89.95
 Security Microsystems Consultants
 16 Flagg Place, Suite 102
 Staten Island, NY 10304
 (212) 667-1019

PCTURBO 186
 128K bytes \$1095
 256K bytes \$1245
 Orchid Technology
 47790 Westinghouse Dr.
 Fremont, CA 94539
 (415) 490-8586

SEMI DISK (for the Epson QX-10)
 512K bytes \$799
 2 megabytes \$2499
 SemiDisk Systems
 POB GG
 Beaverton, OR 97075
 (503) 642-3100

THE ELECTRIC DRAGON .. disk \$34.95
 Baen Enterprises
 8 West 36th St.
 New York, NY 10018
 (212) 947-8244

VALDOCS 2.0 less than \$50
 Rising Star Industries
 24050 Madison St., Suite 113
 Torrance, CA 90505
 (213) 378-9861

TOGETHER, STOPPING YOU.



RUN-TIME VERSION AVAILABLE

THERE'S NO


KnowledgeMan™ and You. The possibilities are endless.

To succeed in business, you need a partner that's fast, flexible, intelligent and easy to work with. A partner that can help turn your big ideas into well-conceived reality. One that gives you the support you need to make critical decisions confidently.

No partner can give you more of what you need than KnowledgeMan, the knowledge management software from MDBS.

A powerful partner.

KnowledgeMan helps you manage more knowledge, in more ways, than ordinary software. It can help you make better decisions on just about everything from production scheduling to market



forecasting. KnowledgeMan and its optional components offer data management, spreadsheet analysis, statistical analysis, text processing, forms management, business graphics, programming and more.

The key to KnowledgeMan's versatility is its exclusive synergistic integration, allowing you to accomplish your computing needs within one program. Unlike other software, there's no need to exit one function before entering another. The result: different kinds of processing can be intermingled. Quickly and easily.

A partner that speaks your language.

For all of its power and sophistication, KnowledgeMan is remarkably simple to understand. Even a beginner can start putting KnowledgeMan to work in minutes. With a single query, you can obtain related data from unlimited multiple tables. You can even teach KnowledgeMan to understand your own jargon.

A partner that helps you along.

The on-line HELP facility allows you to draw on 6800 lines of helpful information organized into 380 screens. If you have a problem or question, KnowledgeMan allows you to access the pertinent HELP screen immediately. Each screen is carefully designed to provide a quick reference guide to KnowledgeMan commands.

A partner that gives you room to grow.

Ordinary software packages can be frustratingly easy to outgrow. Not KnowledgeMan. Each KnowledgeMan component has more power than you'll probably ever need—far more than conventional integrated programs. With KnowledgeMan, you don't sacrifice capability, capacity or convenience. So with KnowledgeMan, you spend your time solving problems—not trying to overcome software limitations.

A partner that protects your interests.

KnowledgeMan offers sophisticated security features. Unauthorized access to data is next to impossible, thanks to password checking, thousands of access code combinations and data encryption.

So your secrets are safe with KnowledgeMan.

A partner you can build on.

To add yet another dimension to KnowledgeMan's capabilities, you can get fully-integrated options like K-Graph, an extensive business graphics facility that



lets you plot information in a variety of colorful graphs, charts and diagrams. For text processing, the K-Text option lets you incorporate data into written documents quickly and easily. Or, create highly-polished, full-color customized forms with K-Paint, our forms painting option. To short-cut the keyboard, put the K-Mouse option to work.

A partner you should get to know better.

To see KnowledgeMan in action, visit your dealer. Or contact Micro Data Base Systems, Inc., P.O. Box 248, Lafayette, IN 47902, (317) 463-2581, Telex: 209147 ISE UR.

It may be the beginning of a long, successful partnership.

Current version is 1.07 as of 9/10/84. KnowledgeMan, K-Graph, K-Paint, K-Text, and K-Mouse are trademarks of Micro Data Base Systems, Inc. MDBS is a registered trademark of Micro Data Base Systems, Inc.

KNOWLEDGE man

The Knowledge Management Software
from MDBS

Operating Systems: PC DOS, MSDOS, CP/M-86. Minimum RAM required: 192K, K-Graph: PC DOS only.

Only from Topaz...

Powermaker[®] Micro UPS

Uninterruptible, computer-grade power
—at half the cost



It's in a class by itself.

For about half the cost of other Uninterruptible Power Systems, you can now get the same degree of protection with our Powermaker Micro UPS. This remarkable new system eliminates computer problems caused by blackouts, brownouts, voltage sags and power-line noise.

Providing up to 75 minutes of continuous computer-grade power, our Powermaker Micro UPS is compatible with microcomputers and PC's. It's fully automatic, maintenance-free, portable and compact. It fits neatly alongside or under your desk or workstation. And because you can't always tell when you've lost primary power, our little UPS even features an audible line-loss alarm.

But best of all is the price. The Powermaker Micro UPS is priced right and is ready for immediate shipment. Find out more about our Powermaker Micro UPS. Call us at (619) 279-0831, or contact your local Square D distributor.

TOPAZ[®]

Excellence in Computer Power

SQUARE D COMPANY

CORVUS PROBLEMS

Dear Jerry,

I was very interested to see your comments on the Corvus hard disk. We've been using one for almost two years. Our experience has been frustrating, different enough from yours, and, I hope, relevant to enough people that you might decide to look into it further.

After researching hard disks for several months, our ultimate reason for going with Corvus was that the finance company we use for our computer deals said it was the only brand it wanted to finance because it was the only one with a reasonable service record. After five firmware and hardware crashes, I wish I knew then what I know now.

More distressing than having to baby the beast has been the response of Corvus itself. Our first crash was due to a bug in Corvus's firmware. I got on the phone with Corvus's technical people, who told me they knew about the problem and how to fix it. The strange part was that they also told me they hadn't bothered to notify dealers or users about the problem. Corvus has also failed to answer my letters asking to buy documentation (including a manual for multiusers, which an insert in the original users manual two years ago promised would be mailed to me Real Soon Now).

Among our other problems was a burned-out main drive bearing, which, luckily, failed just before the warranty ran out. There was one service technician in all of Colorado who seemed to know something about the drive, but his shop went under, and the new local Corvus contact told me they're not interested in spending much time with them unless we're ready to spend big bucks on more hardware. They did tell us all our problems were because the Rev B was a lousy product, and if we'd just junk it and buy all the latest Corvus stuff, our problems would go away.

My computer responsibilities are with a small business, using Apples and wanting to get bigger. But it's the old story of having to live with an investment after so many bucks went into it. We'd like to get a real network in here and more disk

space, but I'm sure not going to trust Omninet after our experiences with our first Corvus product. I've done a fair amount of documentation myself, have the thing interfaced with ProDOS now, and managed to get around some of the limits Corvus built into the thing when it implemented it under DOS 3.3.

I thought you might be interested. I enjoy reading you, even when I disagree with you.

GLENN HOLLIDAY
Denver, CO

Alas, Rev B was a dog, as was Rev A. Corvus has got most of its problems fixed now, or so I am told. The one we have is scheduled for a pack of revisions; I'll do a full report when it's done.

I do wish Corvus well. The company has some good troops and good ideas, and its people are trying hard: unlike most of their competitors, they're trying to network everything, not just the biggies. We hear good things about their networks.—Jerry

NEC PC-8201A

Dear Jerry,

Recently I purchased an NEC PC-8201A lap-size portable computer, partly because you had nice things to say about it and partly because I couldn't resist the sale price. In general, I've been quite pleased with it (although I'll need to add more memory before I'll be really happy). I also own a Kaypro 2, and I have been using Mycroft Labs' MITE communications package along with the Telcom program in the NEC to transmit text files between the two. However, according to the way I read the NEC manuals, it should be possible to use the NEC SAVE <filename> as COM: command to transmit files from the NEC through the RS-232C port to the Kaypro. This feature would be potentially useful in saving BASIC programs from the NEC to the Kaypro's disk drives. The useful feature is that the NEC tries to convert a BASIC file (.BA) from internal format to ASCII format as it transmits. Thus, using the SAVE command would prevent you from having to first save a BASIC program in ASCII format on the NEC and then call-

ing up Telcom to send it to the Kaypro.

Unfortunately, the SAVE command does not work very well in my setup. I have both computers set to agree on communications protocol and whatnot, but when I save a text file to the RS-232C port on the NEC, the Kaypro gets only about half a screen and then gets hung up. When I try this procedure with a .BA file, the same thing happens, but the Kaypro drops a few characters as well (notably line numbers). This seems to happen regardless of how low I set the transmission rate. I was wondering if you have tried the NEC SAVE command to send things out the communications port to a Kaypro or other computer.

The NEC Telcom program has worked fine for my setup (as long as one is aware that because of the Kaypro's software screen scrolling, any communication that echoes to the screen has to be no faster than 1200 bps for the scrolling to keep up and no characters to be lost). At any rate, I would like to hear about any experience you have had with the SAVE command. Thanks.

MARK E. CORNELL
Tucson, AZ

I've never used the SAVE command. Indeed, I only use Percy, my NEC PC-8201A, as a lapboard typewriter when I'm on aircraft. When I get to my hotel, I use Telcom and the PIP command to send the resulting text to Adeline, my Otrona Attache; or when I get home, I use Telcom to send the text to my CompuPro 8/16. Both work perfectly at 9600 bps.

I've tried this with the Kaypro 10 and it all works fine at 9600 bps; just don't echo to the screen. Use PIP to collect the files onto the Kaypro. Alas, I think you have no choice but to save your programs in ASCII and use Telcom.

I still like Percy a lot. So does Mrs. Pournelle.—Jerry

COPY PROTECTION

Dear Jerry,

I can empathize with your gripes about copy-protected source disks. I had such a

(continued)

utility disk self-destruct on me six months ago. I have no children or animals underfoot and am reasonably fastidious about disk care. Even with the best-laid plans, part of the copy-protection scheme is an (usually abortive) attempt to reformat the disk. Fair enough, except when the switch on your drive slips slightly and the underside of the write-protect flap caves in just enough, leaving you with a rather expensive blank disk. In defense of the manufacturer, the program is very reasonably priced, does exactly what it claims, and one backup disk is available to registered owners at a reduced price. I was still rather miffed at having my disk destroyed through no real fault of my own.

The distributor was no help (buy the backup—but what if *that* one goes?). I began snooping around in my DOS and discovered the nature of the copy protection, where certain information is returned to the DOS buffers with certain types of read errors. I then wrote a couple of utilities to read and write these irregular formats track by track. I now have backups for my own use that in a better world I should have had in the first place. I'm no real pirating threat, since I don't know anyone who can use this program who doesn't have it already (an essential part of my system is no longer manufactured), yet these copies are not entirely on the up-and-up (maybe one, since I paid for one). Serial numbers are a good idea, but the numbers on this package are not hidden very well even though the code itself is gibberish.

I don't know if an equitable and sensible solution is on the horizon. Just look at what a mess "fair use" turned out to be when certain publishers decided to play hardball with photocopying. Inflating software costs to anticipate piracy could easily price some packages out of the market. Improved copy protection is just more of a challenge in the escalating war of copy-protection/subversion schemes. I agree that cheap, reliable software usually isn't worth trying to steal, but I don't think we'll be flooded with exemplars anytime soon.

LAWRENCE L. CRAWFORD
Philadelphia, PA

Another good letter on copy protection. The issue is not going away.—Jerry

THE USERS STRIKE BACK

Dear Jerry,

The time has come for the computer users of the world to unite and to make

the following declaration to the software suppliers of the world.

Dear Software Supplier/Copy Protector:

I understand that you perceive the unauthorized and illegal copying of your software to be a huge and critical problem. There are many people who criticize your position and logic, but that is neither here nor there. To you, this copying is seen as a problem, and I doubt that any arguments or evidence will change your mind. So I am not writing you about piracy, its economic effects, or any of this. Instead, I ask you to consider for a moment the forgotten person in this debate, the ordinary user.

The means you have chosen to solve this problem of illegal copying, copy protection, are completely inappropriate from the viewpoint of the user of your software. You should be able to recognize this without long and tedious argument; you should be able to recognize that you owe everything to the user, that you owe to the user the duty of utmost care, that you are a trustee of the user's information needs. You should, in short, be able to recognize the tremendous responsibility you have toward the user.

But you don't. Instead, you treat the user with the utmost contempt and disrespect. You deliver unintelligible manuals, full of jargon and convoluted syntax, when you should be trying desperately to communicate clearly. You disclaim all legal responsibility for the correctness of your software; you spend millions in advertising and then refuse to even commit yourself to the proper working of your product.

But you show your greatest contempt by instituting copy-protection schemes, which create new dangers for those who have so foolishly placed their trust in your ability to help them. No copy-protection scheme will ever help any user, and usually the scheme will only serve to injure and frustrate the user. Are the concepts of pride and professionalism really so foreign to you?

Maybe you are protected by these schemes; but they serve me poorly. Can't you see that your duty is to me, your customer, instead of to your perception of your own injury? You can't balance the perceived cost to yourself against the injury to me and then say your interest is the greater and should prevail; you are morally responsible to consider and protect my own information welfare, and I demand that you attend to this duty.

Maybe your product is truly wonderful, but I am not interested in any copy-

protected software, no matter how wonderful. I can see that your only interest is what you can get from me and not what you can do for me. So I will avoid your product. I will not buy it, so you will not have my money. More important, I will not use it, so you will not have my trust and respect; for these are what I give when I use a piece of software. Needless to say, I will not waste my time trying to copy a piece of software that I am committed not to use. I will advise everyone I know to do the same. I will choose my software vendors as I do my friends, my physician, and my attorney. And I will hold you in the same contempt as you, perhaps unknowingly, hold me.

Should you learn to temper your greed with wisdom, let me know. I'm always ready to make a new friend.

Sincerely,
Software User

Boycott is the only effective answer to this problem. The vendors will somehow have to be coerced into being fair and reasonable, since they have no inclination to take this step on their own.

EDMUND B. BURKE
Atlanta, GA

Maybe yours is the only way. Alas, computer users are not all that well organized. Still, a few thousand such letters. . . —Jerry

A FANTASY?

Dear Jerry,

A while back, I was part of a commercial programming effort. The question of copy protection came up. We came to the following conclusions:

If customers cannot back it up, then:

We would have to maintain full customer records; We would have a higher number of disks returned because the disk needed very accurate drive-speed adjustment; It would involve another entire job/position/department; It would have to be a nonprofit endeavor.


All locks can be picked:

The only people we had to stop could copy and sell it anyway; If they give away only one to three copies, we still have a large number of paying clients (free advertising, too!).

We would either have to:

Write the lock ourselves (time=\$); Hire someone to write it (ditto); Pay

(continued)



Statpro Professionals.

People who want to spend their time
analyzing results, not just crunching numbers.

Statpro™ data analysis software was specifically created to give professionals of all kinds the analytical tools they need on the job.

It's for corporate planners and marketing specialists, engineers and lab technicians, scientists and educators. In fact, Statpro is for every professional who does data analysis but can't afford to waste time.

Mainframe statistics on your PC.

As a practical tool for professionals, Statpro was specially designed for the personal computer. It's not a scaled-down mainframe program or one of those packages that can only handle a few basic analyses. Instead, it brings a full repertoire of statistical techniques to your IBM PC or PC/XT. From basic descriptive statistics and linear regressions to unequal size ANOVA and discriminant function analysis.

And despite its impressive power, Statpro is easy to use. You just respond to simple menus and screen prompts with single keystrokes. No programmers,




Single keystrokes are all it takes to put Statpro to work.

complex commands or long lines come between you and the job.

A powerful database.

Because you'll want to set up your analyses according to your needs, we've equipped Statpro with a remarkably flexible database. You can range check, verify data entries and keep track of missing data. Analyze



Statpro exchanges data with many popular programs.


any subset of your database. Transform variables according to virtually any formula. And add, edit, delete, sort or move data wherever you want.

Chances are you'll also be using data from other sources. So Statpro is designed to allow you to easily exchange information with other popular programs and file formats, such as 1-2-3,™ dBase II,™ ASCII, DIF™ and SYLK.™

Lots of graphics.

Nothing makes complex data clearer and easier to present than pictures. So Statpro lets you create graphics and charts in the best format for each job, from pie charts, scatter and regression plots to bar, box and

multivariate vector plots. What's more, Statpro graphics can be customized—with scaling, labels and colors—to emphasize important aspects of your analyses.



Colorful graphics make complex data easy to understand.

Call for a demo.

Statpro Professionals get more

done, faster. But don't take our word for it. Call and ask about our demonstration package, or order Statpro for only \$795.

Don't wait! Become a Statpro Professional today.

800-322-2208

In Massachusetts, call (617) 423-0420.

Call us for the dealer nearest you.

Wadsworth Professional Software

Statpro is a trademark of Wadsworth Professional Software, Inc. dBase II is a registered trademark of Ashton-Tate. DIF is a trademark of Software Arts, Inc. 1-2-3 is a trademark of Lotus Development Corporation. SYLK is a trademark of Microsoft Corp.

a higher duplication cost.
We would find ourselves with a large custom-programming job:
Patches to fit/use all printers;
Patches for all 80-column (Apple) cards; Patches for several disk operating systems.
The market would be more than halved because it would not fit many specific systems (hardware).
The market would be reduced further because it could not fit into a menu-driven, userproof, black box with many functions.
It would please the programmer because no one would see the faults.
But then he had already been paid.
I would not have bought it because I think programs should be unlocked; people lend/borrow your books don't they?

At this point we ended the discussion and sold it unprotected.

WILLIAM M. REED
New Orleans, LA

I wish all the publishers would come to the same conclusion.—Jerry

ETHICS

Dear Jerry,

Re your September 1984 column on Tom Tcimpidis and his RCBS being busted at the behest of one of Ma Bell's offspring:

Of course, it's always the little guy who gets hung out to dry. This same sort of stuff must certainly go on (even if only on a one-on-one basis) via CompuServe and The Source. Can you imagine how many lawyers the *Reader's Digest*, Control Data Corp., and H & R Block would have barring the doorway if a phone company tried to impound the computers at their two subsidiaries?

You seemed to think that your super-market analogy was a bit off-the-wall, but if you've ever read the tortured logic and mind-boggling conclusions that some judges hand down every day, you wouldn't be *quite* so quick to dismiss the idea. Some more hypothetical cases:

The *Washington Post* runs a car dealer's ad. I respond, get bait-and-switched, and buy a lemon from him. Can I impound the *Post* presses? What if the *Post* had received previous complaints about the dealer? Even if the *Post* later yanked the ad, the damage is done. It seems to me that the argument for joint tort-feasance is just as strong here as it is in Tcimpidis's case.

If I get ripped off by a con-artist adver-

tisement, can I have the magazine's Second Class Postage permit yanked?

Suppose you print in your column (notice how we're getting closer and closer to home?) my casual comment to you that "the Bytecrunch-99 computer stinks," along with my name and address. Some irate Bytecrunch-99 owner firebombs my house. Can I send your local sheriff over to impound your 32 computers?

As a "reader service," I print your phone number in our Eagle users group newsletter, with the suggestion that you can be reached between the hours of 2-4 a.m. PST. Is your unpublished phone number "owned" by you and/or Ma Bell?

Regarding your comments (same column) that electronic bulletin boards publish ways to defeat copy-protection schemes—there's an obvious connection here to the Tcimpidis case. If Tcimpidis is guilty of some crime, then what do we do about those who publish these other hacker goodies? Or are they safe because they only published ways to defeat copy-protection schemes and not the proprietary information itself?

How ethical is it to hit a buyer for one or two weeks' take-home pay for a copy-protected program? While awaiting a replacement for the program disk you accidentally trashed, you make the next VISA payment on a worthless disk and loose-leaf binder, the project deadline has come and gone, and you've lost bucks, grades, or a job. What are the ethics of arrogant licensing agreements, hyped product descriptions with product disclaimers packed inside the box, refusal to fix bugs, user nonsupport, and other problems you've talked about?

Yes, I read program reviews by the bucketful. My eyes glaze over and skip to the next product review as soon as they encounter the phrase "copy-protected." I absolutely refuse to buy copy-protected programs. But let's be realistic—what percentage of home computer software produced today gets a thorough magazine review so you can be forewarned? And how many interested buyers are going to dig up, say, a March 1983 BYTE to see what you said about their intended purchase? What makes it really bad is that fighting a battle against copy-protected programs can be heartbreaking when you have to pass up an otherwise luscious piece of software. There's got to be a better way.

JOHN MAZOR
Clinton, MD

Yeah. I get so coldly furious about the Tcimpidis situation that I'm tempted to

cry havoc. One thing I note that Pacific Telephone has done: by acting as its people have, they've opened what ought to have been a closed ethical debate, thus causing a lot of bright kids to seriously consider becoming phone phreaks.

It is statistically improbable that the forbidden phone codes have not been sent through The Source and CompuServe; equal justice demands that Ma Bell try to confiscate their equipment. Perhaps they're not so eager to take on the Reader's Digest?

As to copy protection: I don't know the answer. One of my readers counsels me to "let loose the demons"; that is, any copy-protection scheme can be defeated, usually by a program called a "demon" that sits in high memory, watches what the copy-protection scheme does, and then begins to do it. My reader wants me to publish the source and installation procedures for various demons.

A number of them are already available on computer bulletin boards. I'm thinking what to do.—Jerry

THE TRUTH ABOUT ALEX

Dear Jerry,

A friend of mine and his wife are taking a systems course at UCSD. As part of this course they develop software in C on the UNIX system there. While browsing through the system after a long night of programming, my friend's wife came across an adventure game. As any self-respecting hacker would do, she began playing the game. At the end of the game, after being killed several times, the program listed the top ten players. It turns out your son has more talents besides the business end of computer systems. His name was at the top of the list.

ANDREW H. BUSHNELL
San Diego, CA

So that's what he's doing down there! I understand the game was Rogue. Alas.—Jerry ■

USERS GROUP CORNER

MIDWEST CONNECTION (NEC systems)
6200 Prince Dr.
High Ridge, MO 63049

NORTH ORANGE COUNTY COMPUTER CLUB
POB 3616
Orange, CA 92665-0616

Engineering Excellence

CROSSTALK™

XVI



THE STATE OF THE ART IN
DATA COMMUNICATIONS
SOFTWARE

DESIGNED BY

MICROSTUF®

CROSSTALK IS A TRADEMARK OF
MICROSTUF, INC., ATLANTA, GEORGIA

CROSSTALK IS AVAILABLE FOR
MOST SMALL BUSINESS
COMPUTERS

DATE

2/16/84



Any modem can send and receive information. But what good is a modem if you can't communicate with it? In plain English.

The Maxwell Modems and George,TM our communications software, let you do just that.

In fact, learning to use them is as easy as reading a menu. Instead of a manual.

All the features make sense.

Like auto-dialing directories. Automatic log-on. Auto-answer. Automatic error-checking. And complete unattended operation. Which means you can send and receive files late at night when the phone rates are lower. And you're asleep.

Plus, with single keystroke dialing, you can call a database faster than you can say Racal-Vadic. While the handy mes-

RACAL

FINALLY, A MODEM YOU CAN COMMUNICATE WITH.

sage editor makes jotting a quick message just that. Quick.

The Maxwell Modems are available in two versions, internal* or desktop. And, now, in three different speeds. 300, 1200 or 2400 bits-per-second. So there's bound to be one just right for you. And your personal computer.

Best of all, they're from

Racal-Vadic—the world's leading supplier of switched-network modems. The kind of modems data networks use to take calls from modems like yours.

Just as soon as you get one.

And the easiest way to do that is to call 800-4-VADICS for the name of the Maxwell Modem dealer nearest you.



THE MAXWELL MODEM.™

From Racal-Vadic

Viasyn (vī' uh sin) *n.* [L., *via*, a way or road; Gr., *syn*, together or integrated], formerly *CompuPro*.
1. *n.* a twelve year old manufacturer of microprocessor systems, subsystems and components, notably multi-user computers used in business, science and industry. 2. *adj.* related to Viasyn, formerly *CompuPro*, quality, i.e., possessing extraordinary reliability, performance, modularity and ruggedness. See *CompuPro* (previous name).



3506 Breakwater Court
Hayward, California 94545
(800) 367-7816 (Outside California)
(415) 786-0909 (California)

Viasyn is a trademark, and CompuPro is a registered trademark, of Viasyn Corporation.



Disks and Printers

Important peripherals from the 1984 Data Show

BY WILLIAM M. RAIKE

The 1984 Data Show was held from September 26 to 29 at the International Trade Center Exhibition Site at Harumi, near the Tokyo waterfront. The fastest way to get there is by ferryboat; a pleasant 5-minute ride replaces the usual 15-minute taxi or bus trip through some of the least impressive neighborhoods in Tokyo. In this case, the boat trip was one of the more interesting events of the afternoon; the show itself was only so-so in terms of noteworthy new computer products. The most important exhibits at this show were peripheral devices, especially optical disks and laser printers.

One of the high points of the show was Hitachi's OC-301 optical-disk cartridge system, which looks like a practical solution to on-line storage requirements for large databases. You can put 2.6 gigabytes on one double-sided disk and still have room left over. The disks look like ordinary video-discs. While a disk spins at 600 rpm (revolutions per minute) within its cartridge, microscopic pits are laser-scanned to read the data. Data can also be written in random-access mode to any track and any sector on the disk.

According to Hitachi, the maximum data-transfer rate is 440K bits per second; this limitation is apparently due to the drive itself, since the built-in controller/formatter is capable of more than twice that rate. The disk is organized into over 40,000 tracks per side (both single- and double-sided cartridges are available), but the average seek time is only 200 milliseconds. That means that it takes less than 1/4 second, on the average, to access any part of a 2.6-gigabyte disk, and a single controller can handle up to four disks. No information about prices of either the cartridges or the optical-disk drive was available during the show, but the system is now available to OEMs (original equipment manufacturers). It will probably be adopted first by minicomputer vendors, but the supermicro market won't be far behind.

Hitachi floppy-disk drives were featured earlier in BYTE Japan (see "Show Time," September 1984, page 407) when I reported on the 9.6-megabyte 8-inch floppy-disk drive that was announced at the Tokyo Microcomputer Show. After that announcement, it seemed almost anticlimactic when Hitachi displayed its 6.5-megabyte 5 1/4-inch FDD541 floppy-disk drive at this Data Show. Even though the new DK 512 (see photo 1), a 171-megabyte 5-inch hard-disk drive, was displayed right next to it, the new floppy-disk drive stole the show: its data-transfer rate is 3 million bits per second. That's more than twice as fast as the transfer rates of most hard-disk drives and means really fast access, even for big files. Right now the FDD541 (and the DK 512) are available to OEMs, but it won't be long until we see consumer products that use them.

For people who want something in between the sizes of the new optical-disk and floppy-disk systems, Hitachi also displayed a compact 8-inch hard-disk drive. The DK 815 holds 525 megabytes unformatted (435 megabytes formatted), and two of them will fit into a standard 19-inch equipment rack.

Printers were very much in the spotlight at the show, among them laser printers by Canon, Fuji Xerox, Konica, and TEC. (TEC printers are marketed in the U.S. by the C. Itoh trading company.) All four laser printers have similar characteristics: they print with very high resolution (typically about 300 dots per inch), offer a large variety of character fonts with sharp, magazine-quality printing, and have printing speeds in the 8- to 10-page-per-minute range. All are tabletop machines. Some models have RS-232C serial interfaces, while others require a special video interface. Although no prices were available as of this writing, it looks as if laser printers will eventually become standard for high-quality word-processing and office applications.

Laser printers use the same principle as an electrostatic copying machine. A drum

(continued)

William M. Raikes, who holds a Ph.D. in applied mathematics from Northwestern University, has taught operations research and computer science in Austin, Texas, and Monterey, California. He holds a patent on a voice scrambler and was formerly an officer of Cryptext Corporation in the United States. In 1980, he went to Japan looking for 64K-bit RAMs. He has been there ever since as a technical translator and a software developer.

Conventional printers are getting better and cheaper.

coated with a material like selenium is given a static charge. When light (in this case, laser light) touches the drum, the drum material becomes conductive and the charge leaks away from the area exposed to light. A dark powder (the toner) charged with the same polarity is then applied to the drum; since like charges repel, the toner adheres only to the parts of the drum that were exposed to the light. The laser beam itself is extremely narrow and is bounced off a multifaceted (typically 8 or 12 facets) spinning mirror, so that the beam sweeps across the surface of the drum as the mirror

spins. Regulation of the mirror-rotation speed is simplified because the beam can be synchronized using a simple photodetector arrangement. The beam is simply turned on and off to form the desired image, much the same as the electron gun in a cathode-ray-tube screen. No "vertical deflection" of the beam is necessary because of the rotation of the selenium drum.

The Casio LCD (liquid-crystal display) shutter printer I mentioned in last month's BYTE Japan ("The New and the Old," page 429), the LCS-2400, uses a similar principle, except that the laser and the scanning mechanism are replaced by a simpler combination of a light source and a liquid-crystal shutter to expose the image on the drum. Casio has announced a Japanese price for the printer equivalent to \$1650.


Conventional printers, both the dot-

matrix type and the daisy-wheel type, are getting better and cheaper. A number of 18-dot and 24-dot near-letter-quality (or better) printers have been on the market for some time, at prices ranging from \$800 to \$1000, for both Japanese-language word-processing and graphics applications. Now TEC has introduced the M1570, which prints kanji characters using a 24-dot font and letter-quality alphanumeric characters using an 18-dot font. In draft mode it produces near letter-quality printing at 200 characters per second (cps) and has a four-color ribbon so that it can produce graphics and/or characters in any of seven colors.

Citizen, better known for its electronic wristwatches, is a newcomer to the computer peripheral-equipment market. Citizen's new MSP-10K printer (see photo 2) is an 18-dot, 21-cps kanji printer and near letter-quality alpha-

The Most Affordable Disk Maker™ NEW! in the Universe

Now with over 25 MSDOS formats, 3½" formats,
IBM PCAT and word processing format options



Disk Maker II shown
with opt. drives

Download fast, read over 200 formats easily, reformat rapidly

The more disk formats you work with, the more our Disk Maker™ system saves time and money by reading and/or writing disks in any of over 200 formats. No modems, no patches, no other special software necessary.

Disk Maker II is a complete, stand alone system with one 8" DSDD disk drive, one 48 tpi 5¼" DSDD disk drive, 6 MHz Z80B, 64K CP/M system with Disk Maker™ software. (96 tpi and second 8" drive optional.) Just plug in your terminal and make disks! Bundled software includes MicroShell™/MCALL-II communications software. Base price: \$3,395.

Supported with comprehensive, easy-to-read manual, software updates (\$50.00, all formats in revision), and additional drives and hard disk options.

Disk Maker™
prices from
\$1,695

Disk Maker I runs as a peripheral with an S-100 system and comes with S-100 controller board, one 48 tpi DSDD 5¼" disk drive, dual drive cabinet and power supply, cables and Disk Maker software. 96 tpi and 8" drives are optional. Base price: \$1,695.

**NEW
GENERATION
SYSTEMS**

1800 Michael Faraday Drive, Suite 206, Reston, VA 22090
(703) 471-5598 Order Line: (800) 368-3359
Dealer inquiries welcomed.

numeric printer that prints in draft mode at 160 cps. It will retail for about \$520.

Two low-speed, relatively low-cost daisy-wheel printers are worth mentioning. C. Itoh is selling its Y-10 daisy-wheel printer, which weighs only 17 pounds, at a list price of only about \$525. It has a cassette-interface feature that lets you change between serial and parallel interfaces; you swap print wheels using a "slide-in-and-snap" loading method. The other printer is an original-equipment model that's sold here in Japan as the Aurora 650. You can buy one for only about \$360, discounted, which is just about the best deal I've seen. It uses a film-type ribbon cartridge and prints clearly and evenly at 13 cps. It includes built-in parallel and RS-232C serial interfaces.

NEW TOSHIBA MSX COMPUTER CAN COMMUNICATE

In the December 1984 BYTE Japan I discussed the MSX computer phenomenon. MSX is the name of a set of standards, developed by Microsoft Corporation, for low-cost computers based on Z80 or equivalent microprocessors that have Microsoft BASIC in ROM (read-only memory). About two dozen models of MSX computers are available in Japan from all the major Japanese computer manufacturers.

Until now they have been sold almost exclusively for playing video games. Prices generally range from about \$200, or even less, up to about \$400 for models with 64K bytes of RAM (random-access read/write memory). In addition to built-in sound generators and joystick interfaces, MSX machines all have one or more slots that can accept standardized RAM/ROM cartridges. Hundreds of game cartridges are available; most sell for about \$10 to \$20.

There is little MSX software for any purpose other than entertainment, and with the computer-game market quickly becoming saturated, the MSX phenomenon here has been more of a curiosity than a force for steady growth.

All of that may change soon, however. I had a chance to try out Toshiba's newest MSX machine, the HX-22, the other day. Due to be released in about a week, it's a 64K-byte computer that has a list price of only about \$360, is supplied with useful Japanese-language word-processing software, and includes a standard RS-232C serial interface and terminal software. A 500K-byte 3½-inch floppy-disk drive is optional, supported by the MSX-DOS operating system. (See the December 1984 BYTE Japan, "Hand-held Computers and MSX Standards," page 365.) The standard display is only 40 characters

wide, but an inexpensive 80-column adapter will be available soon.

The HX-22's serial interface, which can operate at speeds up to 19,200 bits per second, may cause major changes in the low-priced computer market in Japan. Until now, personal computer users here have lagged behind their American counterparts in terms of communication services like bulletin boards, conferencing systems, and wide-ranging information services like The Source and CompuServe. Although The Source is available in Japan, there aren't yet any widely available analogous Japanese services. My guess is that the introduction of the HX-22 (and its inevitable competitors) will be a powerful stimulus for people to start developing them. Also, because the HX-22 includes a sizable Japanese-language (kanji) character set in ROM, the road is now open for developing information and communication services in the Japanese language, which is an absolute necessity for acceptance of this kind of technology by the Japanese general public.

The market for MSX machines is fiercely competitive, and other major producers like Sony, Canon, Pioneer, and Mitsubishi are certain to introduce their own versions of MSX machines with communications and kanji display capabilities; prices in the \$275

(continued)



Photo 1: The 6.5-megabyte floppy-disk drive from Hitachi.




Photo 2: An inexpensive (about \$520) 18-dot kanji printer from Citizen.


POSTURE SUPPORT THE BACK CHAIR

**NOW ON
SALE**

FROM

\$29.95

The ORIGINAL Genuine Oak Chair



Standard Version,
SALE PRICE: **\$29.95!**

New 3-Position
Adjustable On
Wheels: **\$49.95!**

The First "Intelligent" Chair, FORMERLY \$89.95! Now on sale from **\$29.95. REDUCE THE EFFECT OF GRAVITY ON YOUR BACK.** Sitting regularly in a conventional chair your lower back is supporting the **TOTAL WEIGHT** of your body, plus additional weight due to the downward effect of gravity. Unfortunately most chairs are designed for appearance, not for comfort.

THE BACK CHAIR SOLUTION—Sitting on the Back Chair relieves your back from supporting the total weight of your body by distributing your weight between your lower back and legs. Your legs support you when standing, your lower back supports you when sitting. Combine them both in a comfortable sitting posture and you relieve the unnecessary stress on your back. When sitting on the Back Chair you'll feel more relaxed and sit up perfectly straight.

Standard Chair made of hardwood layers with final layer of Genuine Oak. Adjustable Chair made from solid hardwood with Oak Finish. Both come with **padded seat and knee pads** upholstered in Chocolate Brown.

**SHOP FASTER BY PHONE
1-805-966-7187**

Or send a check or your credit card # (Diner's Club, VISA, MasterCard, American Express) for THE BACK CHAIR (Standard Model, \$29.95 ea.; Adjustable Model, \$49.95 ea.—please indicate below) plus \$9.95 shipping (Canadian orders, \$13.00 shipping). CA residents add 6% sales tax. Sorry no C.O.D. If not satisfied return within 15 days for refund (less shipping).

ITEM NO.	QUAN.	ITEM	PRICE EA.	SHIPPING	TOTAL
825		Stan. BACK CHAIR	\$29.95		
808		Adj. BACK CHAIR	\$49.95		

STARSHINE GROUP

816 B State Street, Dept. BC225, Santa Barbara, CA 93101
America's Premium Direct Mail House Now In Our 8th Year

**IF POWER
FAILS,
DATASAVER® TAKES OVER!**

PROTECTION — saves data during power failures.
— saves hardware from overvoltage transients.

PORTABILITY — allows mobile or extended holdup time using auxiliary 12 volt battery.

FEATURES — internal battery provides 5 min. + operating time — AC line conditioning
— audible and visual alarms, interrupt signal — compact, desktop styling
— no installation required.

200 WATT — \$495 / 90 WATT — \$350
For special applications and product
information, call 805-541-4160.

Instant power order line
805-541-4161



CUESTA SYSTEMS, INC.
3440 Roberto Court, San Luis Obispo, California 93401

INSTANT AC POWER



BYTE JAPAN

to \$300 range wouldn't surprise me at all. Toshiba claims it has no plans yet to market the HX-22 in the U.S. because of the lack of an appropriate distribution system, but those kinds of plans have a way of changing quickly when the company perceives a demand.

INNOVATIONS

Especially in the last few years, integrated-circuit designs have been moving more and more toward CMOS (complementary metal-oxide semiconductor) technology. The biggest advantage CMOS has to offer is its very low power consumption. Although the speeds of CMOS integrated circuits have been increasing, they generally can't match the speeds obtainable with the older bipolar technology. Hitachi has just announced that it has come up with a way to combine both bipolar and CMOS elements on the same chip and claims that a gate array based on the new process has a gate delay, or operating speed, of only 0.8 nanosecond. That's comparable to the fastest ECL (emitter-coupled logic) chips. Its power consumption is only about 0.15 milliwatt per gate, similar to CMOS.

Optical-disk technology is moving fast, too. Sony has just developed a magneto-optical-disk system for delivery to the Japanese international telephone company this month. The significance of the Sony development is that the disks are erasable, in contrast to other optical-disk systems like the one Hitachi introduced at the Data Show. The capacity of the disk is 1 gigabyte, and a single controller can handle up to four disk drives. No information about the speed of the new system was available, and so far Sony hasn't announced that it will market the system commercially.

COMING UP

Next month I'll cover the IBM JX, WordStar 2000, the new Toshiba 1-megabit RAM chip, and the growing popularity of UNIX in Japan, and I'll compare the Japanese PC-9801F3 personal computer with the NEC APC-III. ■



What Next?

**Thunderscan,
the ins and
outs of the
windowing
game, new
workstations,
and more**

BY JOHN MARKOFF,
PHILLIP ROBINSON,
AND EZRA SHAPIRO

Apple Computer's president, John Sculley, has a habit of publicly referring to Macintosh graphics as "super graphics." However, although the Mac may be impressive when compared to the Apple II and the IBM PC, we've always been a little irritated by the super-graphics claim. Shouldn't the superlatives be reserved for the new generation of personal computers with 1024- by 1024-pixel (picture element) bit-mapped screens and hardware coprocessing support for animation and other sophisticated graphics operations? By those standards, the Mac seems primitive indeed.

Yet, over the course of the past few months, as new applications have been introduced, the Macintosh has proven to be consistently surprising in the quality of its graphics. Despite its relatively low number of pixels, the Macintosh display is crisp, partly because of its small screen size.

THUNDERSCAN

Recently, a demonstration given to us by Macintosh designer Andy Hertzfeld and Tom Petrie of Thunderware provided convincing evidence that if Macintosh graphics aren't "super," they're at least a clear step above anything else currently available in that price range.

Thunderware, previously known as a manufacturer of clocks for the Apple II and III, drew a lot of attention when its new Macintosh product, Thunderscan, was introduced at this year's National Computer Conference. Thunderscan is a high-resolution digitizer that enables the Macintosh to capture and later reprocess virtually any image that can be rolled under the platen of the Apple Imagewriter dot-matrix printer. The process is deceptively simple. Thunderscan consists of a palm-size optical sensor that snaps into the Imagewriter in place of the ribbon cartridge. When a document or picture is rolled through the printer, software written by Hertzfeld controls the sensor as it slides back and forth over an image.

Petrie says that Thunderware is sensitive about discussing the exact nature of the scanning technology used in the device. However, he will say that the scanner is able to extract analog information from the image and transmit it to one of the Macintosh serial ports without having to use traditional A/D (analog-to-digital) conversion techniques.

It's an intriguing process. For example, it's possible to increase the resolution of the image being scanned by increasing the scanning rate. The result of the proprietary technology is a low-cost scanning device (initially \$229) that permits the Macintosh to store and manipulate images with a resolution in excess of 200 dots per inch.

According to Petrie, there are a number of difficulties in getting graphics images into the Macintosh. The greatest problem is that high-resolution graphic images require a relatively large bit map. Until now, the only way of stuffing this information into the Mac has been to use a video camera, and video cameras are relatively high cost and low resolution. (At the same time, it should be noted that cameras have the advantage of being fast. Because essentially only one row of pixels is scanned at a time, it takes Thunderscan as long as 15 minutes to digitize an entire 8½- by 11-inch document.)

Once Thunderscan has transmitted an image to the Macintosh, software designed by programmer Hertzfeld (who has left Apple and is now working on his own) can do a remarkable job of enhancing or manipulating it. Not only can you rescale images, you can also alter brightness and contrast to create halftones or high-contrast images (see figure 1). Additionally, the Thunderscan software contains a number of graphics tools familiar to those who have used the MacPaint program on the Mac. There is also a special "express" option that lets you go directly to MacPaint to further enhance an image.

The Thunderscan software operates on a

(continued)

BYTE West Coast is presented monthly by BYTE's editors and staff in San Francisco and Palo Alto. Correspondence should be addressed to BYTE West Coast, BYTE Magazine, 425 Battery St., San Francisco, CA 94111.

bit map that is stored in the Macintosh RAM (random-access read/write memory). The bit map has a size limit of 48K bytes on the 128K-byte machine. This is just about a full page at 72 dots per inch. On the 512K-byte Macintosh, a bit map as large as 300K bytes can be stored. With this amount of information you can store a full 8½-by 11-inch document at up to a 300 percent magnification. You can use this expanded storage space for image enlargement or to extract gray-scale information on up to 64 levels of intensity. On the 128K-byte Macintosh, both the magnification and the halftoning features are available, but only for smaller regions of a scanned document (a document can be scaled four times linearly, yielding a magnification of up to 16 times by area).

To use the equipment, first select a page-map option from the scanner's menu. From within the page-map screen you can choose to scan the area of your original by changing the size of a selection rectangle. The sys-

tem prompts you with warning messages if the area you select is either too large to store gray-scale information or too large to scan. This feature also lets you scan just a portion of a larger document to make certain that you have gray scale and magnification set correctly.

After you've completed the scanning phase, you can play with the image in memory. You can work with a document in the same way you use MacPaint, with a special image window. But Hertzfeld has added a series of features to the Thunderscan software that give it functions that MacPaint doesn't have. You can use a special hand icon to move large documents around in the image window (unlike the first release of MacPaint, which stored image information outside of memory on disk, Thunderscan allows the document to slide freely).

You also can use the hand icon to impart inertia. For example, if you push the mouse in one direction, the image will continue to slide after you

have stopped, much like a piece of paper slides along a table. In addition to being intuitive, this feature lets you move slowly or quickly around an image.

Other MacPaint icon tools, such as the pencil, FatBits, and cutting and pasting, as well as inversion (changing black pixels to white pixels and vice versa), are also available within Thunderscan.

Documents created by Thunderscan can be saved in one of two formats. One is a special MacPaint format yielding a 720- by 756-pixel document with 1 bit of information per pixel. The second is a less-restricted scan format that permits multiple bits of information to be stored for each pixel.

The range of possibilities that Thunderscan creates is fascinating. For example, Hertzfeld thinks that it might put an end to the burgeoning market for Macintosh predrawn images because you can copy virtually any image into the Macintosh memory.

A future project for Hertzfeld is a Macintosh desk accessory (a small program that runs in the background under the Mac operating system) that will permit Thunderscan to send scanning information out through the Macintosh modem port while you work in another program. This would convert the Macintosh into a low-cost (and multitasking) digital-facsimile machine. Hertzfeld is also working on a protocol that would enable the Macintosh to print software code in a format that could be scanned using Thunderscan. Paper would then be the medium for software distribution. Hertzfeld believes that he could get close to 40K bytes per sheet of paper.

MORE DELAYS FOR MICROSOFT WINDOWS

In early October 1984, Microsoft Corporation announced that it was postponing the introduction of its long-awaited Windows software-integration package until June 1985. Leo Nikora, Windows product-marketing manager at Microsoft, said that the company was undertaking "a major redesign," in part because Windows' code cur-




Figure 1: A scan dump. As Thunderscan scans a document, the image appears on the screen display. It can be adjusted dynamically by resetting the contrast and brightness gauges on the display. As each line is scanned, a scattergram of the scan appears on the Light Intensity Gauge. In the lower left corner a message reports on the progress of the scanner. After the bit map of the image has been transferred to the Macintosh RAM it can be edited with several MacPaint-style tools that are displayed as icons in the upper left corner of the screen. The image also can be displayed in a larger window accessible from the menu bar.

rently takes up too much space and also because several functions are not running fast enough.

As recently as this spring, Microsoft was hoping to achieve a minimum recommended system size of 192K bytes. The most current technical information available on Windows states that Windows together with the operating system occupies 156K bytes of memory; thus the currently recommended 256K bytes leaves only about 100K bytes for applications software—not much by today's standards.

Nikora said that almost all of Windows is now written in the C language and that Microsoft plans to rewrite as much as half of the program in 8088 assembly language. Apparently Microsoft is happy with the window-management functions of the program but feels that text management is inadequate. Nikora said that Microsoft expects a twofold increase in text performance after the code is rewritten, although he feels that the performance of the product is already satisfactory on the IBM PC AT.

Microsoft is clearly worried that its decision to delay Windows will lead to a negative attitude in the marketplace. "We have to be careful that Microsoft doesn't get the reputation of giving up in the face of TopView," claims Nikora, referring to IBM's entry in the window-management fray.

He also maintains that Microsoft's decision to delay the product introduction hasn't led to mass desertions on the part of companies developing applications software for Windows. On the contrary, he said that there was a general feeling of relief that they were being given more time to get their applications ready for market.

Microsoft is also looking for a way to differentiate Windows from TopView, and the company appears to have found one because the current version of TopView is designed for a character-based display. This will, at least temporarily, be a selling point for Windows, which functions only in a bit-mapped environment.

Will Windows face the same fate that befell Visi On? Nikora says that

he is certain that it won't—his evidence is the fact that a number of the manufacturers of IBM PC-compatible computers appear to have a sizable stake in the success of Windows. Still, Microsoft is starting over again after investing more than a year in attempting to develop a user interface for the IBM PC.

CONVERGENT'S FAST NGEN

Although criticism of the IBM PC AT hasn't been nearly as fevered as that leveled at the PCjr, there are some doubters emerging. Why, some experts have asked, does the 80286 microprocessor in the PC AT have an artificially lowered clock speed? And why is the bus speed even slower than the bus speed for the IBM PC? A number of companies are already comparing their systems to the PC AT to demonstrate their systems' performance.

Several companies are already comparing their systems to the PC AT to demonstrate their systems' performance.

Convergent Technologies Inc., a Santa Clara, California, company is selling its NGEN "modular" workstation based on the Intel 80186 microprocessor to a variety of OEM suppliers. Last year the NGEN got off to a slow start because of the scarcity of the 80186, but now Convergent claims to have shipped 50,000 systems.

The NGEN is built around a collec-

(continued)

THE RAPID PACE DATA BASE.

The rapid pace of business today demands data storage solutions that can keep pace with the dynamics of today's computing solutions.

The Bernoulli Box™ does just that—by creating, expanding, storing and backing up data bases on handy 10-megabyte cartridges (5 megabytes on the single-drive Macintosh™ box). Its transfer rates and access times outperform hard disk devices. And when rapid pace means getting somewhere fast, your cartridge-contained data bases go with you.

The Bernoulli Box. Available for the IBM PC, XT, AT, most compatibles, the TI Pro and Apple's Macintosh.

For the dealer nearest you, call 1-800-556-1234 ext. 215. In California call 1-800-441-2345 ext. 215.




I-MEGA
 IOMEGA CORPORATION
 1821 West 4000 South
 Roy, Utah 84067

THE BERNOULLI BOX™

the closest thing to
perfect is WordPerfect
by SSI.

Reference Magazine

When it comes to software, nobody's perfect. But according to many of the experts, one word processing program is as close as you can get. No wonder it's called WordPerfect.

What are all the critics raving about?

Simplicity. Most WordPerfect functions require only one keystroke, a simple press of a finger. So you can concentrate on writing, not programming.

Speed. Because it is document-oriented instead of page-oriented, WordPerfect won't make you

wait between pages. No matter how fast you type, WordPerfect won't slow you down.

Features. From writers to doctors, accountants to lawyers, WordPerfect has built-in special functions to meet a wide variety of specific needs. And at SSI, every day is spent upgrading and improving WordPerfect —

reaching for perfection.

Get your hands on the critics' choice, WordPerfect word processing from SSI.

WordPerfect is my favorite because it is easy, simple and powerful. The people

List Magazine

It's the closest thing to perfection.

For more information, see your dealer.

Or call or write:
SSI Software
288 West Center Street
Orem, Utah 84057
Information: (801) 224-4000
Order Desk: 1-800-321-4566,
Toll-free



SSI Software
Reaching for perfection.

WordPerfect isn't flawless word processing software, but it comes very close.

Digital Review

The NGEN is a quick machine, and it has an "X-Bus" that allows 16-bit DMA transfers at speeds up to 4 megabytes per second.

tion of components; a separate video display and keyboard connect to a shoebox-size central processor. A variety of add-ons such as RAM, floppy- and fixed-disk drives, and graphics components can be simply plugged into the processor module to expand the system. Convergent Technologies' own multitasking multiprogrammed operating system (CTOS) permits users to run MS-DOS, CP/M-86, and Convergent's own flavor of UNIX System V called Distrix.

It's a quick machine; the 80186 runs at 8 MHz, and it comes equipped with 120-nanosecond RAM. The NGEN has a proprietary "X-Bus" that allows 16-bit DMA (direct memory access) transfers at speeds up to 4 megabytes per second.

To show off the performance of the NGEN, Convergent sets it next to an IBM PC AT and then has both systems recalculate a series of Fibonacci numbers in 2400 cells of a Multiplan spreadsheet. It takes the NGEN 4.9 seconds to recalculate the series while the PC AT finishes it in 11.8 seconds. This performance comparison may not be entirely fair, given that Multiplan on the NGEN has been ported to run under CTOS and in the process its performance has been considerably improved. However, the demonstration gives ample evidence that it won't be hard to improve on the performance of the PC AT.

EXPLOSIVE COMPATIBLES

Tandem Computers Inc. has a new workstation and some associated software aimed at the IBM PC crowd.

Tandem is known for its NonStop systems, such as the new TXP 32-bit, transaction-processing computer. Parallel processors and special software protects these systems from breakdowns, which endears Tandem computers to on-line users such as airlines and banks.

The new Dynamite 654x family of workstations provides the same features as the 653x family of on-line terminals but adds both 3270 emulation and personal computer features. The Dynamite is built around the 8086 and can, it is claimed, run most IBM PC software.

The two Dynamite workstations (which will be built in Austin, Texas) differ in mass-storage capacity and price. The 6541 has two 360K-byte floppy-disk drives and costs \$2995. The 6546 has one 360K-byte floppy-disk drive and a 10-megabyte hard-disk drive and will cost \$3995.

Both the 6541 and the 6546 have 12-inch green screens (for both text and graphics) and 256K bytes of RAM. The current options include bit-mapped graphics and memory expansion to 640K bytes of RAM. The Dynamite terminals interface directly with Tandem's 5540 and 5541 printers.

Dynamite terminals come with MS-DOS and GW-BASIC. The new Tandem software includes IXF and PCformat. IXF (and associated information exchange facilities) can transfer data from files on a Tandem NonStop system to a Dynamite workstation. PCformat converts such files into MS-DOS-compatible files.

Is Dynamite just another "compatible"? Tandem says it isn't because, while the Dynamite can run most IBM PC software, it isn't supposed to be an IBM PC competitor; it's designed


(continued)

THE BRIEFCASE DATA BASE.

Your business needs more data base versatility than you get from hard disk systems, versatility to help your people work more productively, wherever they are, or go. Your business needs The Bernoulli Box,™ a storage system that lets you build and backup individualized data bases—for payroll, accounting, marketing—on rugged, interchangeable 5- and 10-megabyte cartridges.

It works more reliably, quickly, and flexibly than hard disk alternatives—without head crashes. And it works on the IBM PC, XT, AT, compatibles, the TI Pro and Apple's Macintosh.™

For the dealer nearest you, call 1-800-556-1234 ext. 215. In California call 1-800-441-2345 ext. 215.





ALL AIRLINES DEPART FROM THIS TERMINAL.

Presenting TravelshopperSM ... new from CompuServe and TWA.

Now you can save time and money by getting information and reservations on virtually any flight on any airline—worldwide—from one source. It's TWA's new Travelshopper, available now through CompuServe's Information Service.

With Travelshopper, you can scan flight availabilities, discover airfare bargains and order tickets...on your own personal computer...at home or in the office.

You also receive automatic membership in TWA's Frequent Flight BonusSM program. And you can build bonus points by staying at Marriott and Hilton hotels and by using Hertz Rent-A-Car.

Besides Travelshopper, CompuServe offers an ever-growing list of other travel-oriented on-line services.

The Official Airline Guide Electronic Edition lists direct and connecting flight schedules for over 700 airlines worldwide plus over 500,000 North American fares.

Firstworld Travel offers worldwide travel advice and service.

Discover Orlando provides complete prices, hours and features on all of Central Florida's attractions and accommodations.

West Coast Travel offers travel information for the western states.

Pan Am's Travel Guide contains up-to-date information on immigration

and health requirements for most foreign countries.

And TravelVision® provides complete automotive information, including road maps and an expert, personalized routing service.

Let your travel plans really take off. Use Travelshopper and lots, lots more from CompuServe.

To buy a CompuServe Starter Kit, see your nearest computer dealer. To receive our informative brochure, or to order direct, call or write:

CompuServe

P.O. Box 20212, 5000 Arlington Centre Blvd.,
Columbus, Ohio 43220

1-800-848-8199
In Ohio, Call 1-614-457-0802

COMPANIES MENTIONED

CONVERGENT TECHNOLOGIES INC.
2500 Augustine Dr.
Santa Clara, CA 95051
(408) 727-8830

INTEL CORPORATION
151 Blue Ravine Rd.
Folsom, CA 95630
(916) 351-8080

MICROSOFT CORPORATION
10700 Northup Way
Bellevue, WA 98004
(206) 828-8080

TANDEM COMPUTERS INC.
19333 Vallco Parkway
Cupertino, CA 95014
(800) 482-6336

THUNDERWARE
19 Orinda Way, Suite G
Orinda, CA 94563
(415) 254-6581

volatility of the bubble chips. While both the Grid and the Helix products use Intel bubbles, the Sharp portable uses Japanese bubble chips. If fabrication costs can be brought down to a reasonable level, bubbles could be the storage device of the future, though early hopes have long since faded.

A BLUE NOTE

Rolm—the telecommunications equipment maker—has frequently been used as an example of the Silicon Valley workstyle because it offers such employee benefits as flextime, sabbaticals, and a multimillion-dollar recreation center. Two senior IBM officials appeared at Rolm to quell speculation that the famous workstyle would be threatened by the IBM buyout. Said one of the officials, "Contrary to what the press has said, we're not here to drain the pool." ■

specifically to work with Tandem's bigger transaction machines.

REMEMBER BUBBLES?

Intel's Non-Volatile Memory Division—one of the few companies still in the bubble-memory game—has a couple of new removable bubble-memory cassette kits: the BCK-10 and the BCK-12. Both provide a 1-megabit cassette. The BCK-12 prototype kit costs \$495 and has a limited temperature range (10 to 55 degrees Celsius). The BCK-10 production kit costs \$605 and can survive a greater range of temperatures (0 to 65 degrees Celsius). The kits include the necessary support chips for the bubble memories and an SBC-258 board interface with a ribbon-cable output so you can just hook the kit up and start writing software. Intel is proud of the simplicity of these kits; they use only six support chips where earlier bubble systems required many more.

The Intel facility in Folsom, California, is getting a new fabrication line to make 4-megabit bubble chips; the standard 1-megabit chips will now probably be phased out in 1985 or 1986. Moving from 4 to 16 megabits on a chip (by shrinking the loops) will be difficult and should take several years—the 4-megabit chips already depend on the advanced, expensive technique of X-ray lithography.

Bubble memories aren't found in many personal computers; the expense just can't be justified for routine


applications. Some portables—the Grid and the Sharp—do use bubbles, which allow mass-storage with low power use. A few add-on boards have appeared (such as the Helix board for the IBM PC) that exploit the non-

THE SAVING GRACE DATA BASE.


Businesses today need more than just more data capacity from mass storage devices. They need more data dynamics. And that means backup as well as primary storage. The Bernoulli Box,™ with its removable storage system, delivers both. Not only can you create individual data bases on handy 10-megabyte cartridges (5 megabytes on the single-drive Macintosh™ box), you can backup files—in minutes, not hours. The compact cartridges are easily stored. And with the lowest available cost-per-megabyte, you not only save your data,

but money and time as well. The Bernoulli Box. Available for the IBM PC, XT, AT, most compatibles, the TI Pro and Apple's Macintosh.

For the dealer nearest you, call 1-800-556-1234 ext. 215. In California call 1-800-441-2345 ext. 215.



Now there's ^{more} Dow Jones SoftwareTM for the MacintoshTM computer.



In the beginning there was Dow Jones Straight Talk.™

All across the country, MacintoshTM computers – and their owners – are getting smart with just the information they need: an electronic encyclopedia, business news and information, the latest stock quotes, sports and weather reports, airline schedules and fares. Point, click, Dow Jones News/Retrieval[®] and other leading electronic information services are at your fingertips.

In fact so many Macintosh computers are getting smart that Straight Talk is a best seller.

Now there's more.

Introducing Dow Jones Spreadsheet LinkTM and Dow Jones Market Manager PLUSTM – new software for the Macintosh computer.

Dow Jones Spreadsheet Link adds brainpower to your Multiplan[®] spreadsheet. Just collect the financial information you need from News/Retrieval and – click – Spreadsheet Link automatically downloads it into your spreadsheet.

Dow Jones Market Manager PLUS makes portfolio management as easy as using a mouse. With current stock price information from News/Retrieval, the Market Manager PLUS saves time in record keeping, giving you more time to make smart investment decisions.

Call for more information on Dow Jones SoftwareTM for the Macintosh computer:


1-800-345-8500 ext. 100

(Alaska, Hawaii, and foreign, call 1-215-789-7008 ext. 100)

Dow Jones
SoftwareTM

Inquiry 97

*Macintosh is a trademark licensed to Apple Computer, Inc. Multiplan is a registered trademark of Microsoft Corporation. Dow Jones Software is a trademark of Dow Jones & Company, Inc. Dow Jones Straight Talk is a trademark of Dow Jones & Company, Inc. Dow Jones News/Retrieval is a registered trademark of Dow Jones & Company, Inc. Dow Jones Spreadsheet Link is a trademark of Dow Jones & Company, Inc. Dow Jones Market Manager PLUS is a trademark of Dow Jones & Company, Inc. Copyright ©1984 Dow Jones & Company, Inc. All Rights Reserved.



Realizing a Dream

The Whitechapel Computer Works MG-1 personal workstation

BY DICK POUNTAIN

In previous columns I've documented some of the activity in British low-cost home computer design. Don't run away with the idea that we can *only* make home computers, though. This month I've been looking at a 32-bit graphics workstation that provides power roughly equivalent to a VAX 11/750 at a starting price of £5500.

The machine is called the Whitechapel Computer Works MG-1 (see photo 1), and it is the first product from this start-up company (let's call them WCW from now on). WCW was founded in April 1983 by Managing Director Timothy Eccles (a physicist turned computer engineer who has worked at Bell Laboratories, Logica, and Rank Xerox) and Technical Director Bob Newman (a computer science lecturer at Queen Mary College in London). The company is located in a new complex called Whitechapel Technology Centre, which was created with assistance from the city council to attract high-technology industries back into the de-industrialized center of London; it seems to be working. Design of the MG-1 was begun in August 1983 and carried through to production in barely a year, with the first units shipped in September of 1984.

PERSONAL WORKSTATIONS

For several years I've permitted myself the occasional daydream about what my (realizable) dream computer might be. It goes something like this: a 68000 or 16032 (this was before National Semiconductor decided that 32016 sounded sexier) processor in a desktop box, a "clean" architecture with lots of memory and straightforward in-memory bit-mapped graphics (but very high resolution), an on-board Winchester drive, and above all, hardware assistance for raster-graphics operations. In other words, my dream computer would be a personal computer (à la Apple II) fed with anabolic steroids, or alternatively, the Xerox Alto at a personal computer price. I kept watching, but it didn't quite happen. The Sage (now Stride) looked interesting, but what's this—a

serial terminal? The Corvus Concept showed us that even a 68000 runs out of steam if asked to run the screen as well as crunching numbers, but the Lisa and Macintosh continue to try.

The MG-1 fits the bill exactly except that it isn't quite in my price range. It isn't meant to be, of course. WCW has single-mindedly targetted it at the CAD/CAM (computer-aided design/computer-aided manufacturing) personal workstation market, competing with machines like Sun, Apollo, and Perq, which typically cost over four times as much as the MG-1. These dedicated minicomputers are called "personal workstations" because only one person uses the machine at a time (i.e., they're not multi-user), but at upwards of £20,000 all but the richest firms would require several designers or engineers to share one machine on a rota.

Bob Newman, principal designer of the MG-1, reasoned that if he adopted personal computer rather than minicomputer design techniques (no multiboard bit-slice processors, no demountable hard-disk packs, no industrial fans), a colossal price reduction should be possible. He reasoned thus at the same time that VLSI (very-large-scale integration) technology had made it possible. Viewed this way, the MG-1 is the first truly personal workstation; not only will it fit on a desk, but it's priced so that firms can afford one per person: it costs about the same as a full-spec IBM Personal Computer (PC) XT and less than a PC AT.

SPECIFICATIONS

The MG-1 is driven by the NS32016 32-bit virtual-memory processor chip, running at 8 MHz, and mounted along with all the other integrated-circuit (IC) components on a single personal-computer-style system board. An eight-layer board is used to give simpler routing for the conductors. This board is held in a desktop casing with a footprint slightly larger than that of an IBM

(continued)

Dick Pountain is a technical author and software consultant living in London, England. He can be contacted c/o BYTE, POB 372, Hancock, NH 03449.

PC; the works are cooled by a single miniature silent fan.

The 32016 is complemented by its support chips, the 32082 memory manager and the 32081 floating-point processor, though the former is still suffering from bugs, and WCW currently has it on a piggyback board that contains its own hardware fixes. Standard memory is 512K bytes, expandable in 512K-byte chunks up to 8 megabytes. At least 100K bytes of this memory is devoted to the bit-mapped black-and-white display that has a resolution of 1000 by 800 pixels. A 17-inch (landscape format) monitor with a display width of 150 characters is included, and it can depict an A4 document page, albeit slightly reduced to fit the height. Mass storage is provided by a single 800K-byte floppy-disk drive and a choice of a 10-, 22-, or 45-megabyte Winchester drive built into the case.

Peripheral expansion is catered to by the bold step of adopting the IBM PC bus. The MG-1 internal expansion unit has three IBM expansion slots and IBM cards will work (with the proviso that suitable drivers have to be written). Communication is via a built-in Ethernet interface for networking MG-1s to share the expensive laser printers or plotters necessary to print

on the high-resolution screen. An RS-232C port enables a local draft-quality printer or modem to be attached.

The operating system is Genix, a Berkeley 4.1 UNIX customized by WCW to support the MG-1's graphics abilities, for which optimized C, FORTRAN, and Pascal compilers are offered.

RASTER GRAPHICS

A CAD/CAM workstation has very specific requirements (which I believe are, in the main, also the requirements for future personal computers). It is by definition an interactive system that dictates very fast response times even for the most complex operations.

It must be capable of very-high-resolution graphics. In a low-cost machine this has to be achieved by using a direct refresh bit-mapped screen. Personal computer users are quite familiar with bit-mapped graphics; it's the rule rather than the exception. However, in the CAD/CAM business it isn't yet the rule, but one technique among many; random-scan vector displays still are in use, and where a raster display is used it frequently has a dedicated frame buffer separate from main memory.

WCW decided that the bit-map data should be in main memory (just like an Apple II or IBM PC) so that multiple screen buffers could be utilized; animation then can be achieved by building one screen while another is being displayed. The other advantage of having the bit map in main memory is that it simplifies the use of *RasterOps* as the primitive graphics operations.

RasterOp (called BitBlit, for Bit Block Transfer, at Xerox PARC [Palo Alto Research Center]) is a fast algorithm for doing bit-mapped graphics. Anyone who has written a BASIC program to draw a circle knows that it takes a long time to move that circle (by redrawing it again somewhere else); the computation of which points to plot is wastefully repeated every time the circle is drawn. *RasterOp*, in a nutshell, says "don't redraw the circle, move the bits that make up the first circle." Rectangular areas of the screen data (called "rasters") are directly moved about in the bit map using raster block-move operations (*RasterOp*). Unlike, for instance, simple Z80 block moves, with *RasterOp* you can do Boolean operations (AND, OR, XOR) between the destination and source rasters so you can get effects like overlapping transparent backgrounds or use mask rasters to clip shapes. Much of the theory and practice of this kind of graphics was worked out at Xerox PARC in the 1970s (by the Smalltalk people, among others), and it lives today in the Lisa and Mac. (For more information on Smalltalk, see the August 1981 *BYTE*.)

Display systems based on *RasterOp* tend to be homogeneous; there is no distinction between "text" and "graphics." All text characters are handled as rasters, and this is what makes the plethora of different type styles possible on the Macintosh. Because of this total reliance, the efficiency of *RasterOp* becomes critical.

There are two computation problems when using *RasterOp*; what to do if a raster (which is defined in *bit* coordinates) doesn't lie nicely on byte or word boundaries, and how to find the actual memory addresses of the




Photo 1: The Whitchapel Computer Works MG-1 uses the National Semiconductor 32016 32-bit virtual-memory processor chip.

lines in a raster (don't forget that successive lines in a rectangle on the physical screen aren't contiguous in memory). The amount of computation involved can bring even the most powerful of the new microprocessors to its knees if it has to do the computation every time it wants to write a character or scroll the screen in addition to all its other duties.

Having decided on a 1000 by 800 screen (the minimum for a serious CAD display), WCW was committed to a 100K-byte bit map. It's often necessary to treat the whole screen as a raster (e.g., when scrolling) so you have to be able to deal with single graphic objects of up to 100K bytes in size. The main design question has now answered itself. A 32K-bit processor is necessary to efficiently manipulate objects larger than 64K bytes. When writing a program on the MG-1 in C, for example, you can pass

the whole screen as a single array.

WCW then decided to provide a separate video processor to handle RasterOps; this unit performs the shifts to align rasters to word boundaries, masking, and Boolean operations. It also calculates the addresses of rasters and feeds them to the microprocessor. The 32016 isn't loaded with any of these chores.

By employing some tricky design techniques, including a 64K-bit-wide memory bus, WCW has managed to attain a flickerless 60-MHz screen-refresh rate using industry-standard 150-nanosecond memory chips. The total memory bandwidth available is 200 MHz, giving sufficient leeway for the 32016 to access memory with effectively no wait states.

The 32016's demand-paged virtual memory means that the data for a single screen might be scattered all over physical memory in different

pages. Rather than waste time reorganizing these fragments into a contiguous 100K-byte block, the video controller maintains a page map so that it always knows where its images are stored.

The result of all these design decisions is spectacularly fast graphics operation combined with easy programming in high-level languages. Rasters can be created and processed anywhere in main memory and then moved onto the screen. As many screens as memory allows can be held in memory simultaneously, and with virtual memory, "memory allows" has a broad meaning. The MG-1 employs a two-level paging system similar to that on the VAX.

At a somewhat higher level, WCW has implemented the GKS (Graphical Kernel System) graphics standard, which is more suitable for CAD/CAM

(continued)

CAD SYSTEM

2D Starting at \$9,999.99
3D Also Available — CALL

All Plotters, Digitizers, Software and Training, one place for all your needs.

COMPUTERS

IBM PC 64K 1 DR.	\$1449
IBM PC 256K 2 1/2 HT DR.	\$1630
IBM PC 256K HT DR + 10 MB.	\$2699
SANYO 555-2 (2) DS/DD+SOFTWARE	\$999
SANYO 555-2 (2) DS/DD+MON+8.	\$1399
IBM PC XT 256K.	\$3848
IBM PORTABLE.	CALL
SANYO 555-2+COL.MON	
+5 SOFTWARE	\$1599

SOFTWARE

SYMPHONY.	\$469
LOTUS 123	\$285
dbASE II/III	\$289/\$398
WORD STAR PROPACK	\$348
OTHER SOFTWARE.	CALL
R BASE	CALL

MONITORS

AMDEC 310A.	\$165
AMDEC 11+	\$415
PRINCETON GRAPHIC HX 12	\$469
SANYO	\$149
TAXAN RGB	\$448
PGS MAX 12	\$195

DISKETTES

VERBATIM DS/DD	\$25.85
VERBATIM SS/DD	\$19.79

PRINTERS SPECIALS

CABLE	\$19
OKIDATA 92P	\$395
OKIDATA 93P	\$625
EPSON FX100/80	very very low
BROTHER HR 15/HR 25	\$398/659
BROTHER HR 35	\$898
DTC STYLE WRITER 35K BUF.	\$499
DTS 380Z + 48K BUFF.	\$933
EPSON LQ 1500	very very low

MODEM SALE

HAYES 1200 MODEM.	\$480
HAYES 1200B	\$397
1200 BAUD Auto Dial, Auto Answer, Auto Log On, File Transfer, Printing, Call Progress Monitoring, Auto Baud Rate Selection. For IBM PC, XT Portable and Compatible. Made in Sunnyvale U.S.A.	
	\$249

Dealer inquiries welcome.

**WE'LL BEAT ANY
ADVERTISED
PRICE**

(IF WE BOTH HAVE IN STOCK)

DISC DRIVES

EVEREX COGITO 10 MB INTL.	\$848
SIGMA 10 MB INTERNAL.	\$875
TEAC - 1/2 HT for IBM 360K.	\$149
SHUGART 455 for IBM 360K	\$155
TANDON 100-2	\$170
IBM DISC DRIVE.	\$199
CDC DRIVE for IBM	\$195
TEC 1/2 HT for IBM 360K	\$135

HARDWARE

PC PEACOCK	\$234
HERCULES CARD	\$313
64K RAM SET	\$42
AST 6-PACK 64K/256K.	CALL
AST MEGA PLUS II 64K.	CALL
KEY TRONIC KEYBOARD 5151	\$209
TELMAR GRAPHICS	\$485
EVERX BOARD	CALL
OTHER HARDWARE	CALL
SIGMA MAXMISER	\$249
8087 CHIP	\$178
QUAD BOARD.	\$278
PLANTONIC PLUS.	\$385

LEASING ARRANGED UP TO \$1 MILLION AT LOW RATES. CAN INTRODUCE YOUR NEW PRODUCTS TO MARKETS. UPGRADE YOUR PRESENT COMPUTERS WITH 10MB PLUS HARD DRIVES. COMPANY P.O. WELCOME. MC/VISA + 3% CASH PRICES SUBJECT TO STOCK ON HAND. OPEN 7 DAYS.

ADVANCED COMPUTER SYSTEMS

Sunnyvale
Fremont
San Francisco
Walnut Creek

665 Grape Ave. (408) 732-6200
39138 State St. Town & Faire Center
690 Market St. (415) 397-1311
1987 No. Main St. (415) 945-8011

MEMOREX SPECIAL OFFER ON DATA RELIABLE DISCS

Memorex seals its floppy discs with a process it developed, called Solid-Seam Bonding. This seals shut every inch of every seam of every Memorex floppy disc.

PLUS! If you call, write, or utilize reader service in response to this ad—we'll send you our full-range catalog of computer supplies with Special Offers good for further savings on Memorex diskettes and many other quality products.

LYBEN COMPUTER SYSTEMS

1250-E Rankin Dr., Troy, MI 48063
Phone: (313) 589-3440

Simply #1 in Service & Reliability

CERTIFIED 100% ERROR-FREE

Inquiry 190

I.B.M. Compatible	PROM 8200 (FAST UNIVERSAL TYPE
Case \$100.00	EPROM & PROM
Keyboard \$149.00	PROGRAMMER) Call
Motherboard without	EPROM: 2716, 2732,
BIOS \$280.00	2732A, 2764, 27128,
Power Supply 130	27256, 2516, 2532, 2564
Watt \$150.00	Prom: ANY KIND
Multi Function Card	
\$170.00	
Color Graphic Board	Apple Compatible
\$185.00	IC Tester Card
Floppy Disk Control	\$125.00
Card \$160.00	Z-80 Card \$40.00
CP-80 Printer	80 Column Card \$50.00
\$169.00	Disk Drive \$149.00
	(APPLE OR I.B.M.)
	14 inch Monitor \$89.00

ALL PHONES
CALL NOW (312) 280-7610


**DIST. WANTED
CUSTOM PRODUCTS**

HOFFMAN INT'L

600 N McClurg CT. STE. 309A
Chicago, Illinois 60611

Inquiry 138

6800/6809 Micro Modules



OEM 6800/6809 MICROCOMPUTER MODULES for dedicated control and monitoring. Interfaces for sensors, transducers, analog signals, solenoids, relays, lamps, pumps, motors, keyboards, displays, IEEE-488, serial I/O, floppy disks.



WINTEK

Wintek Corp.
1801 South Street
Lafayette, IN 47904
317-742-8428

Inquiry 332

BYTE U.K.

applications programmers than are the raw raster-graphics primitives.

I/O HARDWARE

The adoption of virtual-memory UNIX together with the constraints imposed by the high-performance display places extraordinary demands on the hard-disk subsystem.

Again Newman broke away from minicomputer design practices and went for a solution taken from the personal computer domain: a central DMA (direct memory access) controller rather than complex multiple buses. The single-chip DMA controller can load consecutive blocks to any page in memory and works fast enough to do without buffering; there is a direct path from memory to the Winchester disk. In one rotation of the disk a whole track can be loaded, shotgun fashion, into a scattered selection of pages. Apart from performance and cost benefits, this scheme has the virtue of providing DMA service for any IBM expansion cards fitted to the expansion bus.

The Ethernet controller can't be as simple because Ethernet requires devices to receive its packets of information without warning and at very high speed. With Ethernet, buffering was found to be necessary under operating system control using a second DMA device.

OPERATING SYSTEM

Having decided upon the 32016, WCW was faced with the crucial choice of an operating system. UNIX turned out to be the only commercially widespread operating system that could support 32-bit virtual memory and had a reasonable software base. The fact that UNIX was designed for timeshared multiuser systems and has no support for graphics didn't help.


National Semiconductor already had Genix, based on UNIX System II with the BSD (Berkeley Software Distribution) extensions, available for the 32016. WCW had to do considerable work to get satisfactory performance in a single-user, interactive, graphics-based application quite unlike that for which it was designed.

One of the biggest problems with UNIX is its poor response time to interrupts. Like most modern workstations, the MG-1 uses a mouse for cursor control and a mouse works by sending interrupts to the operating system to say that it's moved. If UNIX is busy elsewhere, cursor movement will start to lag noticeably behind mouse movement, thus destroying the visual illusion upon which mouse control is based. It's like driving a car with a flexible rubber steering wheel. Newman, typically, went for a hardware solution. The cursor is *not* represented in the main bit map as on most other systems. Instead another coprocessor is employed to read the mouse position continuously, and the 64-pixel cursor is produced in a small separate memory, then video-mixed with the main display. UNIX and the main processor are only interrupted when some action is to be taken, i.e., a mouse button has been pressed. This same coprocessor handles the "soft" keyboard too, which makes it earn its keep.

Another problem arises with the windowing system, for which UNIX's process communication system is not ideal. WCW is working on the window manager and has decided to treat it as a user program rather than an extension to the UNIX kernel. This will permit experienced users to modify it if they wish.

One of the great dangers with UNIX is system corruption on shutdown; you can't simply switch off the power on a UNIX system as you can with CP/M or MS-DOS and expect it to come back up unscathed. Huge amounts of housekeeping and reshuffling need to be done before UNIX can be put to sleep. Because personal computer users are used to a more cavalier attitude toward their machines, WCW took a leaf out of Lisa's book and provided a soft power switch. When you hit the "power-off" button, power is not disconnected immediately; instead an orderly UNIX shutdown is initiated while you are on your way down the stairs to catch your bus.

(continued)



Meet PROMAL™ The First Fast Structured Language That Lets You Program The Way You Always Wanted To. And For Only \$49.95.

PROMAL

NOW AVAILABLE FOR:

Commodore 64 (with disk drive)
Apple IIe (with extended 80 column card, 128K and ProDos)
Apple IIc (with ProDos)

AVAILABLE IN APRIL FOR:

IBM PC/PCjr.

A New Age Dawns for Microcomputer Programming

PROMAL™ is innovative.

PROMAL (PROgrammer's Micro Application Language) was designed to achieve maximum performance from small computers...performance previously impossible except with machine language. And it was developed, specifically, to meet the need for a development system for limited memory environments.

PROMAL is complete.

It's a fast, structured programming language. It's also a true development system, complete with its own command-oriented operating system executive; fast one-pass compiler; and full-screen cursor-driven editor. In short, PROMAL is the complete set of tools that microcomputer programmers have been waiting for.

PROMAL is fast.

Commodore 64 Benchmark (Sieve of Eratosthenes)	PROMAL	BASIC	COMAL	FORTH	PASCAL
Execution Time (secs.)	30	630	490	51	55
Object Code Size (bytes)	128	255	329	181	415
Program Load Time (secs.)	3.2	3.8	6.3	11.2	23.5
Compile Time (secs.)	8.5	—	—	3.9	108

As the benchmark results in the table show, PROMAL is much faster than any language tested. From 70% to 2000% faster! And it generates the most compact object code. The PROMAL compiler is so fast that it can compile a 100-line source program in 10 seconds or less. And, not only is it fast in compile and run time, it also reduces programming development time.

PROMAL is easy.

It's easier to learn than Pascal or C or FORTH. It makes use of powerful structured statements, like IF-ELSE, WHILE, REPEAT, FOR, and CHOOSE. Indentation of statements is part of the language's syntax, so all programs are neatly and logically written. There are no line numbers to complicate your programming. And comments don't take up memory space, so you can document programs completely. And with the full-screen editor, you can speed through program development

with saves to memory and compilation from memory workspace.

PROMAL is elegant.

PROMAL overcomes the performance limitations inherent in all small systems. It gives you access to the power of the machine. But it doesn't require the complexity of machine language programming. With PROMAL, you can have performance the easy way...since it was developed from the very beginning to work on small systems...elegantly.

PROMAL may be the answer to your programming needs.

Finally, there's an answer to the need for a complete environment for simple and rapid program development. Finally, a new age has begun for microcomputer programmers. Finally, there's PROMAL.

For quicker response on credit card orders, call: **Toll Free**

1-800-762-7874

In NC: 919-787-7703

PROMAL FEATURES

COMPILED LANGUAGE

Structured procedural language with indentation
Fast, 1-pass compiler
Simplified syntax requirements
No line numbering required
Long variable names
Global, Local, & Arg variables
Byte, Word, Integer & Real types
Dec or Hex number types
Functions w/ passed arguments
Procedures w/ passed arguments
Built in I/O library
Arrays, strings, pointers
Control Statements: IF-ELSE, IF, WHILE, FOR, CHOOSE, BREAK, REPEAT, INCLUDE, NEXT, ESCAPE, REFUGE
Compiler I/O from/to disk or memory

EXECUTIVE

Command oriented, w/line editing
Memory resident
Allows multiple user programs in memory at once
Function key definitions
Program abort and pause
22 Resident system commands, 8 user-defined resident commands, no limit on disk commands
Prior command recall
I/O Re-direction to disk or printer
Batch jobs

EDITOR

Full-screen, cursor driven
Function key controlled
Line insert, delete, search
String search and replace
Block copy, move, delete & write to/read from file
Auto indent, undent support

LIBRARY

43 Machine-language commands
Memory resident
Call by name with arguments
I/O, Edit, String, Cursor control and much more

ORDER FORM

Please send me my copy of PROMAL

SYSTEM (check one):

☐ Commodore 64 ☐ Apple IIe ☐ Apple IIc

PROMAL Package Desired (check one):

☐ PROMAL (for systems listed above) \$49.95 plus \$5.00 for shipping and handling at a total cost of \$54.95. Satisfaction guaranteed.
☐ PROMAL Developer's Version \$99.95 plus \$5.00 for shipping and handling for a total cost of \$104.95. Includes unlimited run-time distribution license. Satisfaction guaranteed.
☐ PROMAL demo diskette \$10.00 for the diskette plus \$2.50 for postage and handling for a total cost of \$12.50. (Non-refundable.)
☐ My check is enclosed. ☐ Please charge my purchase to my ... ☐ Visa ☐ MasterCard

Card Number

Expiration Date

Signature

Name

Address

City, State, Zip

North Carolina residents add 4-1/2% sales tax.

Our Guarantee

Try your copy of PROMAL for 15 days. If you are not completely satisfied, return it to us undamaged and we'll refund your money. No questions asked. Dealer inquiries invited.



SYSTEMS MANAGEMENT ASSOCIATES

3700 Computer Drive, Dept. PB-2
Raleigh, North Carolina 27609

Inquiry 306

New From
APPLEWARE, INC.
 Improved Programs • Lower Prices
 Expanded Selection

**One-Of-A-Kind Apple User's Group
 Disk Program Library Service**

Featuring: 60 State-of-the-Art packed disks (up to 40 programs per disk)
 not available from any other service, including, of no extra cost:

- Guaranteed fully operable
- Completely copyable & listable
- 3 kinds of documentation
- No duplications
- Toll free member hotline
- 5 year disk replacement guarantee
- Any single disk (30 or more programs) for \$19.95 each, less than 70¢ per program.

BUY ONE-AT-A-TIME
 OR
 The entire disk library @ 50% off, for 15,000 + Program Files
 Plus a FREE bonus of 40 blank disk sides, if ordered direct from this ad.

MEMBERSHIP-ADDITIONAL DISCOUNTS
 Members are entitled to an additional 15% discount, above and beyond other discounts. Simply send a one-time membership fee (WITH NO ANNUAL DUES!) of \$15 Domestic, \$25 Foreign. (INSTITUTIONS FREE). Fees include perpetual updates, a monster catalog and eventual access to 15,000 + programs, guaranteed, tried, true, and tested.


All categories included, for any age group or skill level.
 Recognized purchase orders gladly accepted.
**Join 92,000 other Appleware enthusiasts
 spanning 31 countries!**

For orders only call now
1-800-327-8864
 Or write: **Appleware, Inc.**
8400 Hayes Street
Hollywood, FL 33024

Program disks operable on Apple II,
 II+, IIx, IIc, IIfx, Clones, Franklin
 and IBM Quad Link.

Inquiry 23

**NOW INCLUDES
 TINY BASIC
 FORTH AVAILABLE**



SIBEC 51
8051/52 DEVELOPMENT BOARD
 8051-Based Single-Board Computer with
 Monitor/Debugger

- 4 28-pin byte-wide sockets; monitor will program EEPROMS.
- Perfect for System Development and Educational Applications

\$335

Binary Technology
 P.O. Box 67 • MERIDEN, NH 03770 • 603/469-3232

Inquiry 30

FOXBASE II™
Interpreter / Compiler

- dBASE II® source compatible
- Runs 3-20 times faster than dBASE II
- Up to 48 fields per record
- Full type-ahead capabilities
- Provides compact object code and program security
- Twice as many memory variables as dBASE II
- Sophisticated online manual and HELP facility

MS-DOS \$395 AOS/VS \$995

dBASE II is a registered trademark of Ashton-Tate

FOX SOFTWARE INC. 
 13330 Bishop Road, P.O. Box 269
 Bowling Green, OH 43402 / 419-354-3981

Inquiry 114

BYTE U.K.

Hardware solutions are becoming cheaper than writing software.

Other little goodies include a battery-backed real-time clock/calendar and CMOS (complementary metal-oxide semiconductor) RAM (random-access read/write memory) area for holding system information to assist service engineers in maintenance and fault tracing.

SOFTWARE

WCW does not intend to become a supplier of CAD/CAM software. The sort of client they are aiming the MG-1 at will typically have some existing software system or will have a specification for such a system and the capability to write it. WCW will provide an operating system with graphics support (included in the machine's price), the GKS Kernel, a window manager, and three high-quality compilers for Pascal, C, and, in recognition of its huge existing software base, FORTRAN.

THE FUTURE

There's no point in pretending that the MG-1 is a personal computer in its present form. It's an extremely powerful and cost-effective tool for engineers, designers, and possibly artificial-intelligence researchers, but it requires a plotter or a laser printer to provide proper hard-copy output (hence the Ethernet). A serial dot-matrix printer could only produce text output for program listings.

As a personal computer user I am interested in the MG-1 because the design decisions embodied in it are relevant to the next generation of personal computers. In particular, Bob Newman's philosophy of "do it in hardware where you can" is at odds with current thinking in certain large corporations, where a reliance on software solutions seems to be based on highly optimistic estimates of the power of the new microprocessors.

Besides, we are entering an epoch in which hardware solutions are becoming cheaper than writing software.

At the moment, the Macintosh is by far the cheapest personal computer using advanced raster graphics. Could the functionality of an MG-1 be had for the price of a Macintosh? The 32016 chip set is still terrifyingly expensive and constitutes a significant fraction of the hardware costs, but this factor should ease in coming years as the various 32-bit chips get into volume manufacture. Similarly, the price of 256K-bit memory parts and of Winchester disks is steadily falling. Custom gate arrays could do away with most of the discrete logic used in the MG-1. Perhaps most significant, though, is the new generation of graphics coprocessor chips that are on the way; for example INMOS's G213 Graphics Controller promises BitBlt at 8 million pixels per second. Laser printers are tumbling in price (witness the Canon), or perhaps one of the more potent dot-matrix printers like the Epson LQ-1500 could be persuaded, like Apple's Imagewriter, to perform as a fast graphics device.

Speculation aside, a most exciting prospect arises because the MG-1 possesses sufficient brawn to support the Xerox Smalltalk language system. Newman is enthusiastic about Smalltalk and sees it as a possible development, though the marketing people are not yet convinced that a real demand exists. Tektronix announced the HS 4404 Artificial Intelligence System with Smalltalk-80 at \$14,950—the cheapest Smalltalk system so far (see What's New, October 1984 BYTE, page 39). You won't need a spreadsheet to work that out; an MG-1 should do it for about half that price with a laser printer thrown in. This would at least put Smalltalk into the hands of educational institutions, but it remains well beyond private pockets. More's the pity.

WCW should have a subsidiary in the U.S. in operation by the time this column is printed. Contact Whitechapel in the U.K. at 75 Whitechapel Rd., London E1, England. BYTE hopes to review the MG-1 in a future issue. ■

Train for the Fastest Growing Job Skill in America

Only NRI teaches you to service and repair all computers as you build your own 16-bit IBM-compatible micro

As computers move into offices and homes by the millions, the demand for trained computer service technicians surges forward. The Department of Labor estimates that computer service jobs will actually *double* in the next ten years—a faster growth than any other occupation.

Total System Training


As an NRI student, you'll get total hands-on training as you actually build your own Sanyo MBC-550-2 computer from the keyboard up. Only a person who knows *all* the underlying fundamentals can cope with *all* the significant brands of computers. And as an NRI graduate, you'll possess the up-to-the-minute combination of theory and practical experience that will lead you to success on the job.

You learn at your own convenience, in your own home, at your own comfortable pace. Without classroom pressures, without rigid night-school schedules, without wasted time. Your own personal NRI instructor and NRI's complete technical staff will answer your questions, give you guidance and special help whenever you may need it.

The Exciting Sanyo MBC-550-2—Yours To Keep

Critics hail the new Sanyo as the "most intriguing" of all the IBM-PC compatible computers. It uses the same 8088 microprocessor as the IBM-PC and the MS/DOS operating system. So, you'll be able to choose thousands of off-the-shelf software programs to run on your completed Sanyo.

As you build the Sanyo from the keyboard up, you'll perform demonstrations and experiments that will give you a total mastery of computer operations and servicing techniques. You'll do programming in BASIC language. You'll prepare interfaces for peripherals such as printers and joysticks. Using utility programs, you'll check out 8088 functioning. NRI's easy step-by-step directions will guide you all the way right into one of today's fastest growing fields as a computer service technician. And the entire



NRI is the only home study school that trains you as you assemble a top-brand micro-computer. After building your own logic probe, you'll assemble the "intelligent" keyboard...

system, including all the bundled software and extensive data manuals, is yours to keep as part of your training.

100-Page Free Catalog Tells More

Send the postage-paid reply card today for NRI's big 100-page color catalog, which gives you all the facts about NRI training in Microcomputers, Robotics, Data Communications, TV/Video/Audio Servicing, and other growing high-tech career fields. If the card is missing write to NRI at the address below.

... then install the computer power supply, checking all the circuits and connections with NRI's Digital Multimeter. From there you'll move on to install the disk drive and monitor.

Your NRI Course Includes a Sanyo MBC-550-2 Computer with 128K RAM, Monitor, Disk Drive, and "Intelligent" Keyboard; The NRI Discovery Lab®, Teaching Circuit Design and Operations; a Digital Multimeter; Bundled Spread Sheet and Word Processing Software Worth \$1500 at Retail—and More.



NRI SCHOOLS

McGraw-Hill Continuing Education Center
3939 Wisconsin Avenue, NW
Washington, DC 20016

We'll Give You Tomorrow.

IBM is a Registered Trademark of International Business Machine Corporation.



Photographed at Gulfstream Aerospace, Savannah, GA.

Is your calculator programmed for success?

Move up to the TI-66. The easy 512 step programmable.

You're in the fast lane now, and the last thing you need is a calculator that slows you down. That's why you need the TI-66 programmable calculator

from Texas Instruments. The TI-66 offers full programming power and flexibility so you can handle complex and repetitive math problems quickly, easily, and with fewer keystrokes.

Its 512 merged program steps and over 170 built-in scientific, engineering, and statistical functions make for powerful programming. And its sleek, streamlined design makes for easy use.


Its Algebraic Operating System lets you key in problems as they are written, left to right. And its 10-digit angled Liquid Crystal Display not only makes it easy on your eyes, but provides alphanumeric notation of

your program steps so you can make easy modifications as you go along.

The keys are readable and large enough for your fingers. The guide book is a quick study. And at \$69.95 suggested retail, the price is easy. So instead of spending extra time on routine calculations that won't get you noticed, promote yourself with the TI-66 programmable calculator.

TEXAS
INSTRUMENTS
Creating useful products and services for you.

Inquiry 311





Copying Mass-Marketed Software

Both sides of the Lotus lawsuits

BY ROBERT GREENE
STERNE AND
PERRY J. SAIDMAN

This is the first of our columns on computers and law, and a few words are in order. As contributing editors, we will examine state-of-the-art computer-law issues. Since the law lags behind the technology and the technology is evolving at a rapid rate, legal systems everywhere are being confronted with such novel legal questions as legal protection of application and operating-system software, user rights against vendors for defective hardware and software, ownership rights in microcomputer technology created by independent contractors, and the right to publish protected software in user magazines. The resolution of such questions will shape the microcomputer industry in the years ahead. In our columns, we will address a given computer-law issue, present the arguments and legal precedents, if any, on either side, and let you decide which is more persuasive. This, we hope, will foster an awareness of computer-law issues.

THE LOTUS LAWSUITS

Lotus Development Corporation has started the next round in the legal prizefight between software vendors and users of mass-marketed software packages. In the winter of 1983/84, Lotus filed a lawsuit against Rixon, a maker of modems and multiplexers in Silver Spring, Maryland, alleging that Rixon personnel have made more than 10 unauthorized copies of Lotus 1-2-3 and associated documentation. The suit was quickly settled. According to the trade press, Rixon agreed to a permanent injunction against unauthorized copying and paid Lotus an undisclosed sum of money. The suit received widespread publicity and sent shock waves through corporate America.

Flush with victory, Lotus filed suit in July 1984 against Health Group Inc. (HGI). Lotus alleged that HGI had made several unauthorized copies of the Lotus 1-2-3 disks and delivered them to its hospitals and nursing homes in the southeastern United States. The suit was settled by consent

decree in September 1984, a little more than two months after it was initiated. As Rixon did, HGI agreed to a permanent injunction against unauthorized copying and paid Lotus an undisclosed sum of money. This suit also has received widespread publicity.

These two lawsuits appear to be the beginning of a wave of such suits by software vendors against institutional users—manufacturers, service organizations, governmental bodies, schools—whose personnel are making unauthorized copies of mass-marketed software packages. This activity seems to be enormous and growing. Depending on whom you talk to, estimates range from 1 to 20 unauthorized copies for each authorized copy. These unauthorized copies represent an enormous amount of money: estimates place it in the hundreds of millions of dollars.

Top executives at several large software houses have indicated to us that they are seriously thinking of following Lotus's lead. We also know from discussions with top lawyers at several large companies and governmental agencies that a massive cleanup campaign is afoot as organizations silently trash their unauthorized copies.

LEGAL ISSUES INVOLVED

All this has started a spirited, and often very heated, debate between vendors and users. Vendors see this as a market-correcting mechanism for keeping institutional users "honest." Many users grudgingly agree but wonder if the vendors might not be biting the hand that feeds them. A vocal group of users vehemently disagrees with the vendors and charges that this is nothing more than an attempt to intimidate users into paying inflated license fees. The users warn that the upshot of this will be a loss of creativity and freedom as big business tightens its grip on the microcomputer market.

In its suit against HGI, Lotus alleged six

(continued)

Robert Greene Sterne and Perry J. Saidman are attorneys with the computer-law firm Saidman, Sterne, Kessler, & Goldstein in Washington, DC. They are also contributing editors for BYTE. They can be contacted c/o BYTE, POB 372, Hancock, NH 03449.

Lotus claimed maximum statutory damages of \$50,000 for each unauthorized copy plus court costs.

legal theories (called counts) to support the legal remedies sought, including a permanent injunction against unauthorized copying, compensatory money damages, lost profits, statutory money damages, attorneys' fees, and court costs. If the Lotus Development Corporation had been awarded relief on all counts in the amounts alleged in the complaint, HGI would have been out more than 2 million dollars.

Count one alleged that HGI had willfully infringed the Lotus copyrights on Lotus 1-2-3. Lotus stated that it owned two copyright registrations—TX 1-233-501 and TX 1-233-502—in the Lotus 1-2-3 packages, which include the user's manual and the software disks. It stated that the two registrations had effective dates prior to the date on which infringement began. This was important, since Lotus could not receive statutory damages or attorneys' fees for any infringement that occurred before the effective date of the copyright regis-

trations. Lotus also stated that all lawful copies of Lotus 1-2-3 had carried a proper copyright notice. It alleged that since the infringement was willful, it was entitled to attorneys' fees and statutory damages of \$50,000 for "each act of infringement" (i.e., *each* unauthorized copy!) in addition to a permanent injunction and court costs.

Court decisions have been handed down that find that application software is entitled to copyright protection and that verbatim copying constitutes copyright infringement unless it is authorized by agreement or by law. Further, the Copyright Office routinely grants copyright registrations for application software that is in compliance with the registration requirements. What is of great significance in count one is that Lotus alleged that it was entitled to statutory damages in the maximum of \$50,000 for each unauthorized copy. Section 504(c) of the Copyright Act of 1976 states that the copyright owner may receive instead of actual damages and profits "an award of statutory damages for all infringements involved in the action, with respect to any one work . . ." Statutory damages range from \$100 to \$50,000 depending on whether the infringement is innocent or willful. While the court has considerable latitude in the actual dollar amount, many legal experts argue that the language of Section 504 and its legislative history do not permit the court to multiply the


statutory-damage dollar amount by the number of unauthorized copies. There do not appear to be any legal decisions that have addressed this precise issue.

The resolution of the statutory-damage issue will have far-reaching practical effects. If Lotus were correct in its interpretation and if the court agreed that it should receive the maximum \$50,000 for each infringing copy, then Lotus would have received 1 million dollars for 10 unauthorized copies of Lotus 1-2-3 (multiplied by two since there were two copyright registrations). If Lotus were *incorrect* in its interpretation, then it would have received \$50,000 for the 10 unauthorized copies. Compare these two amounts to \$4950, which is calculated by multiplying the 10 unauthorized copies by \$495 (the suggested retail price for Lotus 1-2-3). Under the 1909 Copyright Act, the current law's predecessor, some court decisions multiplied "in lieu" damages (similar to statutory damages) by the number of infringements of a single work. Fine lines were drawn as to the number of infringements. For example, one factor was whether the unauthorized copies were made all at once or over a space of time. Essentially, courts were finding ways to justify the multiplication approach in situations where a large number of unauthorized copies had been made of a single work and they felt that only one statutory amount was insufficient.

Supporters of the Lotus interpreta-

Compact, low-cost switching systems

Available in Serial RS232, Parallel Centronics and IBM P.C. Parallel.



For connecting several printers to one computer port or for connecting one printer to several computers.

Our Centronics and RS232 transfer switches are designed to last a lifetime. The internal slide switch is a high quality dust sealed type with a life expectancy of 15,000 operations (silver/silver alloy contacts).

The RS232 and IBM compatible parallel transfer switches employ female connectors (DB25S style) with gold plated contacts and have hex female stand offs installed.

The Centronics transfer switch uses female connectors with gold plated contacts and bail lock retainers. All components are assembled on a high quality P.C. board to minimize cross talk between lines.

OPERATION

CS12, IS12, PS12 Select 1 out of 2, center Position off
CS13, PS13 Select 1 out of 3
CS12 Serial RS232, switches lines 2-6, 8, 15, 17, 20, 22

IS12, IS13 IBM parallel, switches lines 1-17, 19, 20, 21
CS13, PS13 Parallel Centronics, switches lines 1-14, 31, 32, 36

AVAILABLE MODELS

CS12	7" x 3.75" x .75"	\$60
IS12	7" x 3.75" x .75"	\$75
PS12	8.75" x 3.25" x .90"	\$75
IS13	9.0" x 3.75" x .75"	\$99
PS13	11.60" x 3.75" x .90"	\$99

U.S. Call toll free: 1-800-268-5156

Dealer inquiries invited.

Q4 INSTRUMENTS INC.

1100 Invicta Dr., Oakville, Ontario L6H 2K9
1-416-842-0200

Prices in U.S. funds, FOB Buffalo, New York.
In Canada - Quebec call AMAK (514) 844-8847

Vancouver, Calgary, Oakville, Ottawa, Edmonton call VARAH LTD.

tion argue that the multiplication is proper since it fulfills the intent behind statutory damages, which is to provide adequate relief to the copyright owner. They point out that it is form over substance if multiplication is allowed when unauthorized copies are made over time and not allowed if they are made all at once. They maintain that the court should have discretion both with the dollar amount of the statutory damage and with the number of times it is awarded.

Detractors of the Lotus interpretation go straight to the language of Section 504. They see no ambiguity and argue that only one amount of statutory damages can be awarded for all infringements of a single work. They note that the legislative history of Section 504 supports this interpretation. They see the availability of actual damages and profits as the mechanism to compensate the copyright owner where there have been many unauthorized copies of a single work. Any other approach, they argue, would allow the copyright owner to effectively obtain punitive damages, which are unavailable under the copyright law.

Count two alleged that HGI committed willful trademark infringement since the unauthorized copies contained the Lotus and 1-2-3 trademarks. As pointed out in our article "Trademarking Software Packages" (March 1984 BYTE, page 393), trademarks often offer the most effective way to protect mass-marketed software packages. It is interesting to see that Lotus thought enough of its trademark rights to allege that it was entitled to not less than 1 million dollars for their infringement. It has been well documented that Lotus has spent millions of dollars advertising and promoting Lotus 1-2-3. It makes good business sense that Lotus would try to protect this investment by vigorously enforcing its rights in its trademarks and goodwill.

Count three is of interest because Lotus alleged that HGI violated the terms of the license agreement that accompanied the lawful copy of Lotus

1-2-3. This is the so-called *shrink-wrap* license, which you find under the clear wrapper that encases Lotus 1-2-3 before you first open it. The whole issue of shrink-wrap licenses was debated at the BYTE Computer Show in San Francisco in September 1984. (Tapes of the software piracy session (SS1) can be purchased for \$8 from Professional Cassette Center, 180 East California Blvd., Pasadena, CA 91105, (818) 796-0200.)

Lotus alleged that the unauthorized copies breached the provision of the shrink-wrap license that states that the user "may not . . . make copies of the User's Manual or the 1-2-3 system disk . . ." Vendors argue that the shrink-wrap license becomes binding on the user when the software package is opened and not returned and that contractual provisions against copying are valid. Users take the opposite view. First, they argue that a shrink-wrap license is not binding because the user never has accepted it. They also argue that even if there has been acceptance, the copying provisions are invalid because they are in conflict with the copying provisions contained in Section 117 of the 1980 Software Amendments to the 1976 Copyright Act. Section 117 states that "it is not an infringement for the owner of a copy of a computer program to make or authorize the making of another copy or adaptation of that computer program provided: (1) that such a new copy or adaptation is created as an essential step in the utilization of the computer program in conjunction with the machine and that it is used in no other manner, or (2) that such new copy or adaptation is for archival purposes only and that all archival copies are destroyed in the event that continued possession of the computer program should cease to be rightful."

Users argue that, when it is read literally, the Lotus copying prohibition is in conflict with Section 117 and thus is invalid due to preemption under Section 301 of the copyright law. Essentially, preemption means that the federal copyright law will take precedence over any state law that is

It would seem that Lotus is picking and choosing its targets carefully.

in direct conflict with it.

Count four alleged that HGI unjustly enriched itself by making and using the unauthorized copies. Count five alleged that HGI committed fraud and misrepresentation. And, finally, count six alleged that HGI violated the Tennessee Consumer Protection Act. Each of these counts may have been viable, but the real teeth of the Lotus action were in counts one to three.

WHY SETTLE?

Lotus has been able to settle both of these suits to its satisfaction outside of court. Thus, we have no way of knowing whether a court would find one or more of the alleged legal theories valid. Cynics would argue that Lotus and other vendors will only bring lawsuits in situations with a high probability of settlement. In other words, they are deliberately avoiding a legal test of these legal theories.

There is definite merit to the argument that Lotus is picking and choosing its targets carefully. This is exactly what Apple did when it successfully went after copiers of its operating-system software. This approach was also employed by Bally, Atari, and other electronic-game manufacturers. Copyright owners have learned to be very careful in bringing lawsuits involving new computer-law theories. An unfavorable decision, even if later overruled, can have a major impact on that theory of computer law for years. A loss also generates adverse publicity for the vendor, which makes settlements in other situations more difficult to obtain.

HOW DO THEY FIND OUT?

We were interested in learning how vendors find out about institutional

(continued)

Lotus™ User?

Free Mail Order Catalog for Lotus Software users, includes:

- Lotus Programs
- Lotus Enhancement Software
- Books and Training Aids
- Hardware and Utilities

We are a unique mail order company specializing in Lotus related products.

4-5-6 WORLD
Dept. A-108
P.O. Box 22657
Santa Barbara, CA 93121
(800) 524-5678 Toll Free
(805) 564-2424 In California



Your definitive Lotus enhancement source

Inquiry 3

AFFORDABLE M-68000 COMPUTER SYSTEM



M68KCPU 6-10 MHz CPU, 20K static RAM, 16K EPROM, on board monitor, two RS-232 serial ports, 16-bit parallel port, 5 timer/counters expansion bus.
Bare board.....\$ 99.95
Complete Kit.....\$595.00

MD512K 128-512K static RAM, floppy disk controller & hard disk interface Bare board.....\$ 99.95
Complete Kit (128K).....\$725.00

M68KE Enclosure with power supply, fan, filter, 4 slot card cage.....\$249.00

M68KASM M68000 Macro Cross Assembler for CP/M80, IBM PC, TRS-80 and Apple II computers.....\$199.00
UPS shipping & handling \$ 4.00
COD orders add \$ 3.00
Foreign orders add \$20.00
California residents add 6.5% tax

EMS Educational Microcomputer Systems (714) 854-8545
P.O. Box 16115 • Irvine, CA 92713

Inquiry 102

Uniforth™

Don't think of UNIFORTH as just another programming language!
It's an integrated programming environment.

Once you enter this FORTH-79 standard language, you never have to leave. All operating system functions - file commands, directories, terminal I/O - are available from the keyboard. Each system includes a full-screen editor, assembler, interpreter, compiler and debugger. Use UNIFORTH as a calculator or as a controlling program. Add our optional telecommunications, graphics, data base management and word processing modules, and UNIFORTH will outperform other FORTH systems hands down!

UNIFORTH is a solid, proven product. Our users include many of the Fortune 500 companies, as well as hundreds of software developers, engineering laboratories, universities and individuals. UNIFORTH is strongest in process control, automation and interactive environments, but has been used for a run-time PASCAL compiler, a scientific word processor, teaching graphics at a community college, and designing games.

The User's Manual is not only complete and thorough, it's also understandable. It guides you through learning FORTH to writing and debugging your first program. The Programmer's Manual gives you insight into the inner workings of FORTH, programming conventions, and helpful utilities. Both manuals are indexed and contain numerous examples and working programs.

Why take a chance?
Order the best and you won't be disappointed!

Only UNIFORTH offers free corrections and an unconditional, 30-day money-back guarantee!

UNIFORTH is available for most personal computers and DEC minicomputers. Our prices are competitive, with many systems selling for under \$100. Call or write for our free 20-page catalog.

UNIFIED SOFTWARE SYSTEMS
P.O. Box 2644, New Carrollton, MD 20784
(301) 552-9590

Inquiry 317

COMPUTERS & LAW

Users argue that the root of the problem lies in inflated prices of software.

copying. It seems that vendors are as creative in this regard as users are in making unauthorized copies. They appear to have two major avenues of information. The first involves vendor software support. The actual user of an unauthorized copy will call the vendor's support number for assistance. In helping the user, the vendor begins to realize that the copy is unauthorized. It may sound crazy, but this is exactly what happened in the Rixon situation.

The other avenue is employees. It is understandable that disgruntled former employees often inform on their former employer as a way of getting revenge. Vendors meet with such people, and if their stories check out, a legal action may result. Even more interesting is the present employee who is having pangs of conscience. Management is asking him to make unauthorized copies, and he feels that it is wrong.

The unauthorized copies occur for many different reasons: a supervisor may have it done to keep within budget; a purchasing agent may make the procurement process so cumbersome that unauthorized copying is the path of least resistance; or a corporate attitude may evolve that condones and even applauds unauthorized copying. Vendor lawyers told us that this is one of the major areas of reform that the suits are intended to achieve.

IN THE FINAL ANALYSIS

Users argue that much of the unauthorized copying would not be taking place if vendors had more enlightened marketing policies. They think that it is absurd that they have to pay such a high price for the *n*th copy of the same software package.

Some vendors are responding to this argument by implementing site licenses that allow multiple copies to be obtained at discounted prices. This seems to make economic sense for vendors due to the economy of scale that is present.

Some users argue that the root of the problem lies in the inflated prices of software, whether in single or multiple copies. They contend that copying, whether by institutions or individuals for their own use, would come down in direct proportion to a reduction in price. It is a kind of supply-side economic theory.

Vendors see things quite the opposite. They argue that high prices are due to the lost sales caused by the unauthorized copying. Contrary to the myth of exorbitant profits, they point to the shakeout in the microcomputer software industry as proof positive that they cannot afford to shave their profits any more than they have. They point out that creating a commercially successful software package today requires a team of specialists—designers, programmers, technical writers, marketing specialists, and administrative personnel—and big development and marketing budgets. Gone are the days of shoestring success stories such as Electric Pencil. They constantly come back to the fact that the financial community no longer is in awe of the software industry and demands significant returns for its software investments.

WHERE DOES THIS LEAVE US?

There is no doubt that the Lotus suits are having a major impact on institutional users. As time goes on, a greater percentage of mass-marketed software will be used by institutional users as microcomputers find their way onto desks and workstations throughout the country. Lotus and others intend to make sure that authorized software is used with these machines. Sooner or later, one of these users will actually be sued and will fight back. That first court case will have an impact that will cause the impact of Lotus's two out-of-court settlements to pale by comparison. ■

Put an ATtack board under your hood and get real 80286 power!!

... not just another turbo board.



- The ATtack series is designed to increase the performance of the IBM PC-XT 4 to 10 times to the functionality of the PC-AT.
- The ATtack series is a tool to increase the productivity of programmers, engineers, and system houses working with CAD, CAE, LAN and DATA BASE applications.
- The ATtack series, with full hardware protection, virtual memory support and 16 MB address space, makes true multi-user UNIX available to the IBM PC user.
- Runs most PC DOS compatible programs without modification
- Runs most software 4 to 10 times faster
- Works with most PC Bus compatible expansion boards
- Multi-user applications supported
- Intel 80286 processor running 4, 6, 8 MHz
- 80287 companion math co-processor
- Supports virtual memory and hardware protection
- Expansion connector for future growth and OEM applications
- 640K memory capacity onboard, 4 meg with expansion.

The following are registered trade marks: IBM PC-XT is a registered trade mark of International Business Machines. UNIX is a registered trade mark of Bell Laboratories. ATtack series is a trade mark of Aftek Business Machines Inc. © Copyright Aftek Business Machines Inc., 1984.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



Inquiry 337

BUSINESS MACHINES INC.

762 Gordon Baker Rd., Willowdale, Ont. Canada M2H 3B4
Tel.: (416) 497-0531 Telex: 06-986133

1050 Clinton St., Buffalo, New York 14206
Tel.: (716) 694-5366 Telex: 916428

PRIME DEALER DISTRIBUTOR TERRITORIES AVAILABLE. OEM CALLS INVITED.

FEBRUARY 1985 • BYTE 391

ATtack BY AFTEK INTRODUCES THE PRODUCTIVITY MACHINE

The ATtack is bus compatible with the IBM PC. The hardware includes a state machine to generate 8088 timing. By replacing the 8088 with a 40 pin header the ATtack can totally take over the IBM PC's bus. This allows the ATtack to run most software without special disks or software to transfer the applications program into the 286 address space ... it already resides there.

Aftek ATtack is basically a plug and play productivity machine. All the necessary firmware is provided on the board such that the ATtack will provide the fastest possible processing speed with no user intervention. No special disks are required to move software or Basic into the fast 16 Bit memory. The 80286 operation is virtually transparent, "Except for speed," to the user.

ATtack board prices with

256K Ram memory:	
4 MHz.....	\$2395.00
6 MHz.....	\$2995.00
Extra Memory	\$300.00
80287 Processor	\$500.00
U.S. FUNDS	

To order in U.S.A. or Canada
Call Toll Free:
1-800-268-5412



BYTE.

International Trader To The World Micro Market.

If you've been waiting for the lines of communication to open up in the international micro market, you've been wasting your time. **BYTE** is not only in touch with the market: *BYTE is the market.* We communicate regularly with the top microcomputing professionals and business people all over the world.

We are *the* international standard in micro publications. That's why our readers rely on our editorial *and* ads to deliver the latest in available micro products and services. And when we deliver, 94.5% of our readers take action on the ads they read.*

If you need a communications link to impact the international marketplace, or for the International or Domestic Subscriber Profile, call your **BYTE** sales representative now. The waiting is over.



*Source: 1984 Subscriber Profile

For subscription information in Europe, call James Hay in England: (0628) 2341.

For advertising information, call:

Austria	Hans Csokor	75 76 84
Israel	Gurit Gepner	866 561 321 39
W. Germany	Fritz Krusebecker	72 01 81
Spain	Maria Sarmiento	45 52 891
Sweden	Andrew Karnig	46-8-44 0005
France	Jean Christian Acis	720 33 42
England	Arthur Scheffer	01 493 1451
Italy	Savio Pesavento	86 90 656
Singapore	Seavex Ltd.	734-9790
Hong Kong	Seavex Ltd.	5-260149
Japan	Hiro Morita	581-9811
U.S.A.	Peter Huestis	(603) 924-9281

**When Byte Speaks Micro,
The World Listens.**

BYTE

THE SMALL SYSTEMS JOURNAL

Conducted by Steve Ciarcia

TERM-MITE FOR VISUALLY IMPAIRED

Dear Steve,

I am looking into the possibility of assembling a word-processing system for someone who is visually impaired and can read only oversize type. My thought is to couple a terminal with oversize characters to a machine like the Morrow Micro Decision, which works with an external terminal. Could your Term-Mite ST Smart Terminal be configured with a character grid of 12 lines by 40 columns of double-height and double-width characters? Do you know of any other terminals that produce oversize characters?

I would greatly appreciate an answer to these questions and any other suggestions you have regarding computing for the visually impaired.

STEVEN EBSTEIN
Cambridge, MA

The Term-Mite ST Smart Terminal (described in January and February 1984) has attributes to allow double-height and double-width characters. It is therefore possible to create the 12-line by 40-column display you desire.

Several terminals on the market that feature double-height/double-width character sizes include the Ergo 301 from Micro-Term Inc., 1314 Hanley Industrial Court, St. Louis, MO 63144, (314) 968-8151; the ET80 from Tec Inc., 2727 North Fairview Ave., Tucson, AZ 85705, (602) 792-2230; and the TeleVideo 970 from TeleVideo Systems Inc., 1170 Morse Ave., Sunnyvale, CA 94086, (408) 745-7760.

Many graphics terminals are available that allow custom programming of character sizes, but they are considerably more expensive (several thousands of dollars). If double-size characters are not adequate, either a terminal of this type or a dedicated computer with graphics capability will be needed.—Steve

LINE PROTECTION

Dear Steve,

After reading your December 1983 article, I decided to install some MOVs (metal-oxide varistors) in my power strips

for my computer systems. When I purchased my computer, I bought a General Electric Spike Protector from the hardware store (for \$19.95—and I thought radio tubes had the highest markup in the electronics industry). I can see that this is identical to the Radio Shack model pictured in your article. However, I realized that this would not afford me the full protection you recommended.

I decided, after reading your article, to take it apart to see what it contained. I found a GE V170LA10A MOV connected in series with a Microtemp 4168A1 temperature-cutoff device. How does this device function in this circuit?

My local electronics-supply store does not carry GE parts but had the RCA equivalents. I decided upon the SK53, which is equivalent to the GE V130LA20A. This is because I have several items plugged into my power strip, and I didn't want to take the chance of underprotecting it. The SK (and the ECG) catalogs list temperature devices, but I did not know which one to get nor how to install it (one for each MOV?), so I left them out for now. I would like to know if I need to install these cutoffs and how I should go about it.

I would also like to know how to build my own power strip that would filter out line noise, because my Apple IIe causes my wireless telephone to go crazy whenever graphics or flashing text is being displayed on the screen. I don't believe that the interference is RF-transmitted because the phone is two rooms away. Also, the phone is in its cradle at the time and is supposed to be immune to outside transmissions. Would a line filter help in this instance? The Radio Shack filter, part number 273-100, doesn't seem to be available any more—none of the stores in my area have it.

I look forward to your excellent articles every month, and although some are above me (I'm an audio/video expert), I still enjoy reading them. Keep warm up there in Connecticut and keep the articles coming!

ROBERT M. DEANO
New Orleans, LA

MOVs usually fail by shorting. The temperature-cutoff device in series with the

MOV is designed to open in the event of an MOV failure. A fuse will serve the same purpose and should be installed in series with the MOV.

In either case, the protection device should function before the MOV casing ruptures. If you are in an area where lightning strikes are not too frequent, the SK53 or GE V130LA20A MOVs are suitable. Use a "slow-blow" series fuse rated at no more than 15 A.

Before applying line filters to your Apple IIe, be sure that the cause of radiation is not ungrounded leads to your monitor or disk drives. Often, these leads can act as an antenna and radiate spurious signals.

Several manufacturers supply power-line filters that are suitable for your applications. They include

Corcom Inc.
1600 Winchester Rd.
Libertyville, IL 60048
(312) 680-7400
Type 5VK1 or 5VK3

Cornell-Dubilier Electronics
150 Avenue L
Newark, NJ 07105
(201) 589-7500
Type APF511L

Delta Electronics Industry USA
1355 Yosemite Way
Hayward, CA 94545
(415) 785-5231
Type 05DBAG5

Potter Company
POB 337
Wesson, MS 39191
(601) 643-2215
Type 600A5

These filters are equivalent to the Radio Shack part number 273-100. Write the manufacturers for additional information and the address of your nearest supplier.—Steve

SPEECH SYNTHESIS

Dear Steve,

I thoroughly enjoyed your article "Build a Third-Generation Phonetic Speech Syn-

(continued)

thesizer" in the March 1984 issue. I would like to bring attention to two comments in the article. On page 36, you said: "Most text-to-speech routines don't let you modify the rule tables or expand the number of exceptions." My company, Spectrum Projects, markets a voice synthesizer for the Radio Shack Color Computer; it costs \$69.95 and includes in its text-to-speech software a word manager that lets you construct and edit custom dictionaries. It also prints the phonemes of a word, which lets you try different spellings to get better pronunciation and then have hard-copy printouts to review before adding the words to the dictionary. Finally, the product pronounces each alphanumeric key as it is pressed—an aid for the visually impaired.

On page 40, you said: "I haven't mentioned many uses for speech synthesis, but I'm sure you have a few ideas for what you could do with a speech synthesizer." Spectrum Projects also markets a program called Termtalk that allows the visually impaired to communicate using low-cost equipment (\$159 for a 16K-byte Color Computer II, \$69 for the Spectrum Voice Pak, and \$39 for Termtalk). A blind customer of mine is thrilled that he can now get stock quotes from Dow Jones using my products.

BOB ROSEN
Spectrum Projects
93-15 86th Dr.
Woodhaven, NY 11421

Thank you very much for your letter and the data on your Voice Pak speech synthesizer and related software. The product sounds quite impressive, especially the price!

The ability to modify the rules of speech is an excellent feature that enables greater accuracy in pronunciation. The Sweet Talker speech-synthesis algorithm is a proprietary package and lacks that feature.

Your software is very comprehensive and allows the Voice Pak to be used in an integrated fashion. Termtalk is especially useful for the visually impaired.

Thanks again for the information. It's nice to see others promoting speech-synthesis applications.—Steve

NOT JUST FOR IBM

Dear Steve,

I have a new Columbia 1600-4. This desktop model is considered to be an IBM PC-compatible computer. Would the Trump Card work in it?

I also have a North Star Horizon, about four years old, on which I run BASIC programs—some under North Star DOS and some such as WordStar under CP/M. The Horizon has a Z80-A chip, and I am wondering whether the Zilog Z8001 can run Z80 programs. In other words, is the 8000 or 8001 upward-compatible with the Z80 instruction set, and does it constitute what could be considered part of a family of chips with the 8001 simply being more advanced, powerful, and able to handle 16 bits?

WOLCOTT TOLL
Newtown, CT

The Z8001 does not have the same instruction set as the Z80 and is not directly compatible with your Z80 programs. The Trump Card does, however, have a CP/M 2.2 software emulator that will run Z80 programs like WordStar, SuperCalc, and Multiplan. To use your Z80 programs, they must first be transferred to a PC-DOS or MS-DOS disk and given a filename extension of .CMD to differentiate them from 8088 .COM files. This can be accomplished in several ways. The easiest way to transfer your files is to connect the RS-232C ports on your computers and use communication software to send and receive the files.

The Trump Card should be compatible with your Columbia 1600-4, but if you have any questions contact Sweet Micro Systems, 50 Freeway Dr., Cranston, RI 02910, (401) 461-0530.—Steve

TEMPERATURE OVER POWER LINES

Dear Steve,

I read your article "Build a Power-Line Carrier-Current Modem" in the August 1983 issue. I'd like to build a data-collection network that would send temperature information over 120-V power lines to a host computer for storage. The temperature sensors would send information only when requested to do so by the host. In what form is the information best sent and which is cheapest?

NASSER AUDATALA
Cleveland, OH

Most low-cost serial-communication systems use ASCII characters to transmit information. These systems require a method of generating the ASCII character and converting it to serial data on the transmitting end and a method of receiving the serial data on the receiving end and converting it to some useful format.

Computers and dumb terminals are typically used to send and receive the information in these systems.

However, in a data-collection system of the type that you indicate, data transfer can be handled in a much simpler manner. The temperature data can be acquired and converted to a frequency proportional to the temperature using a VCO (voltage-controlled oscillator). I presented a temperature-conversion circuit of this type in my article "Build a Computerized Weather Station" in the February 1982 issue. With this type of system, the computer on the receiving end needs only to determine the frequency and compare it to a calibration table to determine the remote temperature.—Steve

TRUMP CARD FOR S-100 BUS

Dear Steve,

I am an engineer forced into retirement by a heart condition several years ago. However, I have been interested in electronics since about 1927 when my father got involved in that field, and it has been a hobby of mine ever since. I took several night courses at our technical school in digital electronics and computers. I invested in a Heathkit H-100, which is the 8085/8088 hybrid using the S-100 bus. I purchased a couple of 8-inch double-sided double-density MPI drives and did all my own interfacing.

Adapting your Trump Card looks rather challenging, as I would have to wire-wrap the board for the S-100 bus. This would not deter me, but before I start I would like to know whether there would be a lot of program adaptation required to use the software that you offer with this system. Is the BASIC compiler suitable for Microsoft BASIC or, as Heath/Zenith terms its version, ZBASIC? I am not familiar with the version that IBM supplies (BASICA), and my concern is whether the compiler is specific to the IBM version or if it is general purpose. Would you venture to say how the Z8001 would compare in execution speed on mathematical programs compared to the 8087 coprocessor?

E. G. HRDLICKA
Edmonton, Alberta,
Canada

With your background in interfacing, you should have little trouble in converting the Trump Card circuit to operate on the H-100 bus, and it should be an interesting project.

The software-initializing routine called

LDSYS and the device driver used by PC-DOS will probably have to be modified to run on your system. The documentation that accompanies the software does not describe these routines in any great detail, and this may be a problem area depending on your programming skills. You will also need a 5¼-inch disk drive that can read PC-DOS or MS-DOS disks, since this is the only format for which you will be able to find available software.

I am not familiar with ZBASIC syntax, but if it is close to MBASIC, written by Microsoft for standard CP/M machines, it will be highly compatible with BASICA, since MBASIC is practically a subset of BASICA.

The Trump Card will have a higher throughput in most applications than the 8088/8087 combination. This is because the 8087 is used only to perform numeric computations, which usually comprise only a small part of most BASIC programs. The advantages of the 8087 will be noted in programs that predominantly do number crunching.—Steve

TRUMP CARD AND CP/M-80

Dear Steve,

I currently have an IBM PC and a Xerox 820 printer. With the arrival of your Trump Card, I'd like to consolidate as much software as possible in the IBM. Question: How good is the CP/M-80 emulator accompanying your Trump Card? Also, is there a list of commercial CP/M-80 programs that can run under it? Can it handle all BDOS function calls? Thank you for any information you have.

JOHN M. ALLRED
FPO Miami, FL

The CP/M-80 emulator used with the Trump Card can run many programs written for a standard CP/M 2.2 environment. Typical programs that have been tested on the Trump Card are WordStar, SuperCalc, and Multiplan.

Since the CP/M-80 emulator is really a Z8001 program that interprets Z80 code and emulates it on the Z8001, the performance of the interpreted programs suffers a little in speed of execution. This


reduction may or may not be noticeable to you, depending on how fast your own CP/M system is running.

The emulator handles 28 of the 37 CP/M 2.2 function calls. The function calls not supported are 3 Reader Input, 4 Punch Output, 7 Get I/O Byte, 8 Set I/O Byte, 27 Get Alloc Addr, 28 Write Protect, 30 File Attributes, 31 Disk Param Addr, and 32 User Codes. In addition, the standard CP/M BIOS calls dealing with the disk, the reader, and the punch are not supported by the emulator.—Steve ■

Over the years I have presented many different projects in BYTE. I know many of you have built them and are making use of them in many ways.

I am interested in hearing from any of you telling me what you've done with these projects or how you may have been influenced by the basic ideas. Write me at Circuit Cellar Feedback, POB 582, Glastonbury, CT 06033 and fill me in on your applications. All letters and photographs become the property of Steve Ciarcia and cannot be returned.

SLICER—THE SYSTEM THAT GROWS TO FIT YOUR NEEDS



THE SLICER Real 16 Bit Power on a Single Board— Featuring the Intel 80186

- Complete 8 MHz 16-bit micro-processor on a 6" × 12" board
- 256K RAM, plus up to 64K EPROM
- SASI port for hard disk controller
- Two full function RS232C serial ports with individually programmed transmission rates—50 to 38.4K baud
- Software compatibility with the 8086 and 8088.
- 8K of EPROM contains drivers for peripherals, commands for hardware checkout and software testing
- Software supports most types and sizes of disk drives
- Source for monitor included on disk
- Bios supports Xebec 1410 and Western Digital WD 1002 SHD controller for hard disks

Fully assembled and tested only \$995
Also available in several kit forms

THE SLICER SYSTEM EXPANSION BOARD For expanded memory, additional ports, and real time clock

- Up to 256K additional dynamic RAM
- 2 RS232C asynchronous ports with baud rates to 38.4K for serial communication

- 2 additional serial ports for asynchronous RS232C or synchronous communication (Zilog 8530 SCC)
 - Real Time Clock with battery backup for continuous timekeeping
 - Centronics type parallel printer port
- Fully assembled and tested only \$800
Available in several kit forms also

THE SLICER PC EXPANSION BOARD Gives your Slicer high performance video capability

- IBM compatible monochrome video
- Video memory provides 8 pages of text or special graphics capability
- 2 IBM type card slots for color video, I/O expansion, etc.
- IBM type keyboard port

Fully assembled and tested only \$600
Available in several kit forms also

Also available: The Slicer 80188 system. 5 1/4" form factor. Call or write for more information.

Operating systems are CP/M 86 by Digital Research, Inc. (\$85), and MS DOS by Microsoft Corporation (\$175).

MasterCard, Visa, Check, Money Order, or C.O.D. Allow four weeks for delivery. Prices subject to change without notice.



Slicer Computers, Inc.
2543 Marshall St. N.E., Minneapolis, MN 55418
612/788-9481 • Telex 501357 SLICER UD

Super assemblers plus the world's largest selection of cross assemblers!

Z-80 Macroassembler \$49.50

Power for larger programs! This 2500AD macroassembler includes:

- Zilog Z-80 Macroassembler (with the same powerful features as all our assemblers)
- powerful linker that will link up to 128 files. Com files may start at any address
- Intel 8080 to Zilog Z-80 Source Code Converter (to convert all your Intel source to Zilog Syntax in one simple step)
- COM to Hex Converter (to convert your object files to Hex for PROM creation, etc.)
- 52 page User Manual

8086/88 Assembler with Translator \$99.50

Available for MSDOS, PC DOS, or CPM/86! This fully relocatable macro-assembler will assemble and link code for MSDOS (PC DOS) AND CPM/86 on either a CPM/86 or MSDOS machine. This package also includes:

- An 8080 to 8086 source code translator (no limit on program size to translate)
- A Z-80 to 8086 translator
- 64 page user manual
- 4 linkers included:
 - MSDOS produces .EXE file
 - CPM/86 produces .CMD file
 - Pure object code generation
 - Object code and address information only

Linker features:

- Links up to 128 files
- Submit mode invocation
- Code, Data Stack and extra segments
- Handles complex overlays
- Written in assembly language for fast assemblies.

Z-8000 Cross Development Package \$199.50

Instant Z-8000 Software! This package allows development and conversion of software for the Z8001, 8002, 8003 and 8004 based machines on a Z-80, Z-8000 or 8086 machine. This powerful package includes:

- a Z-80/8080 to Z-8000 Assembly Language Source Code Translator
- Z-8000 Macro Cross Assembler and Linker

The Translators provide Z-8000 source code from Intel 8080 or Zilog Z-80 source code. The Z-8000 source code used by these packages are the unique 2500AD syntax using Zilog mnemonics, designed to make the transition from Z-80 code writing to Z-8000 easy.

All 2500 AD Assemblers and Cross Assemblers support the following features:

Relocatable Code — the packages include a versatile Linker that will link up to 128 files together, or just be used for external reference resolution. Supports separate Code and Data space. The Linker allows Submit Mode or Command Invocation.

Large File Handling Capacity —the Assembler will process files as large as the disk storage device. All buffers including the symbol table buffer overflow to disk.

Powerful Macro Section— handles string comparisons during parameter substitutions. Recursion and nesting limited only by the amount of disk storage available.

Conditional Assembly—allows up to 248 levels of nesting.

Assembly Time Calculator— will perform calculations with up to 16 pending operands, using 16 or 32 Bit arithmetic (32 Bit only for 16 Bit products). The algebraic hierarchy may be changed through the use of parentheses.

Include files supported— Listing Control—allows listing of sections on the program with convenient assembly error detection overrides, along with assembly run time commands that may be used to dynamically change the listing mode during assembly.

Hex File Converter, included —for those who have special requirements, and need to generate object code in this format.

Cross reference table generated— Plain English Error Messages—

System requirements for all programs: Z-80 CP/M 2.2 System with 54k TPA and at least a 96 column printer is recommended. Or 8086/88 256k CP/M-86 or MSDOS (PC DOS).

Cross Assembler Special Features

Z-8—User defined registers names, standard Zilog and Z-80 style support. Tec Hex output option.

8748—standard Intel and Z-80 style syntax supported.

8051—512 User defined register or addressable bit names.

6800 Family—absolute or relocatable modes, all addressing modes supported. Motorola syntax compatible. Intel Hex or S-Record format output.

6502—Standard syntax or Z-80 type syntax supported, all addressing modes supported.

-----8086 and Z-8000 XASM includes Source Code Translators-----

	Z-80 CP/M®	ZILOG SYSTEM 8000 UNIX	IBM P.C. 8086/88 MSDOS	IBM P.C. 8086/88 CP/M 86	OLIVETTI M-20 PCOS
8086/88 ASM			\$ 99.50	\$ 99.50	
8086/88 XASM	\$199.50	\$750.00			\$199.50
80186 XASM <i>new</i>	199.50	750.00	199.50	199.50	199.50
32000 (all) XASM <i>new</i>	299.50	750.00	299.50	299.50	299.50
68000,08,10 XASM <i>new</i>	199.50	750.00	199.50	199.50	199.50
Z-8000™ ASM		750.00			299.50
Z-8000 XASM	199.50		199.50	199.50	
Z-80 ASM	49.50				
Z-80 XASM		500.00	99.50	99.50	99.50
Z-8 XASM	99.50	500.00	99.50	99.50	99.50
6301(CMOS) <i>new</i>	99.50	500.00	99.50	99.50	99.50
6500/11 XASM <i>new</i>	99.50	500.00	99.50	99.50	99.50
6502 XASM	99.50	500.00	99.50	99.50	99.50
65CO2(CMOS) XASM <i>new</i>	99.50	500.00	99.50	99.50	99.50
6800,2,8 XASM	99.50	500.00	99.50	99.50	99.50
6801,03 XASM	99.50	500.00	99.50	99.50	99.50
6804 XASM <i>new</i>	99.50	500.00	99.50	99.50	99.50
6805 XASM	99.50	500.00	99.50	99.50	99.50
6809 XASM	99.50	500.00	99.50	99.50	99.50
8748 XASM	99.50	500.00	99.50	99.50	99.50
8051 XASM	199.50	750.00	199.50	199.50	199.50
8080 XASM	99.50	500.00	99.50	99.50	99.50
8085 XASM	99.50	500.00	99.50	99.50	99.50
8096 XASM <i>new</i>	199.50	750.00	199.50	199.50	199.50
1802 XASM	99.50	500.00	99.50	99.50	99.50
F8/3870 XASM	99.50	500.00	99.50	99.50	99.50
COPS400 XASM	99.50	500.00	99.50	99.50	99.50
NEC7500 XASM	99.50	500.00	99.50	99.50	99.50
NSC800	99.50	500.00	99.50	99.50	99.50

Subtotal \$ _____ \$ _____ \$ _____ \$ _____ \$ _____

Name _____

Company _____

Address _____

City _____ State _____ Zip _____

Phone _____ Ext. _____

Make and model of computer system _____

☐ C.O.D. (2500AD pays C.O.D. charges)

☐ VISA or MasterCard #, Exp. Date (mo./yr.) _____

Signature _____

TO ORDER. Simply circle the product or products you want in the price columns above, enter the subtotal at the bottom of that column and add up your total order. Don't forget shipping/handling.

Check one:

☐ 8" Single Density

☐ 5 1/4" Osborne

☐ IBM P.C.

☐ Cartridge Tape

☐ Apple (Softcard)

☐ Kaypro DSDD

other formats available, please call!

shipping/handling

(\$9.50 per unit, U.P.S.

Blue Label, \$25.00 per

unit for Int'l. airmail) \$ _____

Total Order \$ _____

CP/M is a registered trademark of Digital Research, Inc.

218

25004D SOFTWARE INC.

----- P.O. Box 4957, Englewood, CO 80155, (303) 790-2588 TELEX 752659/AD -----

**TOLL FREE
ORDERS ONLY! 800-631-0962**
(INSIDE CALIFORNIA) 800-521-6162

**Customer Service HOTLINE
(408) 371-9078**

GUARANTEEDth LOWEST!

OUR PRICE GUARANTEE - It's Simple! We'll beat any ad in this magazine - same terms - call TOLL FREE for details!

DCC

DISCOUNT COMPUTER CENTERS

EPSON all models!
RX FX and LQ1500
also NEW JX80
(7 colors)
PRINTER SALE!!!

OKIDATA

IBM PC \$1695
or 2 drives/256K,
10 mg hard disk
\$2495
2 drvs 256K
10 mg. hard disk
256K, 1-360Kb drive **only \$3495**

OUR CUSTOMER SATISFACTION GUARANTEE: If for any reason your DCC purchase fails to meet manufacturers specifications within 30 days of purchase, please return it to us for a full refund or exchange of your choice! Sorry, software excluded due to copyright laws.

FRAMEWORKS \$355
ASHTON • TATE
*****SPECIAL*****
\$355 dBASE III

COMPUTERS

IBM PC & XT See special above!!!
PC with 1 drive/64K 1395
PC with 1 drive/256K 1575
PC with 2 drives/256K 1695
PC with 10mg HD/2 drvs/256K 2495
XT with 1 drive/128K 3449
XT with 2 drives/256K 3695

MONITORS

IBM MONOCHROME 259
COLOR 589
AMDEK 300G 129
300A 145
310A 165
COLOR 600 419
COLOR 700 469
TAXAN 12" Green 114
12" Amber 117
420 RGB 439
PRINCETON HX-12 467
SR-12 649
MAX-12 184
ZENITH 122 - 12" G 93
12" A 93
124 MONO - IBM 169
133 RGB 446
135 RGB COMP 475

MODEMS

HAYES 300 199
1200 468
1200B IBM INTERNAL 389
MICROMODEM II E 209
ANCHOR MARK XII 259

**QUADRAM 384K
QUADBOARD**
w/64K RAM **\$249**

**AST \$229
SIX PAK PLUS**
w/64K RAM **\$249**

PRINTERS

EPSON RX 80 100 cps 239
RX 80 F/T 100 cps 294
FX 100 100 cps, 132 col. 399
FX 80 or JX 80 best price
FX 100 160 cps, 132 col. in
LQ 1500 200 cps NEW! magazine
OKIDATA 82A 83 84 Save
92P All
93P Models
2410 Drastically Reduced!!!
GEMINI 10-X 239
DELTA 10 or 15 349
RADIX 10 or 15 Special
Special \$Call

DRIVES

IBM 360 KB 219
TANDON 100-2 360KB 185
APPLE DRIVES Sale 149

TEAC 1/2 HI-360 KB 124
SHUGART 1/2 HI-360 KB 115
COGITO 10 MG H.D. W/CONTRL 699
ATARI INDUS GT 349

IBM SOFTWARE

*****SPREADSHEET*****
FRIDAY 355
SUPERCALC 3 195
MULTIPLAN 228
*****IBM WORDPROCESSORS*****
WORDSTAR PRO PACK 136
PFS WRITE 249
MULTIMATE 84
WORD W/MOUSE 249
VOLKSWRITER DELUXE 269
PFS PROOF 159
*****IBM DATA BASE*****
dBASE II 284
dBASE III 355
PFS FILE 84
CONDOR III 249
R-BASE 4000 279
R-BASE CLOUT 129
*****IBM MISC*****
SIDEKICK 45
COPY II PC 29
THINKTANK 129
PROKEY 3.0 79
HARVARD PROJECT MGR 245
SIDEWAYS 45
NORTON UTILITIES 55
PFS REPORT 79
DOW JONES ANALYST 219
SET FX + 47
FLIGHT SIMULATOR 34

IBM - BOARDS

HERCULES GRAPHICS 315
HERCULES COLOR New! 175
AST SIX PAK W/64K 249
MEGAPLUS 259
STB GRAPHIX PLUS 322
EVEREX GRAPHIC EDGE 379
H.D. CONTROLLER 299
MAGIC CARD 199
QUADRAM QUADBOARD W/64K 269
QUADLINK 449
IBM MONOCHROME 249
COLOR GRAPHICS 219
PLANTRONICS COLOR PLUS 358
MA SYSTEMS PC PEACOCK 235
COLOR GRAPHICS 475
TECMAR GRAPHICS MASTER

IBM ACCESSORIES

64K RAM CHIPS 200ns 39
150ns 39
IBM KEYBOARDS 179
KEYTRONICS 5151 NEW! 199
5150 189
MICRO-SOFT MOUSE 144
MOUSE SYSTEM-MOUSE 139
KOALA PAD 85
JOYSTICKS - KRAFT/HAYES 45

COGITO
10 MG HARD DISK
• 1/2 Hi Internal \$699
• Controllers
Card and Cables!

APPLE - BOARDS

ORANGE MICRO GRAPPLER + 113
BUFFERED w 64K 168
MICROMAX GRAPHMAX 99
VIEWMAX 80 139
VIEWMAX 80E W/64K 189
MAC DISKETTES 26
IIC PRINTER INTERFACE 59
SUPER COOLING FAN 49

ACCESSORIES

PRINTER RIBBONS all makes Low!!!
64K RAM chips SALE 39
VERBATIM SS/DD diskettes 21
DS/DD diskettes 27
DYSAN SS/DD diskettes 26
DS/DD diskettes 34
DISK MINDER-PLEXI (75) 19
DISK MINDER W/KEY (100) 24
SURGE PROTECTOR Compugard 59
PTI POWER BACK-UP 200 w 299
300 w 399
FINGERPRINTS - EPSON all models 48
PRINTER DUST COVER all models 10
MONI-BASE Monitor Stands 19
COMPUTER PAPER all makes Low!!!
PRINTER STANDS Plexiglass 29/39
SURGE PROTECTORS \$Call

ATARI/C-64

ACCESSORIES low, low CALL!!!
C-64 CARDCO + G 79
ATARI MP1150 94
APE FACE 69
GRAPPLER CD COMMODORE 99

SHUGART
1/2 Hi-Drives \$119
IBMTM \$219
360Kb drvs.

DCC

DISCOUNT COMPUTER CENTERS

an established mail order/retail distribution network

BUYER FRIENDLY TERMS! • DELIVERY We ship immediately! Most orders delivered within 5 days! Add 3% (15" min) for UPS shipping, handling, insurance. Calif. residents add 6.5% sales tax. 2" day UPS available at extra charge. • **PAYMENT** Visa, M/C, cashiers checks, money orders, personal checks accepted. (Allow 10 business days for personal/company checks to clear). • **WE NEVER CHARGE EXTRA FOR CREDIT CARDS!** C.O.D.'s welcome (20% p/p deposit) with cash, certified check or money order. • **WARRANTY** All items shipped are new, include **FACTORY WARRANTY** and are **GUARANTEED TO WORK**. DCC is an **AUTHORIZED DEALER** and **SERVICE CENTER** for most major brands. • **RETURNS** Must be accompanied by **RMA** number (supplied by DEALER) and may be subject to a 20% restocking fee. Prices and availability subject to change without notice. All items limited to stock on hand. • **MAIL ORDER PRICES NOT VALID AT RETAIL OUTLETS DUE TO REGIONAL PRICING RESTRICTIONS**. Minimum order 150"

FREE - VISA/MC!



1707 S. BASCOM AVE • SAN JOSE, CA 95008 • (408) 559-6555
1243 W. EL CAMINO • SUNNYVALE, CA 94087 • (415) 965-4494
1341 FULTON AVE • SACRAMENTO, CA 95825 • (916) 971-3503

VISIT OUR DISCOUNT SHOWROOMS!

SIMULTANEOUS EQUATIONS WITH LOTUS 1-2-3

BY JAN-HENRIK JOHANSSON

An example from macroeconomics

SPREADSHEETS ARE amazingly useful in a number of applications. In this article, I will show how macroeconomic models can be formulated as simple spreadsheet programs as long as they can be defined using just linear simultaneous equations. I will then go on to show how to solve such equations numerically using standard spreadsheet commands.

My inspiration for this article came after reading an article by Patrick E. McGuire (see reference 3). He published a simple BASIC program that solved simultaneous equations analytically, and he therefore seemed to have solved the problem I was interested in. But programming everything in BASIC from now on seemed to me to be a step backward. Was there a more general approach? I will illustrate a different method by using only the familiar spreadsheet Lotus 1-2-3. I will use it to solve systems of simultaneous linear equations through iteration (successive recalculations) rather than through successive transformations of the equations. The technique demonstrated here is in fact quite general and can

also be applied to other spreadsheets and to many other types of models.

A FAMOUS MACROECONOMIC MODEL

Before describing the solution technique in detail, let me describe the problem. An area where systems of simultaneous equations (even very large ones) have become an essential vehicle for formulating and analyzing relationships is macroeconomics. Macroeconomic models describe global economic behavior of nations and groups of nations. Many models with hundreds of equations have been developed in efforts to analyze and project the economic performance of, for example, the United States. One of the first economists to

.....
Jan-Henrik Johansson (11123 Saffold Way, Reston, VA 22090) is a manager in the World Bank. He is interested in the use of microcomputers for development in the third world. The views and interpretations in this article are those of the author and should not be attributed to the World Bank, its affiliate organizations, or to any individual acting on their behalf.

develop major macroeconomic models for the U.S., using simultaneous equations as his analytical tool, was Professor Lawrence Klein of the Wharton School of the University of Pennsylvania. His classic model of the U.S. consists of a set of 20 simultaneous equations. The work was done in the early 1950s (see reference 2).

As our example, I am using an earlier and slightly simpler version known as "Klein's model I" (see reference 1), which I will formulate and run in Lotus 1-2-3. I will then show how to solve this model through iteration, using nothing but standard Lotus 1-2-3 commands. The example is important because it represents a type of application where the need to solve simultaneous equations efficiently has continued to be a key technical problem for economists around the world. However, you do not need to be an economist to understand the technique itself. I will ignore the economics and concentrate instead on demonstrating a general method—expecting the method to be applicable to other problems as well. On the

(continued)

wabash

Warranted Integrity,
Incredible Value

DISKETTES



M11	5 1/4"	SINGLE SIDE SINGLE DENSITY SOF T SECTOR	\$1 19
M13	5 1/4"	SINGLE SIDE DOUBLE DENSITY SOF T SECTOR	\$1 29
M14	5 1/4"	DOUBLE SIDE DOUBLE DENSITY SOF T SECTOR	\$1 59

SOLD IN BOXES OF TEN ONLY

tremendous selection of software
books, accessories and supplies

UP TO **50% OFF!**

Software for IBM PC

dBase III	349	Multimate	269
Framework	349	Symphony	429
Home Acct. Plus	85	Wordstar 2000	299
w/Ultrale	169	Wordstar Pro Pac	259

ABOVE SOFTWARE AVAILABLE IN OTHER FORMATS. CALL FOR AVAILABILITY AND PRICE.
Minimum shipping and handling \$2.00. California residents add 8% sales tax.
Prices subject to change without notice. Write for our free catalog.

ABC data products

3311 ADAMS AVE, SAN DIEGO, CA 92118

619-283-5488 800-854-1555

Inquiry 8

MODEMS

Hayes 1200 (external)	\$ 449
Hayes 1200H (internal)	\$ 389

PRINTERS

Toshiba P1351	\$1259
NEC 3550	\$1359
Okii ML84P	\$ 669

MEMORY CARDS

AST SixPakPlus, 64K	\$ 269
Paradise Modular Graphics Board	\$ 289

Order by phone or mail only.

Add \$5.95 per item shipping.

Call for price quotes on any item—
hardware, software, diskettes, paper, etc.

CALL: 212+724-9699

**The Computer
Source**

FAST
DELIVERY



P.O. Box 133
131 West 83 Street
New York, New York 10024

PERSONAL
SERVICE



Inquiry 69

15-BIT A/D CONVERTER FOR IBM® PC

+/-5 VOLT INPUT RANGE, FULLY DIFFERENTIAL	
0.025% ACCURACY, 4 CHANNELS	
7 SAMPLES/SECOND	\$265
6-CHANNEL THERMOCOUPLE THERMOMETER	
FULLY DIFFERENTIAL	\$175
64-CHANNEL DATA LOGGING SOFTWARE	
VOLTAGE, CURRENT OR THERMOCOUPLES	
16-CHANNEL STRIP CHART INCLUDED	
POWERFUL AND EASY TO USE	\$150

FOR APPLE II®

BROAD LINE OF DATA ACQUISITION AND CONTROL
PRODUCTS INCLUDING:
8-, 12-, AND 13-BIT A/D CONVERTERS
SAMPLING RATES UP TO 111,000/SECOND
THERMOMETRY, DIGITAL I/O
DATA LOGGING SOFTWARE
CUSTOM HARDWARE AND SOFTWARE
REASONABLE PRICES

LAWSON LABS, INC.

5700 RAIBE ROAD
COLUMBIA FALLS, MT 59912 406-387-5355

Inquiry 177

PROGRAMMING INSIGHT

other hand, if you want to know more about macroeconomic models, reference 4 is a good book. All the models described there can be handled by the techniques described in this article.

I will first define the model by using standard college algebra and then verify that the equations are circular. The circularity is what makes this example interesting. I will then translate the equations into an equivalent set of spreadsheet formulas. Table 1 shows the equations in algebraic form. This version of the model has six equations, each defining an economic variable in terms of some other economic variables. The equations for $C(t)$, $I(t)$, and $W(t)$ have previously been estimated from historical data using regression. The equations for $YR(t)$, $Y(t)$, and $K(t)$ are identity relationships. To see the circularity, notice that $I(t)$ is defined in terms of $K(t)$ and that $K(t)$ is defined in terms of $K(t-1)$ and $I(t)$ —the variable we started with. The equations are therefore circular. If we take a closer look, we will find other circularities in the set of equations as well.

But there is more: not only is this set of equations circular, it is also recursive. That is, the solution to the set of equations for a particular time period depends on the solution of the same equations for preceding time periods. In this particular model, only one preceding time period is needed (referring to, for example, $K(t-1)$). However, it is quite common that one

has to go back in time more than one time period to define the model. Of course, the recursion must stop at some point in the past. Therefore, instead of a reference to an earlier period, we need an initial numeric value to start the process.

One last point regarding the algebraic formulation of the model: the equations make use of three variables that have no equations. They are $G(t)$, $W'(t)$, and $P(t)$. These variables are input data. In fact, they are constants, although they vary from one year to the next. These three input variables are said to be exogenous (external to the model), while the six variables computed by the model are endogenous (internal to the model). We now have a model and a nomenclature to describe it. Let's now translate it to Lotus 1-2-3.

The reformulation of the equations in table 1 as a spreadsheet is straightforward; table 2 displays the formulas in columns B, C, and D of the spreadsheet. The spreadsheet formulas are in fact almost identical to the ones in table 1, except that we have reserved extra rows for the exogenous variables $G(t)$, $W'(t)$, and $P(t)$ as well as for the time period $YR(t)$. No typical spreadsheet coordinates are shown because I have named every cell in column D by the name of the corresponding variable. If a formula references a cell that has a name, Lotus 1-2-3 automatically replaces the normal coordinate notation by the name

(continued)

Table 1: Klein's model I.

Behavioral equations:


Consumption function	$C(t) = B0 + B1*P(t) + B2*(W + W')(t) + B3*P(t-1) + u1$
Investment function	$I(t) = B4 + B5*P(t) + B6*P(t-1) + B7*K(t-1) + u2$
Demand for labor	$W(t) = B8 + B9*(Y + T - W')(t) + B10*(Y + T - W')(t-1) + B11*t + u3$

Identities:

Taxes	$T(t) = C(t) + I(t) + G(t) - Y(t)$
Income after tax	$Y(t) = W'(t) + W(t) + P(t)$
Capital stock	$K(t) = K(t-1) + I(t)$

Exogenous data:

Government expenditure (G),
Government wage bill (W') and
Profits (P)
Regression coefficients: $B0 - B11$.
Stochastic disturbances: $u1$, $u2$, and $u3$.



The new IBM Quietwriter® Printer. When letter quality should be seen and not heard.

If you're looking for a printer for your personal computer that offers quiet, letter-quality printing, look at—and listen to—the IBM “Quietwriter” Printer.

It's a technological breakthrough, featuring a new and innovative system for transferring ink to paper that makes it whisper-quiet.

But more than quiet, the “Quietwriter” Printer gives your letters the crispness of an IBM typewriter along with the deep, rich gloss of a carbon

ribbon. All at up to 60 quiet characters per second.


What's more, plug-in electronic modules support the full 252-character set of the IBM Personal Computer.

You can easily attach the “Quietwriter” Printer to IBM personal computers and to many other microcomputers.

The “Quietwriter” Printer is just one example of the more than 70 printer models we build. But they all serve a single purpose: To make your printing as effective as your

processing. To give your work the finishing touch.

Contact your IBM marketing representative or call 1800 IBM-2468, Ext. 587/3T, for the IBM Product Center or authorized IBM dealer nearest you.



IBM PRINTERS
The Finishing Touch

of the cell. This makes the formulas more readable and is a practical necessity for bigger models. As a special trick, I have given names like $K(-1)$ to the cells in column C (corresponding to period 1).

The net result is that Lotus 1-2-3 displays all formulas in a notation that is familiar to economists and almost identical to that of table 1. We thus have six equations with six unknowns for each period. Because formulas for subsequent periods are structurally identical to the ones in column D, it is sufficient to list only one column in order to display the logic of the model. But to *solve* the model, we must explicitly repeat the formulas in column D for each time period we are interested in.

Because the formulas for different periods reference each other, a solution to the model must satisfy all formulas for all periods at the same time. In fact, if we wrote down an algebraic formulation of this model in a non-recursive form, the total number of equations would equal the number of equations (six) for each period times the number of time periods minus four initialized values for the first time period. Solving the model for, let us say, 24 periods therefore amounts to solving a system of linear equations with 140 unknowns. The lesson is that our rather simple spreadsheet example has revealed considerable underlying complexity and a respectable

computational problem. Considering recursion and circularity, how do we go about calculating the solution?

GAUSS-SEIDEL

A common method used to solve complex systems of linear equations is the Gauss-Seidel iterative method, which roughly goes like this: take an arbitrary value (often 0) and use it to initialize one or several of the unknowns in order to break all circularities in the system of equations. Now compute the rest of the unknowns through simple substitution. Obviously, what we have now is not a solution because at least one unknown has been given an arbitrary value. Because of the circular nature of the equations, however, we can now compute this variable from the other variables we just computed. In so doing, we will get a better initial value to use in a second round with the other unknowns. Now repeat the process a number of times. During each iteration the values tend to change less and less. After a certain number of iterations, they do not change any more. The process has converged, and the values are stable. We have reached the solution.

Solving equations through iterations is not something one would like to do by hand, but a computer can do it, and Lotus 1-2-3 does it quite nicely. The traditional Gauss-Seidel method may sometimes require many itera-

tions to converge and may therefore be quite slow, even on a computer. It is not unusual if 40 to 100 iterations are needed before a solution is found. The better we are at guessing the initial values, the fewer iterations we need for convergence. In particular, if we already have solved the equations once and we then introduce a slight change to the exogenous data or to the equations, the old solution is likely to be a good first guess. Taking it as our set of initial values (instead of arbitrary numbers), we will need fewer iterations to reach a new solution.

A spreadsheet gives us the opportunity to take advantage of this fact, because spreadsheets like Lotus 1-2-3 always store the results of the last computation (the last solution) with the formulas. When using a spreadsheet, we will always start the iterations from an approximation that is probably close to the solution. The only exception to this rule is the first time we enter the formulas. By going in small steps from solution to solution, we can explore the performance of our model in a way that is fast because we have reduced the total number of computations needed.

Fortunately, this process matches well with the way people actually use models. For example, we may be interested in how sensitive exports are to small changes in exchange rates or import tariffs. Or we may want to see

(continued)

Table 2: A formulation of Klein I in Lotus 1-2-3. The exogenous variables G and W' have been given a 5 percent and 3 percent annual growth rate, respectively. Use of the information in this table is explained in the text box.

Column B	Column C	Column D
B1: YR =	C1: 1	D1: +YR(-1)+1
B2:	C2:	D2:
B3: C =	C3: 1.5	D3: -2.0+0.2*P+0.55*(W+W')+0.26*P(-1)
B4: I =	C4: 3.0	D4: +1.0+0.78*P-0.05*P(-1)-0.02*K(-1)
B5: G =	C5: 5.0	D5: +G(-1)*1.05
B6:	C6:	D6:
B7: W =	C7: 3.0	D7: -1.0+0.24*(Y+T-W')+0.2*(Y(-1)+T(-1)-W'(-1))+0.1*YR
B8: W' =	C8: 1.0	D8: +W'(-1)*1.03
B9: P =	C9: 3.0	D9: 3
B10:	C10:	D10:
B11: T =	C11:	D11: +C+I+G-Y
B12: Y =	C12:	D12: +W+W'+P
B13: K =	C13: 5.0	D13: +K(-1)+I

**ORDER
LINE
800-354-7330**

PRINTERS

Anadex	
9625B	\$1129
WP6000	\$2039
DP6500	\$2259
Brother	
DX-15	\$369
HR-25	\$649
HR-35	\$875
C-Itoh	
A-10-30	\$479
F-10 Parallel or Serial	\$909
55 CPS Serial or Parallel	\$1049
8510 Parallel (Prowriter)	\$315
8510 SP	\$389
8510 SCP	\$459
8510 BPI	\$335

Comrex	
CR-2E Parallel	Save
CR-4	Call
420	Call

Datasouth	
DS180	\$1149
DS220	\$1469

Diablo	
620	\$694
630 API	\$1499
630 ECS	\$1669
630 ECS/IBM	\$1669
Series 36	\$1139
80 IF	\$2649
P12CQI	\$529
P32CQI	\$759
S32CQI	\$839
P38	\$1639
S38	\$1719
C150	\$999

Epson All Printer Models	Call
Inforunner	
Riteman w/Tractor	\$244
Riteman 15	\$499
Riteman Blue w/Tractor	\$299

Juki	
5500	Call
6100	\$399
6300	\$699
NEC	
2010, 2015, 2030	\$639
2050	\$669
3510, 3515, 3530	\$1215
3550	\$1359
7710, 7715, 7730	\$1649
8850	\$1779
P2, P3	Call

Okidata All Printer Models	Call
Panasonic	
1091	\$275
1092	\$439
1093	\$709

Silver Reed	
EXP400	\$235
EXP500 Parallel	\$295
EXP500 Serial	\$295
EXP550 Parallel	\$399
EXP550 Serial	\$399
770 Parallel	\$705
770 Serial	\$705

Star Micronics	
All Printer Models	Call

Tally	
Spirit 80	\$245

Toshiba	
P1340 Parallel or Serial	\$709
P1351 Parallel or Serial	\$1215

MODEMS

Anchor Automation	
Anchor Express	Save
Mark XII	\$239
Hayes	
Smartmodem 300 Baud	\$185
Smartmodem 1200 Baud	\$445
Smartmodem 1200B Baud (IBM)	\$379
Micromodem IIE (Apple)	\$209

Novation	
Smart Cat Plus	\$315

Racal-Vadic All Models	Call
US Robotics Password 1200	\$319

MONITORS

Amdek All Monitors	Call
Princeton Graphic	
HX-12	\$479
Sanyo	
CRT-30	\$99
CRT-36	\$149
CRT-50	Call
CRT-70	\$549

Taxan	
121 Green	\$125
122 Amber	\$134
420 RGB	\$399
425 RGB/Green	\$410

Zenith	
ZVM-122 Amber	\$95
ZVM-123 Green	\$95
ZVM-124	\$129
ZVM-133 Color/RGB	\$410
ZVM-135 Color/RGB W/Audio	\$459

PLOTTERS

Enter	
Sweet-P600	\$780

COMPUTERS

Altos All Computer Models	Call
Columbia	Call

Corona	
PC-22 Dual Drive	\$1919
PC-HD2 Hard Disk	\$2999
PPC-2 Portable/Dual Drive	\$1689
PPC-HD2 Portable/Hard Disk	\$2599

Leading Edge Personal Computer	Call
---------------------------------------	------

NEC	
PC-8201 Computer	\$315
PC-8201A-90 Battery Pack	\$15
PC-8206A 32K Ram	\$215
PC-8271A-01 AC Adapter	\$16
PC-8271A-02 AC Adapter	\$16
PC-8281A Recorder	\$89

Northstar	
All Computer Models	Call

Sanyo MBC-775 Portable	Call
MBC-550 System	Call
MBC-555 System	Call
MBC-550-2 System	Call
MBC-555-2 System	Call
MBC-885	Call

Televideo	
802 H	\$4285
803	\$1765
803H	\$2850
806/20	\$4640
TPC-1	\$869
TPC-2 Dual Drive	\$1749
TPC-2 Single Drive	\$1509
1605	\$1909

Visual	
Computer	From \$1469

Zenith	
Z-150 Single Drive	Save 25%
Z-150 Dual Drive	Save 25%
Z-150 W/10 Megabyte	Save 25%
Z-160 Single Drive	Save 25%
Z-160 Dual Drive	Save 25%

DISK DRIVES

Alpha Omega	
Turbo 10	\$739

Iomega	
Bernoulli Box for IBM	
10 Megabyte	\$1950
20 Megabyte	\$2660

Rana	
Elite I	\$179
Elite II	\$339
Elite III	\$405
Elite 10H/Apple	\$1080
Controller (W/Drive Only)	\$69
1000 W/DOS for Atari	\$305

BOARDS

AST	
Six Pack Plus	\$285

Paradise	
Modular Graphic 06-A1	\$275
Five Pak	\$159

ZENITH/JUKI
Zenith Z-150 Dual Drive 320K Ram
Zenith Green or Amber Monitor
Juki Juki 6100 Letter Quality Printer
Includes Cables and Shipping
\$2499
Above System with Z-160 Dual Drive Portable (No monitor)
\$2575

VIDEO TERMINALS

ADDS	
A-2 Green	\$469
A-3	\$469
Viewpoint 60	\$485
Viewpoint 90	\$849

Altos	
Smart II	\$699

Qume	
QVT 102 Green	\$399
QVT 102 Amber	\$419
QVT 103 Green	\$816
QVT 103 Amber	\$850
QVT 108 Green	\$449
QVT 108 Amber	\$519

Televideo	
910	\$439
910+	\$559
914	\$515
924	\$635
925	\$700
950	\$905
970	\$985
800A (User Station)	\$979
Personal Terminal	\$385

Wyse	
50	\$489
75	\$565
Zenith Z-29	\$599

DISKETTES

Maxell	
MD-1 (Qty 100)	\$175
MD-2 (Qty 100)	\$199

TEC MAR

Graphics Master	\$449
126K Dynamic Memory	\$225
256K Dynamic Memory	\$299
Captain 128K	\$299
Captain 256K	\$399

Prices reflect 3% to 5% cash discount. Product shipped in factory cartons with manufacturer's warranty. Please add \$8.00 per order for UPS shipping. Prices & availability subject to change without notice. Send cashier's check or money order...all other checks will delay shipping two weeks.



SILICON SPECIALTIES
2034 WEST SOUTHERN
MESA, ARIZONA 85202
602-969-0909

Table 3: The solution to Klein I for 10 time periods using the data from table 2.

Klein's model I	YR=	1	2	3	4	5	6	7	8	9	10
Consumption	C =	1.500	1.620	1.784	1.937	2.094	2.256	2.423	2.596	2.775	2.961
Investment	I =	3.000	3.090	3.028	2.968	2.908	2.850	2.793	2.737	2.683	2.629
Government expenditure	G =	5.000	5.250	5.513	5.788	6.078	6.381	6.700	7.036	7.387	7.757
Private wage bill	W =	3.000	3.043	3.309	3.557	3.809	4.070	4.339	4.618	4.907	5.206
Government wage bill	W' =	1.000	1.030	1.061	1.093	1.126	1.159	1.194	1.230	1.267	1.305
Profits	P =	3.000	3.000	3.000	3.000	3.000	3.000	3.000	3.000	3.000	3.000
Taxes	T =	2.500	2.887	2.954	3.044	3.145	3.259	3.384	3.521	3.672	3.836
Income after tax	Y =	7.000	7.073	7.370	7.649	7.935	8.229	8.533	8.848	9.173	9.510
Capital stock	K =	5.000	8.090	11.118	14.086	16.994	19.844	22.637	25.375	28.057	30.686
Regression coefficients:		- C -			- I -			- W -			
	B0 =	-2.000			B4 =	1.000		B8 =	-1.000		
	B1 =	0.200			B5 =	0.780		B9 =	0.240		
	B2 =	0.550			B6 =	-0.050		B10 =	0.200		
	B3 =	0.260			B7 =	-0.020		B11 =	0.100		

what happens to the model when it is exposed to a shock, such as quadrupling the oil price or barring all sales of grain to the Soviet Union.

THE REAL THING: 9000 UNKNOWNNS

Experimenting with Klein's model I shows that when changing exogenous variables we need only 3 to 9 iterations to reach a new solution from an old one. Of course, a drastic change of exogenous variables may require more iterations. For 24 years, one iteration takes less than 7 seconds on my Compaq. With an average of 5 iterations required to reach the solution, the microcomputer has solved a system of simultaneous equations


that has 140 unknowns in about half a minute. A printout showing the results for the first 10 years can be found in table 3.

I have experimented with very large models with up to 450 endogenous and 100 exogenous variables covering a time span of 20 years. Such a system has almost 9000 unknowns! One complete iteration still takes only about 22 seconds, and only 4 to 10 iterations are required for convergence. This is fully adequate for practical work with realistic models and makes our simple spreadsheet approach surprisingly competitive when compared even to large main-frame software packages specifically designed to solve macroeconomic

models. What we have seen is a synergism. Iteration is an easy and slow method to solve equations. But because a spreadsheet by default makes a smart guess, we see a drastic improvement in efficiency, allowing us to attack much tougher problems than before.

However, a problem relates to finding a new solution to the system of equations. In the case of a small model, like Klein's model I, there is no question whether the model has converged or not. We can simply look at the screen and see what happens when we give a calculation command. When nothing happens, we are done. However, it will not take long before we have a model that does not fit on

GRAPHS WITHOUT GRAPHICS?



No need for color monitor or graphics board.
Make graphs on dot matrix printers.

Easy to Use. No Programming.
CP/M 2.2, 3, 80, or 86, MS-DOS or PC-DOS.
Excellent Manual. Most disk formats.

DataPlotter™

Line Graphs & Scatterplots. . . . \$69

Bar Graphs & Pie Charts. . . . \$69

Both for \$99


(Prices include manual)

Add \$3 shipping,
\$8 outside US and Canada.

Specify type of Printer.

Lark Software™
131 N. Leverett Rd.
Leverett, MA 01054

(413) 773-8687 Visa, M/C



KLEIN'S MODEL I IN LOTUS 1-2-3

This is a complete step-by-step example of how to build and execute the model. First, you set up the worksheet. When entering the model, use the data in table 2.

1. Type in the variable names in cells B1 to B13.
2. Type in the initial values in cells C1 to C13.
3. Using the variable name in column B and the Lotus /RNC command, name all the corresponding cells C1 to C13 as lagged variables (i.e., "YR(-1)," "C(-1)," etc.) and name all cells D1 to D13 simply with the variable names (i.e., "YR," "C," etc.).
4. Format the range C3..D13 to display three decimals.
5. Now enter the model equations into cells D1 to D13. Because cell names have been created earlier, equations can now be entered exactly as they are.
6. Copy the range D1..D13 all the way to column H. Also, copy D11 and D12 to C11 and C12, respectively. This extends the model to six annual periods.
7. Hit the Calc key (F9) several times and watch the values for year six in column H. If the model has been entered correctly, you will see the worksheet converge.
8. To run further simulations, change some of the initial values. Convergence control is still manual.

Automatic convergence control is next. We will use wages in year six (cell H7) to check for convergence.

9. Type the formula +H7 into cell A1. This will cause Lotus 1-2-3 to start every new iteration by copying the result of the preceding iteration to A1. The value of H7 is then recomputed. The difference between A1 and H7 is a measure of how close we are to a solution.

10. Using /RNC, give the cell A15 the name "\S" and enter the test for convergence: '/X1@ABS(A1-H7)>0.001~{CALC}/XG\S~. Translated into English, this macro says: *if the absolute value of the difference between two iterations for wages in year six is greater than a certain tolerance (0.001), recompute the spreadsheet and reevaluate the macro again; otherwise, you have found the solution.* That is, if the condition is not met, Lotus 1-2-3 will loop over the macro and continue recomputing the worksheet until changes are smaller than the tolerance.

11. To ensure that the value of A1 is computed before H7, i.e., that the value of the old iteration is stored, type /WGRG.

You are now ready to run a simulation. The macro we just created will automatically control the iteration process for you.

12. Change the initial value of some variable, for example, change G in C5 from 5.0 to 3.0.

13. Now execute our macro by typing ALT-S. We will see the model converging and then stop automatically when the solution is reached.

the screen. What we need is some kind of convergence-control mechanism. The ideal is that Lotus 1-2-3 keeps iterating until the biggest change in any value is smaller than some predefined (small) constant. Some other spreadsheets (Multiplan, for example) have convergence control built in, which is a real plus. The step-by-step example in the text box ("Klein's Model I in Lotus 1-2-3") contains a simple test for convergence written in the macro language of Lotus 1-2-3. The one-line macro il-

lustrates the impressive power of the macro facility of Lotus 1-2-3. ■

REFERENCES

1. Gujarati, Damodar. *Basic Econometrics*. New York: McGraw-Hill, 1978, page 341.
2. Klein, L. R., and A. S. Goldberger. *An Econometric Model of the United States, 1929-1952*. New York: North-Holland, 1955.
3. McGuire, Patrick E. "A Gauss-Jordan Elimination Method Program." *BYTE*, August 1983, page 394.
4. Taylor, Lance. *Macro Models for Developing Countries*. New York: McGraw-Hill, 1979.



Low Cost Quality Diskettes


SOFT GENERIC
Diskettes

— Lifetime Warranty —

\$1.00
each
SSDD
100 per case

\$1.25
each
DSDD
100 per case

Minimum order of 100. Includes envelope and hub ring.
Premium quality diskettes by brand name mfrs. Work super in IBM PC and compatibles.

	100	300	500	1K	2K
SSDD	1.00	.98	.97	.96	.95
DSDD	1.25	1.20	1.15	1.10	1.05

24 Hour Order Desk


**TOLL FREE
NAT'L 1-800-634-2248**

Visa, MasterCard, Cert. chk., M/O, C.O.D. cash.
Get immediate shipment. Schools & govt. on P.O. #.
Personal or company checks held 14 days.
APO, FPO, Can. and other non-UPS delivered add \$5.
*Free delivery on minimum orders of \$50 or more. Others add \$2 for S & H.

Software Services™

1323 23rd St. South, Suite C, Fargo, ND 58103 1-701-280-0121

Inquiry 289

IBM PC

PC RESET/QUICKON

STOP resetting by turning off power. STOP stressing your hard disk and RAM. ELIMINATE the SLOW PC turn-on with QUICKON.

PC RESET w/o QUICKON	-\$21.95
PC RESET with QUICKON	-\$89.95
QUICKON alone	-\$69.95

LOCKIT - Invulnerable!

PC won't boot at all until user-chosen password is keyed in. Hardware device. Optional hard-disk-ONLY boot.

LOCKIT (includes QUICKON)	-\$129.95
LOCKIT with PC RESET	-\$144.95

Specify PC or XT, MC/VISA

SECURITY 16 Flagg Place
MICROSYSTEMS Suite 102B
CONSULTANTS Staten Island, NY 10304
(718) 667-1019

Inquiry 276



CENTECH PREMIUM COLOR DISKETTES

LOWEST PRICE EVER

TIMELESS WARRANTY

\$1.65*
ea.
5-1/4"
QTY. 20

\$2.15*
ea.

*Discounts Starting At Quantity 50 & Above

DEFINITELY COLOR-CODED DISKETTES ARE THE MOST EFFECTIVE METHOD FOR ORGANIZING YOUR DISKETTE FILES! Available in Red, Blue, Green, Yellow, Orange and many other colors. 100% error-free and backed by TIMELESS WARRANTY. Factory fresh and boxed in 10's with Tyvek sleeves, reinforced hubs, write-protect tabs and labels.

SHIPPING: Add \$3.00 per 100 diskettes or fraction thereof. Same day dispatch. VISA and Mastercard accepted. C.O.D. orders only add \$3.00 handling charges. Utah residents add 5% sales tax.

WE WILL BETTER ANY PRICE ON THE SAME PRODUCT AND QUANTITIES ADVERTISED NATIONALLY.

TOLL FREE ORDER LINE ONLY:

1-800-233-2477

INFORMATION AND INQUIRIES:

1-801-942-6717

HOURS: 9AM-6PM, M-F (MT. STATE TIME)




Acomputer
Affairs, Inc.

2028 E. FT. UNION BLVD. #105
SALT LAKE CITY, UTAH 84121
CALL: 1-800-AFFAIRS

Inquiry 61

Dumb.



*Stand-alone programs
can't be made to work as a system
no matter how hard you might try.*

Stand-alone programs are fine. Unless, of course, you need them to work together. Because the sum of the parts will never equal a whole.

That's why even the highly touted WordStar,[®]


dBase II[™] and 1-2-3,[™] programs don't make sense as a business system.

They were designed to perform very specific application functions only, and therefore, make miserable workmates.

Fortunately, there's a smart solution. It's the new Smart Software System.

Smart's unique "modular integration" is the key to productivity. It means that The Smart Word Processor, The Smart Data Manager

Smart.



The fully integrated Smart Software System is designed to make the whole office more productive.

and The Smart Spreadsheet with Graphics not only have the uncompromising power and capacity of these leading stand-alone programs, but they also have the unprecedented capability to work brilliantly together.

So you can easily transfer data and pass commands from one to another. Which means that you can compile financial data, to be included in graph-form, within the text of a printed report, that's mailed to a list drawn

from the data manager — automatically.

Don't short change your business by attempting to squeeze the impossible out of a makeshift software system. Get Smart, and the whole office will thank you.

Smart is available for the IBM PC, PC/XT, PC/AT, and compatibles. For information call, 800-GET-SMART. (In Kansas call, 913-383-1089).

Smart Software
from Innovative Software


*1-2-3™, WordStar® and dBase II™ are registered trademarks of Lotus Development Corporation, Micro Pro International Corporation and Ashton-Tate respectively. ©1984 Innovative Software, Inc.

The Micromint Collection



TERM-MITE ST SMART TERMINAL BOARD

TERM-MITE is a completely self-contained video display controller.



All you need to build a Smart Video Terminal equivalent to the types advertised for \$1000 or more is a Term-Mite ST circuit board, scanned or parallel key-board, video monitor and power supply.

- Uses brand new Nat'l Semi NS405 Terminal Processor.
- 24 lines by 80 characters, 25th reverse-video status.
- Upper & lowercase. Line (block) graphics.
- Selectable data rate, parity & display options.
- Reverse video, half intensity, double height & width, underline, blinking and/or blank character.
- Separate sync or composite video output. Self Test.

TERM-MITE ST Video Display Terminal Board
BCC22 Assembled & Tested \$284.
BCC23 Complete Kit \$244.

MPX-16 MICROCOMPUTER IBM PC COMPATIBLE



As featured on the cover of BYTE Magazine. Also featured in *Circuit Cellar* November, December 1982 & January 1983

The Computer with a Split Personality

- Use it as an IBM PC look alike that directly boots PC DOS 2.0 and accepts all expansion boards designed for the IBM PC.
- Use it as a powerful 8088 single board computer for all your OEM applications. Just add serial terminal, disk drive and power supply. Directly boots CP/M-86.

Buy the MPX-16 in the form that best meets your needs or budget. As a bare board, as a wave soldered board that contains all components less ICs, as an assembled and tested circuit board or as a complete system.

- Directly boots PC DOS 2.0 and CP/M-86.
- Most IBM PC software executes with no modifications.
- IBM PC bus compatible +9 expansion slots.
- Intel 8088 16-bit microprocessor.
- Optional Intel 8087 math coprocessor.
- 256K bytes on board memory.
- Up to one megabyte of system memory.
- Up to 64K bytes of system ROM/EPROM.
- 2 RS-232C Serial & 3 Parallel I/O ports.
- Disk controller for 5 1/4" or 8" drives.
- Sixteen levels of vectored interrupts.


MPX-16 Circuit Board Assembled
w/64K RAM \$1,200.
OEM 100 quantity per 840.
MPX-16 Circuit Board Assembled
w/256K RAM 1,400.
MPX-16 Semi-Kit (wave soldered circuit
board w/all components) Less ICs 595.
Complete Kit of ICs w/256K RAM 595.
MPX-16 Unpopulated (bare) PC Board 300.
CP/M-86 Operating System + Manuals 80.
MPX-16 Switching Power Supply 300.
MPX-16 Technical Reference Manual 50.
MPX-16 Metal Enclosure with Fan 225.
Tandon TM 100-2 Double Sided/Density
Drive 300.
IBM/PC Keyboard Interface Adapter 100.

Shipping and handling additional on MPX-16 orders.

IBM PC is a trademark of International Business Machines Inc.
CP/M-86 is a trademark of Digital Research Inc.
Z8 is a trademark of Zilog Inc.

Z8 COMPUTER SYSTEM

BASIC System Controller



The Z8 Basic System Controller is an updated version of our popular BCC01. The price has been reduced and features added. The entire computer is 4" by 4" and includes a tiny BASIC interpreter, up to 6K bytes of RAM and EPROM, one RS-232C serial port with switchable baud rates and two parallel ports. BASIC or machine language programming is accomplished simply by connecting a CRT terminal. Programs can be transferred to 2732 EPROMs with an optional EPROM programmer for auto start applications. Additional Z8 peripheral boards include memory expansion, serial and parallel I/O, real time clock, an A/D Converter and an EPROM programmer.

- Uses Zilog Z8 single chip microprocessor.
- Data and address buses available for complete peripheral expansion.
- Can be battery operated.
- Cross assemblers for various computers.

New
BCC11 Assembled & Tested \$149. Low Price

FORTH Language Version

With the new Z8 with on board 4K FORTH you can program high speed control functions in a few simple high level language commands. Perfect for data reduction, process control and high speed control applications.

BCC20 Z8F FORTH Microprocessor chip \$150.
BCC21 Z8F FORTH System Controller
(This board is a BCC11 with a BCC20 installed)
Assembled & Tested 280.

Memory, I/O Expansion, Cassette Interface

- 8K bytes of additional RAM or EPROM.
- Three additional 8 bit parallel ports.
- Cassette interface - 300 baud K.C. Standard.
- Software real time clock.

BCC33 w/OK RAM Assembled & Tested \$150.
BCC34 w/6K RAM Assembled & Tested \$180.

Eprom Programmer

- Transfer BASIC or Assembly Language application programs from RAM to 2716 or 2732 EPROM.
- Comes with programming & utility routines on EPROM.
- Requires Z8 I/O Expansion Board for operation.

BCC07 Assembled & Tested \$145.

Analog to Digital Converter

- Uses Analog Devices 7581 IC, 8-channel 8-bit.
- Adds process control capability to the Z8 system.
- Over 1,000 conversions per channel per second.
- Monitors 8 analog signals in one of two 10v Ranges.

BCC13 Assembled & Tested \$140.

Serial Expansion Board

- Adds additional RS-232C and opto-isolated 20 ma. current loop serial port to the Z8 System.
- Runs at 75 to 19,200 baud in all protocols.
- Comes with listings of sample serial I/O routines.

BCC08 Assembled & Tested \$160.

16K Memory Expansion Board

- Add up to 16K of additional memory, RAM or EPROM, to your Z8 System Controller in any multiple.
- Accepts 2016, 6116, 2716, or 2732 memory types.
- Four 16K cards may be installed on the Z8 System bringing the total memory to 64K.

BCC14 Assembled & Tested w/4K RAM \$120.

Cross Assemblers

From Micro Resources
IBM PC, APPLE, 6502 Systems 5 1/4",
CP/M 2.2 8" \$75.
From Allen Ashley
TRS-80 Model I, III, Northstar 5 1/4" 75.
CP/M 2.2 8" 150.

Five Slot Mother Board

- Expand your Z8 BASIC System with minimum effort.
- Contains five slots complete w/44 pin connectors.

MB02 Assembled & Tested \$69.

Triple Voltage Power Supplies

+5V @ 300 ma. +/- 12V @ 25 ma.
UPS01 Assembled & Tested \$35.
UPS02 Complete Kit 27.
+5V @ 1 Amp. +12V @ .5 Amp. -12V @ 50 ma.
UPS03 Assembled & Tested 60.
UPS04 Complete Kit 50.

SPEECH PRODUCTS

Lis' ner 1000 Voice Recognition Board



Uses the new, high performance SP1000 voice recognition chip.


The LIS' NER 1000 provides voice input capability for your computer. The unit functions in the same manner as your keyboard, serving as a data entry device for application programs or the normal operation of the computer.

The LIS' NER 1000 recognition system works by analyzing human speech and extracting the most important features. These impressions of words are compacted into "templates" which can be stored and later compared to someone talking to the recognition unit. The LIS' NER 1000 supports a 64 word vocabulary in speaker dependent, discrete utterance mode. The recognition accuracy is greater than 98%. Each unit comes with a professional quality head-band style electret microphone to assure accuracy, software on diskette and a user's manual.

The APPLE II LIS' NER board has provision for an SSI 263 phonetic speech synthesizer chip with text-to-speech algorithm. This addition provides all the features described for the Sweet Talker II as well as speech recognition.

APPLE II LIS' NER 1000 with SP1000
recognition/synthesis components only
VR01 Assembled & Tested \$189.
VR02 Complete Kit \$149.
APPLE II LIS' NER 1000 with SP1000
recognition/synthesis components and SSI 263
phoneme synthesizer chip with text to speech
algorithm.
VR03 Assembled & Tested \$259.
VR04 Complete Kit \$219.
COMMODORE 64 LIS' NER 1000 with SP1000
recognition/synthesis components \$149.
VR10 Assembled & Tested \$119.
VR11 Complete Kit \$119.

Sweet Talker II Text-to-Speech Synthesizer




SWEET TALKER II, a 3rd generation speech synthesizer, is based on the SSI 263. SWEET TALKER II directly drives a speaker to provide music, sound effects and continuous speech of unlimited vocabulary at data rates as low as 50-70 bps.

- SSI 263-based Apple II compatible speech synthesis board
- Comes with text-to-speech algorithm on disk (DOS 3.3)
- Appropriate control inputs for mapping with several buses
- On-board 1 watt amplifier with volume control
- Measures 3" x 3 1/4"
- Operates on +5 and +12v

ST22 SWEET TALKER II Apple II compatible
speech synthesizer with text-to-speech algorithm
on disk \$104.

Microvox Text-to-Speech Synthesizer



Microvox is a professional voice quality text-to-speech synthesizer that is easily interfaced to any computer, modem, RS-232C serial or parallel output device and provides speech of unbelievable clarity.

- Unlimited vocabulary.
- 64 programmable inflection levels.
- 6K text-to-speech algorithm.
- Full ASCII character set recognition and echo.
- RS232C and parallel input.
- 1000 Character buffer, 3000 optional.
- Adjustable baud rates (75-9600).
- Spelling output mode.
- 7 octave music and sound effects.
- On board audio amplifier & power supply.
- X-On/X-Off handshaking.

MV01 Assembled with 1K buffer \$349.
MV02 Complete Kit with 1K buffer \$269.
Add \$15.00 for 3K buffer option.

Speech Synthesizer IC's

The SC-01A Speech Synthesizer is a completely self-contained solid state device that phonetically synthesizes continuous speech of unlimited vocabulary.
SC01A Quantity 1-99 \$32.
100+ \$24.
1000+ call

The Silicon Systems SSI 263 Speech Synthesizer Chip is a third generation speech synthesizer chip that produces even more intelligible speech than did older devices. The SSI 263 has improved intonation, inflection and filtration.
SSI 263 Quantity 1-9 \$42. ea.
10-99 \$34. ea.
100 \$30. ea.

The Micromint is stocking thousands of SP1000 voice recognition chips. Call us for a quote.

MICRO D-CAM DIGITAL TV CAMERA



Give your computer the dimension of sight.

- Interprets, enhances and stores images.
- 256 x 128 digital image sensor.
- Plug-in boards for the IBM-PC, APPLE II or e.
- Software includes utilities for auto exposure, multi-level greyscale, screen dump and image enhancement.
- Includes interface card, 4 foot extension cable camera assembly, manual, and software on diskette.

DC01 IBM PC Assembled & Tested \$299.
DC02 IBM PC Complete Kit \$264.
DC03 APPLE II Assembled & Tested \$299.
DC04 APPLE II Complete Kit \$264.

ULTRASONIC RANGING SYSTEM


The Micromint Sonar Ranging Experimenter's Kit is an updated and higher functioning version of the Polaroid SX-70 Camera sonar ranging circuit used in the original Polaroid Ultrasonic Ranging System Designer's Kit. There are similar performance characteristics but this unit requires far less support circuitry and interface hardware.

The TI ranging module can function between 4.5 and 6.8v. With a 5v supply, the ranging module I/O is TTL compatible and can be connected directly to most computers with one input and one output bit.

The Sonar Ranging Experimenter's Kit includes one SN28827 ranging module, one Polaroid 50 KHz electrostatic transducer, and user's manual with data sheets.

TI01 Sonar Ranging Experimenters Kit \$60.

300 BAUD ANSWER/ ORIGINATE MODEM KIT



Micromint's latest 300 Baud Modem Kit is crystal controlled, uses the TI TMS99532 IC, contains just 25 parts and requires no calibration or adjustments. Use with acoustic coupler or in direct connect mode.

MD04 Complete Kit as shown \$60.
MD05 Transformer for Direct Connect Mode \$9.
AC01 Acoustic Coupler Kit \$20.

MICROMINT INC. 561 Willow Avenue,
Cedarhurst, NY 11516
To Order: Call Toll Free 1-800-645-3479
For Information Call: 1-516-374-6793
Call: Monday-Friday, 9-5 PM



B.O.O.K.S R.E.C.E.I.V.E.D

ADVENTURE INTO BBC BASIC, Miles Ellis and David Ellis. New York: John Wiley & Sons, 1984; 328 pages, 17 by 24.8 cm, softcover, ISBN 0-471-90171-7, \$14.95.

AMERICAN UNIVERSITY PROGRAMS IN COMPUTER SCIENCE, William W. Lau, ed. Fullerton, CA: GGL Educational Press, 1984; 222 pages, 16 by 23.5 cm, hardcover, ISBN 0-915751-25-9, \$18.

ANALYSIS AND SIMULATION OF SEMICONDUCTOR DEVICES, Siegfried Selberherr. New York: Springer-Verlag, 1984; 308 pages, 16.8 by 25 cm, hardcover, ISBN 0-387-81800-6, \$54.

ANIMATION, GAMES, AND SOUND FOR THE TI 99/4A, Tony Fabbri. Englewood Cliffs, NJ: Prentice-Hall, 1984; 272 pages, 17.5 by 23.3 cm, softcover, ISBN 0-13-037227-7, \$14.95.

APPLE LOGO FOR KIDS, David A. Yule. Blue Ridge Summit, PA: Tab Books, 1984; 224 pages, 18.5 by 23.5 cm, softcover, ISBN 0-8306-1728-0, \$11.50.

APPLE TO IBM PC CONVERSION GUIDE, Richard Steck. Glenview, IL: Scott, Foresman and Co., 1984; 112 pages, 19.3 by 23.5 cm, softcover, ISBN 0-673-18047-6, \$11.95.

THE APPLE WORDSTAR BOOK, Jerry Mar. Glenview, IL: Scott, Foresman and Co., 1984; 288 pages, 19 by 22.8 cm, spiral-bound, ISBN 0-673-15992-2, \$11.95.

APPLIED BASIC FOR MICROCOMPUTERS, Roy A. Boggs. Reston, VA: Reston Publishing, 1984; 288 pages, 15.3 by 22.8 cm, softcover, ISBN 0-8359-0042-8, \$16.95.

ARCHITECTURE OF THE 8048, Edward W. Page. Beaverton, OR: dilithium Press, 1984; 208

pages, 17.3 by 22.3 cm, softcover, ISBN 0-88056-071-1, \$19.95.

ART AND THE COMPUTER, Melvin L. Prueitt. New York: McGraw-Hill, 1984; 256 pages, 25 by 20 cm, softcover, ISBN 0-07-050899-2, \$29.95.

ASSEMBLY LANGUAGE MADE EASY FOR THE TRS-80, Chao Chien. New York: Holt, Rinehart and Winston, 1984; 240 pages, 17.5 by 23.5 cm, softcover, ISBN 0-03-070441-3, \$18.45.

AUTOMATA, LANGUAGES AND PROGRAMMING, Jan Parendaeus, ed. Lecture Notes in Computer Science #172. New York: Springer-Verlag, 1984; 536 pages, 16.5 by 24.3 cm, softcover, ISBN 0-387-13345-3, \$22.

BASIC FUN FOR THE COMMODORE 64 BEGINNER, Arthur Denzau, Kent Forrest, and Robert Parks. Englewood Cliffs, NJ: Prentice-Hall, 1984; 256 pages, 17.5 by 23.3 cm, softcover, ISBN 0-13-061441-6, \$19.95. Includes floppy disk.

A BASIC PRIMER FOR THE IBM PERSONAL COMPUTER: PROGRAMMING BUSINESS APPLICATIONS, Donald B. Trivette. Glenview, IL: Scott, Foresman and Co., 1984; 208 pages, 19.5 by 23 cm, softcover, ISBN 0-673-15997-3, \$18.95.

BANK STREET'S FAMILY COMPUTER BOOK, Barbara Brenner with Mari Endreweit. New York: Ballantine Books, 1984; 272 pages, 13.5 by 20.8 cm, softcover, ISBN 0-345-31367-4, \$6.95.

BEEPERS: 21 ELECTRONIC PROJECTS FOR THE TIMEX/SINCLAIR 1000 AND 1500, Gordon Rockmaker and Stephen Adams.

.....
THIS IS A LIST of books recently received at BYTE Publications. The list is not meant to be exhaustive; its purpose is to acquaint BYTE readers with recently published titles in computer science and related fields. We regret that we cannot review or comment on all the books we receive; instead, this list is meant to be a monthly acknowledgment of these books and the publishers who sent them.

New York: McGraw-Hill, 1984; 112 pages, 13.8 by 20.3 cm, spiral-bound, ISBN 0-07-053358-X, \$8.95.

THE BEGINNER'S COMPUTER DICTIONARY, Elizabeth S. Wall and Alexander C. Wall. New York: Avon Books, 1984; 80 pages, 13 by 19 cm, softcover, ISBN 0-380-87114-9, \$2.25.

BOOK BYTES: THE USER'S GUIDE TO 1200 MICROCOMPUTER BOOKS, 1984 ed., Cris Popenoe. New York: Pantheon Books, 1984; 240 pages, 21 by 27.5 cm, softcover, ISBN 0-394-72273-6, \$9.95.

BUSINESS DECISION MAKING WITH MULTIPLAN, William R. Osgood and James F. Molloy Jr. Somerville, MA: Curtin & London and New York: Van Nostrand Reinhold, 1984; 152 pages, 21.5 by 28 cm, softcover, ISBN 0-930764-90-0, \$19.95.

BUSINESS GRAPHICS WITH LOTUS 1-2-3, William R. Osgood and Dennis P. Curtin. Somerville, MA: Curtin & London and New York: Van Nostrand Reinhold, 1984; 208 pages, 21.5 by 28 cm, softcover, ISBN 0-930764-59-5, \$19.95.

BUSINESS PROBLEM SOLVING WITH LOTUS 1-2-3, James F. Molloy Jr. and Dennis P. Curtin. Somerville, MA: Curtin & London and New York: Van Nostrand Reinhold, 1984; 208 pages, 21.5 by 28 cm, softcover, ISBN 0-930764-85-4, \$19.95.

A BUYER'S GUIDE TO MICROCOMPUTER BUSINESS SOFTWARE, Amanda C. Hixson. Reading, MA: Addison-Wesley, 1984; 304 pages, 18 by 23.3 cm, softcover, ISBN 0-201-11065-2, \$19.95.

CLU REFERENCE MANUAL, B. Liskov, R. Atkinson, T. Bloom, E. Moss, J. C. Schaffert, R. Scheifler, and A. Snyder. New York: Springer-Verlag, 1981; 200 pages, 15.5 by 23.5 cm, softcover, ISBN 0-387-91253-3, \$14.95.

CAREERS IN COMPUTERS, Texe W. Marrs. New York: Simon & Schuster, 1984; 160 pages, 15.5 by 23.5 cm, softcover, ISBN 0-671-50221-2, \$8.95.

THE COMMODORE 64 SOFTWARE BUYER'S GUIDE, Gary Phillips, Terry Silveria, and Sanjiva K. Nath. Bowie, MD: Brady Communications Co., 1984; 494 pages, 17.8 by 23.3 cm, softcover, ISBN 0-89303-382-0, \$16.95.

THE COMMODORE 64 SURVIVAL MANUAL, Winn L. Rosch. New York: Bantam Books, 1984; 256 pages, 15.3 by 22.8 cm, softcover, ISBN 0-553-34127-8, \$9.95.

COMPAQ USER'S HANDBOOK, Weber Systems Inc. staff. New York: Ballantine Books, 1984; 352 pages, 14 by 21.5 cm, softcover, ISBN 0-345-31841-2, \$9.95.

THE COMPLETE SOFTWARE MARKETPLACE, 1984-85, Roger Hoffman. New York: Warner Books, 1984; 256 pages, 20.5 by 23.3 cm, softcover, ISBN 0-446-38024-5, \$17.95.

THE COMPUTER ALPHABET BOOK, Elizabeth S. Wall. New York: Avon Books, 1984; 64 pages, 13 by 19 cm, softcover, ISBN 0-380-87106-8, \$2.25.

COMPUTER BASED NATIONAL INFORMATION SYSTEMS, Stephen J. Andriole, ed. New York: Petrocelli Books, 1984; 176 pages, 20 by 26 cm, hardcover, ISBN 0-89433-255-4, \$24.95.

THE COMPUTER COOKBOOK, William Bates. New York:


(continued)

The best of two worlds

The MYTECH COMAL interactive programming language gives you the simplicity of Basic and the power of Pascal. Many of the concepts are influenced by ADA^{®1}, for example exception handling, packages etc.

Mytech Comal features

- Friendly, interactive user interface with help facilities
- 100% orthogonal.
- Available for IBM^{®7} PC-G, PC-XT, PC-AT, PPC, WICAT etc
- Implemented on UNIX^{®2}, CPM/86^{®3}, C-CPM/86^{®4}, MS-DOS^{®5}, PC-DOS^{®6}
- Easily ported to 16/32-bits systems
- The package concept makes Mytech Comal extensible
- Turtlegraphics package (LOGO) is available
- Easily customized for foreign languages
- Support for the 8087.
- Is written in "C".
- Comal is an official education language in Europe.



- Fulfills the Comal 2.00 requirements

Mytech Comal is the perfect language for students as well as for the professional programmer. For further information please ask for a data sheet. Or why not do it the right way, order your **Mytech Comal** system today and move in to a new fascinating and powerful programming dimension.

1) DoD, 2) AT & T, 3&4) Digital Research, 5&6) Microsoft, IBM, 7) IBM

MYTECH DATA AB

"Multum in parvo"

Jungmansgatan 25, P.O. Box 7230 S-402 35 Gothenburg, Sweden
Tel. +46 (0)31 42 07 80, Telex 89200574, Teletex, Datex 240189200574

a message to our subscribers

From time to time we make the **BYTE** subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many **BYTE** subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Publications Inc.
Attn: Circulation Department,
70 Main St., Peterborough, NH 03458

BOOKS RECEIVED

Doubleday and Co., 1984; 416 pages, 20.8 by 27.8 cm, softcover, ISBN 0-385-19291-6, \$14.95.

COMPUTER CRAZINESS, Paul Somerson and Stephen Manes. New York: Scholastic, 1984; 176 pages, 20.3 by 27.5 cm, softcover, ISBN 0-590-33175-2, \$4.95.

COMPUTER KEYBOARDING FOR CHILDREN, Edward B. Fry. New York: Teachers College, Columbia University, 1984; 28 pages, 21.5 by 28 cm, spiral-bound, ISBN 0-8077-2754-7, \$8.95.

COMPUTER MONSTERS, Stephen Manes and Paul Somerson. New York: Scholastic, 1984; 176 pages, 20.3 by 27.5 cm, softcover, ISBN 0-590-33177-9, \$4.95.

COMPUTER OLYMPICS, Stephen Manes and Paul Somerson. New York: Scholastic, 1984; 174 pages, 20.3 by 27.5 cm, softcover, ISBN 0-590-33176-0, \$4.95.

COMPUTER PROGRAMS FOR THE KITCHEN, Terence F. Dicker. Blue Ridge Summit, PA: Tab Books, 1984; 256 pages, 18.8 by 23.3 cm, softcover, ISBN 0-8306-1707-8, \$13.50.

COMPUTER SPACE ADVENTURES, Paul Somerson and Stephen Manes. New York: Scholastic, 1984; 176 pages, 20.3 by 27.5 cm, softcover, ISBN 0-590-33178-7, \$4.95.

COMPUTERS AND DATA PROCESSING, 2nd ed., H. L. Capron and Brian K. Williams. Menlo Park, CA: Benjamin/Cummings Publishing Co., 1984; 488 pages, 20.5 by 26.3 cm, hardcover, ISBN 0-8053-2214-0, \$26.95.

COMPUTERS AND MICROPROCESSORS: COMPONENTS AND SYSTEMS, A. C. Downton. Berkshire, England: Van Nostrand Reinhold (U.K.), 1984; 192 pages, 19 by 24.5 cm, softcover, ISBN 0-442-30572-9, £5.75.

COMPUTING IN APPLIED SCIENCE, William J. Thompson. New York: John Wiley & Sons, 1984; 352 pages, 16.5 by 24 cm, hardcover, ISBN 0-471-09355-6, \$26.95.

CREATING TECHNICAL MANUALS, Gerald Cohen and Donald H. Cunningham. New York: McGraw-Hill, 1984; 176 pages, 15 by 22.5 cm, softcover, ISBN 0-07-011584-2, \$16.95.

EASYWRITER SIMPLIFIED FOR THE IBM PERSONAL COMPUTER, Don Cassel. Englewood Cliffs, NJ: Prentice-Hall, 1984; 176 pages, 17.5 by 23.5 cm, softcover, ISBN 0-13-222431-3, \$21.95.

EXPERIMENTAL METHODS OF POLYMER PHYSICS, A. Malkin, A. Askadsky, A. Chalykh, and V. Kovriga. Englewood Cliffs, NJ: Prentice-Hall, 1983; 520 pages, 14.5 by 22 cm, hardcover, ISBN 0-13-295485-0, \$38.95.

THE FREE SOFTWARE HANDBOOK, 1984-1985 CP/M EDITION, Patricia Hatcher and Blake Van Meter. Plano, TX: PeopleTalk Associates, 1984; 368 pages, 14 by 21.5 cm, softcover, ISBN 0-915907-07-0, \$17.95.

AT HOME WITH BASIC, Henry Mullish and Dov Kruger. New York: Simon & Schuster, 1984; 272 pages, 14.8 by 21.3 cm, spiral-bound, ISBN 0-671-49861-4, \$12.95.

HOW DID WE FIND OUT ABOUT COMPUTERS? Isaac Asimov. New York: Walker and Co., 1984; 66 pages, 14.8 by 21.3 cm, hardcover, ISBN 0-8027-6533-5, \$8.85.

HOW TO DOCUMENT YOUR SOFTWARE, Barbara Spear. Blue Ridge Summit, PA: Tab Books, 1984; 208 pages, 18.5 by 23.5 cm, softcover, ISBN 0-8306-1724-8, \$13.50.

IBM PC/XT: BASIC PROGRAMMING AND APPLICATIONS, Louis Nashelsky and Robert Boylestad. Englewood Cliffs, NJ: Prentice-Hall, 1984; 320 pages, 17.8 by 23.3 cm, softcover, ISBN 0-13-448325-1, \$14.95.

INFOWORLD'S ESSENTIAL GUIDE TO APPLE, Thom Hogan and the editors of InfoWorld. New York: Harper & Row, 1984; 240 pages, 18.5 by 23.5 cm, softcover, ISBN 0-06-669001-3, \$16.95.

INFOWORLD'S ESSENTIAL GUIDE TO CP/M, Tony Bove, Cheryl Rhodes, and the editors of InfoWorld. New York: Harper & Row,

BOOKS RECEIVED

1984; 254 pages, 18.5 by 23.5 cm, softcover, ISBN 0-06-669003-X. \$16.95.

INFOWORLD'S ESSENTIAL GUIDE
TO THE IBM PC. Frank J. Derfler
Jr. and the editors of *InfoWorld*.
New York: Harper & Row, 1984;
256 pages, 18.5 by 23.5 cm,
softcover, ISBN 0-06-669002-1,
\$16.95.

**INSIDE CP/M-86: A GUIDE FOR
USERS**, David E. Cortesi. New
York: Holt, Rinehart and
Winston, 1984; 224 pages,
19 by 23.5 cm, softcover,
ISBN 0-03-062656-0, \$17.45.

INSIDE COMMODORE DOS,
Richard Immers and Gerald G.
Neufeld. Chatsworth, CA:
Datamost, 1984; 512 pages, 17.8
by 25.3 cm, softcover.
ISBN 0-88190-366-3. \$19.95.

INSTANT WORDSTAR FOR THE KAY-PRO, Robert Wolenik. Reston, VA: Reston Publishing, 1984; 144 pages, 15 by 22.8 cm, soft-cover. ISBN 0-8359-3090-4. \$15.95.

INVITATION TO MVS: LOGIC &
DEBUGGING, Harry Katzman Jr. and
Davis Tharayil. New York:
Petrocelli Books, 1984; 256
pages, 16 by 24 cm, hardcover,
ISBN 0-89433-081-0. \$29.95.

JOB CONTROL LANGUAGE, 2nd ed., Ruth Ashley and Judi N. Fernandez. New York: John Wiley & Sons, 1984; 168 pages, 17 by 25.3 cm, softcover, ISBN 0-471-79983-1. \$12.95.

THE JOY OF COMPUTER CHESS,
David Levy. Englewood Cliffs,
NJ: Prentice-Hall, 1984; 144
pages, 13.5 by 21.5 cm, soft-
cover. ISBN 0-13-511619-8, \$7.95.

KIDS & COMPUTERS: ADVANCED PROGRAMMING HANDBOOK. Eugene Galanter. New York: Perigee Books, 1984; 224 pages, 17.5 by 23.5 cm, softcover, ISBN 0-399-50976-3, \$7.95.

LET'S LEARN BASIC: A KIDS' INTRODUCTION TO BASIC PROGRAMMING ON THE APPLE II SERIES, Ben Shneiderman. Boston, MA: Little, Brown and Co., 1984; 208 pages, 19 by 23.5 cm, softcover, ISBN 0-316-78721-3, \$8.95.

LET'S LEARN BASIC: A KIDS' INTRODUCTION TO BASIC

PROGRAMMING ON THE ATARI HOME COMPUTERS, Ben Shneiderman. Boston, MA: Little, Brown and Co., 1984; 208 pages, 19 by 23.5 cm, soft-cover, ISBN 0-316-78722-1, \$8.95.

LOTUS 1-2-3 FOR MARKETING AND SALES, Michael V. Laric and Ronald Stiff. Englewood Cliffs, NJ: Prentice-Hall, 1984; 240 pages, 17.8 by 23.5 cm, soft-cover, ISBN 0-13-540899-7, \$14.95.

MACHINE INTELLIGENCE 10,
INTELLIGENT SYSTEMS: PRACTICE
AND PERSPECTIVE, J. E. Hayes, D.
Michie, and Y-H Pao, eds. New
York: John Wiley & Sons, 1982;
582 pages, 15.8 by 25 cm, soft-
cover, ISBN 0-470-27323-2,
\$109.95

MANAGING YOUR BUSINESS WITH
MULTIPLAN, Ruth K. Witkin.
Bellevue, WA: Microsoft Press,
1984; 430 pages, 18.8 by 23.3
cm, softcover, ISBN 0-914845-
06-3, \$17.95.

MICROCOMPUTERS GO TO SCHOOL, Stanton Leggett, ed. Chicago, IL: Teach 'em, 1984; 248 pages, 13.5 by 21.5 cm, softcover, ISBN 0-931028-53-1, \$16.95.

LE MICROPROCESSEUR 16 BITS
8086/8088, Alain-Bernard
Fontaine. Paris, France:
Masson, 1984; 238 pages,
16 by 23.8 cm, softcover,
ISBN 2-225-80313-7,
108 francs.

MICROPROCESSORS IN INDUSTRY,
Michael F. Hordeski. New York:
Van Nostrand Reinhold, 1984;
542 pages, 16 by 23.5 cm, hard-
cover. ISBN 0-442-23207-1,
\$49.50.

MINUTE MANUAL FOR PFS: FILE/REPORT/GRAPH/WRITE, Jeffery Lesho and Jim Pirisino. Columbia, MD: MinuteWare, 1984; 184 pages, 13.5 by 21.5 cm, soft-cover, ISBN 0-913131-03-2, \$12.95.

A MODEL-MANAGEMENT FRAME-
WORK FOR MATHEMATICAL PRO-
GRAMMING, Kenneth H. Palmer.
New York: John Wiley & Sons,
1984; 416 pages, 17 by 24 cm,
hardcover, ISBN 0-471-80472-X,
\$42.50.

(continued)

FREE SHIPPING DISKETTES

West Coast "Call" Central & East "Call"
1(800) 621-6221 1(800) 654-4058
 Discounts Starting at 3 Box Quantities

3M $\cdot 5\frac{1}{4} \cdot$ s-side 17⁹⁵ d-den. 23⁹⁵ d-side 23⁹⁵ d-den. 27⁵⁰ s-side 27⁵⁰ quad 33⁹⁵ d-side 33⁹⁵ quad $\cdot 8 \cdot$ s-side 21⁵⁰ s-den. 26⁰⁰ s-side 26⁰⁰ d-den. 31⁵⁰ d-side 31⁵⁰ d-den.	Dysan $\cdot 5\frac{1}{4} \cdot$ s-side 22⁹⁵ d-den. 30⁵⁰ d-side 30⁵⁰ d-den. 34⁵⁰ s-side 34⁵⁰ quad 45⁵⁰ d-side 45⁵⁰ quad $\cdot 8 \cdot$ s-side 28⁵⁰ s-den. 30⁹⁵ s-side 30⁹⁵ d-den. 34⁹⁵ d-side 34⁹⁵ d-den.	maxell $3\frac{1}{2}$ CALL $\cdot 5\frac{1}{4} \cdot$ s-side 19⁹⁵ d-den. 19⁹⁵ d-side 25⁹⁵ d-den. 25⁹⁵ s-side 28⁹⁵ quad 28⁹⁵ d-side 36⁹⁵ quad $\cdot 8 \cdot$ s-side 31⁹⁵ d-den. 31⁹⁵ d-side 34⁹⁵ d-den. 34⁹⁵	Verbatim $\cdot 5\frac{1}{4}$ Datalife s-side 18⁹⁵ d-den. 18⁹⁵ d-side 24⁹⁵ d-den. 24⁹⁵ s-side 30⁹⁵ quad 30⁹⁵ d-side 39⁹⁵ quad 39⁹⁵ $\cdot 8 \cdot$ Datalife s-side 24⁷⁵ s-den. 24⁷⁵ s-side 26⁹⁵ d-den. 26⁹⁵ d-side 31⁹⁵ d-den. 31⁹⁵
3M AMARAY MEDIA MATE DC100A.....13 ⁹⁵ ($3\frac{1}{2}$...11 ⁹⁵) ($5\frac{1}{4}$...11 ⁹⁵) DC300A.....18 ⁴⁰ DISK MINDERS DC300XL 20 ²⁵ ($5\frac{1}{4}$...16 ⁷⁵) (8"...15 ⁰⁰) DC600A...24 ⁴⁵ BULK PACKED DISKS "CALL"			
Head Cleaners Kits.....5 ²⁰ Refills.....9 ⁵⁵ Analizers 25 ⁰⁰			

Diskettes
10/Box

the

the Diskette Connection

OKLAHOMA
& NEVADA

*UP's Delivery Only. Add 3⁰⁰ on orders under 35⁰⁰ or 20 disk.



HARMONY VIDEO & COMPUTERS

2357 CONEY ISLAND AVE., BROOKLYN, NY 11223

TO ORDER CALL TOLL FREE

800-VIDEO84 OR 718-627-1000 OR 800-441-1144



IBM PC w/DRIVE
\$1299.95

OKIDATA 92
\$349.95

APPLE 2C
\$869.95

GEMINI 10X
\$226.95

"PRINTER SPECIALS"					
Okidata 92	350	Radix 15	567	Panasonic KXP 1091	259
Okidata 93	551	Radix 10	480	Panasonic KXP 1090	201
Epson RX80 FT	229	Powertype	281	Silver Reed EXP 650	382
Epson RX80	229	Daisywriter	174	Silver Reed KXP 500	286
Epson RX100	387	Brother HR15	339	Silver Reed EXP 770	742
Epson RX100	392	Brother HR25	572	Nec 3550	1299
Epson FX100	598	Brother HR35	784	Nec 2050	647
Epson LQ1500	1039	Keyboard	122	Olympia RO	312
Thiobla 1351	1208	Riteplan Blue +	279	Nec 7730	1643
Delta 10	456	Delta 10	684	Nec 7715	1643
Delta 15	456	Mannesman Spirit 80	233	OKI 84	636
Gemini 10X	227	Mannesman 160L	530	Panasonic KXP 1093	567
Gemini 15X	339	Juki 6100	371	Panasonic KXP 1092	382
Thiobla 1340	678	Pana 3151	509	OKI 83	536
Diablo 630 API	1431	Dynax DX15	550	Okimate 10	148
Quadjet 81	1431	MNUSMAN 180L	7142	Silver Reed EXP400	236
Anadex 9625B	1034	Nec 8850	1754	HP Laser Jet	3021
Epson XQ100	1712	Pilnwriter P3	848	Citizen MSP10	350

WOW!

APPLE		IBM		ZENITH	
2E w/Disk Drive	859	PC w/Drive	1299	Zenith PC 2150	1631
Macintosh	1689	PC XT	2499	Zenith PC 15152	2076
Apple 2C	869	PC Portable w/Drive	1499		
ImageWriter	486	PC Jr.	459		
Add. Drives	from 114	Color Card	144		
		Monochrome Card	159	MONITORS	
		IBM Monitor (GRN)	199	Amdek 300 Green	114
		Tecmar Capcarn 64K	249	Amdek 300 Amber	124
COMMODORE		AST Six Pack	229	310 Amber	139
Commodore 64	177	Trailgrass 20 Meg	239	Color 300	229
1541 Disk Drive	204	Quad Board	224	Color 500	384
1702 Monitor	208	Paradise	254	Color 600	384
MPS801 Printer	179	Keytronics	159	Color 700	489
1526 Printer	215	Hercules Color	159	Color 710	529
		Hercules Monochrome	319	Zenith Green	74
ATARI		Platronics	409	Taxan 21	209
800 XL	107	STB Graphix	234	Princeton HX12	449
1027 Printer	219	PC w/10 Meg Hard Dr.	239	Taxan 12A	389
1050 Drive	159	Bernoulli Box	1999	Taxan 420	389
Indus. Drive	279	10 Meg Drive	699		
1025 Printer	169	Teac 1/2 Ht	94	MODEMS	
		Shugart 1/2 Ht	94	Hayes 1200	435
SANYO		Panasonic 1/2 Ht	94	Hayes 1200B	182
550 S.S.	648			Hayes 300	387
550 D.S.	859			Micromodem 2E	212
555 D.S.	949			Access 123	364
555 S.S.	839			Novation J-cat	95
CRT 30	.99				

800-441-1144

BOOKS RECEIVED

MORE COLOR COMPUTER APPLICATIONS, John P. Grillo and J. D. Robertson. New York: John Wiley & Sons, 1984; 176 pages, 17 by 25.3 cm, softcover, ISBN 0-471-80767-2, \$39.90. Includes floppy disk.

MULTIPLAN FOR MARKETING AND SALES, Michael V. Laric. Englewood Cliffs, NJ: Prentice-Hall, 1984; 320 pages, 17.8 by 23.3 cm, softcover, ISBN 0-13-605080-8, \$14.95.

MULTIPLAN: HOME AND OFFICE COMPANION, Elna Tymes and Peter Antoniak. Berkeley, CA: Osborne/McGraw-Hill, 1984; 246 pages, 20.5 by 27.5 cm, softcover, ISBN 0-88134-133-9, \$15.95.

NEW HORIZONS IN EDUCATIONAL COMPUTING, Masoud Yazdani, ed. New York: John Wiley & Sons, 1984; 320 pages, 17 by 24.5 cm, hardcover, ISBN 0-470-20022-7, \$44.95.

THE OSBORNE/MCGRAW-HILL BUSINESS SYSTEM BUYER'S GUIDE, 2nd ed. Adam Osborne, Steve Cook, and Gail Todd. Berkeley, CA: Osborne/McGraw-Hill, 1984; 182 pages, 16.3 by 23.3 cm, softcover, ISBN 0-88134-125-8, \$10.95.

PEAS STRUCTURAL ANALYSIS SERIES: APPLE II OR IIE VERSION, Practical Engineering Applications Software (PEAS). New York: John Wiley & Sons, 1984; 88 pages, 14.8 by 22.8 cm, softcover, ISBN 0-471-80290-5, \$30. Includes floppy disk.

PERSONAL FINANCE PROGRAMS FOR HOME COMPUTERS, William S. Hodges and Neal A. Novak. Boston, MA: Little, Brown and Co., 1984; 192 pages, 21.5 by 27.8 cm, softcover, ISBN 0-316-36788-5, \$14.50.

THE POWER OF: APPLEWORKS, Robert E. Williams. Englewood Cliffs, NJ: Prentice-Hall, 1984;

240 pages, 21 by 27.5 cm, softcover, ISBN 0-13-688045-2, \$19.95.

POWER UP! KIDS' GUIDE TO THE COMMODORE 64, Marty DeJonghe and Caroline Earhart. Berkeley, CA: Sybex, 1984; 204 pages, 18 by 22.8 cm, spiral-bound, ISBN 0-89588-188-8, \$14.95.

A PRACTICAL GUIDE TO THE APPLE IIC, Peter C. Weiglin and Joyce Conklin. Reading, MA: Addison-Wesley, 1984; 176 pages, 18.8 by 23.5 cm, softcover, ISBN 0-201-09660-9, \$12.95.

PRESENTATION GRAPHICS ON THE APPLE MACINTOSH, Steve Lambert. Bellevue, WA: Micro-soft Press, 1984; 288 pages, 18.8 by 23.3 cm, softcover, ISBN 0-914845-11-X, \$18.95.

PROBOTS AND PEOPLE: THE AGE OF THE PERSONAL ROBOT, Timothy O. Knight. New York:

McGraw-Hill, 1984; 144 pages, 13.5 by 20.3 cm, softcover, ISBN 0-07-035106-6, \$9.95.

PROGRAMMABLE ASSEMBLY, W. B. Heginbotham, ed. New York: Springer-Verlag, 1984; 368 pages, 16 by 24 cm, hardcover, ISBN 0-387-13479-4, \$43.

PROGRAMMING APPLE BASIC, John J. DiElsi, Elaine S. Grossman, John P. Tucciarone. New York: Holt, Rinehart and Winston, 1984; 464 pages, 17.8 by 23.3 cm, softcover, ISBN 0-03-063733-3, \$18.45.

PROGRAMMING IN C ON THE IBM PC, Bryan J. Cummings and Lawrence Pollack. Englewood Cliffs, NJ: Prentice-Hall, 1984; 208 pages, 15.3 by 22.8 cm, softcover, ISBN 0-13-729351-8, \$14.95.

SHOULD I BUY A HOME COMPUTER? A GUIDE WITH CHECKLISTS, Lincoln Hallen. Princeton, NJ: Petrocelli Books, 1984;

BYTE back issues for sale

	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985
Jan.				\$2.75	\$3.25	\$3.25		\$3.70	\$4.25	\$4.25
Feb.			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$3.70	\$4.25	
March			\$2.75		\$3.25		\$3.70	\$3.70	\$4.25	
April			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$3.70	\$4.25	
May		\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$3.70	\$4.25	
June		\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$3.70	\$4.25	
July	\$2.00	\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$4.25	\$4.25	
Aug.		\$2.00	\$2.75	\$2.75		\$3.25	\$3.70	\$4.25	\$4.25	
Sept.		\$2.75	\$2.75	\$2.75	\$3.25		\$3.70	\$4.25	\$4.25	
Oct.			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$4.25	\$4.25	
Nov.				\$3.25		\$3.25	\$3.70	\$4.25	\$4.25	
Dec.		\$2.75	\$2.75	\$3.25	\$3.25	\$3.25	\$3.70	\$4.25	\$4.25	

Special BYTE Guide to IBM PC's — \$4.75

Circle and send requests with payments to:
BYTE Back Issues
P.O. Box 328
Hancock, NH 03449

Prices include postage in the US. Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries (surface delivery).

☐ Check enclosed

Payments from foreign countries must be made in US funds payable at a US bank.

☐ VISA

☐ MasterCard

Card # _____

Exp. _____

Signature _____

Please allow 4 weeks for domestic delivery and 12 weeks for foreign delivery.

NAME _____

ADDRESS _____

CITY _____

STATE _____ **ZIP** _____

BOOKS RECEIVED

104 pages, 14 by 20.8, softcover, ISBN 0-89433-257-0, \$8.95.

SMALL-TIME OPERATOR: THE COMPUTER EDITION, Bernard Kamoroff. South Bend, IN: and books, 1984; 306 pages, 21 by 27 cm, spiral-bound, ISBN 0-89708-117-X, \$19.95.

SOFTWARE DEFECT REMOVAL, Robert Dunn. New York: McGraw-Hill, 1984; 352 pages, 15.5 by 23 cm, hardcover, ISBN 0-07-018313-9, \$29.95.

A SOFTWARE LAW PRIMER, Frederic William Neitzke. New York: Van Nostrand Reinhold, 1984; 170 pages, 16 by 23.5 cm, hardcover, ISBN 0-442-26866-1, \$24.95.

THE SOFTWARE MARKETPLACE: WHERE TO SELL WHAT YOU PROGRAM, Suzan D. Prince. New York: McGraw-Hill, 1984;

220 pages, 16 by 23 cm, softcover, ISBN 0-07-050859-3, \$16.95.

STRUCTURE AND INTERPRETATION OF COMPUTER PROGRAMS, Harold Abelson and Gerald Jay Sussman with Julie Sussman. Cambridge, MA: MIT Press, 1985; 564 pages, 16 by 23.5 cm, hardcover, ISBN 0-262-01077-1, \$30.

STRUCTURED PROGRAMMING WITH BASIC FOR THE ACORN COMPUTER, Roy Atherton. New York: John Wiley & Sons, 1984; 208 pages, 17 by 25.5 cm, softcover, ISBN 0-471-80600-5, \$15.95.

TI Logo, Harold Abelson. New York: McGraw-Hill, 1984; 256 pages, 18 by 23.5 cm, softcover, ISBN 0-07-038459-2, \$17.95.

TAKE IT WITH YOU: THE COMPLETE GUIDE TO PORTABLE BUSINESS COMPUTING, Richard M. Grelewicz. New York: John Wiley & Sons, 1984; 264 pages,

15 by 22.8 cm, softcover, ISBN 0-471-88198-8, \$14.95.

THE TIME-LIFE STEP-BY-STEP GUIDE TO THE COMMODORE 64, the editors of *Time-Life*, New York: Random House, 1984; 102 pages, 21 by 24 cm, hardcover, ISBN 0-394-72515-8, \$12.95.

THE TIME-LIFE STEP-BY-STEP GUIDE TO THE IBM PC, the editors of *Time-Life*, New York: Random House, 1984; 102 pages, 21 by 24 cm, hardcover, ISBN 0-394-72521-2, \$12.95.

THE TIME-LIFE STEP-BY-STEP GUIDE TO THE IBM PCjr, the editors of *Time-Life*, New York: Random House, 1984; 102 pages, 21 by 24 cm, hardcover, ISBN 0-394-72519-0, \$12.95.

LA TRANSPORTABILITÉ DU LOGICIEL, Olivier Lecarme and Mireille Pellissier. Paris, France: Masson, 1984; 264 pages, 16 by 24 cm, softcover, ISBN 2-225-80223-8, 140 francs.

TURTLESTEPS: AN INTRODUCTION TO APPLE LOGO AND TERRAPIN LOGO, Pamela Sharp. Bowie, MD: Brady Communications Co., 1984; 210 pages, 17.8 by 23.3 cm, softcover, ISBN 0-89303-906-3, \$14.95.



USING THE IBM PERSONAL COMPUTER: EASYWRITER, Ada W. Finifter. New York: Holt, Rinehart and Winston, 1984; 318 pages, 17.8 by 23.5 cm, softcover, ISBN 0-03-063736-8, \$18.45.

VIC 20 COMPUTER GRAPHICS TOOLBOX, Russell L. Schnapp and Irvin G. Stafford. Englewood Cliffs, NJ: Prentice-Hall, 1984; 192 pages, 17.8 by 23.3 cm, softcover, ISBN 0-13-941998-5, \$14.95.

WORD PROCESSING WITH YOUR ADAM, Barbara Spear. Blue Ridge Summit, PA: Tab Books, 1984; 160 pages, 18.5 by 23.5 cm, softcover, ISBN 0-8306-1766-3, \$9.25. ■

NEW PC MAIN/FRAME

FOR \$100 BUS OR SINGLE BOARD COMPUTERS



- Low Price - Model 2210 (shown) \$350*
- Low Profile - Set display on top, keyboard in front
- Laser/3000 - Modern office styling - Model 3310 \$387*
- 5 1/4 Winchesters & Floppies - Full or Half
- 4 Card \$100 Motherboard and Connectors
- Accommodates I/O Personality Boards
- Hefty Power Supply - \$100 and Drive, Controllers
- Multifan, Push-Pull Cooling System
- Multiple EMI Filters
- Switched AC Outlets
- INTE/National Power Supply 115/230, 50-60 Hz

*Call for quantity pricing

Write or call for our brochure which includes our application note:
"Making micros, better than any ol' box computer."

INTEGRAND

RESEARCH CORPORATION

8620 Roosevelt Ave./Visalia, CA 93291 209/651-1203
We accept BankAmericard/Visa and MasterCard

Disk drives & computer boards not included

INTRODUCING Interface Technologies' Modula-2 Software Development System

The computer press is hailing Modula-2 as "the next standard in programming languages." Modula-2 combines the strengths of Pascal with the features that made C so popular, like independent compilation and direct hardware control.

But until today, no company offered a Modula-2 system that made the development of software fast, easy and efficient. Now, though, there's a new tool at your disposal.

The fast, powerful tool for programmers

The breakthrough is here: Interface Technologies' new Modula-2 Software Development System for the IBM® PC, XT, AT and compatible computers to give programmers the same quantum leap in productivity spreadsheets and word processors gave to end-users. It can reduce monotonous wait time, will dramatically increase speed, help stop thoughtless mistakes, and free you to become more creative in virtually all of your programming efforts.

How to speed input and eliminate 30% of errors

Thirty percent of programming mistakes are syntax errors and simple typos in the program structure. Our "syntax-directed" Modula-2 editor does away with these time-consuming headaches once and for all.




Enter complete statements
with one keystroke.

It speeds input by cutting manual typing as much as 90%, letting you enter statements with a single keystroke. For example, if you type a capital "I" to begin a line, the editor completes the logical "IF THEN" statement automatically, so you can concentrate on what you want to program, rather than concentrate on what you're typing.

The editor locks out errors, finishing statements and procedures in perfect accord with the standardized rules of Modula-2. It also indents and formats your text automatically, making programs easy to read and maintain, an important feature on big projects.

And if you leave an undefined variable or data type, the editor detects the mistake and gives you the option of on-line "help" to correct it. No other programming text editor offers you so much innovation at any price.

How to turn "wait time" into "work time"



It not only has a faster compiler, it also
saves time by compiling while you edit.

The vast majority of programming time is spent waiting, and the biggest slowdown is most often with compilers.

THE ANATOMY OF A

Our compiler turns wait time to work time with a new innovation that lets you compile in the "background."

With background compilation, your program is automatically compiled into object code line by line as you work, every minute you spend writing or editing a Modula-2 program!

When you're finished editing, all that's left for the compiler is a quick mopping up job that generates optimized native code in a single pass.

How quick is "quick"?

Thanks to background compilation and the fact that the compiler itself is so fast, Interface Technologies' compiler turns 100 lines of typical Modula-2 text into optimized machine code in *under five seconds*.

Plus the Interface compiler produces compact code with execution speed superior to that produced by any other Modula-2 compiler on the market.

How to do two things at once

Along with the background compiler and syntax-directed editor, which can save you hours every day and make you more productive, Interface Technologies' Software Development System gives your monitor

windows so you can refer to one file while you edit another simultaneously, saving you even more time.

Concurrent editing of two or more files is especially useful when doing programming work that's intended for separate compilation, and Interface Technologies has the only Modula-2 system on the market that provides you with this helpful benefit for developing software.



Work with multiple files faster, easier in windows.

How preprogrammed modules speed development

One of the advantages of Modula-2 is that it lets you build large, reliable programs quickly, by linking together many smaller "building-block" modules.


The development system's toolkit of precompiled program modules includes the standard Modula-2 library, and adds exclusive link-and-run modules for direct calls to the operating system, sound, and color

You can use it on any IBM® PC, XT, AT or compatible computer with two double-sided, double-density floppy drives and 320K RAM diskette.

You get a thoroughly indexed, comprehensive user's manual and free telephone support from Interface Technologies. But the most important thing you get is the future, and *the programming language of the future is Modula-2*, and now it's easier than ever.


For more information, or to order the Modula-2 Software Development System, call 1-800-922-9049 today. In Texas, call (713) 523-8422.

You can also order or request further information by mail. Just fill out the coupon below and send it in. Act today and receive your system soon.



Operates on the new IBM PC AT, as well as the PC, XT, and all other IBM-compatible computers.

BREAKTHROUGH



The Modula-2 development system's toolkit of ready-made modules turns big programs into smaller projects.

graphics support. Plus you get low-cost updates from the Interface Technologies fast-growing library of new programming modules.

Increase productivity for \$249

Interface Technologies' Software Development System is fast, powerful and unlimited. It works so well that it's the same tool Interface Technologies is using to write business and consumer applications in Modula-2.

For \$249, you get the syntax-directed editor and compiler, linker, module library and tutorial that will have even modestly experienced programmers writing in Modula-2 in days. And you have full rights to your work; there's no license fee for programs you develop with the Interface Technologies system.

NAME _____
 ADDRESS _____
 CITY _____ STATE _____ ZIP _____
 PHONE _____
 PLEASE CHECK ONE:
☐ AMERICAN EXPRESS ☐ VISA ☐ MASTERCARD
☐ CHECK ENCLOSED
 CHARGE ACCOUNT NUMBER

EXPIRATION DATE _____ SIGNATURE _____
 PLEASE SEND ME _____ COPIES @ \$249 EACH.

INTERFACE TECHNOLOGIES CORPORATION
 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098
 Texas residents, add 6.125% Sales Tax.

BT/2

INTERFACE TECHNOLOGIES

**MODULA-2 SOFTWARE
 DEVELOPMENT SYSTEM**

IBM is a registered trademark of International Business Machines Corporation.

(continued from page 32)

BENCHMARKING UNIX SYSTEMS

Thanks to David F. Hinnant's excellent article, "Benchmarking UNIX Systems" (August 1984, page 132), I feel I gained an awareness of the limitations and advantages of the different UNIX/machine combinations. The results are a great reference guide. However, I was a little surprised by the lack of a System V version (the standard-to-be one), which motivated me to run all the benchmark programs specified in the article on an NCR Tower (an M68000-based computer) under UNIX System V. Table 1 shows my findings. For the tests I used 2 megabytes of RAM and one 30-megabyte hard disk.

The values obtained fall about midway between systems 6 and 7 when plotted on the graph in figure 1 on page 408.

I was rather pleased with these results, since my Tower was, according to Hinnant's tables, among the top seven most powerful systems. I hope this small extension of Mr. Hinnant's work will be very useful to all System V users, because this version is intended to standardize the UNIX world.

MARIO DESCALZI
Columbia, SC

Table 1: NCR Tower performance using UNIX benchmarks discussed in "Benchmarking UNIX Systems."

	real	user	sys
1. Pipe	6.1	0.0	2.8
2. System Call	13.8	0.5	13.2
3. Function Call	1.7	1.6	0.0
4. Sieve	4.5	4.3	0.1
5a. Disk Write	3.4	0.0	1.3
5b. Disk Read	8.8	0.0	2.0
6. Shell	9.1	0.4	2.2
7. Loop	13.4	12.8	0.1

Number of Concurrent Processes					
1	2	3	4	5	6
9.8	16.0	22.2	35.3	44.2	52.2

A CALL FOR STANDARDS

In a computer system, dates can be kept in many different ways. If "DD" represents day, "MM" month, and "YY" the year, let me define the British way as "MMDDYY," the French way as "DDMMYY," and the standard international way as "YYMMDD." Despite its universality and advantages for sorting, the last one is not used by MS-

DOS, dBASE, or Quickcode (to name just a few).

Let me ask both software and hardware developers to stick to international standards. Let me further suggest that they keep dates as numeric values (taking advantage of most keyboards' numeric locking feature) and automatically enforce month and day values smaller than 13 and 32, respectively. Zeros could be allowed for month and day when their values are unknown.

PAUL-ANDRE DESJARDINS
Rabat, Morocco

ENHANCING PERFECT WRITER

In the August 1984 BYTE, Barry D. Smith wrote about reconfiguring Kaypro's keypad for use with Perfect Writer ("Reconfiguring Perfect Writer Commands," page 22).

To anyone using Perfect Writer on a Kaypro, I recommend the inexpensive enhancements available from Plu*Perfect Systems (Box 1494, Idyllwild, CA 92349). While running the word-processing program, keys can be defined, files printed or erased, disks changed, and the directory accessed. Key definitions also can be saved and automatically loaded. The swap file can be increased in size up to an entire disk.

Plu*Perfect recommends erasing Perfect Writer's menu to provide space on the disk for key definitions and other files. Everything that can be done through the menu can be done more quickly at the system level.

Documentation and user support is excellent. I have been using the enhancements for nearly a year and wouldn't do without them.

JAMES SWANSON
McBride, British Columbia, Canada

SUBSCRIBER'S LAMENT

My letter is one of caution to other readers of computer magazines. My experience with computers and the computer-magazine industry goes back only about four years, and in this period of time I have subscribed to at least eight different publications, most of which are good sources of information and education, especially yours. But something less than professional is happening within this industry.

In the past six months I have had the unfortunate experience of being a subscriber to two publications that just quit sending out their magazines: CLOAD and

Computer User. A third magazine that quit publishing (*Basic Computing*) did have the professional integrity to transfer its subscriptions to another magazine.

Maybe I have been a victim of a freak set of circumstances, but I don't think so. I believe this is the trend of the future. I hope not, but there doesn't seem to be much a consumer can do once the magazine has your money. It's obvious that bad management is ever present even in the computer-magazine industry.

STEVE HERMES
Bloomington, IL

FORTH CONFERENCE

The fifth Rochester FORTH Conference will be held at the University of Rochester, Rochester, New York, June 12-15, 1985. Sponsored by the Institute for Applied FORTH Research Inc., the focus of the conference will be on software engineering and software management.

There is a call for papers on the following topics:

- software engineering and software management practices
- FORTH applications, including, but not limited to: real-time, business, medical, space-based, laboratory and personal systems; and FORTH microchip applications
- FORTH technology, including finite-state machines, metacompilers, FORTH implementations, control structures, and hybrid hardware/software systems

Papers may be presented in either platform or poster sessions. Please submit a 200-word abstract by March 30, 1985. Papers must be received by April 30, 1985, and are limited to a maximum of four single-spaced, camera-ready pages. Longer papers may be presented at the conference but should be submitted to the refereed *Journal of FORTH Application and Research*.

Abstracts and papers should be sent to the conference chairman: Lawrence P. Forsley, Laboratory for Last Energetics, 250 East River Rd., Rochester, NY 14623. For more information, call or write Ms. Maria Gress, Institute for Applied FORTH Research, 70 Elmwood Ave., Rochester, NY 14611, (716) 235-0168.

ADDING A HARD DISK

In Roy M. Matney's excellent article, "Adding a Hard Disk" (October 1984, page 203), he reiterated a common misunderstanding about my software product, The Norton Utilities. I would like to explain

LETTERS

what my programs can and cannot do, and why.

As many of your readers know, my Norton Utility programs provide file recovery (UnErase) and disk exploration (DiskLook) features for the IBM PC family. However, in the past they have not worked on most unconventional disks: RAM disks, quad-density disks, JFORMAT 10-sector disks, or any hard disk that wasn't in one strict format.

Many people—including Mr. Matney—have assumed that this was because my programs worked "below the BIOS." Actually not. All disk operations were done through conventional PC BIOS services. My programs did not work on more disk formats for a much worse reason: simply because I had coded these programs rather rigidly on the framework of five standard IBM disk formats. It was a lack of flexibility in my programming that restricted their use from wide application.

I am happy to say that I have mended my ways. Version 3 of my Utilities does all of its disk work completely at the DOS level (a full level higher than the BIOS) and

is carefully written to adjust to any reasonable disk format. The version 3 programs run beautifully on RAM disks, partitioned hard disks, the PC AT's 1.2-megabyte high-capacity disk, quad-density micro disks (such as those in the Data General/One), and many others.

Version 3 of the Norton Utilities is in beta test as I write this and is planned to be released to the public in mid-December 1984. Owners of old versions can upgrade for a \$25 charge.

For those who are interested, here is a summary of what's new in version 3: the programs automatically adjust to the format of the disk they are working with; the programs are virtually DOS-generic, so that they would work on nearly any MS-DOS computer; a new set of disk-management services, dubbed the "hard disk helpers," has been added; overall, the character of these programs has been shifted toward the needs of nonexpert computer users: the programs are easier to understand and use and have features with broader appeal. I'm not leaving the experts unsatisfied, though: my beta-

testers; experts all, have been giving version 3 lots of applause.

PETER NORTON
Santa Monica, CA

I enjoyed Roy Matney's informative article, "Adding a Hard Disk," on hard-disk upgrades. However, it is incorrect to say that the Norton Utilities will not work with our controller. The Norton program is expecting 305 DOS cylinders, no more, no less. Our system gives you more than that. By using FDISK.COM to reduce the number of DOS cylinders to 305, the Norton Utilities will perform as expected.

CHRIS TIPTON
Director of Technical Support
Maynard Electronics
Casselberry, FL

CLUSTER ANALYSIS

Rob Spencer's article, "Cluster Analysis" (September 1984, page 129), is a jewel. In the midst of all the recent articles on structuring BASIC by executing subroutines (continued)

Come visit us in our
Long Island Showroom
226 Sherwood Ave.
Farmingdale, NY 11735

Computer Channel

Se Habla Español

Cable: COMSYSTEC NEWYORK
Telex: CSTNY 429418

OUR SPECIALTY: IBM COMPATIBLE PRODUCTS, GRAPHICS, DATABASE, 68000 UNIX, EXPORT

IBM PC & COMPATIBLES

Fantastic busboard for expansion
BASIC BUSBOARD, 0 RAM...\$169
Add up to 512K RAM+ unlimited
number of modules listed below:

Async I/O.....\$88
Parallel I/O.....63
Clock Calendar.....69
Game I/O.....69
Floppy controller.....160
Monochrome adaptor.....190
16 channel A/D.....110
8-bit I/O module.....69
64K RAM kit (9 chips).....45
BUSBOARD with 512K RAM.....450

ACCESSORIES

IBM PC 1 or 2 to XT upgrade ROM BIOS.....\$119
TAVA and PC COMPATIBLES 2.0 UPGRADE ROM
BIOS.....85
360K slimline floppy drive.....195
3 1/2" 500K DRIVE.....205
STARLINK - 5 USERS ON PC.....1,400
10 MB hard disk w/controller.....810
ROM for IBM PC-1 (old version)
allow boot from hard disk, speed up processing.....99

NETWORKS—MULTIUSER SYSTEMS

CAD CAE, CAM SYSTEMS
3Com Ethernet network.....CALL
File Server w/513 MB Winchester hard disk,
160 MB streamer tape backup, latest technology
Bring the mainframe power to PC!

SYSTEM CONFIGURATION

We assemble systems at special prices, including software, special operating systems, shells etc. Call us for business systems, CAD systems, networking, LANS, graphics, mainframe links, interfacing, application integration.
MULTI USER SOFTWARE USING MSDOS
FORTUNE 1500 COMPANIES—
LET US SOLVE YOUR SYSTEM NEEDS!

Special Sale Items

high quality diskettes...

5 1/4" DSDD Soft Sector w/Hub Ring
Bulk (min.20).....\$1.49 ea.
DYSAN, 3M.....CALL
Maxwell for IBM AT.....6.75 ea.

3 1/2" SS for APPLE etc.....4.50 ea.

TELECOMMUNICATION

STUDENT
BACK
TO

\$470

SCHOOL SPECIAL

ZENITH ZT1 terminal built in modem,
auto dial your school computer

PORTABLES

Columbia, Eagle, NEC PC 8021, ZENITH,
TELEVIDEO, COMPAQ, CORONA,
LASER PRINTERS (HI-RES)
DESKTOPS: IBM PC/AT, ZENITH,
APPLE, ETC.....CALL
TERMINALS, PRINTERS, MODEMS,
PLOTTER, DIGITIZERS

Cromemco® SYSTEMS AND COMPONENTS. CALL

Prices subject to change. American Express, Visa/Mastercard add 3%. F.O.B. point of shipment. 20% restocking fee for returned merchandise. Personal checks take 3 weeks to clear. COD on certified check only. N.Y. residents add sales tax. Manufacturers' warranty only. International customers, please confirm price before order. Accept P.O. from Fortune 500, schools and gov't.

Computer Channel
226 Sherwood Ave.
Farmingdale, NY 11735
For information CALL (516) 420-0142
To order CALL 1-800-331-3341

TELEX:
429418
CSTNY

NEW

CASH REGISTER—COMPUTER
COMBINATION SYSTEM—CALL!

Call Oryx and order by phone ...without a single hang-up!

IBM/PC SOFTWARE

Alpha Software	
Data Base Mgr II	\$179
Arrays, Inc.	
Home Acct. +	\$ 95
Home Acct. w/ Tax Advntg.....	\$139
Central Point	
Copy II PC.....	\$34
CompuView	
Vedit	\$130
Vedit +	179
VPrint	65
Connecticut Software	
Printer Boss	
w/ Letter Boss.....	\$ 79
Above w/ Side Kick	119
Creative Software	
Creative Filer	\$ 39
Creative Calc.....	39
Creative Writer	39
Creative Bundle Box (Filer, Calc, Writer)....	109
Digital Research	
Concurrent CPM/86....	\$240
CP/M-86.....	49
C Language/Comp.....	240
Others.....	Call
Dow Jones	
Market Analyzer.....	\$229
Market Manager.....	189
Spreadsheet Link.....	179
Ecosoft, Inc.	
Microstat.....	\$259
Electronic Arts	
Get Organized.....	\$159
Enertronics	
Energraphics.....	\$259
w/ Plotter Option.....	299
Fastware Thor (the thought organizer)....	\$245
Financier, Inc.	
Financier II	\$119
Fox & Geller	
Grafax	\$189
RGraph (for R-base 4000).....	\$175
FYI	
Superfile	\$149
FYI 3000.....	287
Sort Facility	99
Harvard Software	
Project Manager.....	\$249
Lifetree	
Volkswriter Deluxe.....	\$179
Volkswriter Scientific..	359

Living Videotext	
Think Tank (256K).....	\$139
MDBS	
Knowledge Man	\$299
Menlo Corp.	
In Search.....	\$299
Micropro	
Wordstar ProPak (WS, CS, MM, SI).....	\$299
Wordstar	199
Professional Options Pak	\$129
ProPak Plus (WS, CS, MM, SI, TM)	\$399
TeleMerge	109
Microrim	
R-base 4000	\$279
R-base Clout	169
R-Writer	99
Prog Interface	259
Microsoft	
Flight Simulator II.....	\$ 39
Project 1.01.....	199
C Comp.....	309
Basic Comp	249
Word 1.15.....	229
MuMath/MuSimp	199
(All Microsoft products provided in MS DOS.)	
Morgan Computing	
Prof Basic.....	\$ 79
Trace 86.....	99
Pathfinder	59
Multimate	Call
Northwest Analytical	
Statpak.....	\$365
Peter Norton Computing	
Norton Utilities.....	\$ 55
Peachtree	
PeachText 5000.....	\$249
Series 8 Account- ing Modules	\$389
Samna Corp.	
Samna Word +	\$229
Samna Word II.....	369
Samna Word III	439
Satellite Software	
Word Perfect w/ Sp...	\$255
Software Arts	
Spotlight	\$109
Software Publishing	
PFS: File, Graph Write, Plan	ea \$ 89
PFS: Report.....	79
PFS: Access, Proof	69
Sorcim	
Supercalc III.....	\$249
Star Software Systems	
Acct'g Partner	\$229
Acct'g Partner II.....	659

Supersoft	
C Compiler - 8086	\$350
Wang Software	
Grammatik.....	\$ 60
Proofreader	42
Warner Software	
Desk Organizer	\$219
Westminster Software	
Pertmaster	Call
...and many more!	

APPLE SOFTWARE

Alpha Software	
Apple-IBM Connection	\$169
Typefaces	69
Arrays, Inc.	
Home Acct.	\$ 59
F CM	79
BPI	Call
Broderbund	
Bank Street Writer	\$ 45
Bank Street Speller....	45
Others.....	Call
Cdex	
All Trng Prog's.....ea	\$ 49
Central Point	
Copy II +	\$ 34
Digital Research	Call
Dow Jones	
Market Analyzer	\$229
Market Manager.....	189
Spreadsheet Link.....	179
Eduware	Call
Living Videotext	
Think Tank.....	\$ 99
Micropro	
Pro Pak (WS, SS, MM, SI)	\$349
Microsoft	Call
Peachtree	
Back to Basics	\$149
PeachPak Series 40 or 80.....	\$239
Penguin Software ...	Call
Sierra	
Frogger	\$ 25
Software Publishing	
PFS: File, Graph, Report.....ea	\$ 79
Spinnaker	Call
Xerox Education	
Sticky Bear Series...ea	\$ 35

CP/M SOFTWARE

dBASE II CORNER

Anderson-Bell	
Abstat	\$289
Ashton-Tate	
dBase II	Call
dBase III	Call
Framework.....	Call
Friday	Call
Fox & Geller	
dGraph	\$169
Quick Code.....	169
dUtil	58
Human Soft	
DBPlus.....	\$ 90
Sensible Designs	
dProgrammer	\$199

All prices below are for
8" standard.

ATI	
All Trng Prog's.....ea	\$ 52
CompuView	
V-Edit 8080	\$130
V-Edit CP/M 86.....	130
Digital Research	
Pascal MT+ w/ SPP ...	\$389
DR Assembler & Tools	149
CP/M 2.2	125
C Basic	115
PL/I-80.....	375
Personal Basic	120
Access or Display Mgr.....	\$299
C Lang/compiler.....	260
All 8" - 86 Version of Above	Call
Infocom	
Deadline	\$ 49
Starcross	39
Suspended.....	39
Zork, I, II, III	ea 39
Micro Pro	
WordStar.....	\$250
InfoStar.....	265
Pro-Pak (WS, MM, SI, SS).....	\$359
All Others	Call
Microsoft	Call
Microstuf	
Crosstalk	\$109
Northwest Analytical	
Statpak.....	\$365

Oasis	
Word Plus	\$120
Punctuation & Style....	99
Supersoft	
Disk Doctor	\$ 74
Scratchpad Plus.....	129

MACINTOSH CORNER SOFTWARE

ATI	
MacCoach	\$ 60
Dow Jones	
Straighttalk	59
Human Edge	
Sales Edge	\$195
Mgmt Edge	195
Intermatrix	
MacPhone.....	\$159
Living Videotext	
Think Tank.....	\$119
Main St. Software	
Main St. Filer	\$225
Microsoft	
MacBasic V 1.01	\$ 99
MacChart	85
MacWord	139
MacFile	139
Monogram	
Thinkers & Sense.....	\$139
Software Publishing	
PFS: File,Report .ea	\$ 89
T/Maker	
Click Art.....	\$ 39
Telos Software	
Filevision.....	\$109
Games	
Hayden, Infocom Penguin, Mirage Concepts, Sierra, and more	Call

HARDWARE

Davong	
Disk Drives.....	Call
Kensington Microware	
Swivel	\$ 29
Surge Suppressor.....	45
Modem	\$399
Memorex	
3 1/2" Diskettes.....	\$ 49
Tecmar	
Disk Drives.....	Call

APPLE/ FRANKLIN BOARDS

ALS
CP/M Card \$269
Smartterm II 119
Z-Engine 139
CCS 7711
Asynch Serial \$ 99

Microsoft
16K Ramcard \$ 69
Softcard 249
Softcard + 449
Prem Softcard (IIE) 335

Microtek
Printer I/F \$ 75
Dumpling-16K 169
Dumpling-GX 89

Mountain
A-D/D-A Call
Music System \$349

Orange Micro
Grappler + w/ buffer \$175

Prometheus
Versacard \$159

Video-7, Inc.
V-Color RGB cards Call

Videx
Videoterm VT-602 \$249
Ultraterm 249

IBM/PC BOARDS

AST Research
Six Pak + 64K
(exp 384K, S/P, Clk) .. \$279
MegaPlus 64K, (Cl/Cal,
S Port, 512K cap
w/ Megapak) \$279
Extra ports available
for Megaplus and
I/O Plus II (Game,
P or S) \$ 40
Megapak 256K up-
grade for Megaplus. Call
I/O Plus II Cl/Cal
and S Port \$139

Maynard Electronics
Floppy Drive Cntrlr. \$139
w/ Par Port 169
w/ Ser Port 179
Sandstar Call

Orange Micro
Mr. Chips Call

Orchid Technology
the "Orchid Blossom"
(To 384K, Clk w/ alarm,
S&P ports, ram disk,
disk caching, upgrade-
able to PCNet) Call

Quadram
Quadboard 64K, (exp
384K, Clk/Cal, S&P
Ports, Software) \$269
Microfazer Stack Printer
-P/P 8K (exp 512K) \$139
-S/P 8K (exp 64K) 149
-S/S 8K (exp 64K) 149
Quadlink 64K Memory
(allows Apple SW to
run on IBM/PC) \$469
Other Products Call

Tecmar
Graphics Master \$479
Captain's Board 299
1st Mate 259
2nd Mate 250
3rd Mate 379
Jr. Captain (128K, C, P) 329
Jr. 2nd Mate (C, P) 129

Xedex/Microlog
Baby Blue \$325
Baby Blue II 525

DISPLAY CARDS

Amdek
MAI Card \$399

**Fredericks/Plan-
tronics** Colorplus... Call

Hercules
Graphics Board \$349
Color Board 199

MA Systems
PC Peacock
Color Board \$249

Paradise
Display Card
(clr/monochrome) . \$379
Modular/Display.... 359

Quadram
Quadcolor I \$199
Quadcolor II 389

Tecmar
Graphic Master \$479

DISK DRIVES

CDC 1800 \$209
Corona Call
Corvus Hd Call
Datamac
Trustor 10H (for
Macintosh, Ile, PC) ... Call
Davong Hd Call
Maynard HD Call
Tall Grass
For Wisconsin customers Call
Tandon TM-100-2 \$199

Mountain, Inc.

FileSafe Combo
Disk/Tape Pack for
the IBM PC or XT
Model 01-4000-04:
35MB HD w/27MB
tape backup
Model 01-4000-06:
35MB HD w/60MB
tape backup.
For more info Call

MONITORS

Amdek
300A Amber \$149
310A 199
300 Clr 299
500 Clr RGB 449
600 Clr HR 549
700 Clr Ultra HR 629
710 Clr Non Glare 649

NEC
JB1201-12" Green \$169
JB1260-12" Green 119
JC1216 RGB 429

Panasonic
CT160 10" comp Call

PGS
HX12 RGB Clr \$489
MAX 12 189
SR12 (690 x 480 Res) ... 639
Doubler Card 175

Quadram
Quadchrome \$489

Sanyo
8112 12" HR Green ... \$195

Taxan
440 \$679

USI 1200A
12" HR Am \$139

Zenith
135 (RGB or comp) \$499
136 669

MODEMS

Hayes
Smartmodem 300 \$195
Smartmodem 1200 489
Smartmodem 1200B... 399

Prometheus
Promodem \$399

Quadram
Quadmodem \$529

US Robotics
Auto-Dial 300/1200 ... \$459
S-100 Modem 349
Password 525

Zoom Telephonics
Networker w/o SW ... \$109

PRINTERS

C. Itoh Electronics, Inc.

Prowriter
8510 AP (Par) \$349
8510 PC-II (Ser)
(w/ 3K Buffer) \$499
1515P 599
Starwriter
F10-40P (40cps) \$999
A10-20S (20cps) 529

Diablo
630 ECS Call

Juki Industries
6100 \$399

NEC Call
Okidata 82-93 Call

Printek, Inc.
920 S/P \$2050

Quadram
Quadjet Call

Star Micronics Call

Teletex T1014 \$399

Transtar
T-130 P&S \$659
T-315 P - Dot Matrix.. 489
T-120 P&S 475

...and much more.

DISKETTES

3M, CDC, Maxell,
Verbatim, Ultra
Magnetics Call

PLOTTERS

Amdek
DXY-100 \$599
Amplot II 899

Enter
Sweet P Six Shooter... Call

Houston Instruments Call

Panasonic
VP6801P Plotter \$1375

MISC.

Alpha-Delta "MACC"
Surge Protector \$ 69

Computer Accessories
Power Director Call

**Electronic
Protection Devices**
Lemon / EC I \$ 45
Lime / EC II 65
Orange / EC IV 105

Hauppauge
87 Chip \$159
Other Products Call

Kensington
Masterpiece Call

Keytronic
KB 5150 \$169
KB 5151 175
KB 5151 Dvorak 175

Street Electronics Call

TG Call

Versa Computing

VersaWriter \$239

A variety of complete
PC compatible systems
are available at Oryx.
For assistance in
determining your needs
use our technical line.*
We will be happy to
provide full support.

POLICY:

- ▶ Wisconsin residents add 5% for sales tax.
- ▶ Minimum \$4.00 for shipping, handling and insurance for orders to \$200.
- ▶ For orders over \$200, add 2 1/2% for shipping, handling and insurance.
- ▶ For cash prepayment of orders \$200 or more, add ONLY 2% for shipping, handling and insurance.
- ▶ Foreign — either add 15% handling & shipping (Int'l money order) or inquire.
- ▶ Prices are subject to change without notice.
- ▶ All items subject to availability.

WE WELCOME:

- ▶ Visa, MasterCard and American Express. (No charge for credit cards.)
- ▶ Corporate, government or educational volume purchases, please ask for special accounts desk for additional discount. (1-715-848-1374)
- ▶ COD (Add \$2.00 per box/parcel. Cash or certified check required.)
- ▶ Checks. (Allow 1-2 weeks for clearing.)

WORKING HOURS:

Monday-Friday 8:30-6:00 • Saturday 10:00-2:00 (Ordering Lines only) • Central Time
For tech. support, order status and customer service, call (715) 848-1374 (M-F, 8 am to 5 pm)


Inquiry 241 for Hardware. Inquiry 242 for Software. Inquiry 243 for February Specials.

ORYX SYSTEMS, INC.
CRAFTSMEN OF THE NEW TECHNOLOGY

1 800 826-1589

WITHIN WISCONSIN **1 800 472-3535**

425 First Street • P.O. Box 1961
Wausau, Wisconsin 54401
INT'L TELEX: 260181 ORYX SYS WAU



each time anything is to be accomplished, his program succeeds in accomplishing its task simply and clearly with only one GOTO and only four GOSUB instructions in the body of the program, plus the two recursive GOSUB instructions in each subroutine. Only five line numbers are referenced in the entire program.

The problem with the "structured BASIC" proponents is that in general they want us to write BASIC programs as if they were really Pascal. Let's face it: It may be proper German to put a verb at the end of a sentence, but in English that is bad grammar. The goal is to write clear programs. What purpose would have been served by inserting in Mr. Spencer's program lines such as:

```
31 GOSUB 40 ' initialize
32 GOSUB 140 ' get data, do basic stats
33 GOSUB 240 ' do means
```

The goal is to write clearly with the tools given us, not to emulate one language from within another.

W. HOWARD CORNELSEN JR.
Houston, TX

The September issue was outstanding. Two programs presented in it—"Cluster Analysis" by Rob Spencer and "Fractals" by Peter R. Sørensen—give the micro owner a wonderful opportunity to use a program running on a computer as a way of understanding important phenomena. This aspect of computer literacy is not often stressed, and articles such as these serve such a purpose.

BENJAMIN W. WHITE
Tiburon, CA

DATABASE TYPES

Every once in a while BYTE carries an article that really makes me sit up and take notice. I wish that I had seen Rich Krajewski's article, "Database Types" (October 1984, page 137), a couple of years ago.

I had need of a database program to run on my Commodore 64 but really had no way to know which program to buy. Actually, none that I read about sounded right for me. So I wrote my own. Now, as I am in the middle of revising my program, I discover in your October issue that I have a "free-format database." Too bad I didn't know what to look for before. But, actually, I'm not sure that there was, or is, such a program for the Commodore 64.

I teach at Southern Arkansas University—El Dorado. Each year I need to select an outstanding student from science and math to be honored at graduation. And

I need to select students for nomination to "Who's Who." Frequently I hear from a student who would like me to write a letter of recommendation. With my Database program, I can print out my records for all students that got an A for any particular semester, and in any particular course if needed. Or I can print out all the information that I have on a particular student.

Recently I have been computerizing my card file. When finished, I will be able to call up all references to databases, or to dot-matrix printers, or on using solar energy to heat pools.

If any reader of BYTE would be interested in trying "Database" on his Commodore 64, send me a disk and a check for \$5. I'll return a copy of the program and documentation.

JACK RYAN
Rte. 5, Box 244
El Dorado, AR 71730

I have been searching for databases that will fulfill my own requirements as well as requirements for clients over the past several months and found your articles very helpful. There was, however, one change to your coverage that other "searchers" might find helpful. Savvy, by Excalibur, now runs on MS-DOS as well as on its own operating system. It requires MS-DOS version 2.0 or later. With this enhancement, I have found it to be an unbeatable value for most applications. It is easy to use, complete, powerful, and very well supported. Its documentation is excellent, a real rarity in the marketplace—and in the industry.

WARREN S. NAKISHER
Falls Church, VA

WHAT'S "FRIENDLY"?

I wonder if you have any idea how overused and undefined the word "friendly" is when used to describe a computer system? I have found that every user community has a different idea about that, and even the same users will feel differently about it with use.

I believe we should be simply talking to our users rather than trying to define friendly within the computer community. This kind of action requires that we get hardware and operating systems that are as flexible as possible and that we write applications to react to the needs of the users. This is hard to do when writing for a large unknown user, and perhaps this is the reason most software is deemed unfriendly.

I think the most unfriendly operating sys-

tem is UNIX, but I really like that system, and many users will call it friendly because it is flexible and permits the programmer to write friendly applications. I would be interested to hear comments on this.

JOHN L. BEAL
Phoenix, AZ

PSEUDORANDOM NUMBERS

Your article by Charles A. Whitney entitled "Generating and Testing Pseudorandom Numbers" (October 1984, page 128) is a good tutorial on examining the periodicity of pseudorandom sequences used in Monte Carlo and other simulation techniques. To this end, I would like to contribute the two-line program below for IBM PC DOS 2.0 to further demonstrate the inherent periodicity of the BASICA RND (and other) pseudorandom functions.

```
10 RANDOMIZE TIMER: KEY OFF:
   SCREEN 1: CLS
20 X = 320*RND: Y = 200*RND:
   C = 4*RND: PSET (X, Y), C: GOTO 20
```

The program is intended to graphically demonstrate periodicity as spatial/color banding. Such banding indicates a clear recurrence of pseudorandom triplets repeatedly formed for X, Y, and color.

Other than an interesting star-like twinkling effect, this graphical technique has considerable value in visually inspecting both the periodicity and distribution (uniform, Gaussian, etc.) of other pseudorandom sequences.

H. J. SOMMER III
University Park, PA

THE ORIGIN OF "FOO.BAR"

I have been working with computers for 26 years, and I still don't know the origin of the words "FOO" and "BAR" which appear in just about every language manual I've read.

Are they Ada Lovelace's boyfriend's middle names? Or perhaps they are magic words from an early adventure game. (They never work for me.)

Someone out there must know.

PETER SMITH
Kenmore, Australia

We believe "FOO.BAR" started out as "FUBAR," an unofficial military acronym for Fouled Up Beyond All Recognition. Perhaps often used as a test filename, FUBAR may have been altered to FOOBAR when a large computer manufacturer's file specification required six characters. We're curious too. ■

ADD-INS

PC Chinese Software Bridge

The CCC-PC Chinese Character Generator Card from Multitech Industrial Corporation lets you run Chinese applications software on your IBM 5550 and IBM PC. This card plugs into an IBM expansion slot and gives you the ability to display and print out Chinese characters.


The CCC-PC card stores Chinese characters in a 2-byte international code using a technique known as the Dragon Coding Method. This method is said to reduce 17,000 characters to 24 alphabet-like symbols. The CCC-PC supports the

method in two modes: one for beginners and the other for experienced Chinese encoders.

Other input/output methods on the CCC-PC include telegraphics, lightning, national phonetic alphabet, and internal code dictionary.

The CCC-PC supports IBM-compatible TTL-input monochrome monitors with a 40-character by 25-line display for Chinese characters and an 80 by 25 format for ASCII characters. The resolution uses a 16- by 16-dot character cell.

The CCC-PC is available to original equipment manufac-



turers and end users. Contact Mr. William Lu, Multitech Industrial Corp., 266 Sung Chiang Rd., Taipei,

Taiwan, Republic of China; tel: (02) 551-1101; Telex: 19162 MULTIC. Inquiry 615.

IBM PC Color-Graphics Board for S-100

An IBM PC-compatible color-graphics display board for S-100 bus systems is available from CompuPro. The PC Video Board runs under CompuPro's Concurrent DOS 8-16 with Digital Research's IBM PC-compatibility module, and it works with Digital Research's GSX graphics software.

Built around the Motorola 6845 video-display controller, this board can be programmed to produce an assortment of timing characteristics for a variety of color and monochrome monitors. It features 16K bytes of static CMOS RAM,

24-bit memory addressing, 16-bit addressing for I/O ports, and variable wait states, which provide independent access to up to eight boards.

In its color mode, the board permits graphics screens of 160 (horizontal) by 200 pixels (vertical) in 16 colors using an alphanumeric 4- by 2-dot character box, 320 by 200 pixels in four colors, or 640 by 200 pixels in one color plus black.

The alphanumeric screen uses an 80 or 40 by 25 format and an 8- by 8-dot cell with a 7- by 7-dot

character within the box. A 256-character ROM generates uppercase and lowercase characters with single-line descenders. Direct-drive outputs include horizontal sync, vertical sync, RGB TTL, and half- and full-intensity.

In its monochrome mode, the PC Video Board produces a graphics screen with a 320 or 640 by 200 resolution. Its alphanumeric screen in this mode has the same column and line sizes as in the color mode but uses a 9- by 14-dot character cell with a 8- by 12-dot character. The 256-character ROM generates character sizes in upper- and lower-cases with fully formed descenders and such character attributes as underline, blanking, and reverse video. Direct-drive outputs include horizontal sync, vertical sync, video dots, and half- and full-intensity.

The PC Video Board is \$495. Contact CompuPro, 3506 Breakwater Court, Hayward, CA 94545, (415) 786-0909.

Inquiry 616.


2K Programmable Microcontroller

The MC-1Z is a 3- by 4-inch microcontroller with 2K bytes of RAM and 40 fully programmable I/O lines. Its resident programming language is Integer BASIC, making the MC-1Z suitable for such applications as instrumentation and process control.

This board is built around a Zilog 8671 microprocessor. It can be upgraded to 16K bytes of RAM, or it may be equipped with a 4K- or 8K-byte EPROM. Standard equipment includes a clock/calendar, two timer/counters, six interrupts, and an EPROM receptacle. With more cabling, the MC-1Z can be linked to an RS-232C terminal for applications programming. Its data rates range from 110 to 19,200 bps.

The MC-1Z comes with complete hardware and software manuals. Prices begin at less than \$200. Contact Basicon Inc., 11895 Northwest Cornell Rd., Portland, OR 97229, (503) 626-1012. Inquiry 617.

(continued)



A D D - I N S

X.25 Interface for PC


The PC-X25 is an X.25 communications interface for the IBM Personal Computer. A plug-in board, the PC-X25 comes with sup-

porting software that provides a menu-driven environment for accessing network services, exchanging messages, and transmitting

files. Data transmission rates range up to 19,200 bps.

The PC-X25 has received PTT approval in the United Kingdom, France, Holland, Japan, and Switzerland. The manufacturer claims that approval is imminent in the United States as well as the rest of Europe and Australasia.

The single-license charge is £1000. Contact S-Com Computer Systems Engineers Inc., Tower House, High St., Aylesbury, Buckinghamshire, HP20 1SQ, England; tel: (0296) 32023; Telex: 837520 ADTRAV G. Inquiry **618**.

**Apple IIe Video Card**

Checkmate Technology has announced the MultiView 80/160 Card, a video card that displays from 80 to 160 characters per line on a 12-MHz monitor. The MultiView 80/160's seven screen sizes are 80 characters by 24 lines, 80 by 32, 80 by 48, 96 by 24, 132 by 24, 132 by 30, and 160 by 24. Screens longer than 24 lines require a monitor with a long-persistence phosphor. The user can view each screen size in wide-angle mode for easier reading.

The MultiView 80/160 also adds up to five prompt lines to the standard screen display. The card uses an 8 by 9 matrix with true descenders to create a letter-quality character set. Characters can be displayed as bold, inverse, normal, or underlined. You can reverse-scroll up to 4096 characters.

The MultiView 80/160 installs in the Apple IIe's slot 3. It lets you use the 64K bytes of memory of an extended 80-column card in the auxiliary slot. Through

MultiView, you can access the extra 64K bytes by using BASIC commands. The card is compatible with CP/M, Apple Pascal, DOS 3.3, and ProDOS.

MultiView is priced at \$349.95. Contact Checkmate Technology Inc., 509 South Rockford Dr., Tempe, AZ 85281-3021, (602) 966-5802. Inquiry **619**.

Multifunction Card for Apple IIe

AST Research's Multi-I/O board for the Apple IIe offers a serial printer port, a communications serial port, and a ProDOS-compatible clock/calendar with battery backup. It also includes an on-disk tutorial program, clock read/set, text-file listing, graphics dump,

phone dialer, modem or remote-terminal print, and screen time-display utilities package.

The price for the complete package is \$235. Contact AST Research Inc., 2121 Alton Ave., Irvine, CA 92714, (714) 476-3868. Inquiry **620**.

Greeting Card Security

The Greeting Card prevents unauthorized use of your Apple II, II+, or IIe. This single card has a 2K-byte nonvolatile memory that holds a security program that gives your Apple password protection. It can be used for posting short messages, and it can hold up to eight assembly-

language programs, which can be set to run when the Apple is booted up.

The Greeting Card requires 48K bytes of RAM and a disk drive. The price is \$69.95. Contact Birchem Computer Products, 5728 Thames Way, Carmichael, CA 95608, (916) 489-7542. Inquiry **621**.

A/D Cards

Action Instruments offers a line of plug-in, IBM PC-compatible analog and digital I/O cards for industrial process and laboratory applications.

The AICP-AI04 accepts 4 analog inputs, transmits 2 analog outputs, and provides 12 channels of configurable digital I/O, all with 12-bit resolution. The AICP-AI016, also with 12-bit resolution, accepts 16 single-ended or 8 fully differential inputs. The AICP-AI08 handles 8 single-ended, ± 5 -volt inputs and provides 7 channels of digital I/O.

Both the AICP-RTD15 and the -TC15 are designed for temperature applications. Each accepts up to 15 input channels and provides 500-volt input-to-expansion bus signal isolation.

The AICP-SG4 enables the IBM PC to monitor and control force, strain, and pressure applications. A general-purpose, low-level analog card, the SG4 provides 8 outputs and sources its own excitation voltages for direct connection to load cells, strain gauges, and pressure transducers. Also standard are front-end filtering and individual on-board channel alarm set points.

The AICP-DIM32 has 32 input channels, and the -DOM32 has 32 output channels. Both are designed for interfacing multiple digital signals to the IBM PC and can connect with industrial, isolated high-level I/O racks. They provide positive or negative true TTL-compatible logic levels.

Prices range from \$250 for the AICP-DIM32 to \$1295 for the thermocouple, RTD, and strain-gauge cards. Contact Action Instruments Inc., 8601 Aero Dr., San Diego, CA 92123, (619) 279-5726. Inquiry **622**.

PERIPHERALS

Omninet for the Mac

Corvus Systems' Omninet local-area network can connect up to 63 Macintoshes at distances up to 4000 feet and run at 0.7 megabits per second. This card is built into the computer interface cable; you plug the cable into the modem port of the Mac.

The connections for Omninet are \$200. Disk drive costs depend on amount of memory: \$1795 for 5 megabytes, \$2495 for 10 megabytes, \$3495 for 16 megabytes, and \$4995 for 45 megabytes. Contact Corvus Systems Inc., 2100 Corvus Dr., San Jose, CA 95124, (408) 559-7000. Inquiry **623**.

High-Speed Printer

The OT-700 dot-matrix printer from Output Technology uses an advanced print-head technique to reach a maximum speed of 700 characters per second. It also features correspondence-quality printing at 350 cps and dot-addressable graphics capability in two modes: 50 by 69 dots per inch for high speed or 100 by 69 dpi for high resolution.



Centronics parallel and RS-232C serial interfaces and a 4K-byte buffer are standard. You use menu-driven program commands to configure the OT-700. Numerous character sets, including foreign languages,

are offered.

The printer has 136-column carriage width, and paper feeds from the front or bottom of the case. The control panel features membrane switches and LED in-

dicator lights.

The OT-700 sells for \$1595. Contact Output Technology Corp., Suite 205, 606 110th Ave. NE, Bellevue, WA 98004, (206) 453-9794. Inquiry **624**.



Multiuser Hard Disk for the IBM

A multiuser, 38-megabyte hard-disk drive for the IBM PC or PC XT is available from Adcomp. Up to 16 microcomputers can access the system, which includes a removable 6-megabyte disk drive for backup. Its modular design lets you expand it to use more computers and up to 100 megabytes of memory.

Adcomp also offers ready-

made file administration for multiuser applications. One computer supervises the access administration for the others while it remains functional as a workstation.

The hard-disk system costs \$3995. Contact Adcomp Datensysteme GmbH, Olgastrasse 15, D-8000 Munich 19; tel: 011 (49) 89-129-80-45; Telex: 52 16 271.

Inquiry **625**.

Graphics and Letter-Quality Print


Star Micronics has announced the Star SB-10, a letter-quality, dot-matrix printer. The Star SB-10 produces text at two speed and quality settings: letter quality at 60 cps and draft quality at 120 cps. It also can combine letter-quality text with graphics.

The printer's character fonts include pica, elite, condensed, proportional, expanded, emphasized, and double-strike. It has a standard Centronics parallel in-

terface plus optional serial (RS-232C) and GPIB (IEEE-488) interfaces. Some of the Star SB-10's features are continuous underline, vertical and horizontal programmable tabs, self-test, left and right margin set, and bit-image column scan.

The Star SB-10 is \$995. For details, contact Star Micronics Inc., 200 Park Ave., New York, NY 10166, (212) 986-6770. Inquiry **626**.

(continued)



NEW SYSTEMS

Passport Comes with Hard Disk

Anderson Jacobson's AP Passport/PHD desktop computer gives you both floppy- and hard-disk storage. The system behind the storage has 256K bytes of dynamic RAM, on-board color, graphics, and five expansion bus slots. An MS-DOS 2.11-compatible operating system, TeleDOS controls operations.

Based around Intel's 8088 microprocessor, the Passport/PHD comes with an asynchronous RS-232C serial communications port, a parallel Centronics-type printer port, a single internal IBM PC-format bus slot, and RGB and composite-video connections. It has fifteen data rates, ranging from 50 to 9600 bps.

The slimline 5¼-inch floppy-disk drive provides 360K bytes of formatted storage, and the 3½-inch hard disk offers 10 megabytes. The floppy-disk transfer rate is 250K bits per second. The hard disk offers a 5-megabit per second transfer rate.

The Passport/PHD has a 12-inch amber display with a nonglare surface that tilts and swivels. Graphics capabilities are supported by 16K bytes of dedicated memory. The monochrome



display resolution is 640 by 200 pixels. The color resolution is 320 by 300 pixels.

The IBM PC-style keyboard features 83 keys, with a numeric pad and 10 programmable function keys.

The Passport/PHD is

\$4095, which includes integrated word-processing, spreadsheet, and database-management programs. Contact Anderson Jacobson, 521 Charcot Ave., San Jose, CA 95131, (408) 945-9030. Inquiry **627**.

A Wyse Line of IBM PC-Compatibles

Wyse Technology has unveiled a line of IBM PC-compatible computers.

The WYSEpc Model WY-1100-1 is an entry-level system. It comes with a pair of 360K-byte double-density floppy-disk drives, 256K bytes of RAM, two serial ports, and a parallel printer port. A 14-inch tilt-and-swivel monochrome display and a 101-key keyboard are standard. Two expansion slots provide room for IBM PC-compatible options.

The IBM PC XT-compatible Model 1100-2 comes with a 10-megabyte Winchester hard-disk drive and one floppy-disk unit.

Both units are shipped with MS-DOS 2.11 and GW-BASIC and are offered with a color graphics option. Other options include 256K bytes of RAM, a real-time clock/calendar, battery backup, and an expansion chassis with four IBM PC-compatible slots.

The Model 1100-1 is \$1995, while the Model 1100-2 is \$3495. The color graphics option is \$500. Contact Wyse Technology, 3040 North First St., San Jose, CA 95134, (408) 946-3075. Inquiry **628**.

Datapoint Announces 32-bit Computer

The Datapoint 3200, a 32-bit computer has a UNIX-like operating system known as UNOS. The 3200 can serve as a stand-alone system and as a member of Datapoint's ARC intelligent local-network system.

UNOS, which is said to optimize 68000 performance, provides such file-management capabilities as multi-tasking, device-independent I/O, dynamic file allocation,

I/O redirection, and hierarchical directory structure.

Software options for the 3200 include C, RM/COBOL, and a business programming language. Ace Microsystem's LEX word processor and Microsoft's Multiplan are supported.

The 3200 has dual 68000 microprocessors. One 68000 has a 4K-byte cache memory for application processing at a 12.5-MHz clock

rate. The second 68000 organizes I/O.

Presently, two models are available with a variety of options, including up to 8 megabytes of RAM, three types of terminals, three different printers, and a 2780/3780 communications adapter. The 3200 can support 28 Datapoint terminals.

An entry-level 3200 comes with 1 megabyte of RAM, cache memory, and four

serial ports. A 1-megabyte 8-inch floppy disk and a 32-megabyte hard disk provide mass storage. The base system price is \$15,430 through Datapoint's ISO and end-user direct-sales force. UNOS is \$1000, and a network adapter is \$2500. For more information, contact Datapoint Corp., 9725 Datapoint Dr., San Antonio, TX 78284, (800) 334-1122. Inquiry **629**.

Musical Macintosh

Even if you can't read a note of music, you can use MusicWorks to create and perform music on a Macintosh. MacroMind, developer of the software, claims the program enables anyone to compose and edit simple melodies or fully orchestrated symphonies. The compositions can then be played back with as many as four voices simultaneously over an eight-octave range, and you can assign each

voice any one of eight musical instruments. You can vary the tempo, intensity, timbre, and meter.

MusicWorks features two composing options. In the first method, you place notes and rests on a conventional staff. In the second method, you place boxes on a matrix grid that resembles the keys of a piano. The program automatically updates the composition in standard notation

and can print scores for one instrument or for an ensemble.

The program comes with sample songs that you can edit and rearrange. The manual includes an introduction to the basics of music.

MusicWorks for the Apple Macintosh costs \$79.95 and is being marketed by Hayden Software Company Inc., 600 Suffolk St., Lowell, MA 01854, (617) 937-0200. Inquiry **630**.

MacManage Projects

A project-management tool for the Macintosh, MacProject enables you to draw a schedule on the screen and enter beginning dates, required completion dates, resources, and fixed and variable cost data for each task. MacProject then calculates the start and finish dates.

The program features "what-if" analytical capability that lets you instantly recalculate dates, resources, and expenses when variables are introduced into a project. You can cut and paste sections of projects into other project schedules or into files created with MacWrite. You can also transfer cost data to Multiplan for further analysis. Schedules, resources, and tasks can be represented in tables.

MacProject can accommodate up to 200 jobs on the 128K-byte Macintosh and up to 2000 jobs on the Lisa 2 or the 512K-byte Macintosh. Available from authorized Apple dealers, the package has a suggested retail price of \$125. Contact Apple Computer Inc., 20525 Mariani Ave., Cupertino, CA 95014, (408) 996-1010. Inquiry **631**.

High-Level Language

Based on the FORTH language model, SkyForth 1.3 is a development system for the Apple II series. According to the vendor, SkyForth can execute 10 iterations of the Sieve of Eratosthenes benchmark in 139 seconds and alphabetize 2000 five-character names in 5.2 seconds.

The language, including its source-code editor, resides in the upper 16K bytes of the computer. Since the editor/compiler is always resident, you can write, compile, and test programs quickly. SkyForth reads and writes its programs as continuous Apple DOS 3.3 files. You can save finished programs and overlays as object code.

The developer features a full assembler, utility and debugging routines, and a turnkey, run-time package. SkyForth's kernel includes words to handle floating-point math, 32-bit integers, memory moves, sorts, list structures, and windowed graphics.

A single-user license costs \$99. Contact Tosch Information Management, Dept. S, 16025 10th Ave. SW, Seattle, WA 98166, (206) 246-3839. Inquiry **632**.

Introduction to CAD

With CADAPPLE—Entry Level, you can learn and apply the fundamentals of computer-aided design (CAD). The program features menus and single-stroke operation, built-in error recovery, and floating-point internal calculations.

The package provides lines, arcs, circles, rectangles, ellipses, polygons, and text. You can select grid spacing and divisions in both *x* and *y* axes independently, in "real world" coordinates, and change them at any time. You can input with a keyboard, joystick, mouse, or KoalaPad. Any distance can be dimensioned automatically. You can scale objects or groups of objects independently, rotate them to any degree, or delete (or undelete) them. Windowing functions let you zoom in and out of a drawing or pan across it. Drawings are done on a plotter.

CADAPPLE—Entry Level costs \$495 and runs on an Apple II or II+ with 64K bytes of memory and on an Apple IIc or IIe. Contact T & W Systems Inc., Suite 106, 7372 Prince Dr., Huntington Beach, CA 92647, (714) 847-9960. Inquiry **633**.

System Helps You Search Information Databases

Searchware has developed a software system that enables an Apple computer to access and search information databases. The system emphasizes a knowledge of the subject you are investigating rather than familiarity with the search procedures of each database.

According to the company, you don't need to know the syntax of search commands. The program asks you to identify key words in the subject of interest; the search strategy is then developed off line, which can reduce search-time charges. When the strategy is complete, the computer automatically dials the phone number of the database, logs on, transmits the search strategy, records the results of the search either on paper or on floppy disk, and then logs off and disconnects.

You can search at three levels. The first level takes care of commands, syntax, and logic. At the second level, the software develops and transmits the search commands, but you create the logic. The third level lets you search on line.

Searchware bills monthly for search-time charges. There is no minimum monthly charge.

The company is offering an automated demonstration program for \$15. No modem is required to run this program. Complete software packages start at \$290. A version for the IBM PC is also available. Contact Searchware Inc., Suite E, 22458 Ventura Blvd., Woodland Hills, CA 91364, (818) 992-4325. Inquiry **634**.

(continued)

WordStar Commands Placed on Function Keys

Keys Please! with Instant Install gives WordStar users the convenience of single-keystroke operation. This enhancement package, published by Precision Software Products, places all 140 WordStar commands onto function keys and automatically activates all WordStar's printer capabilities, including condensed, bold, and italics. Commands

are grouped by function, and an on-screen command summary line eliminates the need for rote memorization of key combinations.

Hardware modifications or optional boards are not required. Keys Please! with Instant Install runs on CP/M 2.2, CP/M-80, CP/M 3.0, TurboDOS, CDOS, and Cromix systems with 56K bytes of RAM. It also works

with MS-DOS and PC-DOS version 1.x or 2.x computers with 128K bytes of RAM. Two disk drives are required. A variety of printers are supported. The suggested list price is \$69.95. For more information, contact Precision Software Products, Suite 204, 360 17th St., Oakland, CA 94612, (415) 839-5780. Inquiry **635**.

Integrated Package Grows with You

TymIV is an integrated software package that can be expanded as your needs increase. The basic package, known as Anthology, comes with word-processing, spreadsheet analysis, and database-management capabilities. For more sophisticated data management, there's Six, a universal database package that lets you save, recall, and edit large quantities of information and print standard or custom-designed reports, forms, and labels.

At the heart of this package is a native C code master program called Execu/Bus. Execu/Bus serves as a common environment by generating uniform commands and screen presentations for all applications. These commands control the start-up and completion of a task as well as provide an interface for data swapping among applications. Operating system utilities can be accessed through Execu/Bus. Utility functions include file backup and copy; rename, delete, and print file; and display directory. A common help facility supports all applications.

Presently, the manufacturer has 18 vertical and horizontal applications in the TymIV series, including financial application templates, plotting software, banking packages, and communications. The TymIV series runs on MS-DOS, PC-DOS, and UNIX System V systems. Anthology is \$495, and the suggested price for Six is \$395. Specialized applications range from \$195 to \$1500. For details, contact InfoTym, TymIV Marketing, 20705 Valley Green Dr., Cupertino, CA 95014, (408) 446-7406. Inquiry **639**.

Hard-Disk Backup Traps Errors in CP/M-86

BackRest 2.0 is a hard-disk drive backup program for such operating systems as CP/M-86, MS-DOS, and MP/M. When used with CP/M-86, BackRest will trap hard system errors, even though that operating system does not support error trapping.

BackRest can interrupt a backup at any time to perform a priority task or to

format additional floppy disks. After the interruption, it can resume the backup procedure from where it left off. It locks out bad sectors on the hard disk, and it supports backups to most file-oriented tape devices. Standard features include optional restoration to an alternate drive, automatic restoration, the ability to split large files over several floppy

disks, backup of sparse files, and local-area network support.

Other DOSes supported include PC-DOS, Concurrent CP/M, CP/M 2.2, CP/M Plus, MP/M-86, and TurboDOS. The suggested retail price is \$180. Contact Stok Software Inc., 17 West 17th St., New York, NY 10011, (212) 243-1444. Inquiry **636**.

Product Generation Utility Eases Rebuilding Process

Lattice has announced the availability of an automated product generation utility for MS-DOS. Called LMK, this product functions like a UNIX MAKE facility. LMK is designed to facilitate the making of alterations in a variety of source files. It eliminates the manual reconstruction of a product's source files. Its scope in constructing software, documentation, or file systems is limitless.

Here's what LMK does: Once you have specified the relationships between various pieces of a system, such as source modules, object modules, or chapters of a manuscript, in a "dependency file," you can invoke a single LMK command to automatically rebuild the

system. LMK's actions can be any executable command, such as invoking a batch text editor to make replacements in a number of files, applying a file comparator to new and old files, updating a database, or running utilities.

Minimum system requirements are 320K bytes of floppy-disk capacity, 128K

bytes of RAM, and MS-DOS 2.0 or 3.0. It runs on computers based on 8086, 8088, 80186, or 80286 microprocessors. The suggested retail price for LMK with full documentation is \$195. For further information, contact Lattice Inc., POB 3072, Glen Ellyn, IL 60138, (312) 858-7950. Inquiry **637**.

Software Connections Supports Networks 1.0

Software Connections has announced a line of network applications software that works with Microsoft's Networks 1.0 network-operating system extension. Products available include a relational database-management system, a relational data-

base-applications development tool, and a store-and-forward electronic-mail file-transfer system.

Contact Software Connections, 2041 Mission College Blvd., Santa Clara, CA 95054, (408) 988-0300. Inquiry **638**.

Equation Processor

Equate is an equation processor for the IBM PC and compatibles using DOS 1.1 through 2.1.

It lets you enter up to 799 equations anywhere on screen in standard algebraic notation. A full-screen text editor facilitates equation and explanatory-text entry, and an interactive Constants Window gives you more than 400 physical constants and measurement conversions to insert into equations. Equations or other constants can be added to the window.

Equate evaluates your equations, prompts for undefined variables, and produces 16-bit (double-precision) results at the press of a function key. A forms feature helps you devise application worksheets that prompt for data or arrange results into tables. Data cells can be sited at any spot on screen; rows or columns are not mandatory.

Equations, results, and tables can be stored as worksheets. Worksheets may be printed or transferred to a word processor that accepts ASCII files.

The General Worksheet Series Disk I comes with Equate. It provides worksheets for solving simultaneous equations and for calculating standard deviation, variance, and the area and moments of inertia for principal shapes.

Equate comes with an evaluation version that's good for 30 uses. The master disk and related materials can be returned to the manufacturer within 30 days for a full refund. Equate is \$195. Contact Banyan Systems Corp., 5632 East Third St., Tucson, AZ 85711, (602) 745-8086. Inquiry **640**.

Soft Winchester: Inexpensive, Alternative Hard Disk

The BYSO Soft Winchester program from Leven Instrument Company stores your most frequently used data in RAM so that you can access it quickly. The manufacturer says that with Soft Winchester such programs as WordStar and dBASE II will load or sort hundreds of times faster than from a floppy.

Soft Winchester lets you use 1440K bytes of data. If you have data that cannot be accessed from RAM or disk, it prompts you for the disk with the data. It automatically backs up your data to disk, and, once loaded, its operation is transparent. A simple key combination lets you use new 1440K-byte sets of data.

The BYSO Soft Winchester runs on 128K-byte IBM Personal Computers, including the PCjr, and true IBM compatibles. A monochrome or graphics adapter is required. It costs \$60. For more information, contact Leven Instrument Co., POB 31, McDowell, VA 24458, (703) 396-3345. Inquiry **641**.

FORTRAN and UNIX for AT

Unisource Software Corporation has introduced a UNIX-based FORTRAN-77 compiler for the IBM PC XT and PC AT. In a related development, the Massachusetts-based publisher and distributor of UNIX software also announced an implementation of UNIX for the IBM PC AT.

The FORTRAN compiler runs under VENIX on such machines as the IBMs, AT&T 6300, Compaq Plus, Eagle Turbo, MAD I, and DEC Professional 350. It costs \$395.

Its UNIX operating system, claims Unisource, is the first licensed implementation of AT&T UNIX for the the IBM PC AT. This version is

delivered with a System V UNIX license. A full implementation for one or two users retails for \$875. For up to eight users, it's \$1075.

For further information, contact Unisource Software Corp., 71 Bent St., Cambridge, MA 02141, (617) 491-1264. Inquiry **642**.

IBM Fits the Curves

A curve-fitting program for the IBM PC, Curve Fitter-PC is available directly from Interactive Microware.

Curve Fitter-PC fits curves to experimental or business data. Curve types include polynomial, cubic spline, or Stineman interpolation methods. If you want, least-

squares fitting can produce the standard curve using a polynomial (degree 1 to 6), geometric, or exponential least-squares method. Any or all fitting models can be used to select the best fit.

Some statistical measures of the accuracy of the fitted curve provided are standard

error of estimates and percent deviation for calculated versus observed values.

Features include curve-fitting demonstrations, high-resolution (i.e., 320 by 200) graphics, choice of plotting symbols on the same graph for distinguishing multiple superimposed curves, the ability to enter data as *x,y* pairs or as values at fixed intervals, and four text-label locations. Working files can be saved and transferred to programs that accept ASCII data.

Minimum requirements are 128K bytes of RAM, color graphics board, a disk drive, and PC-DOS 1.1, 2.0, or 2.1. The manual alone is \$15; the complete package is \$95. Contact Interactive Microware Inc., POB 139, State College, PA 16804-0139, (814) 238-8294. Inquiry **643**.

WHERE DO NEW PRODUCT ITEMS COME FROM?

The new products listed in this section of BYTE are chosen from the thousands of press releases, letters, and telephone calls we receive each month from manufacturers, distributors, designers, and readers. The basic criteria for selection for publication are: (a) does a product match our readers' interests? and (b) is it new or is it simply a reintroduction of an old item? Because of the volume of submissions we must sort through every month, the items we publish are based on vendors' statements and are not individually verified. If you want your product to be considered for publication (at no charge), send full information about it, including its price and an address and telephone number where a reader can get further information, to New Products Editor, BYTE, POB 372, Hancock, NH 03449.



SUNTRONICS CO., INC.

12621 Crenshaw Blvd., Hawthorne, CA 90250

NEW BRANCH STORE IN ORANGE COUNTY, CALIFORNIA: 17552 BEACH BLVD., #C, HUNTINGTON BEACH, CA 92647 (714) 842-1948

1-800-421-5775 (Order Only)
(213) 644-1140 (CA. Order & Inf.)
STORE HOURS:
Mon.-Fri. 9 a.m. to 6 p.m.
Sat. 10 a.m. to 5 p.m.

TERMS: VISA, MASTER Card,
C.O.D. (Cash or Certified Check Re-
quired). Check/Allow. 2-3 WKS. for
Clearing) Shipping & H/C \$3.00 for 3
Lbs plus 50¢ for each add LB. Calif.
residents add Calif. Sales Tax. \$10.00
Minimum Order.
IBM & Apple are registered trade
marks of IBM & Apple



XT Compatible Products

FEATURES:

- ✓ Intel 8088 CPU
- ✓ Intel 8087 Math Co-Processor (Option)
- ✓ Expandable on-board to 256K
- ✓ 128K RAM w/Parity
- ✓ 8 IBM Compatible Expansion Slots
- ✓ 4 Channel DMA 8237
- ✓ 8 Channel Interrupt 8259
- ✓ Mother Board dimension same as IBM PC

- ☐ Mother Board w/128K RAM \$399.00
- ☐ Computer Cabinet \$69.00
- ☐ 83 Key full-funition Keyboard \$99.00
- ☐ 100 WATT Power Supply \$110.00
- ☐ 135 WATT Power Supply \$145.00
- ☐ Monochrome Graphic Card
w/Printer Port \$210.00
- ☐ Color Graphic Card \$149.00
- ☐ FDD Controller Card \$99.00
- ☐ Parallel Printer Card \$59.00
- ☐ ASYNC & RS232 Port \$75.00
- ☐ 320KB DS/DD Slimline Disk Drive \$119.00
- ☐ IBM Parallel Cable 10' \$19.95
- ☐ IBM Prototype Board (SUN-208) ... \$9.50
- ☐ MICROLOG Z-80B Co-Processor,
Multi-funition (Run CP/M80 Software,
Require 64K RAM) \$499.00
- ☐ Apparat EPROM Blaster \$129.00
- ☐ IBM Up-Grade Kit (4164) ... \$29.00/per kit



Compatible Products

- 16K RAM Card \$49.00
 - SUN Z80 Card (w/o software) \$55.00
 - SUN 80 Column Card (w/Soft switch) \$85.00
 - Power Supply (5 Amp) \$59.95
 - Cooling Fan \$42.00
 - Parallel Printer Card \$55.00
 - Floppy Disk Controller \$47.00
 - EPROM Programmer (2716, 32, 64) .. \$75.00
 - Apple Disk Drive \$160.00
 - APPARAT PROM Blaster \$119.00
 - Apple Prototype Board (SUN-722) \$5.95
- Above items are not compatible with Apple IIe

S-100 Products

- 64K Static Memory Board (6116)
w/o RAM A & T \$155.00
- 64K Static Memory Board (6116)
w/RAM A & T \$295.00
- Uses 6116 CMOS RAMS, 1/2 Amp Max,
w/64K @ 6MHz Extended Addressing, Bank
Select 4-16K Blocks, 2716 EPROM can
replace any 6116RAM, 8 Bit IEEE 696.
- UFDC-1 5 1/4 and 8 Floppy Disk Controller
(BIOS available) A & T \$225.00
- Clock/Calendar A & T \$115.00
- Prototype Board (SUN-721) \$9.95
- Mother Board/Card Cages
(6, 8 & 12 Slots) are available CALL

General Products

SAM WOO HIGH RESOLUTION MONITOR

Features:

- ✓ 22 Mhz Bandwidth
- ✓ Composite Video
- ✓ Anti-glare Screen
- ✓ Passes FCC & UL Approved
- ✓ 1000 Lines or 132 Characters Across
- 12" AMBER or GREEN \$99.00

TAXAN RGB-III Monitor \$420.00

12" Green TTL Monitor
(For IBM, 20 Mhz) \$135.00

SPECIAL SALE ITEMS

- ★ 10MB Hard Disk Drive (Internal)
w/Controller for IBM PC \$749.00
 - ★ IBM Prototype Board (SUN-208) \$9.50
 - ★ IBM PC Mouse \$147.00
 - ★ Diskette DSDD 5 1/4" \$16.00/10
 - ★ Koala Graphics Table w/Software
for Apple \$89.00
 - for IBM \$105.00
 - ★ Quad Board II \$249.00
 - ★ Quad 512 (64K) \$259.00
 - ★ RAM 4164 (150ns) \$3.55
- TTL IC, ROM, RAM & CPU CHIPS, CONNec-
TORS & IC SOCKETS ARE AVAILABLE.

HIGH REL ★ SWITCHING POWER SUPPLIES ★ LOW COST

SW40W



SW70W




SW80W




SW138



SW150



S3 & S4



R1 & R1A



ITEM	FOR	+5V	-5V	+12V	+12V	-12V	+24V	+8V	±16V	W x D x H in.	TERMINALS	PRICE
SW40W	TERM. & 2 ALPS DRIVES	2.5A	-	2/2.5A pk.	-	.3A	-	-	-	6.3 x 3.9 x 1.9	MOLEX 5051	\$ 54.95
SW70W	APPLE III*, IBM PC-I, II*	7A	.3A	2.5/3.5A pk.	-	.3A	-	-	-	9.6 x 4 x 2.4	MOLEX 126-P1	64.95
SW80W	PC WITH SOFT DRIVES	8A	.3A	3/4A pk.	-	.3A	-	-	-	7.4 x 4.5 x 2.3	MOLEX 2139	74.95
SW138	IBM PC-XT* P/S RPLCMNT.	15A	1.0A	4/5A pk.	-	1.0A	-	-	-	9.5 x 5.6 x 4.6	MOLEX, AMP.	119.95
SW150	PC WITH HARD DRIVES	12A	.3A	4/5A pk.	2.5A	.5A	-	-	-	10.4 x 5 x 2.5	TERM. BLOCK	129.95

SPECS. OF ABOVE SWITCHERS: 117/220 VAC SELECTABLE, INPUT 90-132 VAC/180-275 VAC, EFFIC. 75% TYPICAL, LINE REGUL. 0.3%, LOAD REGUL. 1% ON +5V, 5% ON OTHER VOLTAGES, 6.2 OVP SETTING ON +5V, OVERLOAD & SHORT CIRCUIT PROTECT, LOW OUTPUT RIPPLE & NOISE, 1% MAX, 5000 HRS. MTBF RELIABILITY, UL, FCC & VDE SAFETY & NOISE STANDARDS.

S3	FOR S-100, 10 SLOTS	5A	1A	*	-	-	5/7A pk.	12A	3A	10 x 6 x 5	SOLDER POST	\$105.95
S4	FOR S-100, 6 SLOTS	4A	1A	*	-	-	4/5A pk.	8A	2.5A	8.4 x 5 x 4.8	SOLDER POST	89.95
R1	2 FLOPPY DRIVES	3A	.5A	*	-	-	3/4A pk.	-	-	8 x 4 x 3.4	SOLDER POST	44.95
R1A	APPLE II PC*	3A	.5A	3/4A pk.	.5A	-	-	-	-	8 x 4 x 3.4	SOLDER POST	46.95
C64	COMPATIBLE TO COMMODORE C64 (OR C+4)* POWER SUPPLY: +5V/1.7A, 9 VAC/1A & 117 VAC IN, POTTED & U/L.	-	-	-	-	-	-	-	-	-	-	19.95

*: +24V CAN BE CHANGED TO +12V BY FACTORY, PLEASE SPECIFY WHEN YOU ORDER.

THE ABOVE 5 LINEAR P/S ARE WITH 3% LOAD REGUL., OVP ON +5V, FUSED: INPUT & OUTPUTS.

POWER TRANSFORMERS: (WITH MOUNTING BRACKET) ON SALE

ITEM	PRIMARY	SECOND. #1	SECOND. #2	SECOND. #3	W x D x H in.	PRICE
T1	110/120 VAC	2 x 8 VAC/7A	28 VAC, CT, 2-5A	-	3 3/4 x 3 3/8 x 3 3/8	\$15.95
T2	110/120 VAC	2 x 8 VAC/12A	28 VAC, CT, 3A	-	3 3/4 x 4 3/8 x 3 3/8	21.95
T3	110/120 VAC	2 x 8 VAC/6A	28 VAC, CT, 2A	28 VAC, CT, 3A	3 3/4 x 4 3/8 x 3 3/8	23.95
T4	110/120 VAC	16 VAC, CT, 4A	28 VAC, CT, 1.5A	28 VAC, CT, 3A	3 3/4 x 3 3/8 x 3 3/8	17.95
T4-1	110/120 VAC	16 VAC, CT, 4A	28 VAC, CT, 1.5A	48 VAC, CT, 2A	3 3/4 x 3 3/8 x 3 3/8	14.95
T5	110/120 VAC	16 VAC, CT, 3A	28 VAC, CT, 2A	-	3 x 3 x 2 1/2	11.95

IBM PC/PC-XT*, APPLE II/III* & COMMODORE C64/C+4* ARE TRADEMARKS OF IBM CORP., APPLE COMPUTER INC. & COMMODORE BUSINESS MACHINES, RESPECTIVELY.

MAILING ADDRESS:
P.O. BOX 4296
TORRANCE, CA 90510
TELEX: 182558



SUNNY INTERNATIONAL
IN BUSINESS SINCE 1975
(213) 328-2425 MON-FRI 8:30-5:30




SHIPPING ADDRESS:
22129 1/2 S. VERMONT AVE.
TORRANCE, CA 90502



SHIPPING:

FOR EA. POWER SUPPLY: \$6.00 IN CALIF.;
\$8.00 IN OTHER STATES; \$18.00 IN CANADA.
FOR EA. TRANSFORMER: \$6.00 IN ALL
STATES; \$12.00 IN CANADA. CALIF.
RESIDENTS ADD 6.5% SALES TAX.

50,000 SALE CELEBRATION
LOW PRICES!





SUNTRONICS CO., INC.

12621 Crenshaw Blvd., Hawthorne, CA 90250

NEW BRANCH STORE IN ORANGE COUNTY, CALIFORNIA: 17552 BEACH BLVD., #C, HUNTINGTON BEACH, CA 92647 (714) 842-1948

1-800-421-5775 (Order Only)
(213) 644-1140 (CA. Order & Inf.)
STORE HOURS:
Mon.-Fri. 9 a.m. to 6 p.m.
Sat. 10 a.m. to 5 p.m.

TERMS: VISA, MASTER Card, C.O.D. (Cash or Certified Check Required). Check/Allow 2-3 WKS for Clearing. Shipping & H/C \$3.00 for 3 Lbs plus 50¢ for each add LB. Calif. residents add Calif. Sales Tax \$10.00 Minimum Order. IBM & Apple are registered trademarks of IBM & Apple.



XT Compatible Products

FEATURES:

- ✓ Intel 8088 CPU
- ✓ Intel 8087 Math Co-Processor (Option)
- ✓ Expandable on-board to 256K
- ✓ 128K RAM w/Parity
- ✓ 8 IBM Compatible Expansion Slots
- ✓ 4 Channel DMA 8237
- ✓ 8 Channel Interrupt 8259
- ✓ Mother Board dimension same as IBM PC

- ☐ Mother Board w/128K RAM \$399.00
- ☐ Computer Cabinet \$69.00
- ☐ 83 Key full-function Keyboard \$99.00
- ☐ 100 WATT Power Supply \$110.00
- ☐ 135 WATT Power Supply \$145.00
- ☐ Monochrome Graphic Card w/Printer Port \$210.00
- ☐ Color Graphic Card \$149.00
- ☐ FDD Controller Card \$99.00
- ☐ Parallel Printer Card \$59.00
- ☐ ASYNC & RS232 Port \$75.00
- ☐ 320KB DS/DD Slimline Disk Drive \$119.00
- ☐ IBM Parallel Cable 10' \$19.95
- ☐ IBM Prototype Board (SUN-208) \$9.50
- ☐ MICROLOG Z-80B Co-Processor, Multi-funtn (Run CP/M80 Software, Require 64K RAM) \$499.00
- ☐ Apparat EPROM Blaster \$129.00
- ☐ IBM Up-Grade Kit (4164) ... \$29.00/per kit



Compatible Products

- 16K RAM Card \$49.00
 - SUN Z80 Card (w/o software) \$55.00
 - SUN 80 Column Card (w/Soft switch) \$85.00
 - Power Supply (5 Amp) \$59.95
 - Cooling Fan \$42.00
 - Parallel Printer Card \$55.00
 - Floppy Disk Controller \$47.00
 - EPROM Programmer (2716, 32, 64) .. \$75.00
 - Apple Disk Drive \$160.00
 - APPARAT PROM Blaster \$119.00
 - Apple Prototype Board (SUN-722) \$5.95
- Above items are not compatible with Apple IIe

General Products

SAM WOO HIGH RESOLUTION MONITOR

Features:

- ✓ 22 MHz Bandwidth
- ✓ Composite Video
- ✓ Anti-glare Screen
- ✓ Passes FCC & UL Approved
- ✓ 1000 Lines or 132 Characters Across
- 12" AMBER or GREEN \$99.00
- TAXAN RGB-III Monitor \$420.00
- 12" Green TTL Monitor (For IBM, 20 MHz) \$135.00

S-100 Products


- 64K Static Memory Board (6116) w/o RAM A & T \$155.00
- 64K Static Memory Board (6116) w/RAM A & T \$295.00
- Uses 6116 CMOS RAMS, 1/2 Amp Max, w/64K @ 6MHz Extended Addressing, Bank Select 4-16K Blocks, 2716 EPROM can replace any 6116RAM, 8 Bit IEEE 696.
- UFDC-1 5 1/4 and 8 Floppy Disk Controller (BIOS available) A & T \$225.00
- Clock/Calendar A & T \$115.00
- Prototype Board (SUN-721) \$9.95
- Mother Board/Card Cages (6, 8 & 12 Slots) are available CALL

SPECIAL SALE ITEMS


- ★ 10MB Hard Disk Drive (Internal) w/Controller for IBM PC \$749.00
- ★ IBM Prototype Board (SUN-208) \$9.50
- ★ IBM PC Mouse \$147.00
- ★ Diskette DSDD 5 1/4" \$16.00/10
- ★ Koala Graphics Table w/Software for Apple \$89.00
- for IBM \$105.00
- ★ Quad Board II \$249.00
- ★ Quad 512 (64K) \$259.00
- ★ RAM 4164 (150ns) \$3.55
- TTL IC, ROM, RAM & CPU CHIPS, CONNECTORS & IC SOCKETS ARE AVAILABLE.

HIGH REL ★ SWITCHING POWER SUPPLIES ★ LOW COST

SW40W



SW70W




SW80W




SW138




SW150



S3 & S4



R1 & R1A



ITEM	FOR	+5V	-5V	+12V	+12V	-12V	+24V	+8V	±16V	W x D x H in.	TERMINALS	PRICE
SW40W	TERM. & 2 ALPS DRIVES	2.5A	-	2/2.5A pk.	-	.3A	-	-	-	6.3 x 3.9 x 1.9	MOLEX 5051	\$ 54.95
SW70W	APPLE III*, IBM PC-I, II*	7A	.3A	2.5/3.5A pk.	-	.3A	-	-	-	9.6 x 4 x 2.4	MOLEX 126-P1	64.95
SW80W	PC WITH SOFT DRIVES	8A	.3A	3/4A pk.	-	.3A	-	-	-	7.4 x 4.5 x 2.3	MOLEX 2139	74.95
SW138	IBM PC-XT* P/S RPLCMNT.	15A	1.0A	4/5A pk.	-	1.0A	-	-	-	9.5 x 5.6 x 4.6	MOLEX, AMP.	119.95
SW150	PC WITH HARD DRIVES	12A	.3A	4/5A pk.	2.5A	.5A	-	-	-	10.4 x 5 x 2.5	TERM. BLOCK	129.95

SPECS. OF ABOVE SWITCHERS: 117/220 VAC SELECTABLE, INPUT 90-132 VAC/180-275 VAC, EFFIC. 75% TYPICAL, LINE REGUL. 0.3%, LOAD REGUL. 1% ON +5V, 5% ON OTHER VOLTAGES, 6.2 OVP SETTING ON +5V, OVERLOAD & SHORT CIRCUIT PROTECT, LOW OUTPUT RIPPLE & NOISE, 1% MAX, 50,000 HRS. MTBF RELIABILITY, UL, FCC & VDE SAFETY & NOISE STANDARDS.

S3	FOR S-100, 10 SLOTS	5A	1A	*	-	-	5/7A pk.	12A	3A	10 x 6 x 5	SOLDER POST	\$105.95
S4	FOR S-100, 6 SLOTS	4A	1A	*	-	-	4/5A pk.	8A	2.5A	8.4 x 5 x 4.8	SOLDER POST	89.95
R1	2 FLOPPY DRIVES	3A	.5A	*	-	-	3/4A pk.	-	-	8 x 4 x 3.4	SOLDER POST	44.95
R1A	APPLE II PC*	3A	.5A	3/4A pk.	-	.5A	-	-	-	8 x 4 x 3.4	SOLDER POST	46.95
C64	COMPATIBLE TO COMMODORE C64 (OR C+4)* POWER SUPPLY: +5V/1.7A, 9 VAC/1A & 117 VAC IN, POTTED & U/L.											19.95

*: +24V CAN BE CHANGED TO +12V BY FACTORY, PLEASE SPECIFY WHEN YOU ORDER.

THE ABOVE 5 LINEAR P/S ARE WITH 3% LOAD REGUL., OVP ON +5V, FUSED: INPUT & OUTPUTS.

POWER TRANSFORMERS: (WITH MOUNTING BRACKET) ON SALE

ITEM	PRIMARY	SECOND. #1	SECOND. #2	SECOND. #3	W x D x H in.	PRICE
T1	110/120 VAC	2 x 8 VAC/7A	28 VAC, CT, 2-5A	-	3 3/4 x 3 3/8 x 3 1/8	\$15.95
T2	110/120 VAC	2 x 8 VAC/12A	28 VAC, CT, 3A	-	3 3/4 x 4 3/8 x 3 1/8	21.95
T3	110/120 VAC	2 x 8 VAC/6A	28 VAC, CT, 2A	28 VAC, CT, 3A	3 3/4 x 4 3/8 x 3 1/8	23.95
T4	110/120 VAC	16 VAC, CT, 4A	28 VAC, CT, 1.5A	28 VAC, CT, 3A	3 3/4 x 3 3/8 x 3 1/8	17.95
T4-1	110/120 VAC	16 VAC, CT, 4A	28 VAC, CT, 1.5A	48 VAC, CT, 2A	3 3/4 x 3 3/8 x 3 1/8	14.95
T5	110/120 VAC	16 VAC, CT, 3A	28 VAC, CT, 2A	-	3 x 3 x 2 1/2	11.95

IBM PC/PC-XT*, APPLE II/III* & COMMODORE C64/C+4* ARE TRADEMARKS OF IBM CORP., APPLE COMPUTER INC. & COMMODORE BUSINESS MACHINES, RESPECTIVELY.

MAILING ADDRESS:
P.O. BOX 4296
TORRANCE, CA 90510
TELEX: 182558



SUNNY INTERNATIONAL
IN BUSINESS SINCE 1975
(213) 328-2425 MON-FRI 8:30-5:30



SHIPPING ADDRESS:
22129 1/2 S. VERMONT AVE.
TORRANCE, CA 90502



SHIPPING:

FOR EA. POWER SUPPLY: \$6.00 IN CALIF.; \$8.00 IN OTHER STATES; \$18.00 IN CANADA. FOR EA. TRANSFORMER: \$6.00 IN ALL STATES; \$12.00 IN CANADA. CALIF. RESIDENTS ADD 6.5% SALES TAX.

Equation Processor

Equate is an equation processor for the IBM PC and compatibles using DOS 1.1 through 2.1.

It lets you enter up to 799 equations anywhere on screen in standard algebraic notation. A full-screen text editor facilitates equation and explanatory-text entry, and an interactive Constants Window gives you more than 400 physical constants and measurement conversions to insert into equations. Equations or other constants can be added to the window.

Equate evaluates your equations, prompts for undefined variables, and produces 16-bit (double-precision) results at the press of a function key. A forms feature helps you devise application worksheets that prompt for data or arrange results into tables. Data cells can be sited at any spot on screen; rows or columns are not mandatory.

Equations, results, and tables can be stored as worksheets. Worksheets may be printed or transferred to a word processor that accepts ASCII files.

The General Worksheet Series Disk I comes with Equate. It provides worksheets for solving simultaneous equations and for calculating standard deviation, variance, and the area and moments of inertia for principal shapes.

Equate comes with an evaluation version that's good for 30 uses. The master disk and related materials can be returned to the manufacturer within 30 days for a full refund. Equate is \$195. Contact Banyan Systems Corp., 5632 East Third St., Tucson, AZ 85711, (602) 745-8086. Inquiry **640**.

Soft Winchester: Inexpensive, Alternative Hard Disk

The BYSO Soft Winchester program from Levien Instrument Company stores your most frequently used data in RAM so that you can access it quickly. The manufacturer says that with Soft Winchester such programs as WordStar and dBASE II will load or sort hundreds of times faster than from a floppy.

Soft Winchester lets you use 1440K bytes of data. If you have data that cannot be accessed from RAM or disk, it prompts you for the disk with the data. It automatically backs up your data to disk, and, once loaded, its operation is transparent. A simple key combination lets you use new 1440K-byte sets of data.

The BYSO Soft Winchester runs on 128K-byte IBM Personal Computers, including the PCjr, and true IBM compatibles. A monochrome or graphics adapter is required. It costs \$60. For more information, contact Levien Instrument Co., POB 31, McDowell, VA 24458, (703) 396-3345. Inquiry **641**.

FORTRAN and UNIX for AT

Unisource Software Corporation has introduced a UNIX-based FORTRAN-77 compiler for the IBM PC XT and PC AT. In a related development, the Massachusetts-based publisher and distributor of UNIX software also announced an implementation of UNIX for the IBM PC AT.

The FORTRAN compiler runs under VENIX on such machines as the IBMs, AT&T 6300, Compaq Plus, Eagle Turbo, MAD 1, and DEC Professional 350. It costs \$395.

Its UNIX operating system, claims Unisource, is the first licensed implementation of AT&T UNIX for the IBM PC AT. This version is

delivered with a System V UNIX license. A full implementation for one or two users retails for \$875. For up to eight users, it's \$1075.

For further information, contact Unisource Software Corp., 71 Bent St., Cambridge, MA 02141, (617) 491-1264. Inquiry **642**.

IBM Fits the Curves

A curve-fitting program for the IBM PC, Curve Fitter-PC is available directly from Interactive Microware.

Curve Fitter-PC fits curves to experimental or business data. Curve types include polynomial, cubic spline, or Stineman interpolation methods. If you want, least-

squares fitting can produce the standard curve using a polynomial (degree 1 to 6), geometric, or exponential least-squares method. Any or all fitting models can be used to select the best fit.

Some statistical measures of the accuracy of the fitted curve provided are standard


error of estimates and percent deviation for calculated versus observed values.

Features include curve-fitting demonstrations, high-resolution (i.e., 320 by 200) graphics, choice of plotting symbols on the same graph for distinguishing multiple superimposed curves, the ability to enter data as x,y pairs or as values at fixed intervals, and four text-label locations. Working files can be saved and transferred to programs that accept ASCII data.

Minimum requirements are 128K bytes of RAM, color graphics board, a disk drive, and PC-DOS 1.1, 2.0, or 2.1. The manual alone is \$15; the complete package is \$95. Contact Interactive Microware Inc., POB 139, State College, PA 16804-0139, (814) 238-8294. Inquiry **643**.

WHERE DO NEW PRODUCT ITEMS COME FROM?

The new products listed in this section of BYTE are chosen from the thousands of press releases, letters, and telephone calls we receive each month from manufacturers, distributors, designers, and readers. The basic criteria for selection for publication are: (a) does a product match our readers' interests? and (b) is it new or is it simply a reintroduction of an old item? Because of the volume of submissions we must sort through every month, the items we publish are based on vendors' statements and are not individually verified. If you want your product to be considered for publication (at no charge), send full information about it, including its price and an address and telephone number where a reader can get further information, to New Products Editor, BYTE, POB 372, Hancock, NH 03449.



GUARANTEED I.C.'s. SHIPPED IMMEDIATELY

The Computer Parts Merchant is a leading nationwide supplier of wholesale I.C.'s. We have just about every I.C. made in stock today. Plus, we offer these special services:

Guaranteed parts—every part guaranteed for 60 days—and pre-tested before shipment.

Guaranteed fast—same day—shipping.

Guaranteed low prices.

Guaranteed satisfaction or purchase price cheerfully refunded.

How to order.


Call toll free. We accept Visa, Mastercard or American Express. Or we can ship UPS C.O.D.

National 800-235-4900

California 800-238-4900

Local Orange County

(714) 474-1033.



Visit our retail store:

The Computer Parts Merchant, Inc.
17777 Main Street, Suite D
Irvine, CA 92714

Terms: minimum order \$10. For shipping and handling, include \$2.50 UPS Ground, or \$3.50 for UPS Air. California residents must include 6% sales tax. All prices are subject to change without notice. We are not responsible for typographical errors. All merchandise subject to prior sale.

Search service. If we don't have the I.C. you need in stock, we can find it for you. (There is a \$25 minimum charge for I.C.'s found through a search.)

A few samples from our million part inventory:

A few samples from our million part inventory:

74LSXX			
74LS00	\$ 38	74LS83	\$ 87
74LS02	38	74LS86	46
74LS04	40	74LS91	75
74LS08	40	74LS93	66
74LS10	40	74LS107	46
74LS11	40	74LS109	46
74LS12	36	74LS112	50
74LS14	76	74LS122	53
74LS20	38	74LS124	2 90
74LS21	38	74LS132	91
74LS30	38	74LS137	99
74LS32	50	74LS138	87
74LS37	40	74LS147	2 75
74LS38	40	74LS151	66
74LS40	38	74LS153	69
74LS42	66	74LS157	65
74LS51	36	74LS158	65
74LS54	38	74LS161	75
74LS63	1 50	74LS166	1 95
74LS74	55	74LS169	1 75
		74LS170	\$ 1 49
		74LS191	99
		74LS221	1 30
		74LS240	1 60
		74LS241	1 30
		74LS242	1 30
		74LS243	1 30
		74LS244	1 49
		74LS245	1 49
		74LS251	75
		74LS257	75
		74LS258	75
		74LS266	79
		74LS273	1 69
		74LS373	1 49
		74LS374	1 49
		74LS377	1 49
		74LS640	3 49
		74LS669	1 99
		74LS670	2 99

Partial List

5, 8, 12 AND 15 VOLT VOLTAGE REGULATORS

Call for Prices

74SXX

74S00	\$ 45	74S151	\$ 97
74S02	49	74S153	97
74S04	49	74S157	97
74S08	49	74S161	1 87
74S10	45	74S169	3 99
74S11	49	74S174	99
74S20	49	74S181	4 39
74S22	45	74S194	1 99
74S30	35	74S197	1 79
74S32	59	74S240	2 20
74S37	89	74S241	2 40
74S38	99	74S244	2 20
74S74	89	74S251	95
74S86	95	74S253	95
74S112	1 19	74S257	95
74S113	1 19	74S260	79
74S124	2 99	74S273	2 45
74S132	1 59	74S287	2 29
74S138	97	74S373	3 39
74S139	97	74S374	3 39
74S140	77	74S570	3 50

Call for others

DYNAMIC RAMS

TMS4027	\$ 1 99	4116	\$ 1 49
MM5280	1 95	2118	4 95
TMS4060	1 95	4164	5 95
UPD411	1 95	TMS4416	9 95
MK4108	1 95	41256	Call

Call for more

LINEAR DEVICES

LM301	\$ 47	NE570	\$ 3 95
LM307	57	LM709	59
LM309H	1 95	LM723	59
LM312	1 75	LM741	49
LM318	1 49	LM747	69
LM324	79	LM748	59
LM350	4 95	LM1458	59
LM380	89	LM2900	85
LM393	1 29	LM3900	79
NE555	57	MC4024	3 95
NE556	77	MC4044	4 50

Call for others

74XX

7400	\$ 35	7451	\$ 39
7401	35	7473	54
7402	39	7474	69
7404	39	7489	3 40
7406	89	7498	47
7407	89	7492	69
7408	41	74107	39
7410	35	74109	59
7411	39	74123	69
7420	35	74125	69
7421	49	74132	59
7427	45	74147	1 75
7430	35	74151	79
7432	35	74153	79
7438	49	74154	1 25
7442	59	74157	79

Others on shelf

STATIC RAMS

2101	\$ 1 95
2114	1 50
2147	4 95
TMS4044	4 59
TMM2016	4 59
HM6116	4 75
TMS4016	6 95
HM6264	39 95

Others on shelf

74160	89
74161	89
74163	89
74164	99
74166	1 50
74174	99
74181	2 39
74191	1 15
74193	99
74194	99
74221	1 35
74273	1 95
74366	99
74367	99
74393	1 35

CMOS

4001	\$ 35	74C00	\$ 49
4002	35	74C02	47
4008	95	74C04	47
4010	57	74C08	47
4011	37	74C10	47
4012	37	74C20	49
4020	87	74C30	49
4021	95	74C73	87
4022	87	74C74	79
4030	57	74C86	59
4034	1 95	74C90	1 19
4040	97	74C93	1 75
4041	97	74C151	2 25
4050	47	74C157	1 75
4069	35	74C161	1 79
4071	35	74C173	79
4082	35	74C174	1 19
4093	67	74C192	1 49
4502	95	74C193	1 49
4512	97	74C373	2 45
4522	1 25	74C374	2 45
4532	1 95	74C906	95
4556	99	74C912	8 95
4585	99	74C921	15 95

Many more. Call

MEMORY EPROMS

2708	\$ 3 95	2764	\$ 6 95
2716	3 95	27128	34 95
2732	4 95		

More available.

CCT-4 SYSTEM SERIES

The latest CCT implementation of the new generation Intel 16-Bit Processor technology. This means extreme speed, unequalled power, and the ultimate in reliability, and of course, the innovators at CCT behind it.

This series in the CCT line exploits the speed and power of the Intel 80286 and Zilog Z-80H (8MHz), on the 286Z CPU board. This combination, along with CompuPro DMA controllers and I/O boards, yields a dramatic improvement in system throughput speeds, from basic CP/M operation, up to large powerful multi-user/multi-tasking machines. The CCT-4 represents the most advanced hardware presently available in a microcomputer to run the thousands of CP/M type software programs on the market, and with CONCURRENT DOS 8-16 and the CompuPro PC Graphics board (when available), all software written for the IBM PC machines. This series is for the serious business/scientific user.

CCT-4A State-of-the-art power in it's basic form. Consists of CCT-286Z CPU board and CCT-M256 (256K), along with CompuPro: Enclosure 2 Desk (21 slot MF), Disk 1A, System Support 1, Interfacer 4, the CCT-2.4 floppy drive system, and CP/M 80 and CP/M 86, and with Surgefree SF-200 surge suppressor system. **\$5,995.00**

CCT-4B Single-user/hard disk power. As the 4A, except priced without the CCT-2.4, to add in your choice of CCT hard/floppy combination drive subsystem, at the published pricing. **\$4,895.00**
(Example: CCT-4B Mainframe with CCT-10/1 = \$7,244.00) Plus cost of selected drive subsystem

CCT-4C Multi-user/hard disk power. As the 4B, with the CCT-M512 (512K static RAM board) instead of M256; Interfacer 3 instead of Interfacer 4; Surgefree SF-400 instead of SF-200, plus MP/M 8-16 operating system. (6 user system) **\$6,695.00**
(Example: CCT-4C Mainframe with CCT-40/1 = \$10,044.00) Plus cost of selected drive subsystem

CCT BONUS ON 4C: FREE CONCURRENT DOS UPDATE!


The above systems include all necessary cabling, assembly, testing, minimum 20 hour burn-in, and the CCT unconditional 12 month direct warranty.

CCT-M512 CCT introduces it's 512K static RAM board. IEEE Standard 12MHz. 512K in one slot! **Introductory Price: \$2,249**
CCT-M256 256K version of M512 upgradeable to full 512K. Perfect 256K RAM board for any CompuPro system **\$1,149**

CUSTOM COMPUTER TECHNOLOGY / BOX 4160 / SEDONA, ARIZONA 86340

TOLL FREE ORDERING: 800-222-8686 / For technical support / service: 602-282-6299

NEW RAM BOARD



IBM PC, 256 K, One Half Height 320 K Disk Drive DS/DD, Persyst Color Card, Taxan Green Monitor, DOS 2.1, 130 Watt Power Supply PLUS a 10MB Hard Disk Sub System all for:

\$2690.00

IBM PC, 256 K, Two Half Height Drives DS/DD, Persyst Color Card, Taxan Green Monitor, DOS 2.1, 130 Watt Power Supply PLUS a 10MB Hard Disk Sub System all for:

\$2980.00

IBM PC, 256 K, Two Half Height Drives DS/DD, Persyst Color Card, Taxan Green Monitor, DOS 2.1, 130 Watt Power Supply, 10MB Hard Disk Sub System, PLUS 10MB Tape Back Up System all for:

\$3579.00

IBM PC, 256 K, Two Half Height Drives DS/DD, Persyst Color Card, Taxan Green Monitor, DOS 2.1, 130 Watt Power Supply, 20MB Hard Disk Sub System all for:

\$3380.00

IBM PC, 256 K, Two Half Height Drives DS/DD, Persyst Color Card, Taxan Green Monitor, DOS 2.1, 130 Watt Power Supply, 20MB Hard Disk Sub System PLUS 10MB Tape Back Up System all for:

\$3979.00

(We configure and test the system for you at no extra cost.)

SOMEBODY Has To Have The Lowest Prices!

MONITORS

AMDEK 300	\$135.00
PGS HX-12	\$475.00
PGS MAX-12	\$190.00
PGS SR-12	\$625.00
TAXAN GREEN COMPOSITE	\$125.00
TAXAN AMBER COMPOSITE	\$135.00
TAXAN GREEN W/TTL PLUS	\$149.00
TAXAN AMBER W/TTL PLUS	\$159.00
IBM MONOCHROME DISPLAY	\$260.00
IBM COLOR DISPLAY	\$590.00

PRINTERS

EPSON FX 80	\$425.00
EPSON FX 100	\$625.00
EPSON RX 80	\$245.00
EPSON RX 80FT	\$295.00
OKIDATA 82A	\$299.00
OKIDATA 83A	\$569.00
OKIDATA 92P	\$399.00
OKIDATA 93P	\$625.00
OKIDATA 84P	\$759.00
OKIDATA 2410P	\$1959.00
TOSHIBA P1351	\$1295.00
NEC SPINWRITER 3550	\$1595.00
NEC PINWRITER 80 COL	\$699.00
NEC PINWRITER 136 COL	\$899.00
BROTHER HR-25	\$699.00
BROTHER HR-35	\$925.00

(Accessories on NEC & OKIDATA printers available)

DRIVES

TANDON TM-100-2	\$179.00
SLIMLINE - TOSHIBA	\$155.00
SLIMLINE - TEAC 55B	\$155.00

MULTIFUNCTION BOARDS

AST I/O+1 SER & 1 PAR	\$179.00
AST SIX PACK 64K, 1 SER & 1 PAR	\$269.00
QUADBOARD 64K	\$269.00
IBM COLOR GRAPHIC ADAPTER	\$225.00

IBM MONO PRINTER ADAPTER	\$230.00
PERSYST COLOR ADAPTER	\$190.00
PERSYST MONO PRINTER ADAPTER	\$210.00
HERCULES GRAPHIC ADAPTER	\$349.00
HERCULES COLOR CARD	\$210.00
STB GRAPHIX PLUS II	\$375.00

MODEMS

HAYES SMART MODEM 1200	\$469.00
HAYES SMART MODEM 300	\$209.00
HAYES 1200B PLUG IN CARD	\$429.00
QUBIE PC 212A/1200 INT	\$275.00
QUBIE PC 212E/1200 EXT	\$299.00

HARD DISKS

10MB SUB SYSTEM INT	\$850.00
10MB SUB SYSTEM EXT	\$1025.00
10MB TAPE BACK UP	\$599.00

GENERAL

CONTROL DATA DISKETTES	\$25.00/box
KEYTRONIC KB5151	\$189.00
PARALLEL CABLES	\$25.00
64K RAM UPGRADE KIT	\$50.00
128K RAM UPGRADE KIT (For AT)	\$199.00
IBM PC POWER SUPPLY (Original)	
63.5 Watts	\$89.00
IBM KEYBOARD FOR PC (Original)	\$109.00

Microshop
COMPUTER PRODUCTS

(714) 838-7530

2640 Walnut Avenue, Unit K,
Tustin, California 92680

(Prices & availability subject to change without notice—
IBM is a registered trademark of IBM Corporation.)

**TOLL-FREE
ORDERING:
800-222-8686**

**FOR TECHNICAL SUPPORT/
SERVICE / IN ARIZONA:
602-282-6299**

CCT[®] CUSTOM COMPUTER TECHNOLOGY

1 CCT PLAZA — P.O. BOX 4160 — SEDONA, ARIZONA 86340

Purchase your Hardware and Software directly from an OEM / Systems Integrator. Take advantage of our buying power! We stock a full line of Board Level Components, Software and Peripherals. Call for your needs. We'll give you the Lowest Prices, and the Technical Support and Know-How we are quickly becoming well-known for. Satisfied Customers Nationwide. The Nation's Custom Systems House for Business, Education and Science. Call for a system quote. CCT implements tomorrow's technology today!

• FOREMOST QUALITY • ADVANCED SUPPORT • REASONABLE COST •



80286 NOW!

□ **CCT-286Z** is our model designation for the **MI-286** dual processor board from **Macrotech**. It features the super high speed combination of Z-80H and 80286, with provision for the 80287 math chip. Directly replaces 8085/88 and 8086 CPUs running CP/M, MP/M Concurrent DOS, and MS-DOS, at throughput increases of 3X to 5X!

SPECIAL PRICE - \$1099
80287 Option - Installed - \$395

**SEE THE CCT-4 SERIES
USING THIS BOARD
DETAILED ON THE FACING PAGE**

• 8" CP/M SOFTWARE SPECIALS •

dBASE II - Latest Version 2.4	\$349	
Supercalc 86	\$99 □ Supercalc 2	\$259
Wordstar	\$279 □ Pro-Pak	\$379
DRI CBASIC Compiler 80	\$389 □ 86	\$449
DRI Pascal Compiler 80	\$279 □ 86	\$449
DRI GSX-86	\$79 □ Assembler Tools/RMAC	\$179
Microsoft BASIC	\$299 □ Compiler	\$339
Supersoft FORTRAN IV	\$339 □ C Comp	\$399

• TOP SELLING PERIPHERALS •

Wyse Terminals **DROPPED**

LIBERTY TERMINALS • Superior Reliability •

100-12" GREEN-25 X 80	\$399
110-14" GREEN-80/132 Column	\$499
200-14" GREEN-80/132 Super Deluxe	\$569
220-14" GREEN-DEC Compatible	\$699

CCT RECOMMENDS—

AMBER Screen Options \$20

OKIDATA PRINTERS - Top Quality

82 - 80 Col	\$329	83 - 132 Col	\$619
92 - 80 Col	\$429	93 - 132 Col	\$659
84 - 132 Col/200cps—Top of the Line	\$799		
For Serial Interfaces — Add	\$100		

DIABLO — Letter Quality Series

Model 620	\$969	Model 630	\$1799
-----------	-------	-----------	--------

INDUSTRIAL GRADE **CCT DISK DRIVE SYSTEMS** ROLLS ROYCES OF THE INDUSTRY SUPERIOR QUALITY **S-100 HARD DISK SUBSYSTEMS**

Professionally engineered ST-506 type systems for the business market S-100 Computer user. Includes industry top quality drives, CompuPro Disk 3 DMA controller, all cabling, A&T, formatted, burned-in. Provisions for up to two hard disks in each system. We include operating system update. CP/M 80, CP/M 86, CP/M 8-16, MP/M 8-16, CP/M 68K. (/1 Systems are CCT innovated hard/floppy combinations, with Mitsubishi DSDD 8" drive.) 12 month warranty.

CCT-10 (11 + MEG)	\$1799	CCT-10/1	\$2349
CCT-20 (22 + MEG)	\$2319	CCT-20/1	\$2869
CCT-40 (36 + MEG)	\$2799	CCT-40/1	\$3349
CCT-60 (58 + MEG) (New)	\$3999	CCT-60/1	\$4549
CCT-90 (87 + MEG) (New)	\$5209	CCT-90/1	\$5759
CCT-125 (123 + MEG) (New)	\$6399	CCT-125/1	\$6949

Drive capacities shown are **after** formatting! We are working on tape cartridge back-up units.

CCT-2.4 • Dual 8" DSDD

Mitsubishi 2.4 Megabyte in Extra Heavy horizontal enclosure, removeable filter air system, all cabling, A&T, Burned in. The fastest system available: **\$1229**

FLOPPY SYSTEMS

CCT-5 • 5¼" DSDD

IBM Compatible Tandon 320K. Extra Heavy Cabinet accommodates two drives, hard or floppy. All cabling, A&T, Burned-in. Perfect for our MS-DOS Package . . . **\$399**

★ SUPER PRICES ★ COMPUPRO COMPONENTS ★ IN STOCK ★

CCT-2 - \$6799	CCT-3 - \$6699	Disk 1A w/CP/M - \$619	CPU 8086/87 - \$819	M-Drive/H - \$1099
CPU 8085/88 - \$349	CPU 8086 - \$559/10Mhz - \$599	CPU 68K - \$519/10Mhz - \$639		
CP/M-Z - \$249	Disk 1A - \$519	Disk 3 - \$499	RAM 23/64K - \$309/128K - \$599	RAM 21 (128K) - \$749

★ RAM 16 CLOSE-OUT SPECIAL - \$249 ★

RAM 22 (256K) - \$1179	Interfacer 3 - \$499	Interfacer 4 - \$349	System Support 1 - \$329
Enclosure 2 Desk - \$649/Rack - \$699	CP/M 80 (CCTHMX) - \$125	CP/M 86 (CCTTMX) - \$175	
CP/M 8-16 (CCTTMX) - \$199	MP/M 8-16 (CCTSX) - \$499	CP/M 68K (CCTCX) - \$279	

16 Bit Upgrade Kit: CP/M 86, RAM 16, System Support 1, Cable \$709 □ CP/M 8-16 - Kit - \$733

Operating System Updates/Remakes - \$30

• **FREE CONCURRENT DOS 8-16 UPGRADE (WHEN AVAILABLE) WITH PURCHASE OF MP/M 8-16 •**

CCT-1 — ENTRY LEVEL S-100 BUSINESS SYSTEM

- Enclosure 2-Desk-20 Slot Mainframe •
- CPU 8085/88 - 6Mhz 8085/8Mhz 8088 •
- Disk 1A - DMA Floppy Disk Controller •
- RAM 16 - 64K Static RAM - 12Mhz •
- Interfacer 4 - 3 Serial/2 Parallel I/O •
- CCT-2.4-Dual 8" Mitsubishi DSDD Drive System - 2.4 Megabytes •
- CP/M 80 - 2.2 HMX - CCT Modified •
- All Cabling, Complete CCT Assembly, Testing, and Minimum 20 Hour Burn-in •

**SPECIAL PRICE
\$3,559**

RUNS ALL STANDARD 8" CP/M SOFTWARE - INCLUDES OUR EXCLUSIVE 12 MONTH DIRECT WARRANTY

Prices & availability subject to change. All products new, and carry full manufacturer's warranties. Call for catalog. Free technical help to anyone. All products we sell are CCT individually tested and set up for your system - Plug-In & Go! Arizona residents add sales tax **CCT[®]** Trademark — Custom Computer Technology; **MS-DOS[®]** Trademark — Microsoft; **IBM[®]** Trademark — International Business Machines; **CompuPro[®]** Trademark — W.J. Godbout; **CP/M[®]** **MP/M[®]** Trademarks — Digital Research

Micro Products International

714/898-0840

Terms: We accept Visa M/C, Pre-Pay by Check or Money Order, COD's are accepted by Telephone & Mail. COD Terms are Cashier's Check for first time orders over \$100.00. Fax: 897-3363 Tlx: 887481 XORDATA HTBH

Sweetheart Specials

TEAM New Hayes SmartModem Compatible! TEAM

Finally a price breakthrough on a Hayes compatible, external 300 1200 baud modem. This low price is without driver software, but if you need it add \$25.00. Call for a 26 page catalog of our special deals. Look in this spot every month for Hot, New items sure to catch your interest.



• Rins the popular Hayes communications software
• FCC approved for direct RJ-11 connection
• Manual & power supply included for this one low price
*MOD-8100-00

\$229.00*

IBM PC-XT SELECTRIC KEYBOARDS

Our volume purchase of these excellent Selectric type keyboards will bring the features you have been wanting down to a price you can't resist. So many features - you'll love it!

- Single key reset
- Separate numeric keypad
- Separate Arrow keypad
- Dimple marked "5", F & J keys



KEY-1051-00 Selectric **\$129.00**
KEY-1050-00 Standard **89.00***

ADD-ON POWER SUPPLY




Power Supply with Fan and Power Filter. Uses 140 watts, runs Hard Disk & Tape Back-Up. IBM Replacement type for Hard Disk.

New High Velocity Fan!

New Low Price!

POW-1040-00 **\$129.00***

IBM STYLE MOTHERBOARDS



Two IBM-style Motherboards to choose from, 5-slot and 8-slot. Both expandable to 256K. 5-slot has two serial slots and one parallel.



BOA-6000-00 5-Slot **\$395.00**

BOA-6058-00 8-Slot **\$395.00**

POWER BACK-UP

Protect your Data with Datashield®. In case of a Power failure, Datashield® is a battery operated, self-contained Power Generator which instantly supplies even uninterrupted AC Power to a Microprocessor in the event of a Power Drop or Outage. In addition provides Surge Protection, which filters and eliminates voltage spikes (surges) above 140 VAC.


PC-200 200 watts **POW-2000-00 \$299.00***
PC-300 300 watts **POW-2050-00 \$399.00***



Do it Yourself!

We think of this System as a "Do it Yourself" System. Start by choosing 5 or 8 Slots. Some of the standard Features: • 64K RAM expandable to 256K • 4 DMA Channels • Runs MS-DOS™ and CP/M-86™ (software not included) • Multi-function Keyboard & Cable • Hard Disk Ready Power Supply • And MORE!

SYS-8000-00 **Only \$525.00***



IBM type Case only

5 Slot **CAB-3060-00 \$65.00***
8 Slot **CAB-3075-00 \$65.00***

This is OUR Junior!

Use this "Driveless" workstation for low-cost Networking. Features: • 4-slot IBM™ compatible Motherboard • 128K Standard Memory • 8088, 8087 Math Co-processor • Optional Floppy Drive with Controllers. SYS-8100-00 **\$475.00***

Full System w/Keyboard, Mono Monitor, Video Display Card, 128K RAM 1 Drive **SYS-8725-00 \$895.00***



\$1245* \$1245* \$1245* Complete System! XPC by XOR

NEW IBM "AT" 1.2M Floppy In Stock - For your XPC! Can Read 3.0 or 2.1 DOS Formats!

***OEM Qty 12+**



Check These Standard Features:

- Full-Size, Feather-Touch, Capacitance Keyboard with 10 Function Keys and Calculator-Type Numeric Keypad
- Comes Standard with Parallel and Serial I/O
- 8 IBM compatible expansion slots
- 256K parity checked RAM on Motherboard
- Up to 32K of EPROM (full 8K supplied)
- Power Supply is Hard-Disk-Ready, no need to add-on additional power
- Game Port
- Real Time Clock
- 8088 16-bit CPU
- 4 DMA & 3 Timer channels
- Supports PC-DOS - MS-DOS - CP/M-86
- High resolution 12" Monitor with Green Screen - 18 MHz bandwidth
- 2-Slimline 5 1/4" DS/DD 48 TPI 360K Drives
- Color Video Card

10 Meg H.D. Complete System! \$1895.00*

20 Meg Color Complete System! \$2375.00*

40 Meg w/Tape Complete System! \$2845.00*

Software
• XWORD
• XBASIC
• XBASE
• XCALC
• XCOM

Add-On H.D. & Tape



10 Megabyte Irwin on the top, your choice of Hard Disk on the bottom. Super appearance! Requires one slot in your PC for SASI interface and an extension connector on the floppy card. Everything else is supplied by us.


10 Meg **\$1295*** 65 Meg **\$2895***
20 Meg **\$1495*** 105 Meg **\$3695***
40 Meg **\$1995*** 140 Meg **\$4595***

Add-On Hard Disk

Two ways to go. The internal system is cheaper because it does not need a P.S. & Chassis. The same P.S. & Chassis can be used for a 10 Meg Tape Back-up on your XT!

10 Megabyte **\$795 int/\$995 ext** 65 Megabyte **\$2495**
20 Megabyte **\$1095 int/\$1295 ext** 105 Megabyte **\$3295**
40 Megabyte **\$1595 int/\$1795 ext** 140 Megabyte **\$4195**

Add-On 10 Meg Tape



If your IBM-XT needs a little help in the Back-up category you won't be able to beat this price! Cables, software and everything!

SUB-8300-00 **\$495.00***

Not enough room here - Call for Catalog

February Dealer Honors



Culbertson & Assoc.

Dick Culbertson says, "I have been writing application programs with dBase II since it's introduction. I recommend Micro Product's XPC Systems for their reliability and their application programs. Among these is a very extensive Chiropractic Billing System, a Point-of-Sale Inventory Program for Video Tape Rental Stores, a Vending Machine Route Service Collection System and an Air-port Flight School record Keeping System."

Dick buys Basic Systems and then customizes them with his own components to satisfy the needs of his customers. To date he has over 27 Micro Computer Systems in service and working satisfactorily.

★ 14611 Leahy Ave. ★ Bellflower, CA ★ 213 / 866-8608 ★

SUPER 12 PAK MULTI-FUNCTION

This one is loaded! Features: Real-Time Chronograph / Calendar with Battery Back-up, Parallel Port, RS232-C Serial Port, * 64K to 256K of Parity-checked Memory, PrintSpool and RAM Disk Software. Supplied with OK of Memory. BOA-6400-00 **\$179.00**

Optional Serial Kit w/cable **KIT-8450-00 \$ 25.00**

* Additional 64K Memory Chips **ICC-7801-00 - (9) \$ 29.95**



INTERNATIONAL ORDERS

Micro Products is ready to serve your needs in several countries. Each Office has Sales Literature, Local Pricing, Inventory and Technical Service available to support your needs. There are no problems with U.S. Export Forms.

HEAD OFFICE
Darryl R. Green
15392 Assembly Lane, Unit A
Huntington Beach, CA 92649
Phone: 714 / 898-0840
Telex: 887841 XORDATA HTBH

ZURICH OFFICE
Cynthia Clark
Edmuhstrasse 36
CH 8032 Zurich
Switzerland
Phone: 1-69 3633
Telex: 816058 HKIN

AUSTRALIAN OFFICE
8 Irwin Street, Bellevue
W. Australia 6056
Phone: 274-3701

TAIPEI OFFICE
William Wang
Suite 605, Worldwide House
685 Min Sheng E. Rd.
Taipei, Taiwan, R.O.C.
Tel: (02) 712-8877 Tlx: 21405

MARACAO OFFICE
Jim Stevens
Av. 3F Esc. Calle 81
Centro Com. Maquila - Local #5
Maracabo, Venezuela 4001-A
Phone: 061-913328
Telex: 62344 PEMIN

CANADIAN OFFICE

- - PENDING - -

PROM LASER

This is the One! Our PROM Burner allows reading, storing-to-disk, recalling, and burning. Hi-speed algorithms burns 2764 in 45 seconds! Also handles 2716, 2732, 27128, 27256. Features: Zero insertion force sockets. On-board Voltage Generator. No interference with normal computer operations. BOA-8640-00 **\$199.00**



MISCELLANEOUS \$\$\$ SAVERS

64K Memory Chips (9) NEC for IBM ICC-7801-00 **\$ 29.95**
Add-On Memory, (up to 512K) supplied OK BOA-8650-00 **\$149.00**
Floppy Controller, Controls up to four drives, 5 1/4" 48/96 TPI BOA-6100-00 **\$95.00**
Monochrome Graphics Card, (Hercules type) (1-2-3 compatible) 720h x 348v BOA-8500-00 **\$175.00**
Color Graphics Card, 320 x 200 Res. Color, 640 x 200 Monochrome BOA-8400-00 **\$145.00**
Clock Calendar Board, Parallel Port, fits in "short slot" w/battery Back-up BOA-8700-00 **\$75.00**
Hard Disk Controller, standard ST-506 interface for DOS 1.1 & 2.0 BOA-8050-00 **\$245.00**
300 / 1200 Baud Modem w/PC Talk III Communications Software BOA-8725-00 **\$239.00**
Monochrome Monitor, 18MHz bandwidth, composite input or TTL MON-1000-00 Green **\$ 99.50**
MON-1010-00 Amber **\$104.50**

The following are registered Trademarks and their Companies: MS-DOS, PC-DOS - MicroSoft; dBase II - Ashton-Tate; CP/M-86 - Digital Research Inc.; IBM, IBM-PC, IBM-PC XT - International Business Machines.

Inquiry 212

► **Micro Products • 15392 Assembly Lane • Huntington Beach, CA 92649 • 714/898-0840**

STOP, LOOK & SAVE!

For Lowest Prices Call (800) 732-0304

COMPUTER CONNECTION
TOLL FREE ORDER LINE

PRINTERS

OKIDATA	
ML82A, 10" Para. & Ser.	\$ 299
ML83A, 15" Para. & Ser.	549
ML92P, 160 cps	375
ML92 IBM Graphics Comp.	385
ML92S, 160 cps	465
ML92 Apple Mac. 2K Graphics	475
ML93P, 160 cps	599
ML93 IBM Graphics Comp.	629
ML93S, 160 cps	769
ML84P, 200 cps	679
ML84S, 200 cps	779

RITEMAN	
Riteman Plus 120 cps w/Tractor	\$ 257
Riteman Blue Plus 140 cps IBM	342
Riteman II 160 cps, 6K mem. w/Trac.	369
Riteman 15, 160 cps, 15" carr.	549

QUME	
Letterpro 20P Prop. Spc. Enh. Pnt.	\$ 449
Sprint 1140 +, 2K, 40 cps, 132 col. width	1249

STAR MICRONICS	
Gemini 10X, 10", 120 cps	\$ 249
Gemini 10X PC (IBM Compat.)	259
Gemini 15X, 15", 120 cps	349
Gemini 15X PC (IBM Compat.)	369
Delta 10, 10", 160 cps	365
Delta 10 PC	359
Powertype, 18 cps Par & Ser	349

C. ITOH	
Prowriter 8510 AP, 120 cps	\$ 309
Prowriter 8510 BC2, 120 cps	399
Prowriter 8510 SP, 180 cps	399
8510 BPI (IBM Compatible)	335
Prowriter II 1550 P, 15" 120 cps	515
Prowriter II 1550 BCD, 15" 120 cps	549
1550 BP (IBM Compatible)	529
1550 SP, 180 cps	549
Starwriter F10-40PU, 40 cps	929
Starwriter A10, 18 cps	499
Printmaster F10-55PU, 55 cps	1069

SWEET P	
Six Shooter 600	\$ 799

BROTHER	
HR25	\$ 669

DYNAX	
DX15 By Brother, Same as HR15	\$ 379

JUKI	
6100, L.Q. 18 cps w/proportional spc.	\$ 399
6300	Call

TOSHIBA	
P1351 Dot Matrix, 192 cps, letter quality 100 cps, does graphics, 3 in 1 printer	\$1229
P1340 same as above but 10" carr.	719

PANASONIC	
1091 w/Tractor, 120 cps, 1 yr. war.	\$ 289

SOFTWARE

LOTUS DEVELOPMENT CORP.	
Lotus 1-2-3	\$ 295
Symphony	437

ASHTON TATE	
D Base II	\$ 329
D Base III	419

MICROPRO INTERNATIONAL	
ProPak (WS/MM/SS/Star Index)	\$ 399
Option Pak (M/M, C/S, S/I)	199

MICROSOFT	
Softcard (CP/M)	\$ 239
Microsoft Word	315
Premium Softcard for IIe	319
Softcard for II & II +	229

PRINTER ACCESSORIES

ORANGE MICRO	
Grappler +	\$ 115
Buffered Grappler +, 16K exp. 64K	165
Mr. Chips for PC & XT, Par. Ser. Clock & Cal., 64K Realworld I/F, BSR line I/F	389

TOSHIBA	
Bi-Directional Tractor	\$ 149
Font Disk for Down loading P1351	48

MICROTEK	
Dumpling GX (same as Grappler +)	\$ 75
Dumpling GX w/16K buffer	149
Dumpling GX w/32K buffer	165
Additional Buffering 16K	16

FOURTH DIMENSION	
Par. Card & Cable for Apple	\$ 45

OKIDATA	
Plug and Play for IBM	\$ 49
Okigraph I for 82A	49
Okigraph I for 83A	49
Tractor for 82A & 92	49

CABLES	
IBM PC to Parallel Printer	\$ 18
Serial Cable	18

MID-WINTER SPECIALS!!

C. ITOH 8510AP	
\$309	
BIZCOMP	
Intelli Modem ST	
100% Comp.	
w/Smart Com. II & Crosstalk XVI	
\$369	
QUME LETTERPRO 20	
\$449	
AST RESEARCH	
Sixpak + w/64K	
\$249	

DISPLAY MONITORS

NEC	
JB 1201, 80 col., 20MHz	\$ 129
JB 1205(A) 12" Amber, 20MHz	135
JC 1215 Color Composit w/audio	245
JC 1216 RGB, Hi-Res/IBM 640 x 300	365

AMDEK	
V300G	\$ 129
V300A	139
V310A for IBM PC	159
Color I +, Composite 13"	279
Color II +, Hi-Res. 13"/IBM	389
Color 300	249
Color 600	429
Color 710	585

TAXAN	
IBM Green Monochrome #121	\$ 139
IBM Amber Monochrome #122	145
RGB IBM w/Cable #420	419
RGB Super Hi-Res. #415	393
RGB/Comp. Med. Res. #210	259

PRINCETON GRAPHICS	
HX-12 for use with IBM PC	\$ 455
Max 12 Amber for IBM	179
SR 12 Super Hi-Res	595

LOTUS DEV.	
1-2-3	\$295
Symphony	\$437
IBM MONO CARD	
W/Printer Port	\$245
MICRO-SCI A.5C	
Drive w/cable for IIc	\$189
TEAC 55B	\$129
PGS HX12	\$455

IBM PC ACCESSORIES

IBM	
IBM Mono Card w/Printer Port	\$ 245
IBM Mono Monitor	265
IBM Dos 2.1	59
IBM Dos 3.0	69
IBM Tech Ref. for PC	85

PARADISE	
Modular GraphicsCard	\$ 279
Module A	85
Module B	189

PC PEACOCK	
Color Graphics Card w/Par. Printer Port, Compat. w/All IBM Software, 2 yr. war.	\$ 215

AST RESEARCH	
Six Pak + w/64K	\$ 249
Mega Plus II	265

64K MEMORY UPGRADE

64K (9 chips) 150 ns, 1 yr. war.	\$ 29
----------------------------------	-------

QUADRAM	
Quad Color I Board	\$ 199

VUTEK	
Vutek - CPS Board, RGB & Composite w/Par. & Ser. Ports, 2 Yr. War.	\$ 239

STB	
Graphics + II	\$ 359

TECHMAR	
Graphics Master	\$ 459

PERSYST BOARD	
Bob Hi-Res Display Adp.	\$ 459

KEYTRONICS	
KB5151	\$ 185

APPLE & FRANKLIN ACCESSORIES

ACCESSORIES

System Saver	\$ 69
Fan for Apple II & IIe w/surge	37
APPLE	
Super Serial Card	\$ 139

MICROMAX

Viewmax 128K extended 80 col. card for Apple IIe	\$ 129
80 col. card for Apple II & II +	139

GIVE US A CHANCE TO BEAT THE COMPETITION'S ADVERTISED PRICE. IF YOU SEE IT ADVERTISED FOR LESS, CALL COMPUTER CONNECTION FIRST FOR LOWEST QUOTE!

MAIL ORDER:

12841 S. Hawthorne Blvd., No. 585
Hawthorne, California 90250



NO SURCHARGE FOR CREDIT CARDS

We accept VISA, MasterCard, COD (w/deposit), Certified Checks or Wire Transfers. Minimum Shipping Charge \$4.00. Some items subject to back order. California Res. add 6% Sales Tax. Prices subject to change without notice.

PERSONAL SYSTEMS

APPLE	
Apple IIe Starter System incl: Apple IIe, Tilt Monitor, 1 Drive w/controller, 80 col. card.	Call
Apple IIc Lightweight Portable	999

IBM	
IBM PC Bare w/cont. & keyboard	\$1150
IBM PC 64K, 1 Drive	1325
IBM PC 64K, 2 Drives	1499
IBM PC, 2 Drives w/256K	1599
IBM XT, 128K, 10 Meg., 360K Dr.	3495
IBM AT Base	Call
IBM AT Enhanced	Call

Call About All "AT" Systems

KAYPRO	
Kaypro II	\$1279
Kaypro 4	1745
Kaypro 10	2395

SANYO	
MBC 550-2 w/1 320K Drive & sftwr.	\$ 895
MBC 555-2 w/2 320K Drives & more software	1075
Serial Port for Sanyo	79

TAVA	
TAVA PC1 Par. & 1 Ser. Ports, 128K, 2-320K Drives, Color Card & Monitor	\$1499
TAVA XT same as above including 10 meg. Hard Disk Drive	\$2495

COMPAQ	
256K, w/2 -320K Drives	\$2150

DISK DRIVES

TANDON	
TM100-2 for IBM PC	\$ 145
TM65-2, 1/2 Height, 320K	189

ALPHA OMEGA	
10 Meg HD for IBM & Comp. w/Cont. Card 13 Month Warranty	\$ 845

TEAC	
55B Double Sided 360K	\$ 129 2 for 249
Quad Density	189

EPSON	
SD 521 Dbl/Dbl for IBM	\$ 149

Drives For Apple & Franklin RANA SYSTEMS

Elite I	\$ 199
Elite II	339
Elite III	399
Controller add.	85

MICRO-SCI	
A-2	\$ 179
A.5C for IIc w/cable	189
A.5 1/2 height for IIe	209
Controller add.	70

MODEMS

ANCHOR	
Mark XII	\$ 225
HAYES MICRO	
300 Baud Smart Modem	\$ 205
1200 Baud Smart Modem	459
1200 B for IBM PC	379
Micro Modem IIe	259
Chronograph	189

ORDER LINE
(800) 732-0304

(Outside California)

(213) 514-9019

(Inside California)

Mon.-Fri. 7 a.m. to 6 p.m.
Saturday 11 a.m. to 3 p.m.

CUSTOMER SERVICE:

(213) 514-9019
Mon.-Fri. 9 a.m. to 3 p.m.

COMPUTER CONNECTION
MOST ORDERS SHIPPED SAME DAY


Announcing 4 New Collector Edition

BYTE COVERS


The 4 Byte covers shown below are the newest additions to the Collector Edition Byte Cover series. Each full color print is 11" x 14", including a 1 1/2" border, and is part of an edition strictly limited to 1,000 prints. Each print is a faithful reproduction of the original Byte painting, printed on museum quality acid free paper, and is personally inspected, signed and numbered by the artist, Robert Tinney. A Certificate of Authenticity accompanies each print.

Collector Edition Prints are carefully packaged flat to avoid bending, and are shipped first class within one week of receipt of order. The price of each print is \$30. All 4 prints are available for only \$100.


Other Collector Edition Byte Covers are also available from Robert Tinney Graphics. For a color brochure, or to order one or more of the prints shown, please check the appropriate box in the coupon below.




#25 Computers and the Handicapped \$30



#26 Graduation Memories \$30



#27 The Keys to Education \$30



#28 Simulation \$30

Please send me the following Prints (\$30). All 4 only \$100.

QTY.	TITLE & PRINT NO.	AMOUNT
_____	_____	\$ _____
_____	_____	\$ _____
_____	_____	\$ _____
postage & handling \$3.00 (Overseas \$8.00)		\$ _____
TOTAL		\$ _____

☐ Please send me your color brochure.

☐ I have enclosed check or money order.

☐ Visa ☐ MasterCard

Card No. _____

Exp. Date: _____

SHIP MY PRINTS (OR BROCHURE) TO:

Name: _____

Address: _____

City: _____

State: _____ Zip: _____

Mail this coupon to:

robert tinney graphics
1864 N. Pamela Drive
Baton Rouge, LA
70815

FOR VISA OR MASTERCARD ORDERS
or for more information
CALL 1-504-272-7266
Daytime or Evenings



COMPUTER DISCOUNT PRODUCTS

Stocking **HUGE** Inventories of APPLE & IBM Products SINCE

★ GUARANTEED Fair Pricing Is Our Policy ★

FREE SHIPPING!!

*That's Right - WE PAY To Ship YOUR Purchase
See Details Below



PRE-BOOTS: Apple Writer
Apple Writer for Ultraterm
Visicalc
Visicalc with Memory Expansion
Visicalc for Ultraterm

T.M.

14.99
23.99
39.99
66.99
54.99

Enhancer II
Function Strip
Hardswitch
Micromodem Chip
PSIO
Softswitch
Ultralplan
Videoterm w/Softswitch & Inverse

Ultraterm 244.99

99.99
31.99
14.99
24.99
169.99
25.99
129.99
219.99

ACCESSORIES & PERIPHERALS

MONITORS: Amdek 300A-Ap
Amdek 310A-IBM
Princeton HX-12 RGB-IBM
Princeton Max-12 Amber-IBM
Quadram Quadchrome RGB-IBM
Taxan 420 RGB-Ap/IBM
Taxan 12" Amber-IBM
Taxan 12" Amber 20mhz-Ap

159.99
179.99
459.99
189.99
529.99
439.99
169.99
139.99

PRINTERS: C-ITOH 8510
Epson FX80
Okidata 92P w/Plug 'n Play-IBM
DRIVES: 1/4 Height-Ap
Micro Sci A-2-Ap
Teac 1/4 Height-IBM
RIBBONS: Brother
MX & FX80
MX & FX100
OKI 82, 93, 92, 93 & Gemini

379.99
429.99
\$CALL
189.99
209.99
179.99
\$CALL
4.99
7.99
2.99

Other Monitors & Printers - \$CALL

MicroPro

FOR APPLE & IBM

Infostar 259.99
Mailmerge 139.99
Spellstar 139.99
Wordstar 239.99
Wordstar Pro 349.99
Pro Options Pack 181.99

CHARTSTAR - NEW
Business Graphics Package
For IBM 319.99

DISKETTES & STORAGE

	10	100
Dysan 5 1/4" SS/DD	29.99	279.99
Dysan 5 1/4" DS/DD	38.99	369.99
Maxell 5 1/4" SS/DD	24.99	229.99
Maxell 5 1/4" DS/DD	34.99	329.99
Memorex 5 1/4" SS/DD	41.99	399.99
Memorex 5 1/4" DS/DD	19.99	189.99
Memorex 5 1/4" DS/DD	26.99	259.99
Flip 'n File w/Lockray Holds 25-5 1/4"		17.99
Flip 'n File w/Lockray Holds 50-5 1/4"		27.99
Library Case (Assorted Colors)		1.99
Media Mate Holds 50-5 1/4" Diskettes		12.99
Media Mate Holds 30-3 1/2" Diskettes		11.99
Printer Stand-Large (Plexiglass)		29.99
Printer Stand-Small (Plexiglass)		24.99

HARDWARE

Ap	ALS Z-Engine (Replaces Z-Card)	159.99
Ap	DAN PAMMAR Lower Case 1, Rev 1-6	25.99
Ap	Lower Case 2, Rev 7	19.99
Ap	JOYSTICK Kraft or TG	39.99
Ap	MICROSOFT Softcard	229.99
Ap	Ram Card	74.99
Ap	ORANGE MICRO Grappler +	114.99
Ap	Bufferboard	119.99
Ap	Buffered Grappler	179.99
Ap	TITAN Accelerator Ite	449.99
Ap	Neptune 64K	199.99
Ap	Saturn 64K Ram	279.99
IBM	AST I/O Plus	\$CALL
IBM	Mega Plus	289.99
IBM	Six Pack Plus	279.99
IBM	JOYSTICK Kraft or TG	44.99
IBM	PLANTRONICS Color Plus Board	375.99
IBM	TITAN 64K Board	499.99
Ap/IBM	KRAFT Paddles	31.99
Ap/IBM	TG Paddles	27.99

KENSINGTON
System Saver-AP 65.00
PC Saver-IBM 29.99

COMMUNICATIONS



CONNECT!

ASCII EXPRESS-Ap 109.99
CROSSTALK-IBM 139.99
HAYES MODEMS: 300 Baud Smartmodem 209.99
1200 Baud Smartmodem 479.99
1200B-IBM 409.99
Micromodem Ite 239.99
SOFTTERM 2-Ap 149.99
NOVATION MODEMS: J Cat 109.99
103 Smart Cat 169.99
103/212 Auto Cat 399.99
Cat 135.99
Applecat II 300 Baud 249.99
Applecat Upgrade to 1200 Baud Expansion Module 29.99



TELMERGE - IBM 119.99
New Telecommunications
Program From MicroPro

EDUCATIONAL

BASIC SKILLS

Ap	DLM School Versions Available	\$CALL
Ap	Alien Addition/Alligator Mix	ea22.99
Ap	Demolition Division/Dragon Mix	ea22.99
Ap	Minus Mission/Multiplication	ea22.99
Ap	Spelling Wiz/Verb Viper	ea31.99
Ap	Word Invasion/Word Radar	ea31.99
Ap	LEARNING COMPANY Juggles Rainbow	21.99
Ap	Gertrude's Puzzle/Secret	ea29.99
Ap	Magic Spell/Bumble Plot	ea26.99
Ap	Number Stumper	26.99
Ap	Rocky's Boots	34.99
Ap	PEACHTREE Algebra I-III	ea31.99
Ap	Counting Bee	23.99
Ap	Decimals/Fractions 3.0	ea33.99
IBM	LEARNING COMPANY Addition Magician	26.99
IBM	Magic Spells	27.99
IBM	PEACHTREE Algebra I	34.99
Ap/IBM	SPINNAKER Alphabet Zoo	21.99
Ap/IBM	Delta Drawing	32.99
Ap/IBM	Facemaker/Fraction Fever	ea23.99
Ap/IBM	Hey Diddle/Kindercomp	ea21.99
Ap/IBM	Snooper Troops I-II	ea29.99
Ap/IBM	Story Machine	23.99
Ap/IBM	LEARNING COMPANY Reader Rabbit	26.99
Ap/IBM	Moptown Hotel/Parade	ea26.99
Ap/IBM	Word Spinner	26.99

ADVANCED SKILLS

Ap	MASTERTYPE	31.99
Ap	MICROSOFT Typing Tutor II	19.99
Ap	PEACHTREE PSAT or SAT	ea33.99
IBM	CAI Masters	ea31.99
IBM	Subjects	ea16.99
IBM	MASTERTYPE	34.99

Muppet Learning Keys - NEW 59.99

ADVENTURE & GAMES

Ap	BRODERBUND Gumball	21.99
Ap	Choplifter: Drol	ea24.99
Ap	MICROLAB Crises Mountain/Dino Eggs	ea27.99
Ap	ODESTA Chess	45.99
Ap	SIERRA ON-LINE Frogger	21.99
Ap	SIR TECH Knight of Diamonds	27.99
Ap	Legacy of Livigamyn	31.99
Ap	Wizardry	37.99
Ap	Zipprint	19.99
Ap	SUBLOGIC Flight Simulator II	37.99
Ap	ULTIMA III	39.99
IBM	BRODERBUND Serpentine	26.99
IBM	MICROSOFT Flight Simulator II	39.99
IBM	SIERRA ON-LINE Crossfire	26.99
IBM	SIR-TECH Wizardry	44.99
Ap/IBM	BRODERBUND Loderunner	24.99
Ap/IBM	Apple Panic	22.99
Ap/IBM	MICROLAB Miner 20-49er	27.99
Ap/IBM	SIERRA ON-LINE Ultima II	36.99
Ap/IBM	SUBLOGIC Night Mission Pinball	32.99

TRILLIUM & WINDHAM CLASSICS
NEW Text Adventure Games
by Famous Authors
- \$CALL -

APPLICATIONS SOFTWARE

FOR THE HOME

Ap	BRODERBUND Bank Street Writer	44.99
Ap	Bank Street Speller	49.99
Ap	CONTINENTAL Tax Advantage	39.99
Ap	Home Accountant	44.99
Ap	Home Accountant (Mac)	75.99
Ap	SIERRA ON-LINE Homeword	45.99
Ap	MONOGRAM Dollars & Sense	69.99
IBM	BRODERBUND Bank Street Writer	59.99
IBM	CONTINENTAL Home Accountant	84.99
IBM	Tax Advantage	48.99
IBM	MONOGRAM Dollars & Sense	109.99

FOR THE BUSINESS

Ap	BPI (GL, AP, AR, PAY)	ea275.99
Ap	CONTINENTAL FCM-First Class Mail	59.99
Ap	KENSINGTON Format II	109.99
Ap	PFS Report	79.99
Ap	File, Graph, Write	ea89.99
Ap	SENSIBLE SPELLER	79.99
Ap	SIERRA ON-LINE Screenwriter II	81.99
IBM	ASHTON TATE GBASE II	295.99
IBM	GBASE III	474.99
IBM	Encyclopedia	59.99
IBM	Frame Work	474.99
IBM	Friday	184.99
IBM	CONTINENTAL FCM-First Class Mail	71.99
IBM	Ultrafile	119.99
IBM	LIFETRE Volkswriter Deluxe	219.99
IBM	LOTUS Symphony	499.99
IBM	MULTIMATE	379.99
IBM	PFS Report	89.99
IBM	File, Graph, Write	ea99.99

MICRO COOKBOOK

For Apple & IBM
Includes Recipes 31.99



FOR IBM

Microfazer (All Configurations) 149.99
Quad 512 + 64K 429.99
Quadboard I or II No K 219.99
Quadboard I or II 64K 269.99
Quadcolor I 205.99
Quadcolor I Upgrade 209.99

MEMORY CHIPS
Top Quality for
Best Performance \$CALL

INFOCOM

FOR APPLE & IBM

CUTTHROATS	Underwater Treasure Hunt! - NEW	27.99
DEADLINE	Detective Case and YOU'RE IT	34.99
ENCHANTER	Beginning-Magician Mission	27.99
FINDELL	Enter The Lost Pyramid	31.99
PLANETFALL	Investigate a Wild New World	27.99
SEASTALKER	Junior Level-Rescue Mission	27.99
SORCERER	Mystic Clues & Magic Encounters	31.99
STARCROSS	Sci-Fi Adventure, 2188 A.D.	34.99
SUSPENDED	3 Levels and Custom Options	34.99
WITNESS	Classic Murder Mystery	27.99
ZORK I	All-Time Most Popular	27.99
ZORK II-III	Advanced Levels	31.99
Hitchhiker's Guide to the Galaxy	Suspect	27.99
		34.99

UTILITIES & ENHANCEMENTS

Ap	BEAGLE Apple Mechanic/Beagle Bag	ea19.99
Ap	Beagle Basic/Double Take	ea23.99
Ap	Dos Bos/Silicon Salad	ea17.99
Ap	Fat Cat	26.99
Ap	GPLE	32.99
Ap	Pronto Dos/Frame Up/Utility City	ea19.99
Ap	EASTSIDE Wildcard II	111.99
Ap	FINGERPRINT Epson Enhancement	44.99
Ap	KOALA Touch Pad	85.99
Ap	MCKINGBOARD - Speech Chips \$CALL	109.99
Ap	THUNDERCLOCK	99.99
IBM	KOALA Speed Key	79.99
IBM	Speed Key System	159.99
IBM	Touch Pad	95.99
IBM	Touch Pad PCjr	85.99
IBM	NORTON UTILITIES	55.99
IBM	SIDWAYS	44.99
Ap/IBM	CENTRAL POINT Copy II + /PC	25.99

GRAPHICS SOFTWARE

Ap	BEAGLE Typefaces	15.99
Ap	Graphics - NEW	44.99
Ap	Alpha Plot	25.99
Ap	Triple Dump - NEW	31.99
Ap	Flex Text	19.99
Ap	BRODERBUND Print Shop	39.99
Ap	PENGUIN Complete Graphics System	44.99
Ap	Graphics Magician	37.99

MAIL AND PHONE ORDERS
Inquiries Welcome!
(408) 985-0400

MAIL, PHONE, WILL-CALL
SERVICE FROM 8AM (PST)

COMPUTER DISCOUNT PRODUCTS


860 So. Winchester Bl., San Jose, CA 95128


- CALL (408) 985-0400 -

Retail Showrooms In California
San Jose • San Mateo • San Francisco

- No Charge For Credit Cards
- Prices Subject To Change
- Software Sales Are Final

*Most Items Shipped Via
2-Day Service - NO CHARGE
Printers & Monitors Shipped
Standard Service - NO CHARGE





FORTRON CORPORATION

3797 YALE WAY, FREMONT, CA 94538

Power Supply Professional

ORDER TOLL FREE: [800] 821-9771

INFORMATION & CALIF. RES. [415] 490-8171


FC 135-40 Features:

- Full Replacement to your regular IBM® PC 65 W. Power Supply
- 4 Disk Drives Connectors
- Built-in High Air Flow High Quality Cooling Fan
- UL File #E82453
- Schematics included
- One year Warranty
- +5V/15A, +12V/4.2-8.5A (peak)
- +12V/1A, -5V/1A, (max. outputs)

Quality That You Can Trust

140 W.(max) Power Switcher

#FC 135-40



only

175.00

[Assembled & Fully Tested in USA]

IDEAL FOR:

- Upgrade IBM® PC
- OEM Manufacturer
- Do it yourself an IBM® PCXT Compatible

Please do not confuse this high quality product with the cheap imported units sold by others because of same outlook.

**Dealers/OEMs
are Invited**

For "Build Your Own Computer" and OEM's Convenience, we also carry:

FC 427 Keyboard

- For IBM® PC or its compatible products
- 20 Million Time Life Cycle
- Light on Num and Caps Lock Keys



109.00

FC 630A-2 Cabinet

- IBM identical
- Use FORTRON HSC-130-40 power supply
- 7 & 8 slots rear panels, good for 0.75" or 1" apart slot connectors.



99.00

HSC 130-40 130 Watt Switching Power Supply

- Good For Faraday, DTC Mega-board, Colby Computer and Other Compatible Level CPU boards
- Backside On-Off Switch
- Use Cabinet FC-630



169.00

FC-330 Hard Disk Controller

- Up to 2 Hard Disk Drives
- Fully Buffered I/O Bus
- Built-in ECC
- Accepts 5 to 20 MB Hard Disk



269.00

FC-630 Cabinet

- On-off switch to be on back side
- Use FORTRON HSC-130-40 power supply
- Good for Faraday and other compatible level CPU boards.



99.00

Monochrome/Graphic/Printer Card CT-6040

- 80 x 25 Text Mode (Default)
- 720 x 348 Graphic Mode
- Can Run Lotus 1-2-3
- 64K Graphic Display Memory
- 18 KHz Monitor and Printer Interface



269.00

NEW

FC-730 Multifunction Card, Expandable to 384K

- From 64 to 384K
- 1 RS-232C, 1 Centronics Printer Ports



209.00
(64K on Card)

FC-830 512K RAM Card


- From 64K to 512K
- Boundary and Total Memory



189.00
(64K on Board)

Color/Graphic/Printer Card CT-6020


- RGB Color Port and Parallel Port For Printer
- Light Pen Interface
- Graphic Mode:
320 Dots x 200 Lines Color
640 Dots x 200 Lines B/W
- Text Mode:
40 Columns x 25 Rows Color / B/W
80 Columns x 25 Rows Color / B/W



229.00


FC-930 RS232C/Parallel Printer Port Card

Fully IBM Compatible
99.00



FC-940 RS232C/Clock Calendar Card

- One RS-232C Port, One Clock Calendar, Battery Back-up



99.00

Hard Disk Drives

(with cable & controller) **769.00**
(10 MB)
Half Height, Top Brands, 10-32 MB Available

64K DRAM
32.00/9 pcs.
2764 EPROM
5.25/pcs.

8237A-5	12.50
8284A	3.90
8284C	1.50
MC1489	0.29
74LS245	0.65

Cable For IBM PC/AT 89.00

RS-232 (D Type 9 Pin to D Type 25 Pin)

IBM PC/XT ADD-ON CARDS

IBM PC/XT ADD-ON CARDS

IBM PC/XT ADD-ON CARDS

Contact us for other low prices on hardware and software.

Next Day Air Extra

ALL PRICES INCLUDE FREE SHIPPING IN USA.

These prices current as of December 21, 1984. Call for latest prices.

TEAC
55-B, Half-Height, DS/DD
\$129

PANASONIC
JA551-2, Half-Height, DS/DD
\$109

Same as Shugart SA-455

Another PC's Limited Exclusive!

FREE UP AN EXTRA SLOT!

Our specially-designed combined
Floppy/Hard Disk Controller
gives you 4 system expansion slots
open for additional boards!

64K RAM
Set of 9 chips, 200 or 150 Nanoseconds

\$25 **\$19**
Quantities of
50 or more
per set.

IRWIN
MAGNETICS

TAPE BACKUP SYSTEM

- Half Height
- Low Power
- Uses Floppy Controller Card
- 10.35 Meg Formatted Capacity
- Used in Compaq Desktop.

\$595

IBM PC™
256K
One 360K
Floppy Drive
10 MEG Internal HD

\$2195

IBM PC™ **\$1595**
256K, 1 DS/DD Drive IBM is a trademark of IBM Corp.

Also available with
10, 20, 33, and 42 Megabyte Internal Hard Disk.
See below for details.

with Hard Disk by
Microscience International Corporation

10 MEG INTERNAL HARD DISK SYSTEM

One year warranty.

Same hard drive as used by
Qubie™ and Kameron Labs

Our 10 megabyte Hard Disk System uses a state-of-the-art Half-Height Low-Power Hard Disk, thereby eliminating overheating problems typically associated with Hard Drives. The system uses DOS 2.1 or 3.0 without any modifications, is Plug Compatible with the IBM XT, and gives you the ability to boot directly from the hard disk. The system comes complete and ready to install with the low power Hard Disk, Controller, Cables, Manual, Software, and Mounting Hardware.

\$629

with Hard Disk by
Shugart

One year warranty.


Same hard drive as used by
Maynard Electronics.

10, 20, 33, and 42 MEG INTERNAL AND EXTERNAL HARD DISK SYSTEMS

Externally mounted with independent power supply and fan.
Fully DOS 2.1 or 3.0 compatible. Boots from Hard Disk.
*20, 33 and 42 Meg internal disks include extender power supply.

One year warranty

	10 MEG	20 MEG	33 MEG	42 MEG
Internal	\$629	\$995	\$1395	\$1595
External	\$829	\$1095	\$1495	\$1695



COMPAQ Functional equivalent to a Compaq Plus.

256K, 1/360K drive, 10 Meg Internal **\$2995**

Now using 3 1/2" shock-mounted Winchester drives.
The same as used in the Compaq Plus.
Also available with 2 half-height drives—\$3195.

CDC 9409—\$159 HARDWARE

AST SixPak Plus w/384K	\$384	Persyst Monochrome Card w/Parallel	\$175
AST SixPak Plus w/64K	\$259	PGS HX-12	\$479
PC Net Blossom w/64K	\$239	PGS MAX-12	\$179
Hercules Color Card	\$175	Epson	CALL
AST Monograph Plus Parallel/Clock	\$349	Juki 6100	\$429
Hercules Graphics Card w/Parallel	\$349	Okidata 92/95/84	\$399/\$639/\$719
Paradise Modular Graphics Card	\$295	TI 855	\$729
Paradise Module A Parallel Port	\$ 69	Hayes Smartmodem 1200	\$489
Paradise Module B64-256K/Clock	\$209	Hayes Smartmodem 1200B	\$399

Persyst Time Spectrum
w/OK—\$189

Sidekick — \$35

Non-Copy Protected Sidekick — \$59

- Copy II PC
- Copywrite
- Disk Explorer
- Zero Disk
- Prokey 3.0
- Sideways
- Thinktank
- Harvard Project Manager

SOFTWARE

dBase III—\$375

Norton Utilities— Version 3.0, Dec. '84 Release **—\$59**

Borland Gift Pack—\$69

- Wordstar 2000
- Wordstar 2000 +

Turbo Pascal — \$35

Turbo Toolbox — \$35

- Multimate
- PFS/Graph
- PFS/Plan
- PFS/Proof
- PFS/Write
- PFS/Access
- PFS/File
- PFS/Report

PC'S LIMITED



Microscience International Corporation, Irwin Magnetics, TEAC, Panasonic, Shugart, Qubie, IBM, Kameron Labs, and Maynard Electronics are trademarks of their respective companies.

ORDERS ONLY, CALL 1-800-IBM-5150
7801 N. Lamar, #E-200, Austin, Texas 78752
All other inquiries, call (512) 452-0323

No surcharge on VISA or MasterCard.
5% surcharge on American Express.



Now, the lowest
prices ever on

3M Scotch® DISKETTES

\$153 ea. **\$206** ea.
QTY. 20 5 1/4" SSDD QTY. 20 5 1/4" DSDD

5 1/4" SSDD-96TPI → \$2.29 ea. 5 1/4" DSDD-96TPI → \$2.85 ea.
SOFT SECTOR ONLY! MINIMUM ORDER: 20 DISKETTES

These are factory-fresh 3M diskettes packed in boxes of 10 with Tyvek sleeves, reinforced hubs, identification labels and write-protect tabs.

3.5" MICRO-DISKETTES—SS-135 TPI → \$2.89 ea.

LIFETIME WARRANTY ON ALL 3M SCOTCH DISKETTES!

FOR ORDERS ONLY:

1-800-621-6827

(In Illinois: 1-312-944-2788)

INFORMATION & INQUIRIES:

1-312-944-2788

HOURS: 8AM-5PM Central Time, Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

**DISK
WORLD!**

Authorized Distributor
Information Processing
Products



FANTASTIC LOW PRICES ON



BASF QUALIMETRIC DISKETTES!



\$141 ea. **\$159** ea.
QTY. 20 5 1/4" SSDD QTY. 20 5 1/4" DSDD

PACKED IN PLASTIC LIBRARY CASES!

BASF QUALIMETRIC DISKETTES have a LIFETIME WARRANTY and are packed in PLASTIC LIBRARY CASES with Tyvek sleeves, reinforced hubs, user identification labels and write-protect tabs.

SOFT SECTOR ONLY! MINIMUM ORDER: 20 DISKETTES

BASF 3.5" MICRO-FLOPPIES

BASF 5 1/4" HIGH DENSITY

FOR IBM PC-AT

DSDD-HD → \$4.72 ea.

SSDD-135 TPI → \$3.02 ea.

FOR ORDERS ONLY:

1-800-621-6827

(In Illinois: 1-312-944-2788)

INFORMATION & INQUIRIES:

1-312-944-2788

HOURS: 8AM-5PM Central Time, Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

**DISK
WORLD!**

Authorized Reseller
Information Processing
Media



Incredible value!

Nashua™ Diskettes

LIFETIME WARRANTY!

\$105 ea. **\$115** ea.
QTY. 50 5 1/4" SSDD QTY. 50 5 1/4" DSDD

These are poly-bagged diskettes packaged with Tyvek sleeves, reinforced hubs, user identification labels and write-protect tabs. NASHUA Corporation is a half-billion dollar corporation and a recognized leader in magnetic media.

SOFT SECTOR ONLY! Sold in multiples of 50 only!

FOR ORDERS ONLY:

1-800-621-6827

(In Illinois: 1-312-944-2788)

INFORMATION & INQUIRIES:

1-312-944-2788

HOURS: 8AM-5PM Central Time, Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

**DISK
WORLD!**

Authorized Distributor
NASHUA
MAGNETIC
MEDIA

Save 20% to 60% Or More

On all your OFFICE & COMPUTER SUPPLIES!

Now, you can enjoy DISK WORLD! savings on more than 21,000 office and computer supply products! You name it, we got it...at tremendous savings.

Everything from Scotch™ Tape to Post-It Notes™ to paper clips and rubber bands...and thousands of computer products as well! Our catalog is huge...more than 700 pages, listing more than 21,000 items.

We have to charge for it: \$10.00 to be exact.

But we include a \$50.00 worth of discount coupons that you can use on future orders.

Now, it's DISK WORLD! for every office or computer supply need...and always at tremendous savings!

This offer supercedes all prior catalog offers.

Not responsible for typographical errors.

FOR ORDERS ONLY:

1-800-621-6827

(In Illinois: 1-312-944-2788)

INFORMATION & INQUIRIES:

1-312-944-2788

HOURS: 8AM-5PM Central Time, Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

**DISK
WORLD!**

DISK WORLD! Ordering & Shipping Instructions

Shipping: 5 1/4" & 3.5" DISKETTES—Add \$3.00 per each 100 or fewer diskettes. **Other Items:** Add shipping charges as shown in addition to other shipping charges. **Payment:** VISA and MASTER CARD accepted. **COD Orders:** Add additional \$3.00 Special Handling charge. **APD, FPO, AK, HI & PR Orders:** Include shipping charges as shown and additional 2% of total order amount to cover PAL and insurance. **Taxes:** Illinois residents only, add 8% sales tax.

Prices subject to change without notice.

This ad supercedes all other ads.

Not responsible for typographical errors.

MINIMUM TOTAL ORDER: \$35.00

FOR ORDERS ONLY:

1-800-621-6827

(In Illinois: 1-312-944-2788)

INFORMATION & INQUIRIES:

1-312-944-2788

HOURS: 8AM-5PM Central Time

Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

**DISK
WORLD!**

ATHANA DISKETTES

The great unknown!

99¢ ea. **\$109** ea.
QTY. 50 5 1/4" SSDD QTY. 50 5 1/4" DSDD

You've used these diskettes hundreds of times...as copy-protected originals on some of the most popular software packages. They're packed in poly-bags of 25 with Tyvek sleeves, reinforced hubs, user identification labels and write-protect tabs.

LIFETIME WARRANTY!

SOFT SECTOR ONLY! Sold in multiples of 50 only.

FOR ORDERS ONLY:

1-800-621-6827

(In Illinois: 1-312-944-2788)

INFORMATION & INQUIRIES:

1-312-944-2788

HOURS: 8AM-5PM Central Time, Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

**DISK
WORLD!**

Authorized Distributor
ATHANA
MAGNETIC
MEDIA

DISKETTE STORAGE CASES

AMARAY MEDIA-MATE 50: A REVOLUTION IN DISKETTE STORAGE



Every once in a while, someone takes the simple and makes it elegant! This unit holds 50 5 1/4" diskettes, has grooves for easy stacking, inside nipples to keep diskettes from slipping and several other features. We like it!

\$10.95 ea. + \$2.00 Shpg.

DISKETTE 70 STORAGE: STILL A GREAT BUY.

Dust-free storage for 70 5 1/4" diskettes. Six dividers included. An excellent value.

\$11.95 ea. + \$3.00 Shpg.



DISK CADDIES
The original flip-up holder for 10 5 1/4" diskettes. Beige or grey only.

\$1.65 ea. + 20¢ Shpg.

FOR ORDERS ONLY:

1-800-621-6827

(In Illinois: 1-312-944-2788)

INFORMATION & INQUIRIES:

1-312-944-2788

HOURS: 8AM-5PM Central Time, Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

**DISK
WORLD!**

The value leader in
Computer supplies
And accessories.

PRINTER RIBBONS:

at
extraordinary
prices!

Brand new ribbons, manufactured to Original Equipment Manufacturer's specifications, in housings. (Not re-linked or spools only.)

LIFETIME WARRANTY!

Epson MX-70/80 . . . \$3.58 ea. + 25¢ Shpg.

Epson MX-100 . . . \$4.95 ea. + 25¢ Shpg.

Okidata Micro83 . . . \$1.48 ea. + 25¢ Shpg.

Okidata Micro84 . . . \$3.66 ea. + 25¢ Shpg.

FOR ORDERS ONLY:

1-800-621-6827

(In Illinois: 1-312-944-2788)

INFORMATION & INQUIRIES:

1-312-944-2788

HOURS: 8AM-5PM Central Time, Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

**DISK
WORLD!**

PAPER: Save 50% or more!

We buy paper by the TRUCKLOAD from the two biggest mills in the country.

Therefore, we charge a lot less than you've been paying!

For the complete DISK WORLD paper catalogs and price lists, call 1-312-944-2788 or write us. (Please do not use the "800" line for paper catalog requests, unless you are also placing an order.)

Don't spend more than you have to for top-quality computer printer paper. Call DISK WORLD! today.

INFORMATION & INQUIRIES:

1-312-944-2788

HOURS: 8AM-5PM Central Time

Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

**DISK
WORLD!**

Where paper
Costs less!

CompuPro

SYSTEM 816/B TWO-USER \$4,899
SYSTEM 816/10 H40 40MB H.D. \$5,995
FOR 40MB H.D. OPTION ADD \$1,900
TO HAVE 2ND 8" FLYP W/ H.D. \$395

5 1/4" H.D. SUBSYSTEMS
W/ CONTROLLER, CP/M 80&86 DRIVERS,
CABLES, CABINET, FAN, P/S, ETC.

27Mb **RODIME** 90 mSEC \$1,525
42Mb **QUANTUM** 45 mSEC \$1,995
52Mb **MICROPOLIS** 30 mSEC \$2,425
85Mb **Maxtor** 30 mSEC \$2,995
105Mb **Maxtor** 30 mSEC \$3,695
140Mb **Maxtor** 30 mSEC \$4,395

CPU 286 A&T W/ 287 MATH CHIP \$1,495
CPU 32016 W/ MMU 6MHz \$699
HUDSON 8087 PIGGY BACK FOR 8085/88 \$435
RAM 22 256K STATIC 8&16 A&T \$1,075
DISK 2 A&T 8" H.D. CNTRL SET \$559
FUJITSU 2302B 20Mb 8" ADD-ON H.D. \$1,995

KONAN™

SMC-200 DUAL DRV. SMD I/F CTRL BD. \$500
DGC-100 CTRL BD./5 1/4" H.D., ST-506 I/F \$325

Electralogics

QUASI-DISK 512K RAM-DISK \$735
QUASI-DISK 2Mb \$1,735
QUASI-DISK 4Mb \$3,230
BATTERY BACK-UP \$169

SYNTECH DATA SYSTEMS

EXPANDORAM 4 \$825
EXPANDORAM 4 W/ EDC \$1,435
SD 300 CHASSIS W/ 6 SLOT \$399

MORROW

PIVOT PORTABLE W/ DUAL 5 1/4 DRVS. BATT.
256K, MODEM, MSDOS, NEWWORD CALL
MD3 W/TERMINAL & EPSON FX100 \$1,999
MD5 W/TERMINAL & EPSON FX100 \$1,999
MD11 W/TERMINAL & EPSON FX100 \$2,995

Intercontinental Micro Systems

CPZ 48006 6MHz MASTER \$739
256KMB MEMORY BOARD \$709
CPS-16 256K 8MHz 8086 SLV \$989
CPS-B4D 64K RAM SLAVE 6MHz \$389
CPS-B6A 128K RAM SLAVE 6MHz \$529
MUTD-E Z80 MULTI-TURBODOS \$556

ADVANCED DIGITAL CORPORATION

PC-SLAVE/16-256K 8MHz
2 SERIAL PORTS - TURN YOUR
PC INTO A HIGH SPEED MULTI-USER
MACHINE W/ TODAY'S TECHNOLOGY \$750
SUPER SIX 128-6MHz \$739
SUPER SLAVE 128-6MHz \$525
SUPER 186/256K MSTR/SLAVE-4 USERS \$1,295
CP/M 3.0 \$300
TURBODOS VER. 1.4 8 BIT MULTI-USER \$450

SCION

MA612 W/ PAK II \$599

Votrax

PERSONAL SPEECH SYSTEM \$289

ProModem 1200 from... PROMETHEUS

HAYES COMPAT. W/ LOTS OF FEATURES \$325
W/ MAC PAC \$389



U.S. ROBOTICS

PASSWORD 1200 AUTO ANS./DIAL \$295
IBM PERSONAL MODEM W/ TELPAC \$289

SOFTWARE

8" SSDD OR AS SPECIFIED
SOFTWARE IS NOT RETURNABLE

BDS "C" COMPILER-8 BIT \$99
COMPUTER INNOVATIONS C86 "C" \$299
COMPUVIEW VEDIT-86 = \$156 MS-DOS= \$120
SORCIM SUPER CALC-3 IBM-PC \$245
DATAFLEX MULTI-USER DATA BASE CALL
NEW WORD WORD PROCESSOR \$169
30 DAY MONEY BACK GUARANTEE
LATTICE C (CP/M86 & MS/PC-DOS) \$315

DIGITAL RESEARCH

"C" LANGUAGE COMPILER-86 \$229

TERMINALS

LIBERTY TERMINALS
QUME QVT 102G \$419
WYSE-50 14" 132 COLUMN \$519

MONITORS

AMDEK 300A AMBER MONITOR \$145
PRINCETON GRAPHICS HX-12 \$469
TAXAN RGB VISION 420 \$469
ZENITH ZVM 122A AMBER NON-GLARE \$85
ZENITH ZVM 123A GREEN NON-GLARE \$85

PRINTERS

BROTHER DAISYWHEEL
HR-15 SER. OR PAR. 17 CPS \$365
HR-25 SER. OR PAR. 23 CPS \$625
HR-35 SER. OR PAR. 36 CPS \$849
BROTHER DOT MATRIX
2024L 24 PIN HEAD, GRAPHICS \$925
BROTHER M1009 50 CPS 6LBS. \$195
EPSON ALL MODELS & ACCESSORIES CALL
OKIDATA ALL MODELS & ACCESSORIES CALL
TALLY MT160L 160 CPS S-OR-P \$550

DRIVES

WE SERVICE FLOPPY DRIVES
5 1/4" OR 8" + PARTS + SHIP. \$45



TAPE BACK-UP

IDXCS-100T 17.6Mb/S-100 BUS \$1,949
IDS-412 SCSI/SASI 17.6Mb \$1,949
PC-QICTAPE 60Mb/IBM-PC \$1,949



Amcodyne

ARAPHOE 8" SMD 25Mb FIX & REMOV. \$3,995
OPTIONAL FAN \$59 POWER SUPPLY \$289

MITSUBISHI ELECTRONICS

4851 1/2 HT 5 1/4" 48TPI \$159
4853 1/2 HT 5 1/4" 96TPI \$179
M2894 STD 8" DSDD \$399
M2896 1/2 HI 8" DSDD \$399



Qume

142 DSDD 5 1/4" HI \$149
242 DSDD 8 1/4" HI \$359
842 DSDD 8" STD HI \$449

SANYO

5 1/4" 1/2 HT FLYP. \$119

Tandon

100-2 5 1/4" DSDD \$159

Dysan

25Mb 8" CARTRIDGE \$139
5Mb 5 1/4" CARTRIDGE \$89



MD1D 5 1/4" SSDD BOX/10 \$18
MD2D 5 1/4" DSDD BOX/10 \$22
MD2D 96TPI 5 1/4" DSDD BOX/10 \$34
FD2D 1024N 8" DSDD BOX/10 \$32



STAND-BY POWER

BC-425-FC 425 WATTS. 4 OUTLETS \$469
BC-1000-FC 1000 WATTS. 4 OUTLETS \$1,949

ISOBAR SUPPRESSOR & NOISE FILTERS:

IBAR 2-6 2 OUTLETS & 6 FT. CORD \$40
IBAR 4-6 4 OUTLETS & 6 FT. CORD \$55
IBAR 8-15 8 OUTLETS & 15 FT. CORD \$69



PC W/256K, FLYP & 10Mb H.D. \$2,330

64K RAM 4164-150 NS 9 CHIPS/SET \$24
256K RAMS @ 150nS \$14.50
8087-3 MATH CO-PROCES. \$130

FORTRON 140 WATT IBM-PC P/S \$155

HARD DISK SUBSYSTEMS:

12Mb **RODIME** PC-INSIDER \$719
27Mb **RODIME** PC-OUTSIDER \$1,375
42Mb **QUANTUM** PC-OUTSIDER \$1,815
52Mb **MICROPOLIS** PC-OUTSIDER \$2,250
85Mb **Maxtor** PC-OUTSIDER \$2,795
105Mb **Maxtor** PC-OUTSIDER \$3,695
140Mb **Maxtor** PC-OUTSIDER \$4,495

WANGTEK PC-36 60Mb TAPE BACK-UP
PC-INTERNAL SUBSYSTEM \$1,525
PC-EXTERNAL SUBSYSTEM \$1,625



QUARTER BYTE 256K \$249
RIO PLUS II 256K \$395
GRAPHIC PLUS II W/PARALLEL \$325
SUPER RIO 256K \$350
RIO GRANDE 128K/IBM-AT \$369

TECMAR

IBM-AT/MAESTRO W/O RAM TO 2.1Mb
S & P PORT. TREASURE CHEST
PRINTER & MEM DISK SOFTWARE \$399
CAPTAIN OK. IS, IP, CLK/CAL \$219
WAVE 'XT' MEMORY BD 64K \$189
GRAPHICS MASTER - HIGH RES. COLOR \$439
GRAPHICS TENDER MONOCHROME \$199
jr CADET 256K ADD ON PIGGYBACK BD. \$249

Mac Drive

73020 2X 5Mb REMOVABLE H.D. \$2,429
73200 10Mb FIXED H.D. \$1,459
73210 10Mb FIXED W/ 5Mb \$2,429



Giltronix SWITCH BOXES

FOR NETWORKING MULTIPLE PRT.'S, MODEMS
TERMINALS &/OR SYSTEMS BY MANUAL
OR AUTO WITH SOFTWARE CONTROL CALL



data systems

Z-150 PC THE MOST COMPATIBLE PC \$2,095
Z-150 PC (W/ 10.6Mb H.D.) \$2,888

FULL DEALER SUPPORT
VISIT OUR SHOWROOM
Hrs. 8:30AM - 5:00PM M-F

All merchandise new. We accept MC, Visa, Wires, COD (\$5 min. fee) with Cashiers Check/MO, P.O.'s from qualified firms. APO accepted. Shipping: minimum \$4. first 3 Lbs. Tax: AZ Res. Only add 6% sales tax. All returns subject to 20% restocking fee. Advertised prices for Mail Order Only. Retail prices slightly higher. Prices subject to change.

Inquiry 271 for Dealers.
Inquiry 272 for End-Users.




SEND \$2.00 FOR OUR 116 PG. CATALOG

wabash®

When it comes to
Flexible Disks, nobody
does it better than
Wabash.

MasterCard. Visa Accepted.
Call Free: (800) 235-4137



PACIFIC EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401 (In Cal. call
(805) 543-1037)

Inquiry 244

Erases Most Eproms in 3 Minutes



ONLY
\$34.95

Solid State 2-8 Min.
Timer Version \$54.95

For all 24 or 28 Pin Devices
90-DAY WARRANTY DEALER INQUIRIES
WELCOME

SHIPPING & HANDLING \$2.50
WALLING CO. AZ RESIDENTS
ADD 6% TAX
4401 S. JUNIPER • TEMPE, AZ 85282 • (602) 838-1277

Inquiry 328

3M Diskettes Lifetime Warranty

Think you're getting the best price
on 3M Diskettes?
You're right . . . BUT ONLY IF . . .

You're buying from
NORTH HILLS CORP.

We will beat any nationally adver-
tised price* or give you a 15 disk
library case FREE!

Call us last—TOLL FREE—for our
best shot every time.

1-800-328-3472

Formatted and hard sector disks in
stock.

Dealer inquiries invited. COD's and charge cards
accepted. All orders shipped from stock within 24
hours. Why wait 10 days to be shipped?



North Hills Corporation


3564 Rolling View Dr.
White Bear Lake, MN 55110
MN Call Collect 1 612 770 0485

*verifiable; same product, same quantities

Inquiry 234

Serial ◀ ▶ Parallel

NEW!



Convert What You Have
To What You Want!

- RS232 Serial
- 8 Baud Rates
- Latched Outputs
- Centronics Parallel
- Handshake Signals
- Compact 3 1/4" x 4 1/4" x 1 1/2"

No longer will your peripheral choices be limited by the type
of port you have available! Our new High Performance 700
Series Converters provide the missing link. Based on the
latest in CMOS technology, these units feature full baud
rate selection to 19.2K, with handshake signals to maximize
transfer efficiency. Detailed documentation allows
simplified installation. Order the Model 770 (Ser/Par) or
Model 775 (Par/Ser) Today!

Buffer Products
Coming Soon!

LigerTronics
2734-C Johnson Dr.
Post Office Box 3717
Ventura, California 93006

only \$89.95
Connector Option \$10.00
CA Residents 6% tax
UPS Shipping \$3.00

CALL (805) 658-7466 or 658-7467

For FAST Delivery

Inquiry 106



**Sure
it's insured?**

SAFWARE Insurance provides full
replacement of hardware, media and
purchased software. As little as \$35/yr covers:

- Fire • Theft • Power Surges
- Earthquake • Water Damage • Auto Accident

For information or immediate coverage call:

1-800-848-3469

In Ohio call (614) 262-0559

SAFWARE

SAFWARE, THE INSURANCE AGENCY INC.


Inquiry 273

MARYMAC INDUSTRIES INC.

800-231-3680

**Radio Shack TRS-80's
Epson Printers**

People you Trust to give you the very best!



- Lowest Price
- Reliable Service
- Quality Products



22511 Katy Fwy., Katy (Houston) Texas 77450
(713) 392-0747 Telex 774132

Inquiry 199

DUST COVERS

For Personal Computers and Small
Business Systems, Peripherals, Game
Units - Protective, Long-Lasting Vinyl
Resists Both Dust and Liquids.

- CHOICE OF COLORS -

Amdak
Apple
Atari
BMC
Columbia
Commodore
Corona
Eagle
Epson
Franklin Ace
IBM
Kaypro
Okidata
Rana Systems
Star Micronics
Televideo
Texas Instruments
PLUS OTHERS

GROUP/VOLUME DISCOUNTS AVAILABLE

FOR FREE BROCHURE WRITE:

ENCHANTED FOREST
P.O. Box 5261, Newport Beach, CA 92662
(118 Onyx)

Dealer Inquiries Invited

Inquiry 105 for Dealers.

The Statistician

CPM IBM-PC
TRS-DOS XENIX

- Multiple Regression
- Stepwise
- Ridge
- All Subsets
- Backward Elimination
- Time Series Analysis
- Descriptive Statistics
- Transformations
- Survey Research
- Nonparametrics
- XY Plots
- ANOVA
- Random Samples
- Data Base
- Search & sort
- Hypothesis tests

Please call TOLL FREE

1-800-334-0854 (Ext. 814)



for more information
or write:
Quant Systems
Box 628
Charleston, SC 29402
VISA/MC Accepted

Inquiry 263

IN STOCK **MODEMS** 2 DAY SHIP

- ★ Hayes Compatible ★
- ★ Free Communications Software ★

HAYES 1200 ★\$449

U.S. ROBOTICS..... Password
300/1200 Auto A/D w/cables, spkr ★\$314

ANCHOR AUTOMATION..... SIGNALMAN
Mark I 300 Baud \$ 69
Mark X 300 Baud Auto A/D ★\$119
Mark XII 1200/300 Auto A/D ★\$239

QUBIE
Internal 300/1200 Auto A/D ★\$269
External 300/1200 Auto A/D ★\$289

DIRECT CONNECT DEVICES

P.O. Box 13256, San Luis Obispo, CA 93406


CALL FOR
FREE
CATALOG



CALL TO
ORDER:
(805) 543-6308

Dealer Inquiries Invited

Inquiry 89



REMEX

5 1/4" 40 TRACK DOUBLE SIDED/DENSITY 2/3-HEIGHT FLOPPY DRIVES

Tested up to 2mS Track-to-Track Access

EACH

2-9

10+

\$59.⁹⁵ \$49 EACH \$45 EACH

BRAND NEW - IN FACTORY CARTONS!


BNRMX523 (Sh. wt. 4 lbs. each)

Single & Dual 2/3-Height Floppy Drive Cabinets

BNJMR123 Single-Drive Cabinet (5 lbs.) **\$65.00**

BNJMR223 Dual-Drive Cabinet (7 lbs.) **\$99.00**

5Mbyte Hard Disk Drive SHUGART 604



**ST506 Compatible - In Factory Cartons
60 DAY WARRANTY!**

EACH

2-9

10+

\$199 \$189^{Ea.} \$175^{Ea.}

BNSHU604 (Sh. wt. 9 lbs.)

Single & Dual 5 1/4" Hard Disk Drive Cabinets

BNIIHD5001 Single Drive Cabinet (16 lbs.) **\$239.00**

BNJMRHDC52 Dual Drive Cabinet (20 lbs.) **\$299.00**

COMPUTER SYSTEMS

MORROW DESIGNS

Description	Part no.	Price
Micro Decision w/5Mbyte hrd disk&terminals	BNPBDNSMD05	\$1999.00
BasicR0 SuperCalc/Personal/Pearland	BNMDSMD11S0FT	\$350.00
Pilot software for MDS above		

SANYO

MBC550-2 MS-DOS 1.0 d/s drive sys	BNPDBSY0999	\$999.00
tem w/Gm screen monitor & 80cps printer		

IBM PC™ COMPATIBLE ADD-ONS

Franklin Hard Disks with Controllers

10MB Internal 10 lbs.	BNFCHD10	\$749.00
10MB External 10 lbs.	BNFCHD10X	\$895.00
10MB Internal 1/2-Height 8 lbs.	BNFCHD10HH	\$749.00
20MB Internal 1/2-Height 8 lbs.	BNFCHD20HH	\$1195.00
15MB Internal 10 lbs.	BNFCHD15	\$995.00
15MB External 10 lbs.	BNFCHD15X	\$1095.00
33MB Internal 12 lbs.	BNFCHD33	\$1895.00
33MB External 20 lbs.	BNFCHD33X	\$2095.00
10MB Streaming Tape Internal 10 lbs.	BNFCT10	\$795.00
10MB Streaming Tape External 10 lbs.	BNFCT10E	\$895.00
10MB Tape & 20MB disk Ext. 25 lbs.	BNFCT20T	\$1995.00

64K RAM expansion for IBM PC™	BNPDBIMMEM9	\$39.00
contains 9-4164's		

64K RAM expansion for IBM PC™	BNPDBIMMEM9	\$39.00
contains 9-4164's 1 lb.		

256K Dynamic RAM chips 150ns	BNHMS0256P15	\$30.00
8 or more \$19.95 each		

IBM AT™ Compatible Hard Disk Drive

12Mbyte 1/2 height w/hardware 5lbs	BNIIATFD	\$395.00
20Mbyte hrd disk formattd SEAGATE 5lbs/BNSEAST25F		\$895.00
33Mbyte hrd disk formattd QUANTUM 9lbs/BNQTM0540F		\$1595.00

VIDEO CARDS

IBM color video card 2lbs	BNIBM1504910	\$250.00
IBM Monochrome Card 2lbs	BNIBM1504900	\$250.00

IBM-PC™ COMPATIBLE MONITORS

IBM 12" green screen 18lbs	BNIBM151001	\$275.00
TAXAN 12" green screen for IBM 18lbs	BNITAX121	\$169.00
TAXAN 12" amber screen for IBM 18lbs	BNITAX122	\$179.00
IBM 13" color RGB 28lbs	BNIBM153001	\$680.00
TAXAN 12" color RGB w/cable 28lbs	BNITAXRGB20	\$495.00

STD CARDS (2 lbs. each)

Super R10 (64K)	BNSTBSR10	\$319.00
Super I/O	BNSTBSIO	\$199.00
R10 PLUS (64K)	BNSTBRPLS2	\$289.00
Graphic PLUS II	BNSTBRPLS2	\$395.00
10 GRANDE "AT" Multifunction 128K/BNSTBRGB128		\$449.00
GRANDE BYTE 128K Exp to 2MB "AT" BNSTBRGB128		\$299.00

TECHAR BOARDS

The CAPTAIN™ Multi board 64K	BNTECAPTAIN	\$259.00
256K Dynamic memory	BNTEC256KDM	\$219.00
WAVE™ XT Memory board	BNTECWAVE	\$499.00
GRAPHICS MASTER™	BNTECGRMASTER	\$499.00
EXPANSION CHASSIS for IBM PC™ 80ns/BNTECXPCHS		\$749.00

HERCULES GRAPHICS CARDS

High res monochrome card	BNHECCG	\$339.00
Color card with printer port	BNHECCOLOR	\$179.00

QUADRAM CARDS (2 lbs. each)

EXPANDED QUADBOARD (0 K)	BNQDRD0BRDXP0	\$239.00
QUADBOARD II	BNQDRD0BRDII0	\$299.00
QUADCOLOR I™	BNQDRD0CLRI	\$219.00
QUADCOLOR II™	BNQDRD0CLRII	\$449.00
QUAD 512 (64K installed)	BNQDRD0512+	\$259.00
QUADLINK	BNQDRD0LINK	\$539.00
Serial int card I-RS232	BNQDRRS232	\$69.00
Serial expansion for above	BNQDRRS232EXP	\$89.00
Parallel card	BNQDRPIC	\$89.00

VIDEO MONITORS

SANYO 12MHz 12" Amber 18 lbs	BNSY0DM2212	\$79.00
SANYO 18MHz 12" Green 24 lbs	BNSY0DM112CX	\$129.00
SANYO 18MHz 12" Amber 24 lbs	BNSY0DM8212CX	\$129.00
TAXAN 18MHz 12" Green 18 lbs	BNITAX115	\$139.00
TAXAN 18MHz 12" Amber 18 lbs	BNITAX116	\$139.00
SANYO 13" RGB color 7MHz 30 lbs	BNSY0DM7500	\$379.00
TAXAN 12" RGB color 6MHz 50 lbs	BNITAX210	\$319.00

DISKETTES and ACCESSORIES

MAXELL

8" dbl/dens single sided 1lb.	BNMXLFD1128M1200	\$275.00
8" dbl/dens double sided 1lb.	BNMXLFD2XDM1200	\$349.50

PRINTERS

Description	Part No.	Price
EPSON		
RX80 20lbs	BNENPRXR80+	\$239.00
RX80FT 20lbs	BNENPRXR80FT+	\$279.00
RX100 26lbs	BNENPRXR100+	\$429.00
FX80 20 lbs.	BNENPRFX80+	\$399.00
FX100 26 lbs.	BNENPRFX100+	\$599.00
LQ1500 Ser int. 30cps	BNPOBEPMLQ1500SS	\$1249.00
LQ1500 Par int. 30cps	BNPOBEPMLQ1500PS	\$1199.00

OKIDATA

82A w/tractor feed 25 lbs.	BNOKIDAT82AT	\$349.00
83A w/tractor feed 35 lbs.	BNOKIDAT83AT	\$589.00
84A - parallel 35 lbs.	BNOKIDAT84AP	\$895.00
84A - serial 35 lbs.	BNOKIDAT84AS	\$979.00
92A - parallel 25 lbs.	BNOKIDAT92AP	\$469.00
92A - serial 25 lbs.	BNOKIDAT92AS	\$610.00
93A - parallel 35 lbs.	BNOKIDAT93AP	\$699.00
93A - serial 35 lbs.	BNOKIDAT93AS	\$925.00

MANNESMANN TALLY

MT160L 80 col. 21 lbs.	BNTALMT160L	\$750.00
MT180L 132 col. 28 lbs.	BNTALMT180L	\$799.00

Description	Part no.	Price
TOSHIBA		
P1340 serial 30lbs.	BNTSHP1340S	\$699.00
P1340 parallel 30lbs.	BNTSHP1340P	\$699.00
P1351 parallel 35lbs.	BNTSHP1351P	\$1299.00
Bi-directional tractor for P1351 6lbs	BNTSHADA003	\$195.00
Single bin out sheet feeder for P1351 15lbs.	BNTSHA002	\$995.00

STAR

Gemini 10X 20 lbs.	BNSTRGEM10X	\$259.00
Gemini 10X for IBM PC 20 lbs.™	BNSTRGEM10XP	\$329.00
Gemini 15X 26 lbs.	BNSTRGEM15X	\$379.00
Gemini 15X for IBM PC™ 26 lbs.	BNSTRGEM15XP	\$449.00
Serial interface for GEMINI X series	BNSTRSERINTX	\$59.00
Serial interface with 4K buffer	BNSTRSERINTX4K	\$119.00
COEX 80FT - parallel 21lbs.	BNCOX80FT	\$179.00

PRINTER DUFFERS

64K Microbuffer (serial) 2lbs.	BNPRPM61S64	\$249.00
64K Microbuffer (parallel) 2lbs.	BNPRPM61P64	\$249.00
Microbuffer II+ for Apple (serial) 2lbs.	BNPRPM62PLUS1S	\$189.00
Microbuffer II+ for Apple (parallel) 2lbs.	BNPRPM62PLUS1P	\$189.00

MODEMS


PROMETHEUS

ProModem 1200 baud auto dialans 4 lbs.	BNPRPM1200	\$349.00
ProModem IBM-PC™ card w/software	BNPRPM1200B	\$269.00
ProModem Apple II card w/software	BNPRPM1200A	\$349.00
ProModem for Macintosh w/cable & software	BNPRPM1200M	\$399.00
Alpha/num display for ProModem	BNPRMDISPLAY	\$79.00
Options processor for ProModem	BNPRMDPTPRO	\$79.00
64K Memory exp. for options processor	BNPDBPRMEXP64	\$59.00

HAYES

1200 Baud Smartmodem 4 lbs.	BNDCCH0400P	\$479.00
1200 Baud for IBM-PC™ w/software	BNDCCH1200B	\$429.00
300 Baud Smartmodem	BNDCCH0200P	\$249.00
MicroModem II for Apple	BNDCCH701400	\$249.00

5" Double Sided Double Density Diskettes



\$1.60 EACH In Packs of 25
BNDS25 (\$1.60 X 25=\$40.00/pack)
(Sh. wt. 1 lb. per pack)

\$1.40 EACH In Boxes of 250
BNDS250 (\$1.40 X 250=\$350.00/box)
(Sh. wt. 8 lbs. per box)

\$1.20 EACH In Cartons of 1000
BNDS1000 (\$1.20 X 1000=\$1200.00/carton) (Sh. wt. 30 lbs.)

These prices are so low, the manufacturer has requested to not be identified

DISK DRIVES

8" DRIVES

SIEMENS Single side dbl/density 18lbs.	BNSIEFDD1008	\$125.00
2 to 5 Drives \$110.00 each / 6 or more Drives \$99.00 each		
WORLD DISK DRIVES Double side	BNWDQ2008P	\$219.00
dbl/density 18lbs.		
2 to 5 Drives \$199.00 each		
6 or more Drives \$189.00 each		
MITSUBISHI dbl side, dbl dens 18lbs.	BNMITM289463B	\$375.00
TANDON 1/2 height sgl side, dbl dens 9lbs.	BNNTDNTM8481E	\$319.00
TANDON 1/2 height dbl side, dbl dens 9lbs.	BNNTDNTM8482E	\$389.00

5 1/4" DRIVES

SHUGART 40trk 1/2 height, dbl side 3lbs.	BNSHUSA55	\$149.00
TEAC 48trk 1/2 height, dbl side 3lbs.	BNTEA55B	\$155.00
TEAC 96trk 1/2 height, dbl side 3lbs.	BNTEA55F	\$169.00
TANDON 100-2 40trk full height, dbl side 4lbs.	BNNTDNT1002	\$199.00

5 1/4" HARD DISK

QUANTUM 42Mbyte Hard disk 9lbs.	BNQTM0540	\$1495.00
TANDON 19.2Mbyte Hrd Disk	BNTDN0503	\$895.00
Seagate 51225 1/2 high 25Mbyte 5lbs	BNSEAST225	\$795.00
MAXTOR 85Mbyte 30ms access 12lbs	BNMXTX11085	\$2995.00
MAXTOR 140Mbyte 30ms access 12lbs	BNMXTX11140	\$3995.00
MICROPOL 52 Mbyte 12 lbs.	BNMCP1304	\$1695.00

S-100 CPU BOARDS

Shipping weight on all S-100 boards 2lbs. each

Description	Part no.	Price
MACROTECH 80286 & 280		
CompuPro CPU-Z	BNGMTA039	\$269.00
CompuPro 8085/88 dual processor	BNGMTA041	\$399.00
SDS SBC-300 4MHz	BNSDS38095	\$599.00
SDS SBC-300 6MHz	BNSDS38092	\$699.00
ADVANCED DIGITAL SuperSix w/floppy controller, 128K RAM	BNADCSUP6128	\$699.00
ADVANCED DIGITAL 4MHz SBC. 5 1/4" floppy controller, 64K RAM	BNADCSBC15	\$595.00
ADVANCED DIGITAL 4MHz SBC. 8" floppy controller, 64K RAM	BNADCSBC18	\$595.00

S-100 RAM BOARDS

CompuPro RAM23 / 64K	BNGMTA316	\$349.00
CompuPro RAM 23 / 128K	BNGMTA319	\$599.00
SDS ExpandoRAM II/696	BNSDS38097	\$499.00
SDS ExpandoRAM IV	BNSDS38088	\$825.00
MACROTECH 1 Megabyte	BNADCSMAXM	\$2195.00
CompuPro RAM 22 / 256K	BNGMTA070	\$1199.00

S-100 RAM DISK BOARDS

CompuPro M-Drive/H® 512K	BNGMTA072	\$899.00
SDS RAM disk 256K	BNSDS38082	\$649.00

S-100 I/O BOARDS

Vector Interfacar II	BNVCTR800GF2B	\$259.00
CompuPro Interfacar 3	BNGMTA078	\$599.00
CompuPro Interfacar 4	BNGMTA080	\$349.00
CompuPro System Support 1	BNGMTA103	\$350.00
SDS 4 port Async. serial	BNSDS38096	\$449.00
SDS 8 port Async. serial	BNSDS38093	\$529.00
SDS 8 port 4-Async. 4-syn.	BNSDS38094	\$649.00

S-100 CONTROLLER BOARDS

FOR FLOPPY DISKS

CompuPro DISK1 DMA	BNGMTA018	\$399.00
CompuPro DISK1A DMA	BNGMTA084	\$499.00
SDS VersaFloppy II with CP/M 3.0™ (a special implementation by SDS)	BNPDBVF2CPM3	\$299.00
SDS VersaFloppy III	BNSDS38099	\$599.00
with 5 1/4" unbanked CP/M 3.0™	BNPDBVF339145	\$749.00
with 8" unbanked CP/M 3.0™	BNPDBVF339146	\$749.00
with 5 1/4" banked CP/M 3.0™	BNPDBVF339147	\$749.00
with 8" banked CP/M 3.0™	BNPDBVF339148	\$749.00

FOR HARD DISK

CompuPro DISK3 Seagate ST506 series	BNGMTA087	\$558.95
ADVANCED DIGITAL Seagate 500 compatible	BNADCHDC10015	\$399.00

DISK DRIVE ENCLOSURES

8" ENCLOSURES

ParaDynamics dual desktop 35lbs	BNPDN22000	\$479.00
ParaDynamics dual rack mount 35lbs	BNPDN2200R	\$499.00
JMR Dual desktop 30lbs	BNJMR2C8	\$229.00

5 1/4" ENCLOSURES

JMR Single 5lbs.	BNJMR1C5	\$ 59.00
JMR Dual full height 9lbs.	BNJMR2C5	\$ 89.00
JMR Dual full height w/internal data cable 9lbs.	BNJMR2C5C	\$ 99.00
JMR Dual half height vert. mount 7lbs.	BNJMR2SV5	\$ 65.00
JMR Single hard disk enclosure 16lbs.	BNJMRHDC51	\$ 239.00
JMR Dual hard disk enclosure 20lbs.	BNJMRHDC52	\$ 299.00

USED SOFTWARE

...! LOW PRICES !...

WE BUY AND SELL USED SOFTWARE
ALL MAKES OF COMPUTERS
SUPPORTED

FREE CATALOG

SOFTWARE EXCHANGE INC.

BOX 485,
HALES CORNERS, WI.
53130

Inquiry 285

EPROM PROGRAMMER



APPROTEK 1000
ONLY
\$249.95

COMPLETE WITH
PERSONALITY
MODULE

117 AC POWER-RS232
-6 BAUD RATES - HANDSHAKE TO HOST
ALLOWS READ, WRITE, VERIFY & COPY

Comes complete with CPM & BASIC Drive
Program Listings for most small micros

Full 1 Year Warranty

Programs the following: 5 Volt 24 or 28 pin
devices: 27xx series through 27256,
25xx series, 68766 plus others.
Specify Personality Module desired with order.
Additional Personality Modules only \$15.00 ea.

TO ORDER: CALL OR WRITE

APROPOS TECHNOLOGY

1071-A AVENIDA ACASO Add
CAMARILLO, CA 93010 **\$4.00 Shipping-USA**
(805) 482-3604 **VISA or MC Add 3%**

Inquiry 24

TeleVideo USERS RETAIL

- Fast Dump/Restore CPM, TurboDOS
over 600k per disk..... **\$90.00**
- Basic/Z with Graph/Z..... **\$345.00**
- TurboDOS for TeleVideo..... **from \$300.00**
- LYNC Communications Package..... **\$195.00**
- 8" Disk Drive for 802 and 800A
Drive, board and software..... **\$1200.00**
- RM/COBOL Systems..... **from \$250.00**
- DataFlex 2.0..... **from \$750.00**
- 803, 803H, TPC-1 and GRAPHIC programs:
Draw!..... **\$90.00**
- Games Pak I..... **\$34.95**
- 816 and 806C Tape Backup..... **from \$175.00**
- Soft Standby Power Systems:
200VA/400VA..... **from \$575.00**
- Anti-Static Products..... **from \$39.95**

PC & COMPATIBLE USERS!

Run your PC as a slave to your 8-Bit
TurboDOS System! Also see our ad on Page 459.
Available soon: Backup for TELEVIDEO PM & 1608.
PLUS OTHER GOOD TELEVIDEO & PC STUFF!

COGITATE, INCORPORATED

SPECIALISTS IN UNIQUE SOFTWARE
24000 Telegraph Road, Southfield, MI 48034
(313) 352-2345 Telex 386581
VISA/MasterCard Accepted

Inquiry 362

ICs PROMPT DELIVERY!!! SAME DAY SHIPPING (USUALLY)

OUTSIDE OKLAHOMA: NO SALES TAX

8087-3 Co-Processors \$124.97
DYNAMIC RAM

256K	256Kx1	150 ns	\$13.47
128K	128Kx1	150 ns	16.25
64K	64Kx1	150 ns	2.44
64K	64Kx1	200 ns	2.59

EPROM

27256	32Kx8	300 ns	\$36.25
27128	16Kx8	250 ns	13.12
27C64	8Kx8	200 ns	11.87
2764	8Kx8	250 ns	5.31
2732A	4Kx8	250 ns	5.99
2716	2Kx8	450 ns	3.21

STATIC RAM

6264LP-15	8Kx8	150 ns	\$18.75
6116P-3	2Kx8	150 ns	4.06

OPEN 6 1/2 DAYS: WE CAN SHIP VIA FED-EX ON SAT.

MasterCard/VISA or UPS CASH COD
Factory New, Prime Parts

MICROPROCESSORS UNLIMITED
24,000 South Peoria Ave.
BEGGS, OK 74421
(918) 267-4961


Prices shown above are for January 7, 1985

Please call for current prices. Prices subject to change. Please expect higher or lower prices on some parts due to supply & demand and our changing costs. Shipping & insurance extra. Cash discount prices shown. Small orders received by 6 PM CST can usually be delivered to you by the next morning, via Federal Express Standard Air @ \$6.75

Inquiry 215

BASF DISKETTES

**BASF Diskettes at competitive price. Call TOLL FREE
(800) 235-4137 for prices and
information. Visa and Master
Card accepted.**




**PACIFIC
EXCHANGES**

100 Foothill Blvd
San Luis Obispo, CA
93401 (In Cal call
(805) 543-1037)

Inquiry 244

ROSE ELECTRONICS DATA SWITCHES



SHARE computers, printers,
any parallel or serial device
ELIMINATE cable swapping
INEXPENSIVE way to network
COMPATIBLE with
all computers.

Businesses, Schools, Homes

WE ALSO OFFER:

Data Buffers, Line Drivers,
Modems, Protocol Converters,
Parallel - Serial Converters,
Cables, Computers, Printers,
Disk Drives, and more.

AUTOMATIC - CARETAKER is ideal for a business or
school to share a printer or modem among many computers.
Operation is fully automatic with no software required.
Parallel or Serial 4 channels - \$295 8 channels - \$395

MANUAL - HARD SWITCH is operated with the flip of a
switch. 2:2 and 2:4 models allow simultaneous commun-
ication.

Serial 1:2 - \$59 1:4 - \$ 99 2:2 - \$109 2:4 - \$169
Parallel 1:2 - \$99 1:4 - \$159 2:2 - \$189 2:4 - \$279
LED and spike protection on serial models add \$20.

CODE ACTIVATED - PORTER connects one computer to
multiple peripherals. A software code selects the peripheral.
Parallel or Serial 4 channels - \$295 8 channels - \$395
Buffer option 64K - \$100 256K - \$250

REMOTE - TELEPATH connects multiple computers to
multiple peripherals. A selector at each computer or terminal
chooses up to 4 peripherals and displays busy status.
4:4 - \$495 4:8 - \$795 selector - \$39

Give a Rose to your computer

ROSE ELECTRONICS (713) 240-7673
P.O. BOX 742571
HOUSTON, TX 77274
Dealer Inquiries Invited
CALL US FOR ALL YOUR INTERFACE NEEDS

Inquiry 363

Turbo + PC Tools = Programs Tools for Turbo Pascal™ on the IBM™ PC

Window Management = menus, help files...

- Unlimited windows
- Window overlay & recall
- Cursor save & jump
- Access all colors & chars
- Window Compiler/Librarian manages window files

Graphics Drawing = HiRes plotting power!

- Ellipses, polygons
- Region fill and clear & more

String Formula Evaluator = easy calculation

- 22 functions with nesting and implicit multiplication
- Won't bomb on overflow or division by zero

System Check and Control = max flexibility!

- Time & date access
- Get disk types & room
- Get & set default
- I/O information drive

All this for only \$39.95*... Incredible!

You get 321K of source code on a double-sided disk and a 35 page manual. For single-sided drives add \$2. Works with DOS 2.0, Turbo 2.0.

*Please include \$2 for postage and handling (\$4 if outside of USA). Californians add 6%.

Paragon Courseware
4954 Sun Valley Road
Del Mar, CA 92014
(619) 481-1477

Turbo Pascal is a trademark of Borland International
IBM is a trademark of the IBM Corporation

Inquiry 245

DATA ACQUISITION TO GO INTERFACE FOR ANY COMPUTER



Connects via RS-232. Built-in BASIC.
Stand alone capability. Expandable.
Battery Option. Basic system: 16 ch.
12 bit A/D, 2 ch. D/A, 32 bit Digital I/O.
Expansion boards available. Direct
Bus units for many computers.

**SPECIALISTS IN PORTABLE APPLICATIONS
(201) 299-1615**

P.O. Box 246, Morris Plains, NJ 07950

ELEXOR

Inquiry 180

Electronic Circuit Analysis

- New release
- Transient, AC, DC analysis
- Full nonlinear
- Over 200 nodes
- Full editing
- Macro circuits
- Worst case, Monte-Carlo
- Temperature effects
- Frequency dependent parts
- Time dependent parts

For MS-DOS. 128k minimum.
\$395.00

Tatum Labs

P.O. Box 698

Sandy Hook, CT 06482

(203) 426-2184

Inquiry 364

***"The Source" of
electro-mechanical components
for the hobbyist.***

FEBRUARY 1985 • BYTE 445

KRUEGER Technology, Inc.

The Home of
Remanufactured

ICs

offers you an
attractive
alternative

No late-comer to the high tech business world, we perfected our IC remanufacturing process in 1975 . . . and have been serving the needs of important, quality-conscious OEMs and distributors ever since. Now we are making available, to the serious "hobbyist," our vast inventory of ICs.

The patented Krueger Process is the key to the quality of our remanufacturing. Using patterned and controlled infra-red heat, we remove soldered-in ICs from obsolete, over-run, or scrap PCBs. Then we use automated, state-of-the-art procedures for lead-straightening, replating, optical scanning, and functional testing. The result is ICs which are "better than new" because they're already burned-in and retested.

This means that you can now buy just like the OEMs . . . the same top quality, in the small quantities that meet your needs . . . 100% tested and guaranteed. Use your Visa or MasterCard.

The listings on this page are but a sample selection from our full inventory. Call our toll free number to place your order or obtain information.

EXTRA SPECIAL FEATURES

27128 450NS
9.95

4164 DRAM
9/24.95
(3.00 - EACH)

EPROMS

1702	2K	2.63
5204	4K	2.63
2708	8K	2.37
68708	8K	7.50
2716 300-450NS	16K	2.63
2716 500-650NS	16K	1.88
2532, 2732 200NS	32K	4.20
2532, 2732 250NS	32K	3.75
2763	64K	3.20
68766 (24 PIN)	64K	11.86
2564, 2764 300NS	64K	5.93
27128 250NS	128K	11.95
27128 300NS	128K	10.95

DYNAMIC RAMS

4164 150NS	64K	3.00
TMS4416	64K	3.00
4164 250NS	64K	2.00
2620	64K	3.00
4332	32K	3.00
2118	16K	1.50
4116 150NS	16K	.89
4116 200NS	16K	.59
4116 250NS	16K	.39
4027	4K	.45

STATIC RAMS

10415	1Kx1	6.26
2115	1Kx1	1.13
2125	1Kx1	1.50
93415	1Kx1	3.38
93425	1Kx1	3.38
2510	1Kx1	3.38
2511	1Kx1	3.38
2148	1Kx4	3.92
2149	1Kx4	3.92
10474	1Kx4	3.00
2114 200NS	1Kx4	.70
2114 450NS	1Kx4	.50
4801 70NS	1Kx8	3.38
4118 250NS	1Kx8	2.93
6116 200NS	2Kx8	3.68
6116 250NS	2Kx8	2.93
10470	4Kx1	10.44
2141	4Kx1	1.05
2147	4Kx1	3.38
TMS4044 200NS	4Kx1	1.05
TMS4044 300NS	4Kx1	.90
1420	4Kx4	4.50
2168	4Kx4	4.50
2167	16Kx1	4.50

"L" Series slightly higher.

Z80 SERIES

2.5 MHZ	
CPU	1.13
CTC	1.13
DART	3.00
DMA	3.00
PIO	1.13
SIO (Any)	3.00
4.0 MHZ (Z80 A)	
CPU	1.88
CTC	1.88
DART	4.50
DMA	4.50
PIO	1.88
SIO (Any)	4.50

6500/6800 MICROPROCESSORS

6502	1.50
6503	1.50
6504	2.75
6512	1.25
6522	2.75
6532	3.75
6545	8.00
6800	1.75
6802	3.25
6803	7.50
6809	5.00
6810	.75
6820	1.50
6821	1.25
6844	10.50
6850	1.50
6852	2.25
6860	3.25
6875	2.75

16 BIT MICROPROCESSORS

Z8001	7.50
MC68000L8	18.00

SOUND CHIPS

AY3-8910	5.00
AY3-8912	5.00
76477	2.25
76489	4.00

DATA ACQUISITION

DAC08	1.14
DAC0800	9.90
DAC0806	1.14
DAC0808	1.44
ADC0809	2.48

8000 SERIES

8031	14.00
8035	3.75
8039	3.75
8080A	2.25
8085	3.75
8085A2	7.50
8086	12.00
8088	11.25
8155	2.85
8741	18.00
8748	18.00
8202	13.50
8205	2.25
8212	1.00
8214	2.25
8216	1.00
8224	1.50
8226	1.25
8228	2.25
8237	6.75
8237-5	7.50
8238	3.00
8243	5.00
8251	3.25
8253	3.50
8253-5	4.00
8255	3.25
8255-5	3.75
8257	3.50
8257-5	4.00
8259	3.50
8259-5	4.00
8272	16.00
8274	25.00
8276	17.50
8279	4.00
8279-5	5.00
8284	4.00
8286	4.50
8287	4.50
8288	10.00
8289	18.00
8292	5.00

FLOPPY DISK CONTROLLERS

D765	11.25
1791	11.25
1793	11.25
8876	11.25
8877	11.25
8272	18.00
2143	5.25
9216	5.25

CRT CONTROLLERS

CRT5027	5.00
CRT5037	10.00
6845	5.00
46505	5.00

UARTS

AY5-1013A	2.00
AY3-1015A	3.00
TR1402	2.00
TR1602	2.25
TR1863	2.25
TR1472	4.50
1482	4.50
2350	4.50
2651	4.50
6402	3.50
7201	10.50

MISCELLANEOUS

TMS9901	1.50
TMS9904	1.50
TMS9914	3.00
TMS9980	13.26
TMS9900	3.00
9602	1.10
96L02	2.25
96LS02	3.75

VALENTINE SPECIAL

ANY 74LSXX	.25
ANY 74LS1XX	.33
ANY 74LS2XX	.45
ANY 74LS3XX	.49

NOTE: This is just a sampling of our 6 million IC inventory. In addition to microprocessors and memory, we carry a full inventory of linear, digital, and interface devices.

KRUEGER Technology, Inc.

2219 South 48th Street • Tempe, AZ 85281

800-245-2235

In Arizona 602-438-1570



PAL, EPROM PROGRAMMERS & UV ERASERS FROM \$49.95

LOGICAL DEVICES INC.

*Where Reliability and
Customer Support
is of utmost Importance*

SEE OUR AD ON PAGE 346

LOGICAL

ORDER TOLL FREE
1-800-EEI-PROM
(1-800-331-7766)

Inquiry 186

CROSS SOFTWARE for the NS32000

INCLUDES:

- * Cross Assembler *
- * Cross Linker *
- * Debugger *
- * N.S. ISE Support *
- * Librarian *
- * Pascal Cross Compiler *
- * C Cross Compiler *

U.S. prices start at \$500

SOLUTIONWARE

1283 Mt. View-Alviso Rd.

Suite B


Sunnyvale, Calif. 94089

408/745-7818 * TLX 4994264

Inquiry 291

MEMOREX FLEXIBLE DISCS

**WE WILL NOT BE UNDER-
SOLD!!** Call Free (800)235-4137
for prices and information. Dealer
inquiries invited and C.O.D.'s
accepted.




**PACIFIC
EXCHANGES**

100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800)592-5935 or
(805)543-1037

Inquiry 244

LOW COST UNIVERSAL E(E) PROM PROGRAMMER



- * SUPPORTS: (EPROMS) 2516 THRU 64, 2716 THRU 512, 27C16 THRU 128, 68732 THRU 66 (EPROMS) 52B13 THRU 33, 2816A THRU 64A (MICROS) 8741 THRU 49H
- * NO PERSONALITY MODULES, ONBOARD POWER SUPPLY
- * RS232C INTERFACE, XON-XOFF, RTS, CTS, DTR
- * ACCEPTS KEYBOARD ENTRY WITH LINE EDITING
- * ACCEPTS ASCII, INTEL, AND MOTOROLA FORMATS
- * USER FRIENDLY MONITOR FOR I/O DEBUGGING
- * FAST PROGRAMMING SUPPORTED: 2764 UNDER 3 MIN.
- * LOW/HIGH BYTE PROGRAMMING FOR 16 BIT DATA PATH
- * BYTE, BLOCK, OR CHIP ERASE (EPROMS ONLY)
- * LIST IN INTEL OR MOTOROLA HEX FORMAT
- * VERIFY PROGRAM AND VERIFY BLANK COMMANDS

- * 1409-01: 4K FIRMWARE, PCB, XFORMER, DOC \$90.00
- * 1409-02: 1409-01 + FULL SET OF PARTS \$200.00
- * 1409-03: ASSEMBLED AND TESTED UNIT \$300.00
- * 1409-11: 8K FIRMWARE, PCB, XFORMER, DOC \$125.00
- * 1409-12: 1409-11 + FULL SET OF PARTS \$250.00
- * 1409-13: ASSEMBLED AND TESTED UNIT \$350.00
- * COMMUNICATION DRIVERS FOR MOST PC'S \$35.00

B&C MICROSYSTEMS
6322 MOJAVE DR., SAN JOSE, CA 95120
Tel. (408)997-7685, TWX 4996363

8085 DEBUGGER

**MICRO STEP 85
\$595**



UNIQUE

Low cost Alternative for microprocessor based
hardware & software debugging.

Available now: **8085**
Z80 & 8088

DAISY DATA TERMINALS CORPORATION
2259 Woodlawn St., Harrisburg, PA 17104
TEL. (717)564-8811 TELEX: 752997 DAISY HBG UD

Inquiry 361

PC EXPANSIONS

Qume 142A	\$199
Teac FD55B	\$149
Tandon TM100-2	\$179
Tandon TM101-4	\$295
CDC 9409	\$179
Amdak AmdiskV	\$119
Case and PS	\$ 45
Maynard Disk Controller	\$114
Sandstar Series	\$ call
Internal 10MB HD systems: WS1	\$899
WS2	\$1079
Quadboard (64K)	\$259
Quadboard (384K)	\$419
Quadcolor I	\$199
AST SixPakPlus (64K)	\$259
SixPakPlus (384K)	\$419
MegaPlus (64K)	\$269
I/O Plus	\$129
AST-3780	\$659
PCnet - starter kit	\$809
MonoGraphPlus-S	\$389
HERCULES graphics board	\$349
HAYES Modems: 300	\$209
Smartmodem 1200	\$489
Smartmodem 1200B	\$419
Set of 9 chips (64K)	\$ 32
256K chips (each)	\$ 23
8087 chip	\$169
Verbatim Datalife DS, DD (20)	\$ 49

VLM Computer Electronics
10 Park Place • Morristown, NJ 07960
(201) 267-3268 Visa, MC, Check or COD.

Inquiry 326

Introducing . . . **TurboTax™** the **ULTIMATE** personal tax program

- IBM PC or 100% compatible
 - 33 forms, schedules & worksheets
 - **FAST!** Complete return in 3 sec.
 - Windows!
 - Exceeds IRS print specs.
 - Full depreciation support
 - 190 page manual
 - Much more!
 - CA/AZ available in Dec. - \$30
- Req. 256K \$65 plus \$5 ship/hand
(CA residents add 6 1/2% sales tax)

ChipSoft, Inc.

5674 Honors
San Diego, CA 92122

(619) 453-8722
(800)621-0852 ext.355
Dealer Inquiries Invited

Inquiry 48

BIG DISCOUNTS ON LITTLE BOARDS™ & ACCESSORIES




- **AMPRO LITTLE BOARD™** -64K, Z80a CPU, CTC, DART, 1 parallel port, 5 1/4 controller supports four 48tpi and/or 96tpi drives w/ CP/M 2.2 and ZCPR3 (A & T)
- **SYSTEM SUPPORT PKG** - Manuals, source code, schematics, connectors & cables
- **SCSI PLUS** - DMA Hard disk interface
- **TEAC** 55B DSDD 48tpi 1/2 ht drive
- **TEAC** 55F DSDD 96tpi 1/2 ht drive
- **INTEGRAND** Custom two drive cabinet with 5 amp power supply & power cables
- **TERM-MATE** - Cabinet for 2 1/2 ht + LITTLE BOARD w/ all cables & supply
- **AMPRO SERIES 100** complete systems

VISA & MASTER CHARGE: Personal Checks.
Please allow 2 weeks. Shipped via UPS.
Prices F.O.B. Prairie View, IL.
For additional information write or call:
DISKS PLUS • 15945 West Pope Blvd. • Prairie View, IL 60069
(312) 537-7888

DISKS PLUS
DIVISION OF SOLARONICS INC.

Inquiry 92

DATA ACQUISITION and control for ANY computer



The Model 1232 communicates via RS-232, and has 8 analog inputs (± 4 VDC; 12 bits), 8 digital inputs and outputs, and a 2000 point buffer. Suitable for field data logging or lab use, the 1232 costs only \$690. The 8-bit system (0-5 VDC) is \$490. Detailed manual, \$6. Phone our applications engineer at 617-899-8629 or write:

★ ★ **STARBUCK** ★ ★
DATA COMPANY

225 Crescent St., Waltham, MA 02154

Inquiry 298

Do Kay

COMPUTER
PRODUCTS,
Inc.

ORDER TOLL FREE

(800)
538-8800

(CALIFORNIA RESIDENTS)

(800)
848-8008



STATIC RAMS

2101	256 x 4 (45ns)	1.90
5101	256 x 4 (45ns) (cmos)	3.90
2102-1	1024 x 1 (45ns)	.88
2102L-4	1024 x 1 (45ns) (LP)	.98
2102L-2	1024 x 1 (250ns) (LP)	1.45
2111	256 x 4 (45ns)	2.45
2112	256 x 4 (45ns)	2.95
2114	1024 x 4 (45ns)	.99
2114-25	1024 x 4 (250ns)	1.10
2114L-4	1024 x 4 (45ns) (LP)	1.20
2114L-3	1024 x 4 (300ns) (LP)	1.30
2114L-2	1024 x 4 (200ns) (LP)	1.40
2125	1024 x 1	2.49
2147	4096 x 1 (55ns)	4.90
TMS4044-4	4096 x 1 (45ns)	3.45
TMS4044-3	4096 x 1 (300ns)	3.95
TMS4044-2	4096 x 1 (200ns)	4.45
MK4118	1024 x 8 (250ns)	9.90
TMM2016-200	2048 x 8 (200ns)	4.10
TMM2016-150	2048 x 8 (150ns)	4.90
TMM2016-100	2048 x 8 (100ns)	6.10
HM6116-4	2048 x 8 (200ns) (cmos)	4.70
HM6116-3	2048 x 8 (150ns) (cmos)	4.90
HM6116-2	2048 x 8 (120ns) (cmos)	8.90
HM6116LP-4	2048 x 8 (200ns) (cmos)	5.90
HM6116LP-3	2048 x 8 (150ns) (cmos) (LP)	6.90
HM6116LP-2	2048 x 8 (120ns) (cmos) (LP)	9.95
Z-6132	4096 x 8 (300ns) (Qstat)	33.95
HM6264P-15	8192 x 8 (150ns) (cmos)	32.95
HM6264LP-15	8192 x 8 (150ns) (cmos)	36.95
HM6264LP-12	8192 x 8 (120ns) (cmos)	46.95

LP = Low Power Qstat = Quasi-Static

DYNAMIC RAMS

TMS4027	4096 x 1 (250ns)	1.95
UP411	4096 x 1 (300ns)	1.95
MM5280	4096 x 1 (300ns)	1.95
MK4108	8192 x 1 (200ns)	1.90
MM5298	8192 x 1 (250ns)	1.80
4116-200	16384 x 1 (200ns)	.79
4116-150	16384 x 1 (150ns)	1.20
2118	16384 x 1 (150ns) (5v)	4.90
4164-250	65536 x 1 (250ns)	2.99
4164-200	65536 x 1 (200ns) (5v)	3.33
4164-150	65536 x 1 (150ns) (5v)	3.99
41256	(200ns)	29.95
41256	(150ns)	39.95

5V = Single 5 Volt Supply

EPROMS

1702	256 x 8 (1us)	4.45
2708	1024 x 8 (450ns)	2.49
2758	1024 x 8 (450ns) (5v)	5.90
2716	2048 x 8 (450ns) (5v)	2.95
2716-1	2048 x 8 (350ns) (5v)	5.90
TMS2516	2048 x 8 (450ns) (5v)	5.45
TMS2716	2048 x 8 (450ns)	6.95
TMS2532	4096 x 8 (450ns) (5v)	5.90
2732	4096 x 8 (250ns) (5v)	4.45
2732-250	4096 x 8 (250ns) (5v)	8.90
2732-200	4096 x 8 (200ns) (5v)	10.95
2764	8192 x 8 (450ns) (5v)	6.45
2764-250	8192 x 8 (250ns) (5v)	7.45
2764-200	8192 x 8 (200ns) (5v)	16.45
TMS2564	8192 x 8 (450ns) (5v)	12.95
2732A	(350ns)	4.45
MC68766	8192 x 8 (450ns) (5v) (24 pin)	29.95
27128	16384 x 8 (250ns) (5v)	24.95

5v = Single 5 Volt Supply

74LS00

74LS00	.23	74LS125	.48	74LS280	.58
74LS01	.24	74LS132	.48	74LS286	.54
74LS02	.24	74LS138	.58	74LS273	1.45
74LS03	.24	74LS139	.58	74LS275	3.30
74LS04	.23	74LS137	.38	74LS279	.48
74LS05	.24	74LS138	.98	74LS280	1.95
74LS08	.27	74LS139	.54	74LS283	.88
74LS09	.28	74LS136	.54	74LS290	.88
74LS10	.24	74LS145	1.15	74LS293	.88
74LS11	.34	74LS147	2.45	74LS295	.98
74LS12	.34	74LS148	1.30	74LS298	.88
74LS13	.44	74LS151	.54	74LS299	1.70
74LS14	.58	74LS153	.54	74LS323	3.45
74LS15	.34	74LS154	1.85	74LS324	1.70
74LS20	.24	74LS155	.68	74LS352	1.25
74LS21	.28	74LS156	.68	74LS353	1.25
74LS22	.24	74LS157	.64	74LS363	1.30
74LS26	.28	74LS158	.58	74LS364	1.90
74LS27	.28	74LS160	.68	74LS365	.48
74LS28	.34	74LS161	.64	74LS366	.48
74LS30	.24	74LS162	.68	74LS367	.44
74LS32	.28	74LS163	.64	74LS368	.44
74LS33	.54	74LS164	.68	74LS373	1.35
74LS37	.34	74LS165	.94	74LS374	1.35
74LS38	.34	74LS166	1.90	74LS377	1.35
74LS40	.24	74LS168	1.70	74LS378	1.13
74LS42	.48	74LS169	1.70	74LS378	1.30
74LS47	.74	74LS170	1.45	74LS385	1.85
74LS48	.74	74LS173	.68	74LS386	.44
74LS49	.74	74LS174	.54	74LS390	1.15
74LS51	.24	74LS175	.54	74LS393	1.15
74LS54	.28	74LS181	2.10	74LS395	1.15
74LS55	.28	74LS189	8.90	74LS399	1.45
74LS63	1.20	74LS190	.88	74LS424	2.90
74LS73	.38	74LS191	.88	74LS447	.38
74LS74	.34	74LS192	.78	74LS490	1.90
74LS75	.38	74LS193	.78	74LS824	3.95
74LS76	.38	74LS194	.68	74LS840	2.15
74LS78	.48	74LS195	.68	74LS845	2.15
74LS83	.58	74LS196	.78	74LS868	1.65
74LS85	.68	74LS197	.78	74LS869	1.85
74LS86	.38	74LS221	.88	74LS870	1.45
74LS90	.54	74LS240	.94	74LS874	9.80
74LS91	.88	74LS241	.98	74LS882	3.15
74LS92	.54	74LS242	.98	74LS883	3.15
74LS93	.54	74LS243	.98	74LS884	3.15
74LS95	.74	74LS244	1.25	74LS885	3.15
74LS96	.88	74LS245	1.45	74LS888	2.35
74LS107	.38	74LS247	.74	74LS889	3.15
74LS109	.38	74LS248	.98	74LS873	23.95
74LS112	.38	74LS249	.68	81LS95	1.45
74LS113	.38	74LS251	.58	81LS96	1.45
74LS114	.38	74LS253	.58	81LS97	1.45
74LS122	.44	74LS257	.58	81LS98	1.45
74LS123	.78	74LS258	.58	25LS2521	2.75
74LS124	2.85	74LS259	2.70	25LS2569	4.20

CRT CONTROLLERS

6845	11.95
7220	38.95
CRT 5027	18.95
CRT 5037	28.95
TMS 9918A	36.95
HD 46505ap	11.95

DISC CONTROLLERS

1771	14.95	2797	54.95
1791	21.95	6843	33.95
1793	25.95	8272	18.95
1795	21.95	UPD765	18.95
1797	21.95	M88876	23.95
2791	49.95	M88877	25.95
2793	49.95	1691	6.95
2795	54.95	2143	6.95

1984

- THE IC MASTER -

Your ticket to fast and easy IC selections



\$ 89.95

6500

1 MHZ	2 MHZ
6502	4.90
6504	6.90
6505	8.90
6507	9.90
6520	4.30
6522	6.90
6532	9.90
6545	21.50
6551	10.85
6502A	6.90
6522A	9.90
6532A	10.95
6545A	26.95
6551A	10.95

3 MHZ

6502B 8.95

6800

6800	45.95	6860	6.95
6800	2.75	6862	10.95
6802	7.90	6875	6.90
6808	12.90	6880	2.20
6809E	13.95	6883	21.95
6809	10.95	68047	23.95
6810	2.90	68488	18.95
6820	4.30		
6821	2.75		
6828	13.95	68800	9.95
6840	11.95	68802	21.25
6843	33.95	68809E	28.95
6844	24.95	68809	28.95
6845	11.95	68810	6.90
6847	10.95	68821	6.90
6850	3.20	68845	18.95
6852	4.95	68850	5.90

1 MHZ

68800 9.95

MICROPROCESSORS

8000	
8031	5.75
8035	5.90
8039	5.75
INS-8060	16.95
INS-8073	45.95
8080	3.90
8085	4.75
8085A-2	10.95
8086	23.95
8087	159.95
8088	25.95
8089	59.95
8155	6.90
8155-2	7.90
8156	6.90
8185	28.95
8185-2	38.95
8741	19.95
8748	35.95
8755	23.95

8200

8202	23.95	8255-5	5.20
8203	38.95	8257	7.90
8205	3.45	8257-5	8.90
8212	1.75	8259	6.85
8214	3.80	8259-5	7.45
8216	1.70	8271	75.00
8224	2.20	8272	38.95
8226	1.75	8274	29.95
8228	3.45	8275	28.95
8237	18.95	8279	8.90
8237-5	20.95	8279-5	9.00
8238	4.45	8282	6.45
8243	3.95	8283	6.45
8250	9.95	8284	4.95
8251	4.45	8286	6.45
8253	6.90	8287	6.45
8253-5	7.90	8288	24.00
8255	4.45	8289	13.95
		8292	16.95

Z-80

2.5 MHZ	4.0 MHZ
Z80-CPU	2.95
Z80-CTC	2.95
Z80-DART	8.95
Z80-DMA	11.95
Z80-PIO	2.95
Z80-SIO/0	10.95
Z80-SIO/1	10.95
Z80-SIO/2	10.95
Z80-SIO/9	10.95
Z80A-CPU	3.95
Z80A-CTC	3.95
Z80A-DART	8.95
Z80A-DMA	8.95
Z80A-PIO	3.95
Z80A-SIO/0	11.95
Z80A-SIO/1	11.95
Z80A-SIO/2	11.95
Z80A-SIO/9	11.95

6.0 MHZ

Z808-CPU	8.95
Z808-CTC	8.95
Z808-PIO	8.95
Z808-DART	12.95
Z6132	33.95
Z8671	38.95

MEMORY EXPANSION KIT



4164 200ns
9 for \$29.97

Low Cost EPROM - PROGRAMMER



The "Shooter" \$395.00

- 32K bits upgradable to 128K memory
- Built-in Serial RS-232 Port
- Program & verify 2716 thru 2725
- Intelligent, fast programming
- Up/download Hex, Binary, ASCII etc
- Serial RS-232 Interface compatible

UV ERASERS

QUV-T8/1 \$49.95 ECONOMY Model



- Erases 8 EPROMS in 20 minutes
- Plastic Enclosure


QUV-T8/2T \$97.50 INDUSTRIAL Model

DIP SWITCHES



'POSITION	.79
'POSITION	.85
'POSITION	.85
'POSITION	.89
'POSITION	.89

RIBBON CABLE



CONTACTS	SINGLE COLOR		COLOR CODED	
	1'	10'	1'	10'
10	.45	4.30	.78	7.20
16	.50	4.70	.95	8.70
20	.60	5.60	1.15	10.90
25	.70	6.50	1.22	11.50
26	.70	6.50	1.27	11.50
34	.93	8.50	1.55	14.40
40	1.27	11.50	1.82	16.70
50	1.28	12.00	2.40	21.90

DIP CONNECTORS

DESCRIPTION	ORDER BY	NO. of CONTACTS							
		8	14	16	18	20	22	24	28 40
HIGH RELIABILITY TOOLED ST IC SOCKETS	HRTxxST	.94	.94	.94	1.59	1.79	1.79	1.89	2.39 2.89
COMPONENT CARRIERS (DIP HEADERS)	ICCxx	.60	.70	.80	.95	1.15	1.15	1.25	1.40 2.00
RIBBON CABLE DIP PLUGS (IDC)	IDPxx	—	1.35	1.55	—	—	—	2.40	— 4.05

ORDER EXAMPLE: A 14-pin High Rel. ST socket would be HRT 14 ST

D-SUBMINIATURE

DESCRIPTION	ORDER BY	NO. of CONTACTS				
		9	15	25	37	50
SOLDER CUP	MALE DPxxP	1.98	2.59	2.40	4.70	5.96
	FEMALE DBxxS	2.56	3.53	3.15	7.01	9.14
RT. ANGLE	MALE DBxxPR	1.55	2.10	2.90	4.73	—
PC. SOLDER	FEMALE DBxxSR	2.08	2.93	4.32	6.09	—
IDC	MALE IDPxxP	3.27	4.60	6.13	9.12	—
RIBBON CABLE	FEMALE IDBxxS	3.59	5.03	6.74	9.98	—
HOODS	BLACK HOOD-B	—	—	1.15	—	—
	GREY HOOD	1.50	1.50	1.15	2.85	3.40

ORDER EXAMPLE: A 5-pin Male Solder Cup would be MALE DP 25 P

IDC CONNECTORS

DESCRIPTION	ORDER BY	NO. of CONTACTS				
		10	20	26	34	40 50
SOLDER HEADER	IDHxxS	.77	1.19	1.58	2.10	2.48 3.14
RT. ANGLE SOLDER HEADER	IDHxxSR	.80	1.25	1.66	2.21	2.62 3.29
WW HEADER	IDHxxW	1.76	2.88	3.74	4.40	5.18 6.53
RT. ANGLE WW HEADER	IDHxxWR	1.95	3.18	4.12	4.35	4.70 7.20
RIBBON HEADER SOCKET	IDSxx	1.05	1.76	2.33	3.05	3.63 4.55
RIBBON HEADER	IDMxx	—	5.40	6.15	6.90	7.40 8.40
RIBBON EDGE CARD	IDExx	2.15	2.26	2.55	3.15	3.70 4.64

ORDER EXAMPLE: A 20-pin WW Header would be IDH 20 W.

IC SOCKETS

(1 to 99)

8 pin ST	.12	8 pin WW	.58
14 pin ST	.14	14 pin WW	.68
16 pin ST	.16	16 pin WW	.68
18 pin ST	.19	18 pin WW	.98
20 pin ST	.28	20 pin WW	1.04
22 pin ST	.29	22 pin WW	1.34
24 pin ST	.29	24 pin WW	1.44
28 pin ST	.39	28 pin WW	1.64
40 pin ST	.48	40 pin WW	1.94

ST = Solderetail WW = Wirewrap

ZIF SOCKETS



14 pin ZIF	5.45
16 pin ZIF	5.45
24 pin ZIF	7.45
28 pin ZIF	8.45
40 pin ZIF	10.45

ZIF = TEXTTOOL (Zero Insertion Force)

VOLTAGE REGULATORS

7805T	.74	7905T	.84
78M05C	.34	7908T	.84
7808T	.74	7912T	.84
7812T	.74	7915T	.84
7815T	.74	7924T	.84
7824T	.74	7905K	1.44
7805K	1.34	7912K	1.44
7812K	1.34	7915K	1.44
7815K	1.34	7924K	1.44
7824K	1.34	79L05	.78
78L05	.68	79L12	.78
78L12	.68	79L15	.78
78L15	.68	LM323K	4.90
78M05K	9.90	UA78S40	1.90
78H12K	9.90		

C,T = TO-220 K = TO-3
L = TO-92

CRYSTALS

1.0000 MHz	3.69	8.0000 MHz	2.69
1.8432 MHz	3.69	10.0000 MHz	2.69
2.0000 MHz	2.69	10.7386 MHz	2.69
2.0972 MHz	2.69	12.0000 MHz	2.69
2.4576 MHz	2.69	14.3182 MHz	2.69
3.2768 MHz	2.69	15.0000 MHz	2.69
3.5795 MHz	2.69	16.0000 MHz	2.69
4.0000 MHz	2.69	17.4300 MHz	2.69
4.1943 MHz	2.69	18.0000 MHz	2.69
4.9160 MHz	2.69	18.4320 MHz	2.69
5.0000 MHz	2.69	19.6608 MHz	2.69
5.0688 MHz	2.69	20.0000 MHz	2.69
5.1850 MHz	2.69	22.1184 MHz	2.69
5.2429 MHz	2.69	32.0000 MHz	2.69
5.7143 MHz	2.69	36.0000 MHz	2.69
6.0000 MHz	2.69	48.0000 MHz	2.69
6.1440 MHz	2.69	49.4350 MHz	2.69
6.4000 MHz	2.69	49.8900 MHz	2.69
6.5536 MHz	2.69		
32.768 KHz	1.69		

CRYSTAL CLOCK OSCILLATORS

PART NO.	FREQUENCY	PRICE
1.000	1.0000 MHz	6.99
1.843	1.8432 MHz	6.99
2.000	2.0000 MHz	6.99
4.000	4.0000 MHz	6.99
8.000	8.0000 MHz	6.99
10.000	10.0000 MHz	6.99
16.000	16.0000 MHz	6.99
18.432	18.4320 MHz	6.99
19.660	19.6608 MHz	6.99
20.000	20.0000 MHz	6.99
32.000	32.0000 MHz	6.99

EDGECARD CONNECTORS

S-100 ST	3.85	50-pin ST	4.85
S-100 WW	4.85	44-pin ST	2.85
72-pin ST	6.85	44-pin WW	4.85
72-pin WW	7.85		

RESISTORS

1/4 WATT 5% CARBON FILM
ALL STANDARD VALUES
FROM 1 OHM - 10 MEG OHM

50 PCS	1.25
100 PCS	2.00
1,000 PCS	15.00

LED LAMPS

	1-99	100+
Jumbo RED	.09	.08
Jumbo GREEN	.16	.14
Jumbo YELLOW	.16	.14

INTERFACE CHIPS


8T26	1.54	8T98	.88
8T28	1.84	DM8131	2.90
8T95	.88	DP8304	2.24
8T96	.88	DS8835	1.94
8T97	.88	DS8836	.98

TRANSISTORS

2N918	.49	2N3563	.39	2N4402	.24
MPS918	.24	2N3565	.39	2N4403	.24
2N2102	.74	PN3565	.24	2N4857	.99
2N2218	.49	MPS3638	.24	PN4918	.24
2N2218A	.49	MPS3640	.24	2N5086	.24
2N2219	.49	PN3643	.24	PN5129	.24
2N2219A	.49	PN3644	.24	PN5139	.24
2N2222	.24	MPS3704	.14	2N5209	.24
PN2222	.09	MPS3706	.14	2N6028	.34
MPS2369	.24	2N3772	1.80	2N6043	1.70
2N2484	.24	2N3903	.24	2N6045	1.70
2N2905	.49	2N3904	.09	MPS-A05	.24
2N2907	.24	2N3908	.09	MPS-A06	.24
PN2907	1.20	2N4122	.24	MPS-A55	.24
2N3055	.78	2N4123	.24	TIP29	.64
3055T	.68	2N4240	.24	TIP31	.74
2N3393	.29	2N4304	.74	TIP32	.78
2N3414	.24	2N4401	.24		

SAFT Power Products:

STANDBY POWER SUPPLIES




Protect your computer and its precious data from black-outs or brownouts. Turns on if the power goes off at the wall outlet!

SPS0200VA/117V \$499.00

SPS0400VA/117V \$699.00


SURGE SUPPRESSOR



STOPS lightning bolts or other high energy line surges from damaging your computer's sensitive components.

SURGE SUPPRESSOR \$149.00

EMI/RFI FILTER



Eliminates line noise caused by office equipment, printers, fluorescent lights, switches, etc.

INTERFERENCE FILTER \$49.95

LINE CONDITIONER

Isolation transformer is harmonic compensating to hold line voltage steady, regulated; also suppresses pulses and line noise.

LINE CONDITIONER \$395.00

ORDER TOLL FREE

(800)

538-8800


(CALIFORNIA RESIDENTS)

(800)

848-8008



Microprocessor Software Development on VAX or PDP-11.



You can develop software for Z80, 8080, 8085, NCS8000, and 8086 using native mode compilers and assemblers.

Use low-cost cross tools for other microprocessors. Interface in-circuit emulators perfectly. You can run Intel development tools under ISIS or UDI.

Our plug-in processor cards let you run CP/M-80, CP/M-86, or MS-DOS from any terminal on your VAX or PDP-11 system.

Prices start at just \$1295. Ask for our FREE catalog of 350 development and cross development tools.

Decimation

3375 Scott Blvd., Suite 236
Santa Clara, CA 95054
(408) 980-1678

Registered Trademarks: VAX, PDP-Digital Equipment Corporation; CP/M-80, 86 Digital Research; MS-DOS-Microsoft Corporation; ISIS, UDI-Intel.

Inquiry 360

FREE SOFTWARE RENT

FROM THE PUBLIC DOMAIN!

User Group Software isn't copyrighted, so no fees to pay! 1000's of CP/M and IBM software programs in .COM and source code to copy yourself! Games, business, utilities! All FREE!

CP/M USERS GROUP LIBRARY

Volumes 1-92, 46 disks rental - \$45

SIG/M USERS GROUP LIBRARY

Volumes 1-90, 46 disks rental - \$45

Volumes 91-199, 55 disks rental - \$65
SPECIAL! Rent all SIG/M volumes for \$99

170 5 1/4" FORMATS AVAILABLE!

IBM PC-SIG (PC-DOS) LIBRARY

Volumes 1-230, 5 1/4" disks \$250

Public Domain User Group Catalog Disk \$5 pp. (CP/M only) (payment in advance, please)

Rental is for 7 days after receipt, 3 days grace to return. Use a credit card, no disk deposit.

Shipping, handling & insurance - \$7.50 per library.

(619) 941-0925 information,

(619) 727-1015 anytime order machine

Have your credit card ready!

Public Domain Software Center

1533 Avohill Dr.
Vista, CA 92083



Inquiry 229

BASF
FlexyDisks®



5 1/4"

Specify soft,
10 or 16 sector

Minimum Order 20

Single side
double density

1.35 ea

Double side
double density

1.55 ea

Hard sectors in Library box only add .15.

Certified Check - Money Order - Personal Check. Allow up to 2 weeks for personal checks to clear. Add \$3.00 per 100 or part to each order for U.P.S. shipping charges. NJ Residents add 6% sales tax.

DATA
EXCHANGE, INC.


178 Route 206 South, P.O. Box 993
Department C
Somerville, N.J. 08876 • (201) 874-5050

Inquiry 82

NEW! A full function RS-232 DATA GENERATOR for Only \$199.95

Tests printers, CRT's, modems. Outputs ASCII data in various combinations of line length, baud rate, parity, number of stop bits, word length. Uses 9-volt battery (optional AC power supply available @ \$14.95). **ORDER TODAY! Only \$199.95.** All cash orders postpaid (IL res. add 6% sales tax); we accept MC, Visa. FREE: new illustrated catalog of RS-232 interface and testing equipment. Phone: (815)-434-0846.

Model 232DG



B&B electronics
MANUFACTURING COMPANY
P.O. Box 10088, OTTAWA, IL 61350

Inquiry 28

DISK DRIVES

Half Height
IBM Compatible

**ONE YEAR
WARRANTY**

40 tr. DS/DD \$115.00
80 tr. DS/DD \$139.00
1.2 meg. floppy..... \$259.00

Enclosures and mounting kits
Special bracketed pair pricing

IN STOCK * 2 DAY SHIP



ALLIED MICRO DEVICES

2809 Boardwalk, Ann Arbor, MI 48104
(313) 996-1282; TX 2907707 AMEL

*Manufactured by SANYO

Inquiry 16

*IBM® Compatible



E-PROMS — Call! Lowest Prices Anywhere

*4164-150/200 64K DRAM 275
2764-250 575
6116-LP3 499
256K 2650
TTL & HCT Parts — now avail Call
8087-3-6 8900
*TM-100-2 16995
*Teac Half-Heights 16495
*MPI DSD 13995

Excess Inventories Wanted
Add \$3.95 shipping to all orders • Prices subject to change • P.O.'s on approval • C.O.D. OK • All new, no surplus, no seconds, QUANTITY DISCOUNTS.
4920 Cypress St., Ste. 100, Tampa, FL 33607
In FL and for info, call 813-875-0299
FOR ORDERS ONLY, 800-237-8910



TELEX 330690

Inquiry 247

TAX PAK®

INTEGRATED TAX PROGRAM WITH:

Forms	Schedules
1040 Tax Return	A Itemized Deductions
1040A Short Form	B Interest & Dividends
2106 Employee Bus. Exp.	C Business Profit or Loss
2119 Sale of Residence	D Capital Gains
2441 Child Care	E Supplemental Income
3468 Investment Credit	G Income Averaging
3903 Moving Expense	SE Self Employment
4562 Depreciation	W Married Cpl. Both Work
4684 Casualties & Thefts	
5696 Energy Credit	

Formats: 8" CPM 2.2 IBM 3740 IBM PC-DOS

Suitable for multiple clients or evaluating alternate filing strategies. Produces transcribable IRS forms. \$33.
For 1985 edition, return 1984 serialized disk and \$27.

CANDELARIA WORKS

3955 Club Dr. Atlanta, GA 30319

404/266-8759

To order call toll-free

800-621-5839

Visa/MasterCard accepted


Inquiry 42

Maxell Floppy Disks

The Mini-Disks
with maximum quality.



Dealer inquiries
invited. C.O.D.'s
accepted. Call
FREE (800) 235-4137.




PACIFIC EXCHANGES

100 Foothill Blvd., San Luis
San Luis Obispo, CA 93401.
In Cal. call (800) 592-5935 or
(805) 543-1037.

Inquiry 244

STD BUS 64K SINGLE BOARD COMPUTER/CONTROLLER



FEATURES

- *8085A CPU
- *64K Dynamic RAM
- *4K Monitor EPROM with Disassembler
- *256 Byte Static RAM
- *Parallel & Serial I/O
- *2 8/Bit Prog Ports
- *1 6/Bit Prog Port
- *RS232 Serial Port
- *6.144 MHz Crystal
- *Interfaces to CP/M Computers for Program Development
- *Automatic Baud Rate
- *5 Interrupts
- *14 Bit Prog Counter/Timer
- *Memex Line for Memory Expansion to 100K

STOCK. \$295 Assembled & Tested,

Single Quantity Visa, M.C., Amex & COD.

Add \$5.00 S & H.

STD Mother Card & Card Cage, STD Dual Channel

Serial Card/Protocol Converter & other Product Lines.

**Custom Designs & Development
Our Specialty.**

SYNALTA SYSTEMS

31-14 Broadway Astoria, NY 11106
718/728-6700

Inquiry 305

OKIDATA Prices Slashed *FREE IBM ROMS

160 CPS, Correspondence Quality	LIST	JADE
Okidata 92 parallel	\$599	\$389.95*
Okidata 93 parallel FREE tractor!	\$995	\$599.95*
2K serial board	\$120	\$99.95
IBM PC ROMS for 92	\$59	\$49.95
IBM PC ROMS for 93	\$69	\$59.95
Extra 82/93 Ribbon	\$9.95	\$4.95
82/92 tractor	\$89	\$54.95

120 CPS & 200 CPS OKIDATAS	LIST	JADE
Okidata 82 120 CPS	\$499	\$299.95
Okidata 83 120 CPS	\$775	\$569.95*
Okidata 84 parallel 200 CPS	\$1395	\$799.95*
Okidata 84 serial 200 CPS	\$1495	\$949.95
2K serial board	\$150	\$119.95
IBM PC ROMS for 82/83	\$49	\$39.95
IBM PC ROMS for 84	\$99	\$89.95

*FREE! Plug-n-Play option with purchase of 92, 93, or 84

A-B PRINTER SWITCH

Allows your computer to run either of two printers standard parallel switch box.

	LIST	JADE
Printer switch	\$149	\$89.95
Extra Cable	\$40	\$29.95

The LITTLE BOARD with FREE! CP/M 2.2

Miniature single board CP/M computer designed to mount directly on top of a 5 $\frac{1}{4}$ " floppy disk drive (7.75" x 5.75"). Contains Z80A, CPU, 64K RAM, Boot Eprom, terminal port, modem port, parallel printer port, floppy disk controller, and CP/M 2.2 included FREE!

	LIST	JADE
Little Board with CP/M	\$400	\$349.95
Support package	\$50	\$48.95
Serial cable	\$13	\$11.95
Diskless monitor Eprom	\$30	\$24.95
190K Disk drive	\$249	\$99.95
350K Disk drive	\$399	\$149.95

Continental U.S.
800-421-5500

Inside California
800-262-1710

For Technical Inquires
or Customer Service call:
213-973-7707

EPSON PRINTERS New Plus Series in Stock!

	SAVE	
EPSON RX-80	\$80.00	
EPSON RX-80F/T	\$100.00	
EPSON RX-100F/T	\$250.00	
EPSON JX-80F/T	\$200.00	
EPSON FX-80F/T	\$200.00	
EPSON FX-100F/T	\$300.00	
EPSON LQ-1500	\$300.00	
EPSON/COMREX 420 CPS	\$500.00	
2K Serial Board RX/FX	\$149	\$99.95
FX-80 Tractor	\$59	\$39.95
LQ-1500 Tractor	\$89	\$49.95
LQ-1500 Sheet Feeder	\$499	\$399.95

SUPER DISKETTE SPECIAL Perfect for IBM, Apple, Kaypro, etc.

Ultra-high quality diskettes from a premium U.S. manufacturer, certified to be absolutely error free for one full year. Buy a box of ten this month and we will include a plastic storage/library box FREE!

Single-sided, double-density	\$34	\$16.50
Double-sided, double-density	\$42	\$19.50
Bulk Diskettes as low as		\$1.10



Printers

LETTER QUALITY PRINTERS ON SALE!

	LIST	JADE
Diablo 630 40 CPS	\$2340	\$1699.95
Tractor for 630	\$250	\$219.95
Starwriter F-10 40 CPS	\$1895	\$999.95
Starwriter F-10 55 CPS	\$1995	\$1199.95
Tractor for F-10	\$250	\$199.95
New Comrex CR-IIIE	\$599	\$439.95
Tractor for CR-II	\$120	\$99.95
Keyboard for CR-II	\$199	\$179.95
Sheet feeder for CR-II	\$259	\$199.95
Juki 6100 18 CPS	\$599	\$449.95
Tractor for 6100	\$149	\$124.95
NEC 3550 33 CPS	\$2250	\$1399.95
Tractor for 3550	\$265	\$229.95

TOSHIBA P1351 High speed & letter quality!

High quality 24 pin head, 192 CPS draft mode, 96 CPS letter quality.

	LIST	JADE
P1351	\$1895	\$1299.95
Tractor	\$195	\$174.95
Sheet Feeder	\$1095	\$899.95

MANNESMAN-TALLY Spirit 80 Printer

List Price \$399

\$249⁹⁵

Hurry Limited Quantity!

PRINTER ACCESSORIES

	JADE
IBM PC style cable	\$54 \$28.95
Standard parallel cable	\$40 \$28.95
Apple Card & cable	\$109 \$49.95
RS-232 serial cable	\$30 \$24.95
Ribbons	AS LOW AS \$4.99
Apple IIc cable	\$39 \$27.95

MICROFAZER BUFFERS Quadram

Expandable to 64K (parallel model expands to 512K)

8K parallel in/parallel out	\$169	\$139.95
32K parallel in/parallel out	\$225	\$164.95
128K parallel in/parallel out	\$445	\$269.95
8K serial in/parallel out	\$199	\$169.95
32K serial in/parallel out	\$260	\$199.95
8K parallel in/serial out	\$199	\$169.95
32K parallel in/serial out	\$260	\$199.95
8K serial in/serial out	\$199	\$169.95
32K serial in/serial out	\$260	\$199.95

MICROBUFFER Practical Peripherals

	LIST	JADE
Stand alone Microbuffers		
32K parallel in/parallel out	\$299	\$229.95
64K parallel in/parallel out	\$349	\$269.95
32K serial in/serial out	\$299	\$229.95
64K serial in/serial out	\$349	\$269.95
64K add-on board	\$179	\$149.95

JADE

Computer Products

We accept cash, checks, credit cards, or purchase orders from qualified firms and institutions.
Minimum prepaid order \$15.00 California residents add 6 $\frac{1}{2}$ % tax. Export customers outside the US or Canada please add 10% to all prices. **Prices and availability subject to change without notice.** Shipping and handling charges via UPS Ground 50¢/lb. UPS Air \$1.00/lb. **minimum charge \$3.00**

Guaranteed service, support, and fast delivery on the name brands you desire and ...

YOU'LL LOVE OUR PRICES

20 MEGABYTE Tape Back-up System

- IBM PC, XT AT compatible
- Low-power, half-height tape drive
- Uses standard data cassettes
- Unique flexible software allows choice of file-by-file or complete mirror-image back-up & retrieval
- 6 different file selection parameters
- Automatic error checking & correction
- Includes controller card & software

	LIST	JADE
20 MB cassette back-up	\$995	\$695.00
45 MB 1/4" tape back-up	\$1195	\$895.00
External 45 MB system	\$1495	\$1095.00

10 Megabyte Hard Disk for IBM PC \$699.00

Plug-n-run, ready to go, complete with controller card, data cable, and mounting hardware, totally PC/XT compatible, faster than XT, handles 4 different operating systems, streamer tape back-up available. External model includes cabinet & power supply.

	LIST	JADE
10 mbyte internal	\$1350	\$699.95
10 mbyte external	\$1585	\$849.95
15 mbyte internal	\$1795	\$899.95
15 mbyte external	\$1895	\$1099.95
20 mbyte internal	\$1800	\$995.95
20 mbyte external	\$2060	\$1299.95
33 mbyte internal	\$3298	\$1849.95
33 external	\$3388	\$1999.95
10 mbyte internal tape	\$1000	\$599.95
10 mbyte external tape	\$1240	\$749.95

KEYTRONICS KEYBOARDS

	LIST	JADE
5150	\$209	\$159.95
5151	\$299	\$199.95
5152	\$329	CALL

MODEM PHONE

- Speaker phone & direct connect
- Auto answer, auto disconnect
- 20 number x 18 digit memory

Modem phone 300	\$149	\$99.95
Modem phone 1200	\$499	\$299.95

OMNI-READER TEXT SCANNER

For DATA ENTRY

- Enters data at 160 cps
- Serial interface configured as a modem
- 300, 600, 1200, 2400, 4800, 9600 baud

SALE PRICED AT \$479.95

360K DISK DRIVES for IBM PC

Double sided, double density

Tandon 100-2	\$159.00 each
Teac 55B	\$129.00 each
360K Half height drive	\$99.00 each

AST for IBM PC

	LIST	JADE
Six Pak plus 0K	N/A	\$249.95
Six Pak plus 64K	\$395	\$269.95
Six Pak plus 256K	\$695	\$399.95
Six Pak plus 384K	\$945	\$469.95
Mega plus 64K	\$395	\$269.95
Mega plus 256K	\$665	\$379.95
Mega plus 512K	\$1095	\$699.95
I/O plus	\$165	\$119.95
Graphpak	\$790	\$574.95

IBM-AT Multi Function Expansion Board

- Up to 3 Megabytes of RAM
- Uses standard 64K or 256K chips
- Has PAL for split addressing
- Low power, IBM-AT high speed bus
- One parallel & one serial port
- Second serial port optional

	LIST	JADE
128K, 1 serial, 1 parallel	\$495	\$395.00
Second serial port option	\$59	\$49.95

Expansion Boards for your IBM-AT

	LIST	JADE
Quadport-AT 1S, 1P	\$154	\$139.95
4 Serial port kit	\$195	\$179.95
Quadmeg-AT 1 MEG	\$2465	\$1995.00
Quadmeg-AT 2 MEG	\$3995	\$3195.00
Quadmeg-A4 4 MEG	\$7490	CALL
JADE AT-Expando plus	\$495	\$395.00
AT-Memory Master plus	\$495	\$429.00
AST Advantage-AT	\$495	\$449.00
Bar Code Reader System	\$895	\$695.00
128K Upgrade Kit	\$395	\$169.00
20 Megabyte Hard disk	\$1790	\$995.00
30 Megabyte hard disk	\$1999	\$1495.00

PERSYST BOARDS

	LIST	JADE
Mono display adapter	\$225	\$189.95
Mono display adapter w/parallel	\$250	\$199.95
BoB Hi-res display adapter	\$595	\$469.95
Time Spectrum SB 384 64K	\$395	\$299.95

HIGH SPEED 8087 APU

List Price \$293 SALE PRICE \$179.95

2400 BAUD MODEM

- O-300, 1200, 2400 baud
- Bell 103, 113, 212A, CCITT V.22, V.22
- Auto baud, redial, and answer
- 8 LED status indicators
- Self test & speaker volume control
- Looks like a Hayes smartmodem
- 1200 baud & 1200B modems also avail

	LIST	JADE
Jade 1200	\$399	\$249.95
Jade 1200B IBM PC	\$299	\$239.95
Jade 2400	\$699	\$449.95

HAYES Smartmodem

Sophisticated direct-connect auto-answer/auto dial modem, touch tone or pulse dialing RS232C interface programmable

	LIST	JADE
HAYES Smartmodem 2400	\$895	\$649.95
HAYES Smartmodem 1200	\$699	\$459.95
HAYES 1200B w/o Smartcom II	\$539	\$359.95
HAYES 1200B for IBM PC	\$599	\$389.95
HAYES Smartmodem 300	\$289	\$199.00
HAYES Hayes Cronograph	\$249	\$199.95
HAYES Micromodem 100	\$399	\$299.95
HAYES Micromodem IIe	\$299	\$239.95
HAYES Smartmodem IIc	\$399	\$249.95
HAYES PLEASE Software	\$395	\$299.95
HAYES Smartcom II	\$149	\$99.95

Jade
Satisfaction
GUARANTEED
Since 1975

New! from JADE IBM Multifunction Card

Full one year warranty!!!

Up to 384K, parallel printer port, RS-232 serial port,
FREE serial cable, clock/calendar, RAM
disk/spooler and diagnostic software package

	LIST	JADE
0K	\$349	\$198.95
64K	\$449	\$239.90
256K	\$549	\$349.90
384K	\$649	\$439.90

64K RAM Upgrade Kits for your IBM PC

\$29⁹⁵

High speed RAM upgrade kit with FREE! parity
(error detection) and one year warranty.

	JADE
128K RAM Kit for AT	\$359 \$169.95
256K RAM Upgrade Kit	\$495 \$179.95

The Best from EVEREX

	JADE
Graphics Edge	\$499 \$389.95
Graphics Pacer	\$489 \$379.95
Ever Graphics	\$289 \$249.95
Evercom Modem	\$359 \$299.95
Magic card 0K	\$275 \$199.95
Magic card 384K	\$799 \$399.95

QUADRAM for IBM PC

	JADE
Quadboard No RAM	\$269 \$234.95
Quadboard 64K	\$395 \$275.95
Quadboard 128K	\$495 \$319.95
Quadboard 256K	\$595 \$399.95
Quadboard 384K	\$795 \$469.95
Quadlink	\$680 \$449.95
Quad 512 plus 64K	\$325 \$239.95
Quad 512 plus 256K	\$550 \$359.95
Quad 512 plus 512K	\$895 \$549.95
Quadcolor I	\$295 \$209.95
Quadcolor II	\$275 \$199.95
Quad 2 MEG w/512K	\$1195 \$995.00
Quad 2 MEG w/1 mbyte	\$1995 \$1695.00
Quad 2 MEG w/2 mbyte	\$3495 \$2995.00
Palette Master 256 colors	\$695 \$599.00
Quadgraph Graphics Card	\$499 \$399.00
Quadvue IS, IP, C, monochrome	\$345 \$299.00
Quad sprint doubler	\$645 \$549.00
576K Max PAQ w/64K	\$205 \$189.00
516K Max PAQ w/384K	\$595 \$349.00
Asher Voice & Data	\$695 \$599.00

MICROSOFT for IBM PC

	LIST	JADE
Mouse with Word	\$495	\$339.95
Mouse	\$199	\$129.95



IBM PC

\$1595.

256K, dual disk drives, and disk controller.

OPTION #1

256K,
two disk drives,
Monochrome card,
monitor, and printer port

\$1895.

Call us Toll Free!
& our experts will custom build
an IBM PC to satisfy your exact needs.

OPTION #2

256K,
two disk drives,
disk controller,
PGS color monitor,
color graphics card,
parallel port.

\$2395.

OPTION #3

256K expandable to 640K,
10 megabyte hard disk,
parallel port,
serial port,
clock/calendar,
RAM disk/spooler,
color card
Amdek 300G monitor

\$2995.

IBM VIDEO BOARDS

	LIST	JADE
Hercules Color	\$245	\$189.95
Hercules Graphic	\$499	\$339.95
Plantronics Color plus	\$549	\$379.95
Quadcolor I	\$295	\$209.95
Quadcolor II	\$275	\$209.95
AST Monograph plus	\$595	\$449.95
PC Peacock	\$299	\$239.95
PC 384K Genie 0K	\$395	\$249.95
Paradise Graphics card	\$395	\$319.95
Paradise Module A	\$95	\$87.95
Paradise Module B	\$275	\$239.95
Everex Graphics Edge	\$599	\$389.95

Hi-Res MONITORS

	LIST	JADE
Amdek 300G	\$179	\$139.95
Amdek 300A	\$199	\$149.95
Amdek 310A	\$230	\$179.95
Amdek Color 300	\$349	\$249.95
Amdek Color 500	\$525	\$399.95
Amdek Color 600	\$650	\$469.95
Amdek Color 700	\$799	\$589.95
PGS MAX-12	\$269	\$199.95
PGS HX-12 640x240	\$699	\$469.95
PGS SR-12 720x480	\$799	\$649.95
PGS Doubler board	\$299	\$229.95
14 inch Quadchrome II	\$599	\$499.95
Comrex CR6800 750x400	\$649	\$499.95
Gorilla Green	\$99	\$89.95
Gorilla Amber	\$119	\$99.95
JADE Hi-res Amber	\$199	\$139.95
JADE Hi-res Green	\$199	\$129.95
JADE Color RGB 640x240	\$699	\$349.95
JADE Color RGB 720x480	\$799	\$469.95

SHUGART SA 801R

SHUGART SA 801R SS/DD	
List \$502	\$359.00 ea 2 for \$349.99 ea.
SHUGART SA-851R DS/DD	
List \$605	\$459.00 ea 2 for \$455.00 ea

ULTRA-VIOLET EPROM ERASERS

	LIST	JADE
Spectronics w/o timer	\$99	\$69.95
Spectronics with timer	\$139	\$94.95
Logical Devices	\$89	\$49.95

PRO MODEMS from Prometheus

	LIST	JADE
1200B for IBM PC	\$375	\$249.95
1200B for IBM PC w/software	\$399	\$299.95
1200 RS-232 stand alone	\$494	\$369.95
1200A for Apple	\$449	\$329.95
1200 Mac Pac for Macintosh	\$495	\$389.95

ISOBAR

The ISOBAR looks like a standard multioutlet power
strip but contains surge suppression circuitry and
built-in noise filters, plus 15 amp circuit breaker.

	LIST	JADE
4 receptacle	\$89	\$59.95
8 receptacle	\$99	\$69.95

UNINTERRUPTABLE POWER SUPPLY

A must for every computer system

425 Watt UPS	\$539	\$469.95
--------------	-------	----------

Bernoulli Boxes from IOMEGA

5, 10 or 20 megabyte removeable cartridge mass
storage system with flexibility not available in
hard disks.

5 mbyte system/Macintosh	\$1896	\$1699.95
10 mbyte system/IBM	\$2695	\$2099.95
20 mbyte system/IBM	\$3895	\$3099.95
Extra 10 mbyte cartridge	\$100	\$79.95

APPLE ACESSORIES

	LIST	JADE
Full Height Disk Drive	\$299	\$149.95
Half Height Disk Drive	\$249	\$149.95
Controller	\$100	\$79.95
CP/M 3.0 Card	\$399	\$269.95
ALS Z Engine	\$299	\$145.95
16K RAM Card	\$99	\$39.95
Best 60 Column Card	\$219	\$139.95
Printer Card & Cable	\$109	\$49.95
Fan w/surge protect	\$99	\$59.95
Koala Pad	\$125	\$89.95
Grappler Plus	\$175	\$119.95
Buffered Grappler/16K	\$245	\$175.95
Disk Drive for Apple IIc	\$299	\$159.95
10 Meg Hard Disk	\$1495	\$895.00

Place Orders Toll Free!

Continental U.S.A.
(800) 421-5500

Inside California
(800) 262-1710

Los Angeles Area
(213) 973-7707

JADE

Computer Products

4901 West Rosecrans Ave. Hawthorne, California 90250

ORDER
TOLL FREE

800-345-7100

213-675-2115
213-675-2382
[Purchasing Agent]

ORDERS INSIDE CALIF.
CUSTOMER SERVICE and TECHNICAL HELP

\$av-On Computers, Inc.

Inquiry 275

WHY WILL WE BEAT ANY ADVERTISED PRICE? SIMPLE, WE WANT YOUR BUSINESS

COMPUTERS

SANYO

MBC550 — Includes 128K Memory, 5¼ Disk Drive, Parallel Printer Port. CPU has RGB Color and Monochrome Composit Video. Software includes: Sanyo BASIC, Wordstar, Calcstar and Easywriter. **Call for Price**

MBC555 **Call for Price**

Sanyo Monitors, Serial Cards, Upgrades Avail. from \$av-On **Call for Prices**

COMPAQ

COMPAQ PLUS 2 Drives [1 Floppy & 1 10 Meg] & 256K **\$3740**

DESK TOP Model 1 **Call**

DESK TOP Model 2 **For**

DESK TOP Model 3 **Pricing**

CALL FOR PRICING ON APPLE, KAYPRO, TAVA, ZENITH, EPSON, NEC, COLUMBIA AND OTHER CPU's.

WE CAN GET YOU THE LOWEST PRICE AROUND

PRINTER INTERFACE and PERIPHERALS

PRINTER CABLES

ALL MAKES [6 foot long] **\$20**

FOURTH DEMINSION

PAR CARD & CABLE for Apple **\$48**

ORANGE MICRO

GRAPPLER + **\$119**

GRAPPLER + w/16K **175**

OKIDATA

SERIAL INTERFACE **\$89**

MICRO TEK

DUMPLING GX **\$85**

DUMPLING GX [Exp to 64K] **145**

BAM 16 **Call**

PRINTERS

STAR MICRONICS

GEMINI 10X [120cps] **\$259**

OKIDATA

82A [120cps par. & ser.] **\$299**

92P [160cps] **399**

84P [200cps] **Call**

EPSON

RX80FT [120cps, Fric/Tractor] **\$299**

FX80 [160cps] **\$399**

JUKI

6100 [18cps & let. quality] **\$409**

6300 **Call**

BROTHER **Call**

DYNAX **Call**

NEC **Call**

MONITORS

PRINCETON GRAPHICS

HX12 [High Res, IBM Compatible] **\$459**

SR12 **Call**

MAX12 **185**

SCAN DOUBLER **Call**

AMDEK

300G 12" Green **\$126**

300A 12" Amber **135**

310A 12" Amber [Monochrome] **160**

COLOR I+ [Color Composite] **299**

COLOR II+ [RGB w/Cable] **409**

ZENITH

ZVM122 12" Amber **\$99**

ZVM123 12" Green **99**

LEADING EDGE

GORILLA 12" Green **\$89**

GORILLA 12" Amber **99**

TAXAN

121 **Call, We Have**

122 **The Lowest**

420 **Priced Taxan**

440 **Monitors In Town**

DISKETTES

DYSAN

5¼" DS/DD [Box of 10] **\$28**

MODEMS

HAYES

300 **\$199**

1200 External, PC Compatible **469**

1200B Internal, PC Compatible **399**

MICRO MODEM IIe **239**

NOVATION

ACCESS 123 **Call**

J-CAT **Call**

APPLE CAT **Call**

ANCHOR

MARK VII [300 Baud] **\$99**

MARK XII [1200 Baud] **239**

MARK VI **69**

CALL FOR PRICING ON OTHER MODEMS

The \$av-On Sytems

THE PROFESSIONAL SYSTEM

APPLE

2 Drives, 80 Col Card, Apple Monitor

Very Nicely Priced

At A Very Very Low

\$1295

PORTABLE COMPUTER

DATA GENERAL

Small Enough to Fit In A Brief Case

PC Compatible

Low Priced

Call

COMPAQ

2 Drives with 256K

\$2195.00

APPLE ADD-ONS

TG

JOY STICK

SELECT PORT

PADDLES

Call For

Lowest

Prices

MICROMAX

VIEWMAX 80 **\$130**

VIEWMAX 80e **130**

KENSINGTON

SYSTEM SAVER **\$69**

MORE AVAILABLE **Call**

CALL US WITH YOUR LOWEST ADVERTISED IBM PRICE . . . WE WILL MATCH IT PLUS PAY SHIPPING

IBM PRODUCTS

IBM COMPUTERS

	1 up	5 up	10 up
IBM PC Bare Bone 64K w/Dr Cont.	\$1179	\$1165	\$1150
IBM PC 64K with 1 Drive	1299	1285	1275
IBM PC 256K with 2 Drives	1549	1540	1520
IBM PC XT 128K w/1 Drive & 10Mb	3349	Call	Call
IBM PC XT 256K with 2 Drives	3499	Call	Call
IBM PC AT Enhanced, Base, Jr.	Call	Call	Call
IBM PORTABLE 256K with 2 Dr	Call For	Low	Price

DRIVE CONTROLLER CARDS

IBM Original (Controls 4 drives)	\$139
MAYNARD [Any Configuration]	Call
IBM Copy [120 Day Warranty]	119

COMPATIBLE DRIVES FOR PC

CDC [IBM Compatible]	\$159
TANDON Full Height 320K	159
MPI A2 [IBM Compatible]	119

TALLGRASS HARD DISKS

20Mbyte w/20Mb Back-up	Call
35Mbyte w/45Mb Back-up	Call
70Mbyte w/60Mb Back-up	Call

**MAYNARD, ALPHA OMEGA, GENIE
CALL FOR PRICING**

TEAC

	1 up	5 up	10 up
TEAC 55B [½ High Drive for PC]	\$135	\$130	\$125

INTEL

INTEL 8087-3 Math Coprocessor	\$129	\$125	\$120
-------------------------------	-------	-------	-------

MEMORY (NEC, TI, Others)

	100 up	1000 up	2000 up
RAM CHIPS [All are 200nS or faster]	\$2.50	\$2.25	\$2.15

IBM COMPATIBLE PRODUCTS

L.D.C.

LOTUS 123	Low Low
SYMPHONY	Priced

AST

SIX PAC PLUS [1 Ser/1 Par Port, Clock w/O memory]	\$239
SIX PAC PLUS [1 Ser/1 Par Port, Clock & 64K exp. to 384K]	249
SIX PAC PLUS [1 Ser/1 Par Port, Clock & 384K Memory]	409
I/O PLUS [1 Ser & 1 Clock]	129
I/O PLUS [1 Ser/ 1 Par & Clock]	165
MEGA PLUS [64K]	269
MEGA PAC [128K]	269
MEGA PAC [256K]	349

**OTHER AST BOARDS AVAILABLE
CALL FOR PRICES**

QUADRAM

COLOR 1	\$199
COLOR 2	Call
QUADBOARDS	Call

HERCULES

MONOCHROME [Hi Res Graph Card]	\$329
COLOR CARD	199

TECHMAR

GRAPHICS MASTER [Runs Mono & Color, High Res in Both Modes]	\$459
--	-------

STB

GRAPHICS [PLUS] II Supports Both Color and Mono Display. You'll get 50% faster flicker-free scrolling over IBM's color graphics board. Call for more information	\$339
--	-------

PC PEACOCK

COLOR BOARD with Parallel Port	\$209
--------------------------------	-------

MEMORY UPGRADES

4164 [9 Chips]	\$37
----------------	------

PLANTRONICS

COLOR PLUS	339
------------	-----

**OTHER BOARDS AVAILABLE
CALL FOR LOWEST PRICES!**

KEYTRONICS

5151 Keyboard w/Sep Num. Pad	Call
5150 Keyboard	Call

EVEREX

GRAPHICS EDGE	\$389
---------------	-------

VUTEK

COLOR PLUS	\$239
------------	-------

PERSYST BOARDS

MONO DISPLAY	\$189
MONO DISPLAY w/Parallel Port	199
BOB BOARD	479

100% IBM PRODUCTS

IBM CARDS

MONO CARD w/Parallel Port]	\$199
COLOR CARD	189

IBM MONITORS

MONOCHROME MONITOR	229
COLOR MONITOR	Call

IBM

DOS 2.1	\$58
DOS 3.0	Call
PRINTER PAR PORT	74
IBM to PRINTER CABLE [6 foot]	\$18

IBM UPGRADES

64K	\$29
128K	59

Valentines Specials

IBM PC SYSTEM

w/2 Drives, 256K Memory
Mono Monitor, Mono Card w/Print Port
8087-3 Math Coprocessor & DOS 2.1

\$1899.00

IBM PC

With 1 Drive, 128K, Monitor
Interface & Monitor

\$1599.00

IBM PC SYSTEM

256K, 2 ½ High TEAC Drives, 10 Meg
Hard Disk, Monitor & Interface

\$2499.00

FINANCING AVAILABLE with Approved Credit

We honor School, University and qualified
business P.O.'s — also Accounts may be set
up on credit approval — for more information
call [213] 675-2381.

SAV-ON IS HELPING YOU GROW BY SAVING YOU MONEY ON YOUR PERSONAL COMPUTER NEEDS

\$av-On Computers, Inc.
12595 Crenshaw Blvd., Hawthorne, CA 90250
Inquiry 275

OPEN: 7:30am till 6:00pm Mon.-Fri.
9:00am till 2:00pm Sat.

TERMS: We accept Visa, MasterCard, COD's, and Wire Transfers.
No surcharge for Credit Cards. UPS, Federal Express and
Emergency shipping available. Calif. residents please add
6½% sales tax to order. Prices subject to
change without notice. Not responsible
for typographical errors.



Customer Service (801) 972-2739
Sales (Utah) (801) 972-2717
Sales (Outside Utah) (800) 545-2633

GSL COMPUTER



Retail and Mail Orders
1780 West 2300 South
Salt Lake City, Utah 84119
 Prices subject to change without notice.

IBM PC JR SYSTEMS

PCjr-1 Enhanced Model	\$799
Includes 128K RAM (expands to 512K) 1 ea 360K Floppy, 2 ea Cart. Slots, New Kybd	
PCjr-2 Entry Model	\$499
Includes 64K RAM (expands to 512K) 2 ea Cart. Slots, New Kybd	
PCjr-3 All features of "Enhanced Model" Plus	\$1239
IBM Color Monitor Free Software includes Basic Cartridge, Word Processor and DOS 2.1	
PCjr-4 All features of "Enhanced Model" Plus	\$1499
IBM Color Monitor and Internal Modem Free Carrying Case and Software	

PCjr ACCESSORIES

	list	our price
Color Display	\$429	\$365
Printer Adapter	\$99	\$87
Compact Printer (Thermal)	\$175	\$160
Half Height 360K Disk Drive	\$480	\$399
Serial Adapter Cable	\$25	\$23
Color Display Cable	\$20	\$18
Keyboard Cord	\$20	\$18
TV Connector	\$30	\$28
Carrying Case	\$60	\$55
Game Control Adapter	\$45	\$41
Joystick	\$40	\$36
Hands on Basic	\$17.50	\$16
Basic Cartridge	\$75	\$70
Internal Modem	\$199	\$175
Mouse	\$195	\$175
Additional Memory	\$295	\$250

PC JR. MEMORY BOARDS

Impulse 110 Jr. Memory Cards	
has 220K RAM expandable to 512K, Par port, clock, RAM disk & spooler	
with 64K	\$239
with 128K	\$279
with 256K	\$399
with 512K	\$599

DISK DRIVES

	1	2	10
CDC 9409 DS/DD 360K	165	160	149
MIT M-4853 1/2 HGT	169	159	140
SHUGART SA455L DS/DD 360K			
5" 1/2 HGT	155	145	140
TANDON TM100-1A SS/DD 160K			
5" Full Size	150	140	130
TANDON TM100-2A DS/DD 360K			
5" Full Size	155	145	140
TANDON TM-101-4 Quad 720K			
5" Full Size	280	270	260
TEAC FD55B DS/DD 360K			
1/2 H	135	129	119
TEAC FD55F Quad 720K			
1/2 H	169	159	149

DISK DRIVE CABINETS

8" CABINETS

III DTL-002 Holds 2 ea.	
8" Thinline w/P.S.	\$169
III FDE-002 2 ea 8" Std Size	
Horizontally w/P.S.	\$189
OTC DDC88V28 Holds 2 ea. 8" Std	
Size/Vert. w/P.S.	\$289

5 1/4" CABINETS

HD5-001 - w/P.S. for 2 Thinline Hard Disk	\$189
HD5-002 - w/P.S. for 2 Full Size Hard Disk or Tape Back-up	\$209
JMR DDC5H w/P.S. Horiz. for 1 ea	
Std. Size	\$55
P.C. DDC5V w/P.S. Vert. for 1 ea	
Std. Size	\$55
P.C. DDC55V w/P.S. Vert. for 2 ea	
Std. Size	\$85

SLIMLINE 5 1/4" CABINET

JMR DDC55H 1/2 w/P.S. Horiz. for 2 ea.	
1/2 HGT	\$75
P.C. DDC55V 1/2 w/P.S. Vert. for 2 ea.	
Drives	\$75

PRINTERS

Daisywriter 2000-48K Buffer, 20 to 40 CPS Ltr Qual.	\$999
Diablo 620 API (25CPS)	\$749
Diablo 630 API (40CPS)	\$1549
Diablo 630 ECS/IBM or API	\$1649
Epson FX-80 (160 CPS - 10" - Graphtrax/Tractor)	\$399
Epson FX-100 (160 CPS - 15" - Graphtrax/Tractor)	\$649
Juki 6100 (18 CPS - Diablo Compatible Daisywheel)	\$419
Juki 6300 (40 CPS - 16" - 3K Buffer Upgrade to 15K)	\$799
Okidata 82a (120CPS - 10")	\$319
Okidata 83a (120CPS - 15")	\$569
Okidata 92a (160CPS - 10")	\$399
Okidata 93a (160CPS - 15")	\$649
Okidata 84p (200CPS - 15")	\$729
Okidata 84S (200CPS - 15")	\$849
Okidata 2350P	\$1895
Okidata 2410P	\$1895
Panasonic 1091 (120 CPS - Logic Seeking Head - Runs Faster than FX-80-Par Port - Double Strike Switch - with Tractor)	\$299
C.I.TOH 8510A Pro-Writer 1 or Image Writer	\$339
Diablo D-25 (NEW)/25 CPS	\$595
Epson JX-80/160 CPS/7 Color	\$579
Epson LQ1500/Par/Letter Quality	\$1249
Panasonic KXP 1092	\$449
180 CPS/33 CPS Corres.	
Toshiba P-1340/112 CPS/54CPS Letter Quality	\$695
Toshiba P-1351 (192CPS/120CPS Ltr)	\$1299

PRINTER ACCESSORIES

Daisywriter 2000 B1-D1 Tractor	\$210
Diablo 620 Tractor	\$189
Diablo 630 Tractor	\$210
Juki 6100 Tractor	\$139
Juki 6100 Serial Interface	\$65
Okidata 82/92 Tractor	\$60
Okidata Serial Interface w/2K Buffer (92 & 93)	\$129
Okidata Okigraph I	\$55
Okidata Okigraph II	\$60
Star Gemini 10X or 15X Serial Board w/4K Buffer	\$129
Toshiba 1351 Tractor Feed	\$195

PRINTER SWITCHER

Allows you to switch from letter quality to Dot Matrix by flip of switch

SCN-2/Two Position Centronics Par to Centronics Par	\$99
SCN-4/Four Position Cen Par to Cen Par	\$139
SRS-2/Two Position Serial to Serial	\$89
SRS-4/Four Position Serial to Serial	\$129

CABLES

IBM to Par Cable	\$22
Centronics to Centronics	\$24
RS232 Serial (Specify)	\$16
Columbia to Par	\$28
IBM Add-on Drive (DC37 Conn)	\$34
Disk Drive Cable 5" or 8"	\$26
Y-Splitter Cable	\$7.95

DISKETTES

Lifetime Warranty	
5 1/4" SS/DD	\$13.75/10-100 for \$13.00 ea.
5 1/4" DS/DD (IBM)	\$24.00/10-100 for \$18.00 ea.

DISK STORAGE

Flip 'N' File 25	\$9.95
------------------	---------------

SYSTEMS

Compaq Portable - 256K/2ea. 360K F.D.	\$2295
Compaq Desk Pro 2	
256K/2 ea. 360K F.D.	\$2295
Columbia 1600-1	\$1995

SANYO PRODUCTS

MBC 555-2 - 128K RAM (Expands to 256K)	
2 ea. DS/DD 1/2 HGT Drive, Par port, Speaker and joystick port, Display, Keyboard & Following Software:	
Wordstar	Mailmerge
Easywriter	Spellstar
Calcstar	Infostar
MS-DOS 2.11	\$1089
SANYO DRIVE UPGRADE	
Double Your Storage by Adding 2 ea Teac FD55B with software for only	
	\$339
Sanyo Serial Port	\$65
128K Memory Expansion for Sanyo	\$69
RGB Cable	\$19.95
Copylink Software (US Digital for Modem)	\$89
RGB MONITOR	
13" (460x240)	\$289

APPLE PRODUCTS

16K RAM Card	\$30
Grapppler +	\$119
Grapppler + 16K	\$179
ALS CPM 3.0	\$199
ALS Printermate	\$60
ALS Z-Engine	\$139
Viewmax 80 (2 or 2+)	\$149
Viewmax 80E (w/64K)	\$139
Micro-SC1 A2 Drive	\$189
Micro-SC1 A2 Controller	\$69
Apple 2C Drive Adapter	\$21.95
Apple 2C Serial Cable	\$21.95
Apple 2C Par Interface	\$89

QT PRODUCTS/S-100

QT 8" MAINFRAME

• Provision for any 2-8" drives (hard or floppy)	
Desk Top Version	
QTC-MF - DD6 (6 Slot MB)	\$575
QTC-MF - DD8 (8 Slot MB)	\$625
QTC-MF - DD12 (12 Slot MB)	\$675
All mainframes have EMI filter, 2 AC outlets, 15 ea. DB25, 2ea. 50 pin, 2 ea. 34 pin, 1 ea. Centronic cutouts, power supply for 8" MF (-5V1A/-5V5A/-8V14A/-16V3A/-24V5A)	

CARD CAGES/MOTHERBOARDS

*IEEE-696-No termination required

Slots	Bare Bd	A	T	w/card cage	bare card cage
4	\$20	15%	15%	\$20	\$20
6	\$25	15%	15%	\$22	\$22
8	\$30	15%	15%	\$31	\$31
12	\$35	15%	15%	\$41	\$41
18	\$50	15%	15%	\$50	\$50
22	\$65	15%	15%	\$75	\$75

All card cages will accommodate a 4" fan
 Add \$20.00 for 1 fan - Add \$30.00 for 2 fans


CLOCK/CALENDAR

S-100 •Time in hrs, min, sec•AM/PM or Military Format•Date in Mo, Day, Yr, Day of Week & Leap Year recognition•4 hard interrupts (1024 Hz, 1 Hz, 1 min, 1 hr)•On board battery (will last 14 mos. w/no power on)	
QTC-CCS-BB (S-100)	\$45
QTC-CCS-A (A-T) for S-100	\$110

QT/COMPUTIME BOARD SET

Best Bare Board Set Available	
QTC-SBC 2/4 CPU (SBC 880)	
QTC-EXP + III 256K (CT256) Memory bd./Expandable to 1 MG	
QTC-FDC 5/8 Floppy disk controller	
Bare Board Set	\$175
1) Includes manuals & assembly instructions	
2) Parts available 3) Monitor & B10S available	

TOLL FREE 1-800-545-2633



9 YEARS IN COMPUTER MAIL ORDER

GSL COMPUTER

TOLL FREE 1-800-545-2633

All prices for MC, VISA, AMEX or Pre-pay customers only. Call for P.O. Prices.

Terms:

We accept MC, Visa (3% handling charge on AMEX only), Wire transfer, and Purchase Orders from qualified firms. All returns without RMA are subject to 20% restocking charge. Utah residents pay 5.75% sales tax. Call for freight charges. Prices subject to change and are in U.S. Currency only.

MINIMUM ORDER \$15.00

UPS Red Label 1 day delivery UPS Surface Min. 3 to 10 day delivery
UPS Blue Label 3 day delivery

IBM SYSTEMS

IBM PC-1 Includes 64K, RAM,
1 ea. 360K FD, KB **\$1449**

IBM PC-2 64K RAM, 2 ea
360K FD, KB **\$1599**

IBM PC-22 256K RAM, 2 ea
360K FD, KB **\$1699**

IBM PC-3 256K RAM, 2 ea
360K FD, IBM Mono Display,
IBM Mono Card, KB **\$2129**

IBM PC-33 256K RAM, 2 ea 360K FD,
Color Bd. Monitor, KB **\$2049**

IBM PC-4 256K RAM, 2 ea 360K FD,
Everex Graphics Edge,
Quimax PX4, KB **\$2549**

MEMORY BOARDS

AST 6 Pak+ w/64K (Expands to 384K) has Par,
Serial, Clk, RAM Disk, Spooler **\$259**

AST 6 Pak+ w/384K Plus all
above features **\$449**

P.C. WARE "256K RAM" w/0 RAM **\$119**

P.C. WARE "256K RAM" w/64K RAM **\$159**

"Quadboard 384" w/64K (Expands to 384K)
has Par, Serial, Clk, RAM Disk,
Spooler, Game Port **\$269**

"Quadboard 384" w/384K and all
above features **\$459**

MONITORS

IBM Color Display **\$569**

IBM Monochrome Monitor **\$249**

Amdek 300A **\$149 ea.**
Amdek 310A **\$169 ea.**

NEW — QUIMAX MONITORS

Hi-Res, 14" Screen Tilt & Swivel
DM14A (Amber) **\$169**
DM14G (Green) **\$149**

PX-IV (4) - Hi-Res RGB w/Switch
to convert to green for Word Processing
w/Tilt & Swivel Base **\$449**

(Better than Princeton HX-12)

FLOPPY DISK CONTROLLERS

FDC (Controls up to 4 ea. 5") **\$119**
Maynard "Sandstar" FDC **\$219**

(5" or 8" w/Ability to add Par, Serial,
Clock, Game Port or Hard Disk Modules)

ALPHA-OMEGA HARD DISK

TURBO 20 20MG Hard Disk w/Cont **\$1795**

TURBO 10 10MG Hard Disk w/Cont **\$749**

TURBO 10T 10MG Hard Disk w/Controller
and Tape Backup **\$1495**

COGITO 10MG Hard Disk **\$539**

COGITO 20MG Hard Disk **\$1199**

MEMORY UPGRADES

IBM UP-GRADE FOR PC

INCLUDES 9 EA. 4164-200NS
FOR EXPANSION ON ALL PRODUCTS
WITH PARITY

\$28.00 PER SET **\$25.00** 5 OR MORE

IBM MEMORY UPGRADE FOR AT

9 EA 4128-200 NS (256K)

\$229.00

COMPAQ MEMORY (256K) UPGRADE

9 ea 256K CHIP (200NS)

\$229.00

PC POWER SUPPLIES

HDPC-X Pwr - External Power Supply (130w)
for Hard Disk Add-ons w/fan **\$159**

HDPC-I Pwr - Internal Power Supply
(130w to Replace 63w) **\$169**

NOTE! "All hard disks above 10MB
require 130w power supply"

KEYBOARDS

KB 5151 (Same as IBM Selectric) **\$199**

IBM Keyboard **\$119**

HARD DISK CONTROLLER

Everex **\$319**

Int'l Instrumentation **\$329**

* Controls any Winchester Tech HD

* 2-1 Interleave/3 times faster than XT

INTERNATIONAL INSTRUMENTATION

10, 15, 22 and 30 MG Hard Disk Subsystems

Plug in controller and have instant Mass Storage!

- 3 times faster than XT
- Boot from hard disk
- Fully PC or XT compatible

Size	Internal	External
10 MB	\$749	\$889
15 MB	\$989	\$1089
22 MB	\$1349	\$1529
33 MB	\$1769	\$1889

10 MG TAPE STREAMER

- 10 MG Streamer Tape back-up
- Back-up in 8 min.

Internal Stream 1/2 HGT. **\$899**

External Stream (w/Power Supply
and case) (1/2 HGT) **\$995**

10.38 MG Tape Cartridge **\$29**

IBM HARD DISK SYSTEMS

IBM XT 128K RAM, 10 MB
Hard Disk, & Keybd **\$3495**

PC-10 256K RAM, 10MG H.D., 1 ea
360K FD and Keybd **\$2569**

PC-10/2 256K RAM, 10MG HD, 2 ea 1/2 Hgt
360K FD and Keybd **\$2769**

PC-10/2M 256K RAM, 10 MG HD, 2 ea 360K FD,
Quimax DM14A, IBM Monocard, Keybd **\$3149**

IBM-AT SYSTEMS

3 TIMES SPEED OF XT

IBM-AT (Base Model) includes 256K RAM,
1.2 MB F.D., Clk/Cal, 8 Slots,
Keylock, KB, **\$3900**

IBM-AT (Enhanced) includes 512K RAM,
1.2 MB FD, 20 MB Fixed Drive,
Ser/Par Port, 8 Slots, Keylock, KB **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**

..... **\$5700**



Customer Service (801) 972-2739

Sales (Utah) (801) 972-2717

Sales (Outside Utah) (800) 545-2633

Inquiry 125

**The Great Salt Lake
Computer Company, Inc.**

SEND FOR NEW CATALOG

Retail and Mail Orders

1780 West 2300 South
Salt Lake City, Utah 84119

Prices subject to change without notice.

NEW!!

MEGA-CASE™

NEW!!

**IDEAL FOR OEM MANUFACTURERS, UNIVERSITIES,
RESEARCH LABS ETC.**

THE ULTIMATE PC COMPATIBLE ENCLOSURE

**IDEAL FOR MEGA-BOARD™ XT OR ANY IBM-PC PC-XT
COMPATIBLE BOARDS**

**OEM AND DEALER
QUANTITY DISCOUNTS AVAILABLE**

EASY ACCESS!!

**FLIP-TOP-CASE™
OPENS FOR EASY
ACCESS TO INSIDE!!**

**EXCLUSIVE
FLIP-TOP-CASE™**
Overcomes Problems
With PC Case

Bus Expansion Slot

Allows External
Access To PC Bus

MOUNTS STANDARD
POWER SUPPLY

Blank Label Inset
For Your Company Or
University Name Here

Mounts Standard
Half or Full Height
Floppy Disk
or Hard Disk Drives

Rugged Heavy Gauge Steel Construction


**ONLY
\$99⁹⁵
COMPLETE**

ADVANCED KEYBOARD

FEATURES:

- Horizontal Return Key
- Caps Lock and Num. Lock Indicators
- Enter Key for Numeric Keypad

Full PC Compatibility



Fully Assembled and Tested with One Year
Limited Warranty

**ONLY
\$149⁹⁵**

DTC™ DISPLAY
TELECOMMUNICATIONS
CORPORATION

4100 SPRING VALLEY ROAD
SUITE 400
DALLAS, TX 75234
(214) 991-1644

TERMS: We accept cash, checks, money orders, or purchase orders from qualified firms and institutions. Prices and availability subject to change without notice. Shipping and handling charges via UPS ground 50¢/lb. UPS air \$1.00/lb. Minimum charge \$3.00

MEGA-BOARD™-XT

#1 CHOICE OF MAJOR OEM MANUFACTURERS, UNIVERSITIES, RESEARCH LABS ETC. A THOROUGHLY FIELD PROVEN DESIGN. HIGH VOLUME PRODUCTION ENGINEERED.

- **FULL IBM PC-XT* COMPATIBILITY!**
- **FULL MEGA-BYTE RAM CAPACITY ON MOTHERBOARD!**

THOUSANDS SOLD WORLD WIDE!

DEALERS AND OEM MANUFACTURERS QUANTITY DISCOUNTS AVAILABLE

Standard Key-board Interface
(Full PC compatible)

Hardware Reset
(Overcomes reset flaw in PC)

Eight Compatible I/O Interface Connectors
(Full PC compatible)
(compatible with all IBM-PC* plug-in cards)

Power Connector
(Full IBM* pinout compatible)

8088 Processor
(Same as PC)

8087 Numeric Processor
(Same as PC)

Special J1 Interface
(Allows horizontal mounting of compatible expansion cards for easy bus expansion and custom configuring) (Board has 62 pin gold plated compatible connector)

Peripheral Support Circuits
(Same as PC)

Configuration Switches
(Same as PC)

Extended ROM Capability
(Runs all compatible PC ROMs) (Jumper programmable to accommodate all popular 8K, 16K, 32K and 64K ROM chips and NEW EE ROMs! VPP power pin available for EP ROM burning!) (External VPP voltage required)

Speaker/Audio Port
(Same as PC)

Wire Wrap Area
To facilitate special custom applications!

Full Mega-Byte Ram Capacity! On board!
(With parity)
☐ 256K Bytes using 64K chips
☐ 1 Mega Bytes using 256K chips

ONLY! \$9995
Evaluation Board Kit

Mega-Board™ Evaluation Board Kit!
(Blank board with full assembly instructions and parts list.)

Includes highest quality PC board with gold plating, silk screen, solder mask

Board Size 10.5 inch X 13.5 inch

- ☐ MEGA-BOARD™ — XT
- ☐ BARE BOARD KIT \$ 99.95
- ☐ ASSEMBLED AND TESTED SOCKET KIT (LESS IC'S) (FULLY SOCKETED) \$199.95
- ☐ ASSEMBLED AND TESTED — COMPLETE (INCLUDES USERS MANUAL AND MEGA-BIOS ROM) \$499.95
- ☐ USERS MANUAL WITH THEORY OF OPERATION, SCHEMATICS, BLOCK DIAGRAM, APPLICATION NOTES \$ 19.95
- ☐ MEGA-BIOS™ ROM (2764) FULLY XT COMPATIBLE, MS-DOS, PC DOS \$ 29.95
- ☐ HARD TO GET PARTS CALL

FREE OFFER

FREE! Displaytel™ Exclusive.
Our Commitment to Microcomputer Education!

FREE Intel 8088 Data Book with each Mega-Board™ Order!

ORDER NOW!!! Fast, friendly service



CALL 214-991-1644



Immediate shipment!
Most instock items shipped same or next day!

10 Day money back guarantee if not completely satisfied!

DTC™ DISPLAY TELECOMMUNICATIONS CORPORATION

4100 SPRING VALLEY ROAD
SUITE 400
DALLAS, TX 75234
(214) 991-1644

TERMS: We accept cash, checks, money orders, or purchase orders from qualified firms and institutions. Prices and availability subject to change without notice. Shipping and handling charges via UPS ground 50¢/lb. UPS air \$1.00/lb. Minimum charge \$3.00

*IBM and IBM PC are trademarks of International Business Machines
Inquiry 94

©1984 Display Telecommunications Corporation

FEBRUARY 1985 • BYTE 459

NEC RGB COLOR MONITOR \$259



TELETYPE




17001 Highway 60 Street • Carson, California 90240

California Digital

17700 Figueroa Street • Carson, California 90248

NEC RGB COLOR MONITOR \$259



The NEC JC-1401D is a 13" medium/high resolution RGB monitor suitable for use with the Sanyo MBC-550/555 or the IBM/PC. The monitor features a resolution of 400 dots by 240 lines. Colors available are Red, Green, Blue, Yellow, Cyan, Magenta, Black and White. These monitors are currently being used in applications far more critical than microcomputers.

The NEC monitor carries the Litton-Monroe label and was originally scheduled for use in their "Office of the Future" equipment. A change in Monroe's marketing strategy has made these units excess inventory which were sold to California Digital. We are offering these prime "new" RGB monitors at a fraction of their original cost. Sanyo compatible NEC-1401/S, IBM/PC/Computer compatible NEC-1401/PC

MONITORS

BMC 12A green phosphor 15 MHz composite video
BMC 12 high resolution 20MHz
Amdek 300G 12 green phosphor
Amdek 300A 12 amber phosphor
Amdek 310A designed for IBM/PC, amber
Zenith ZVM122 Amber Phosphor 12" 40/80 column switch
Zenith ZVM123 green phosphor 12" 40/80 column switch
NEC-JB1201 green phosphor 18 MHz composite video
NEC-JB1260 commercial grade composite
Conrac 8 open frame requires horiz sync & 12v supply

COLOR

NEC JC1401D Medium/High 13" RGB
BMC AU9191U Color composite video with sound
BMC 9191M RGB designed for use with the IBM computer
NEC JC1203DM RGB color monitor
NEC JC1215 color composite
Zenith ZVM135 RGB & composite suitable for IBM/PC
Amdek Color II 13" RGB hi resolution
Amdek Color II 13" RGB medium resolution
Pricenton HX-12 RGB IBM/PC compatible

BMC-12A 78.95
BMC-12EN 119.00
AMK-300G 128.95
AMK-300A 138.95
AMK-310A 158.95
ZTH-122 89.95
ZTH-123 89.95
NEC-JB1201 159.00
NEC-JB1260 119.00
CON-BWS 59.00

NEC-1401/X 259.00
BMC-9191 238.95
BMC-9191M 379.00
NEC-1203 699.00
NEC-JC1215 339.00
ZTH-2135 475.00
AMK-100 299.00
AMK-200 419.95
AMK-300 359.95
PRN-HX12 478.95

PRINTERS

MATRIX PRINTERS

Star Gemini-10X 120 char/sec.
Star Gemini-15X 100 char/sec. 15" paper.
Star Gemini Delta 10, 160 Char/sec.
Star Coxe 80FT Indcon & tractor
Toshiba P1351, 192 char/sec. letter quality
Okidata 82A serial & parallel 9½" paper
Okidata 92A parallel interface, 160 char/sec.
Okidata 83A & parallel 15" paper
Okidata 84A & parallel 15" paper
Epson RX-8010 120 Char/sec.
Epson FX80, 10" 160 char/sec. with graphtrap
Epson FX 100 15" 160 char/sec. with graphtrap
Epson LQ1500, 15" correspondence quality
Epson XB80 Color printer
Anadex 9501B high speed with graphics
Anadex 9620B 200 char/sec. par & serial
Prowriter 8510 parallel 9½" paper
Prowriter II, parallel 15" paper, graphics
Dataprinters E-600-3, band printer 600 LPM.
Pentatron P300 high speed printer 300 lines per minute.
Pentatron P650 ultra high speed 600 lines per minute.

STR-G10X 259.00
STR-G15X 365.00
STR-D10 399.00
VST-C80FT 179.00
TOS-1351 1495.00
OKI-82A 329.00
OKI-92A 399.00
OKI-83A 559.00
OKI-84A 929.00
EPS-RX80 259.00
EPS-FX80 439.00
EPS-FX100 629.00
EPS-LQ1500 1179.00
EPS-XB80 579.00
ADK-9501B 1029.00
ADK-9620B 1129.00
PRO-85 359.00
PRO-2P 689.00
DPS-B600 695.00
PTX-P300 599.00
PTX-P650 579.00

WORD PROCESSING PRINTERS

NEC7710 55 char/second, serial interface
NEC7730 55 char/sec. par & serial interface
NEC3550 popular printer designed for the IBM/PC
NEC2050 designed for IBM/PC 20 char/sec. par & serial
Silver Reed EXP500, 14 char/sec. par & serial interface
Silver Reed EXP550 17 char/sec. par & serial interface
Diablo 630 40 char/sec. serial
Diablo 620, proportional spacing, horiz & vert. tab. 20 cps.
Juki 6100, 18 char/sec. SPECIAL
Brother H81A serial interface
Starwriter F10 serial, 40 char/sec.
Starwriter F10 parallel, 40 char/sec.
Conrex CR2, 5k buffer, proportional spacing, par & serial

NEC-7710 1795.00
NEC-7730 1795.00
NEC-3550 1599.00
NEC-2050 995.00
SRD-EXP500 459.00
SRD-EXP550 659.00
DBL-620 1765.00
DBL-620 775.00
JUK-6100 429.00
BTH-HR1S 695.00
PRO-F10S 1125.00
PRO-F10P 1125.00
CRX-CR2P 495.00

TERMINALS

Freedom 100, split screen, detachable keyboard
Cume 102 green phosphor terminal
Amplex Dialogue 125 green screen
Amplex Dialogue 175 amber screen, two page, func. keys
Wyse 50, 14" green phosphor
Wyse 300, eight color display, split screen
Zenith 910 Plus, block mode
Televideo 925, detachable keyboard, 22 function keys
Televideo 950, graphic char. split screen, 22 func.
Televideo 970, 14" green, 132 column, European

LIB-F100 495.00
QUM-102 539.00
APX-D15G 675.00
APX-D175A 719.00
WYS-50 595.00
WYS-300 1159.00
ZTH-229 765.00
TVI-910P 759.00
TVI-925 759.00
TVI-950 950.00
TVI-970 1095.00



\$795



TELETYPE

MODEL 40



\$395

The Teletype peripherals are continuous heavy duty communication equipment that have recently come off lease from a Cado Computer customer. It is seldom that California Digital becomes involved in the marketing of USED products but we felt that these peripherals represented such an exceptional value that we had to offer this equipment to our customers.

The full character chain printer is capable of printing text in excess of 300 lines per minute. This printer, long used in high speed mini-computer applications, will provide the small business user with good quality multi-part printouts at speeds that can not be attained by dot matrix printers.

This unit also has a four channel vertical forms feed controller that allows for quick change of various form lengths. The Tele-

type Model 40 printer has a proprietary serial Teletype SSI interface and DIP switches are provided for setting baud rates to 9600. The printer requires special support software when connecting directly to a mainframe, call for technical support.

The Model 40 CRT terminal has a RS-232 and current loop serial interface as well as a printer port that supports the Model 40 printer. This terminal features block mode, full screen editing as well as DC1/DC3 select capabilities.

All Teletype equipment is fully inspected by our engineering department before shipment. These peripherals are shipped freight collect by truck.

Teletype Printer \$795 • Model 40 CRT Terminal \$395

• Both printer and terminal \$1065 •



\$895

The Eagle IIE/2 Computer features a 12" non-glare green phosphor CRT, typewriter style keyboard with separate numeric cluster. This unit provides two 5 1/4" drives for a combined storage capacity of 780 K/Byte. The computer contains a 4MHz Z-80A, DMA disk interface, two RS-232C serial ports, Centronics printer interface, along with an auxiliary parallel port.

Software included consists of ULTRACALC electronic spreadsheet, SPELLBINDER word processor, CIBASIC2, CP/M 2.2, and an exclusive Eagle menu driven utility package.

These units are all "factory new" and are being offered far below their suggested price of \$2495. This is your opportunity to purchase a complete CP/M system for only \$895.

OLYMPIA Computer Printer and Typewriter



\$339

The Olympia Corporation has just released two new typewriters with built in Centronics printer interface. These word processing printers are the ideal answer to your personal correspondence needs.

The Compact 2 prints at 14 characters per second and is priced at \$459 OLY-C2. The Orbit XP, pictured above, prints at 10 characters per second and is priced at only \$339 OLY-XP1. Both machines are equipped with 2 K/byte printer buffers and a left off correction key.

PROMETHEUS ProModem 1200



\$339

The Prometheus Promodem 1200 is best value that we have seen in a 300/1200 baud modem. This Hayes compatible modem features completely unattended operation, auto answer/auto dial and even includes "redial number when busy". Internal diagnostics makes the Promodem 1200 an easy modem to install. Help commands, real time clock and internal speaker add to the ease of use of this unit.


An optional processor accessory allows battery back up, extra memory space for storing additional phone numbers, messages received, and can act as a transfer buffer when exchanging programs.

The Alphametric display option allows messages saved to be displayed when they were received, diagnostic test results, numbers in the directory, as well as modem status.

MODEMS

CTS 212AH 1200 baud, auto dial
Signalman Mark 1, 1200 baud, Hayes compatible
Signalman Mark 1, direct connect with terminal cable
Hayes Smart Modem 1200 baud, auto answer, auto dial
Hayes 1200B for use with the IBM/PC, 1200 baud
Hayes Smartmodem, 300 baud only, auto answer, auto dial
Hayes Micromodem II, 103 Apple buffer connect
Hayes Chronograph, time & date
Prometheus 1200 super features
Prometheus 1200B internal PC
Penny 300/1200 industrial quality
Universal Data 103LP, line power, answer & originate
Universal Data 202, 1200 baud, half duplex only
Universal Data 212LP, full 1200 baud duplex, line power
Novation J Cat, direct connect, auto answer

Return of a Smash Hit Sellout DRAGON \$139



Compatible with most Radio Shack Color Computer software. The world famous Dragon computer is now available in the United States. Manufactured by the Tano Corp. under license of the British Broadcasting Company. The Dragon comes complete with 64K Byte of memory, serial modem port along with a Centronics printer interface. This unique micro-computer features Motorola's advanced 6809E microprocessor and comes standard with Microsoft Color Basic, data base manager, and a complete word processing package. The computer outputs color composite video along with R.F. video that allows the unit to be used in conjunction with any color television. This is the ideal low cost computer to be used with any dial up information system such as the Source, Western Union's EasyLink or any other time share service.

Shugart 604 WINCHESTER \$159



These 6.7 Megabyte drives are new units recently released by the Shugart division of Xerox.

The Shugart 604 is fully 506 industry compatible. Each drive is tested before shipment and is supplied with a 90 day warranty. SHU-604

TOLL FREE ORDER LINE
(800) 421-5041

TECHNICAL & CALIFORNIA
(213) 217-0500

HOW TO BE A



Call for an IBM PC system custom enhanced to meet all your business needs.

Printers:

EPSON JX-80 (160cps, 10", 8 colors)	BEST PRICE
EPSON FX-80 (160cps, 10")	\$425
EPSON FX-100 (160cps, 15")	\$625
EPSON FX-100 + (160cps, 15", near LQ)	\$625
EPSON RX-80 (100cps, 10")	\$245
EPSON RX-80F/T PLUS (100cps, 10" w/platen, near LQ)	\$295
EPSON RX-100 (100cps, 15" while they last)	\$425
EPSON LQ-1500 (LQ dot matrix w/ par. interface)	CALL
OKIDATA ML92 (160cps, 10")	\$425
OKIDATA ML93 (160cps, 15")	\$625
OKIDATA ML84 (200cps, 15")	\$725
OKIDATA PACEMARK 2410 (350cps, 15")	\$1995
GEMINI 10X (120cps, 10")	\$275
GEMINI 15X (120cps, 15")	\$395
DATAPRODUCTS 8010 (180cps, dot matrix, 10")	CALL
DATAPRODUCTS 8020 (180cps, dot matrix, 15")	CALL
DATAPRODUCTS 8050 (200cps, dot matrix, 15")	CALL
DATAPRODUCTS 8070 (400cps, dot matrix, 15", LQ)	CALL
FLORIDA DATA PRINTERS (High speed, durable)	CALL
TOSHIBA P1340 (LQ dot matrix, 10")	\$745
TOSHIBA P1351 (LQ dot matrix, 15")	\$1295
TI-855 (LQ dot matrix w/font cart)	PRICE REDUCTION
DIABLO 630API (40cps LQ)	\$1595
DIABLO 630ECS (192 chars on wheel)	\$1995
NEC 2050 (Durable, low cost LQ)	BEST PRICE
NEC 3550 (33cps LQ)	NEW LOW PRICE
NEC 7730 (55cps LQ)	NEW LOW PRICE
NEC 8850 (Fast LQ from the people setting standards)	CALL
C.ITOH A10 (New letter quality)	CALL
C.ITOH STARWRITER (40cps LQ)	\$1025
C.ITOH PRINTMASTER (55cps LQ)	\$1325
QUME LETTER PRO 20 (New, nice)	CALL
QUME SPRINT 1140 (40cps LQ)	CALL
QUME SPRINT 1155 (55cps LQ)	CALL
BROTHER HR-15 (13cps LQ, 10")	\$395
BROTHER HR-25 (23cps LQ, 15")	\$675
BROTHER HR-35 (32cps LQ, 15")	\$895
COMPLEX, DYNAX PRINTERS	CALL

CALL FOR ADD-ON TRACTORS & CUT SHEET FEEDERS

Miscellaneous:

POLAROID PALETTE	
(Makes hi/res slides from PC's)	BEST PRICE
ORCHID PC TURBO (80186 coprocessor-runs at 8MHz)	CALL
KEYTRONIC 5151 KEYBOARD (Sep. cursor keys)	\$199
MOUSE SYSTEMS (Optical mouse, runs LOTUS)	\$139
MICROSOFT SERIAL OR BUS MOUSE (w/software)	\$139
ISOBAR SURGE PROTECTORS (4 & 8 plug)	\$49/\$69
POWER BACK-UP (200 & 425 watts)	\$269/\$499
MICROFAZER (8-128K print buffer)	from \$139
ASHER by QUADRAM (Electronic tickler, more)	CALL
SANTA CLARA PC TERMINAL (Smart terminals plus)	CALL

Diskettes:

VERBATIM:	
SS/DD Box	\$24- Case \$199
DS/DD Box	\$29- Case \$249
FOR DYLAN, MAXELL, 3M	CALL

Floppy Disk Drives:

TANDON TM 100-2	\$179
SHUGART SA 455-2	\$149
PORTABLE HALF HEIGHTS	\$159
CDC FULL HEIGHTS	\$169

Multifunction Boards:

QUADMEG (at memory up to 4MB RAM)	CALL
QUADBOARD (64K-384K S.P.C.C. bracket)	\$269/459
QUADPORT (Serial & parallel w/option of 4 more serial)	CALL
AST ADVANTAGE (ups AT's RAM to 3MB w/port)	CALL
AST 6-PAK (64-384K S.P.C.C. opt G)	\$269/459
AST MEGAPLUS (64-512K* S.C.C. opt S.P.G.K.)	from \$269
AST I/O PLUS (S.C.C. opt S.P.G.)	from \$139
ORCHID BLOSSOM (64-384K S.P.C.C. opt PC Net)	\$249
TECMAR CAPTAIN (64-384K S.P.C.C.)	from \$259
BABY BLUE II (64-256K, Z80B, 2S.P.C.C.)	from \$429
PERSYST Time Spectrum (64-384K, S.P.C.C. 2 yr. wrtyl)	\$279
NEW PROFIT RAM ELITE & PLUS (64-512K, 2S or S.P.C.C.)	CALL
MAYNARD SANDSTAR MODULAR BOARDS	CALL

Plotters:

HP7470 & 7475 PLOTTERS	CALL
HOUSTON INSTRUMENTS (Full Line)	CALL
AMDEK AMPLLOT II (8 Pen, does overlays)	\$499

Emulation Boards:

IRMA BY DCA (3278 Terminal Emulation)	\$895
IRMA LINE (3278 RJE)	CALL
IRMALETTE (Use with Irmaline)	CALL
IRMAPRINT (3287 emulation)	CALL
IRMACOM (3274, 3276 Controller, 3770, 2780, 3780 RJE)	CALL
FORTE DATA SYSTEM	CALL
TECHLAND BLUE LYNX 3270 & 5251	CALL
AST PCOX, SNA, BSC, 3780, 5251	CALL

Monitors:

AMDEK COLOR 710 (No glare, no flicker ultra hi/res)	\$579
AMDEK COLOR 700 (New ultra hi/res RGB)	\$475
AMDEK COLOR 600 (New hi/res RGB w/audio)	\$429
AMDEK 300 A and G (Amber or green)	\$149/\$139
AMDEK COLOR 500, 400, 300 (New hi/res RGB)	CALL
AMDEK 310A (Amber, dark non-glare tube)	\$169
PGS SR-12 (690x480 non-interlaced)	\$599
PGS HX-12 (690x480 interlaced)	\$469
PGS MAX-12 (720x350 mono)	CALL
KIMTRON TERMINALS	BEST PRICE
WYSE 50, 75, 100 TERMINALS (Program funct. keys)	CALL
TAXAN, NEC, ZENITH MONITORS	CALL

Hard Disk Drives:

PEACHTREE PERIPHERALS 10MB internal & external	\$895
PEACHTREE PERIPHERALS P-30 AT & P-50 AT	CALL
EVEREX 10MB internal	CALL
MAYNARD 10MB internal	CALL
MAYNARD 30MB internal	\$2195
MAYNARD MAYNSTREAM (Portable tape back-up)	CALL
MITSUBISHI (10MB & 25MB w/tape)	CALL
SYSGEN 10MB HARD DISK (w/tape back up)	\$2395
SYSGEN 20MB HARD DISK (w/tape back up)	\$2895
SYSGEN IMAGE 10 minute XT tape back up	\$795

CALL FOR TECMAR, DAVONG, AND TALLGRASS PRICES

IBM PCs

IBM PC w/256K, 2 360K drives, controller, Monochrome/ Printer adapter, Amdek 310A	\$2195
IBM PC w/256K, 2 360K drives, controller, Color/Graphics adapter, HX-12 color monitor	\$2495
IBM PC w/256K, 2 1/2 ht. 360K drives, controller, 10MB hard disk w/auto boot	\$2795

(These systems are brand new, fully tested and burned in, fully warranted for 90 days AND ARE ALWAYS IN STOCK!)

AT

ADD-ONS & UPGRADES

HARD DISKS

- INTERNAL/LOW POWER
- EXTERNAL/MASS STORAGE
- ARCHIVE TAPE BACK-UP
- REMOVABLE MEDIA

BUDGET HERO



Call for an IBM PC system custom enhanced to meet all your business needs.

Chips:

64K RAM UPGRADE (Set of 9)	\$39
128K RAM (AT Upgrade)	BEST PRICE
256K RAM	BEST PRICE
8087-3 (High Speed Math)	\$169
80287 (AT High Speed Math)	CALL

WE ARE CHIP BROKERS, ASK FOR QUANTITY PRICES

Modems:

HAYES 300 baud external	\$209
HAYES 1200 (300 or 1200 baud ext)	\$469
HAYES 1200B (300 or 1200 baud int w/soft)	\$399
HAYES 2400 (New external, twice the speed!)	CALL
HAYES Compatibles	CALL
SIGNALMAN MARK 12 (1200 baud at 300 price)	\$259
VENTEL HALF CARD w/Crosstalk	\$429
BIZCOMP INTELLIMODEMS	BEST PRICE

Display Cards:

EVEREX GRAPHIC EDGE (Simultaneous color & mono, w/ports)	\$399
TSENG UltraPAK (132 mono, S, P, C/C, opt RAM, FDC, color)	\$439
PARADISE MODULAR GRAPHICS CARD (Color/ graphics in mono with mod ports options!)	from \$339
PERSYST BoB (clear text on a color monitor)	CALL
STB GRAPHIX PLUS II (Mono, color, par)	\$369
PROFIT MULTIGRAPH (Mono, color, opt par)	\$369
TECMAR GRAPHICS MASTER (640x400 + mono)	\$489
QUAD COLOR I (Upgrades to hires w/QuadcolorII)	\$199
HERCULES COLOR CARD (New from old faithful)	\$179
AST MonoGraphPlus (LOTUS mono, serial, par, clock)	\$399
PLANTRONICS Colorplus (Hi/res w/color magic)	\$379
IBM PC Enhanced Graphics Adapter	CALL

Software:

SYMPHONY (New from LOTUS)	BEST PRICE
FRAMEWORK (New from ASHTON-TATE)	BEST PRICE
MULTIMATE (Emulates WANG dedicated WP)	\$279
SAMNA WORD III ("Ultra-WANG")	\$295
WORDSTAR PRO-PAK (WS/CS/MM/SI/Tutor)	\$279
MICROSOFT WORD w/MOUSE (4th generation WP)	\$289
VOLKSWRITER DELUXE w/Textmerge	\$179
BANK STREET WRITER	\$59
EASYWRITER II SYSTEM (-writer, -speller, -mailer)	CALL
SUPERCALC 3 (Better graphs than LOTUS)	BEST PRICE
PFS Write, File and Graph	each \$99
Report	\$79
OPEN ACCESS (Proven Integrated Package)	CALL
dbASE II & III (From Ashton-Tate)	\$299/\$375
KNOWLEDGEMAN (Version 1.06)	\$299
RBASE 4000 & 6000 (Use w/CLOUD, REPORT WRITER)	CALL
POWER BASE (Relational, hierarchical)	\$279
CIP (New and fantastic!)	CALL
DAYFLOW (Enhance with REPORTFLO)	CALL
OZ (from Fox & Geller)	CALL
NUTSHELL by Leading Edge	CALL
LIFEBOAT LATTICE C COMPILER (w/8087 support)	\$289
LIFEBOAT LATTICE C-FOOD SMORGASBORG	CALL
MICROSOFT C, BASIC, FORTRAN, PASCAL, COBOL	CALL
BORLAND TURBO PASCAL & TOOLBOX	CALL
DIGITAL RESEARCH (All products)	CALL
DOW JONES (All products)	CALL
IUS A/R, A/P, G/L	\$299
OPEN SYSTEMS ACCOUNTING MODULES	BEST PRICE
REAL WORLD ACCOUNTING	CALL
STATE OF THE ART (G/L, A/R, A/P, INV, PR)	BEST PRICE
BPI GENERAL ACCOUNTING AND MODULES	CALL
DOLLARS AND SENSE by Monogram	\$119
MANAGING YOUR MONEY by Tobias/Meca	\$129
HARVARD PROJECT MANAGER	BEST PRICE
HOWARDSON TAX PREPARER	BEST PRICE
MICROTAX	CALL FOR PRICE
DECISION RESOURCES CHART MASTER	\$249
DECISION RESOURCES SIGN MASTER	\$179
BPS BUSINESS GRAPHICS	\$259
Z-SOFT PC PAINTBRUSH w/FRIEZE GRAPHICS	\$99

PROKEY VERSION 3.0 by Rosesoft	\$95
SET-FX for your EPSON	\$45
NORTON UTILITIES	\$55
COPY II PC by CENTRAL POINT	\$35
COPYWRITE by Quaid (Copies all IBM software)	\$45
COMPUSERVE STARTER KIT	\$35
SIDEWAYS by FUNK SOFTWARE	\$49
CROSSTALK XVI by MICROSOFT	\$109
HAYES SMART COM II	\$95
TRACE 86 by Morgan (Assembly language debug)	CALL
FLIGHT SIMULATOR	\$39

PROGRESSIVE MICRO DISTRIBUTORS

FOR ORDERS ONLY

1-800-446-7995

for further information and technical support

1-404-446-7995

HOURS: 9AM to 9PM EST
(Sat/Sun-12PM to 5PM EST)

7000 Peachtree Industrial Boulevard
Norcross, Georgia 30071

All prices are subject to change.
IBM is a registered trademark of International Business Machines.

NO SURCHARGE FOR MC/VISA

NETWORKS
FOR YOUR
IBM PC
SHARE FILES
SHARE DEVICES
WE CARRY THE BEST

COMMUNICATE
WITH YOUR CORPORATE
MAINFRAME
• DOWNLOAD DATA
• TERMINAL EMULATION
CALL FOR DETAILS

CHIPS
64K • 256K •
8087 • 80287
MEMORY UPGRADES
QUANTITY DISCOUNTS
SOUTH'S LARGEST SUPPLY

DISK DRIVES



Teac 55B

- ★ Slimline, 360K
- ★ PC Compatible

As Low As **\$119 ea.**

8" Siemens

- ★ FDD100-8
- ★ Shugart Compatible

As Low As **\$111 ea.**

MPI B52

- ★ IBM Compatible
- ★ 360K Full Height

As Low As **\$90 ea.**

CCU Apple Drives

- ★ Slimline
- ★ Fully Apple Compatible

As Low As **\$140 ea.**

Computer Components Unlimited

Apple Compatible Drives

	QUANTITY		
	1	2	10
Micro Sci			
A-2 or A-20 Full HT Controller	\$175	\$169	\$159
	65	60	50
Rana Systems			
Elite I	\$210	\$205	\$200
Elite II, Dbl. Head	335	330	325
Elite III, Quad Density	395	445	435
Controller Controls 4 Drives	75	70	70
CCU Half Height			
FD525A Slimline w/ cable	\$150	\$145	\$140
CCU Full Height			
FD555A w/ cable	\$160	\$150	\$140
Hard Disk			
10 Meg w/ controller	Call	Call	Call

CCU
YOUR LARGEST
DISK DRIVE
SUPPLIER

5 1/4" Disk Drives

	QUANTITY		
	1	2	10
Teac			
FD55A, 160K	\$160	\$150	\$140
FD55B, 360K	129	125	119
FD55F, Quad Density	159	150	140
All Teac's are Half Heights			
Tandon			
TM100-1, 160K	\$150	\$140	\$130
TM100-2, 360K	139	137	135
TM101-4, Quad Density	280	270	260
TM55-2, 360K 1/2 Height	195	190	185
MPI			
B-52, 360K PC Compatible	\$100	\$ 95	\$ 90
Shugart			
SA400, 160K	\$190	\$180	\$170
SA455, 360K 1/2 Height	150	140	130
SA465, Quad Den. 1/2 Height	230	220	210
Mitsubishi			
4851, 1/2 Height	\$159	\$149	\$139
4853, Quad Den. 1/2 Height	169	159	140
Control Data Corp.			
CDC 9409, 360K	\$190	\$180	\$170

8" Disk Drives

	QUANTITY		
	1	2	10
Siemens			
FDD-100-8	\$129	\$120	\$111
FDD-200-8	180	170	160
Shugart			
801R, Sgl./Dbl.	\$160	\$150	\$140
851R, Dbl./Dbl.	480	470	460
Tandon			
TM848-1E, Sgl./Dbl. 1/2 Ht.	\$240	\$230	\$220
TM848-2E, Dbl./Dbl. 1/2 Ht.	370	360	350
Mitsubishi			
M2894-63, Dbl./Dbl.	\$400	\$390	\$380
M2896-63, Dbl./Dbl. 1/2 Ht.	400	390	380
5 1/4" & 8" Power Supply & Cabinets			
	QUANTITY		
	1	2	10
JMR 5 1/4"			
Single Cabinet w/ pwr	\$ 70	\$ 60	\$ 50
Dual Thinline Cab w/ pwr	80	70	60
Dual Cabinet & Power	80	70	60
All have 6 month Warranty			
JMR 8"			
Sgl. Cabinet w/ pwr & fan	\$220	\$210	\$200
Dual w/ pwr for 2 thinlines	230	220	210
Dual w/ pwr & fan	270	260	250

Computer
Components
Unlimited
A California Corporation

Inquiry 51



No Surcharge For Credit Cards

All Prices Reflect a Cash,
Pre-Paid Discount

This Ad Supersedes All Others

Customer Service & Technical

(213) 618-0487

Sales Desk


(800) 847-1718

Outside California

(213) 618-0477

Inside California

PRINTERS



Brother

- ★ HR-15XL
- ★ 17 cps

\$399

Okidata 93P

- ★ 15" Carriage
- ★ 160 cps w/ correspondence

\$589

C. Itoh F-10

- ★ 40 cps
- ★ Letter Quality

\$929

Epson

- ★ FX 80 +
- ★ 160 CPS
- ★ New Version

Call for Lowest Quote

CALL (800) 847-1718

PRINTERS

Epson

RX-80 (120 cps)	Save
RX-80FT	At Least
RX-100 +	\$150
FX-80 +	
FX-100 +	
LQ1500	
JX-80	\$ 589

We are an Authorized Dealer

Okidata

OKI82A, 120 cps	\$ 295
OKI83A	549
OKI84P	669
OKI84S	749
OKI92P	359
OKI93P	589

Call for other Models

FREE Plug 'n Play Roms w/92 & 93

JUKI

6100, 18 cps Ltr. Quality	\$ 394
6300, 40 cps "New" w/3K Buffer	
Letter Quality	775

Brother Dist. by Dynax

HR15, 12 cps	\$ 375
HR25, 25 cps	659
HR35, 36 cps	949

Panasonic

1091, 120 cps w/ tractor	\$ 289
--------------------------	--------

Star Micronics

Gemini 10X	\$ 259
Gemini 15X	389
Delta 10	379
Power type	390

C. ITOH

8510AP	\$ 319
F10, 40 cps	929
Printmaster F1055pu	1179

Toshiba

P1351, 192 cps	\$1289
----------------	--------

PRINTER INTERFACES

Fourth Dimension

Card & Cable	\$ 49
--------------	-------

Microtek

Dumpling GX (Grappler Compatible)	\$ 89
Dumpling GX exp to 64K	149
Dumpling GX 16K w/ 16K exp to 64K	169
for each additional 16K	15

Okidata Options

Tractor for 82 & 92	\$ 59
Serial Interface	99

Orange Micro

Grappler +	\$ 109
Grappler + w/16K	179

Star or Epson

Epson Serial Interface	\$ 119
Star Serial Interface	59

WE STOCK WHAT WE SELL!!

RETAIL STORES:

11976 Aviation Blvd.
Inglewood, CA 90304

16129 Hawthorne Blvd., Suite E
Lawndale, CA 90260

MAIL ORDER:

P.O. Box 1936
Hawthorne, CA 90250

Inquiry 51

Retail Hours:

10 a.m. - 6 p.m. Mon.-Fri.
10 a.m. - 3 p.m. Sat.

All merchandise new. We accept MC, Visa, Wire Transfer, COD Call, Certified Check, P.O.'s from qualified firms, APO accepted. Shipping: Minimum \$4.50 first 5 pounds. Tax: California Res. Only add 6 1/2% sales tax. All returns subject to 15% restocking charge. Advertised prices for Mail Order only. Retail prices slightly higher.
Prices Subject to Change.

Customer Service Hours:


10 a.m. - 4 p.m. Mon.-Fri.
John Aurentz
(213) 618-0487

Mail Order Hours:

7 a.m. - 7 p.m. Mon.-Fri.
10 a.m. - 3 p.m. Sat.

(800)847-1718 (213)618-0477
(Outside California) (Inside California)

SYSTEMS



IBM PC System

- ★ PC 256K
- ★ Controller Keyboard
- ★ Two 360K Drives
- ★ IBM Monochrome Card and Monitor

\$2059

APPLE IIE System

- ★ CPU, Keyboard
- ★ Two Slimline Drives & Controller Card
- ★ Hi-Res Green Monitor

\$1299

IBM PC System

- ★ PC 256K
- ★ Controller Keyboard
- ★ Two 360K Drives
- ★ Color Graphics Card
- ★ Hi-Res Green Monitor

\$1799

Apple	
IIE cpu	\$ 690
Macintosh	1895
Iic Portable	899

Kaypro	
Kaypro II	Call
Kaypro 4	Call
Kaypro 10	Call
Kaypro IIX	Call

IBM	
PC 256K, No Drives	\$1250
PC 256K, 1 Drive	1399
PC 256K, 2 Drives	1599
XT w/ 10 Meg, 256K	3495
Additional Memory 64K	27
AT Standard Config.	Call
AT w/ 20 meg	Call

Tava	
PCCompatible w/ Monitor	\$1395

Sanyo	
MBC 550-2	\$ 799
MBC 555-2	1089
Optional Serial Port	69
Optional 360K Drive	159

Compaq	
Portable (PC Compatible) 2, 360K Drives	
256K of Memory	\$2150
Call for all new Compaq's	



MONITORS

Princeton Graphics

- ★ HX-12 (640 x 280)
- ★ Hi-Res RGB

\$459

IBM Monitor

- ★ Monochrome (720 x 350)
- ★ Hi-Res Green

\$219

Amdek

- ★ Model 300
- ★ Color Composite (300 x 260)

\$279

Amdek	
300G, Hi-Res Green	\$ 139
300A, Hi-Res Amber	149
310A, Monochrome Amber	169
300 Hi-Res Color Comp.	279
500 RGB Composite	399
DVM Board for Apple RGB	129

IBM	
Monochrome Green	\$ 219
Color Hi-Res	559

Zenith	
ZVM122	\$ 99
ZVM123	99

BMC	
12AUW	\$ 79
9191	219

Taxan	
425 Color RGB	\$ 399
440 Ultra Hi-Res	999

Princeton Graphics	
MAX12, Monochrome Amber	\$ 179
HX12, RGB Color	459
SR-12 w/ Doubler Board	899



MODEMS

Anchor Automation

- ★ 300 Baud
- ★ Internal PC Compatible

\$79

U.S. Robotics

- ★ 300, 1200 Baud
- ★ Standalone
- ★ With Cable

\$239

Prometheus

- ★ Pro Modem 1200

\$329


Hayes	
Micro Modem IIE	\$ 239
300 Baud	205
1200B Internal	399
1200	459
2400 Baud	Call

Prometheus	
Promodem	\$ 329
Pro 1200A Apple Int w/ sw	329
Pro 1200B IBM Int w/ sw	299
Pro Mac w/ cable & sw	329
No. C Cable	12
Alpha Disp.	89
Options Proc.	89

Anchor Automation	
Mark 3 For TI	\$ 59
Mark VI 300 Baud IBM	79
Mark XII, 1200 Baud	229

U.S. Robotics	
Password	\$ 239

IBM & APPLE ACCY'S



IBM PC Controller

- ★ Controles Two ★ 5 1/4" Full or 1/2 HT Drives

Generic **\$79**
IBM **\$129**

IBM EXTRAS Ast Research

Six Pack + \$ 249
Mega + 265
Add on Ports 49

Hercules

Color Card \$ 185
Graphics Card 329

Hard Disk

10 Meg. External w/ pur. \$1195

IBM

Monochrome Adapter \$ 229
Color Card 239

Paradise Systems

Multi-display Card \$ 329
New Modular Card 345
Module A 88
Module B 240

Quadram

Quad Color Card \$ 199
Quadlink 389

64K Upgrade

64K of Memory \$26

AT Upgrade

Upgrade 200 ns \$ 169

PC Products

PC Peacock \$ 215

Ports

Parallel \$ 79
Serial 79

CCU

Color Graphics Card \$ 159

64K Upgrades

- ★ Nine Prime 4164
- ★ 1 Year Warranty

\$26 set
1000 pcs **\$2.60 ea**

APPLE EXTRAS

ALS

Z Engine \$ 119
CPM 3.0 Card 249

Astar

RF Modulator \$ 15
Fan w/ Surge 34

CCU

16K Mem. Card 1 yr war. \$ 49

Kraft

Joystick \$ 44

Macro

Joystick \$ 29

Micro Max

Viewmax 80, 80 col. card \$ 139
Viewmax 80E (F for IIE) 64K 129

Micro Soft

Mouse \$ 139
Premium Soft Card IIE 369
Multiplan 189
Soft Card (Z80) w/ 64K 279

Micro Tek

Serial Interface \$ 89

TG

Joystick \$ 39
Select-A-Port 31
Paddles 34

Quadlink

- ★ By Quadram
- ★ Run Apple Software on Your PC

\$389

5 1/4" DISKETTES

CCU

Sgl/ Dbl reinforced hub \$16 100 for 140
Dbl/ Dbl reinforced hub 19 100 for 170
Not Bulk Packed

Dysan

Sgl/ Dbl \$33 100 for 300
Dbl/ Dbl 39 100 for 370

Fuji

Sgl/ Dbl \$19 100 for 180
Dbl/ Dbl 25 100 for 230

Verbatim

Sgl/ Dbl \$26 100 for 240
Dbl/ Dbl 36 100 for 340

8" DISKETTES

Dysan

Sgl/ Sgl \$34 100 for 320
Dbl/ Dbl 53 100 for 480

Verbatim

Sgl/ Sgl \$30 100 for 280
Dbl/ Dbl 40 100 for 360

DISK ACCESSORIES

Verbatim

8" or 5 1/4" Head Cleaning Kit \$ 9

Flip Tub

5 1/4" Holds 70 disks, plexiglass \$ 17

Computer Components Unlimited

Inquiry 52

A California Corporation

RETAIL STORES:

11976 Aviation Blvd
Inglewood, CA 90304

16129 Hawthorne Blvd., Suite E
Lawndale, CA 90260

MAIL ORDER:

P.O. Box 1936
Hawthorne, CA 90250

Customer Service & Technical

(213) 618-0487

Sales Desk

(800) 847-1718

Outside California

(213) 618-0477

Inside California



No Surcharge for Credit Cards

All Prices Reflect a Cash,
Pre-Paid Discount

This Ad Supersedes All Others

CALL TOLL FREE

(800) 847-1718

Customer Service Hours:

10 a.m. - 4 p.m. Mon.-Fri.

John Aurentz

(213) 618-0487

Mail Order Hours:

7 a.m. - 7 p.m. Mon.-Fri.

10 a.m. - 3 p.m. Sat.

(800) 847-1718 (213) 618-0477
(Outside California) (Inside California)


Retail Hours:

10 a.m. - 6 p.m. Mon.-Fri.

10 a.m. - 3 p.m. Sat.

All merchandise new. We accept MC, Visa, Wire Transfer, C.O.D., Cash, Certified Check, P.O.s from qualified firms, APO accepted. Shipping Minimum \$4.50 first 5 pounds. Tax: California Res. Only add 6% sales tax. All returns subject to 15% restocking charge. Advertised prices for Mail Order only. Retail prices slightly higher. Prices Subject to change.

What business does a handsome dog like me have with a top cat like you?



My name's McGruff,[™] and it's my business to help prevent crime. I think it should be your business, too—to teach your employees how to protect themselves. Just send for my business kit—it'll help you develop a program that teaches your employees how to make their homes burglar-proof, make their neighborhoods safer, even how not to get mugged.

And, while you're at it, get in touch with the cops—they can help you out. So now you're probably wondering (like a top cat businessman should), what's in it for you. That's easy. When your company works harder for your people, your people work harder for your company.

So take the time, and...

TAKE A BITE OUT OF CRIME

McGruff, Crime Prevention Coalition,
20 Banta Place, Hackensack, NJ 07601
Please send me lots of information on
Crime Prevention.

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____



A message from the Crime Prevention Coalition,
this publication and The Ad Council.
© 1980 The Advertising Council, Inc.

No One Will Beat these Prices and Delivery

WE STOCK WHAT WE SELL

BMC 9191 MONITOR

- ★ Color Composite
 - ★ Amdek Color I Compatible
 - ★ Works w/Apples, Commodore, IBM and many others
- List \$349
Close Out Price

\$169

IBM PC

- ★ With 256K Memory
- ★ No Drives or Controller
- ★ Build Yourself & Save, Save, Save

List \$1595

\$1250

BMC 12AUW MONITOR

- ★ Hi-Res Green
- ★ 12" Composite Video

List \$99

Close Out Price

\$69

DISK DRIVE LIQUIDATION

Your Choice

- ★ Teac 55B
- ★ Shugart SA455
- ★ MPI B-52 Full Height
- ★ All IBM Compatible

\$119 ea.

Call for Comparable Discounts on ALL IBM Products!

Dealer Inquiries
Invited

Call (800) 841-0905

For Lowest
Quote

64K UPGRADES

- ★ 9 - 4164, 150 or 200 ns
- ★ One Year Warranty

List 99

\$24 set

100 sets

\$22 set

OKIDATA 92

- ★ ML92
- ★ Free Roms
- ★ 160 cps

List \$599

\$359

OKI 93P

\$539

AST SIXPACK + w/384K Installed

- ★ Par. & Ser. Ports
- ★ Clock / Calendar
- ★ Optional Game Port

List \$799

\$459

HAYES 1200

- ★ 1200 Baud Standalone
- ★ State-of-the-art

List \$698

\$459

ORDER DESK:
(213) 320-6822
(800) 841-0905
(OUTSIDE CALIFORNIA)



- We Accept MC, Visa, Wire Transfers, Certified Checks
- COD's Available
- No Surcharge for Credit Cards

- Shipping Minimum \$5.00
 - Purchase Orders Accepted
 - This Ad Supersedes all Others
- Inquiry 250
Prices Subject to Change

MAIL ORDER & WAREHOUSE:
20317 Western Avenue
Torrance, CA 90501




AMERICA'S NO. 1 IBM® Systems Specialists

WE CUSTOMIZE IBM PC SYSTEMS

IBM PC \$1499

256K, two disk drives 360K each,
Drive Controller and Keyboard



IBMPC w/10MB

256K, one floppy Drive, Keyboard
10 MB Hard Disk with Controller
BOOTS FROM HARD DISK

\$2199

ALL SYSTEMS ARE CONFIGURED
AND TESTED AT NO EXTRA CHARGE

IBMPCw/30MB

256K, one floppy Drive, Keyboard
30 MB Hard Disk with Controller
and Booster Power Supply
BOOTS FROM HARD DISK

\$3299

★ PRICE WAR ★ CALL US LAST WITH YOUR BEST QUOTES ★

PRINTERS

EPSON RX-80	\$229	FX-80	\$389
RX-80FT	\$279	FX-100	\$569
LQ-1500 Parallel	\$1,099	Serial	\$1199
LQ-1500 Tractor	\$50	Cutsheet feeder	\$399

OKIDATA 92P	\$349
93P	\$549
INCLUDES PLUG & PLAY 84P	\$649

JUKI Ltr Quality, 18 CPS, 13" wide	\$379
6100 Tractor	\$129

TOSHIBA 1351	\$1299
Tractor	\$169
Cut Sheet Feeder	\$799

DYNAX DX-15	\$369
Keyboard	\$149
Tractor	\$99
Sheet Feeder	\$199

BROTHER HR-25	\$599
HR-35	\$849
Tractor	\$119
Cut Sheet Feeder	\$199

QUME SPRINT 1140	\$1299
With IBM Interface Module 1155	\$1499

NEC SPINWRITER 2050	\$699
3550	\$1299
8850	\$1699

NEC PINWRITER P2	CALL
P3	CALL

MONITORS

PGS MAX-12 Amber—Monochrome	\$179
HX-12—Hi-Res Color	\$429
SR-12—Super Hi-Res Color	\$599
Scan Doubler	CALL

TAXAN 440 Color - Super Hi Res	\$549
122A(M)	\$169
1216(M)	\$159
116A(C)	\$149

300A (Composite)	\$159
300G	\$139
AMDEK 310A (Mono)	\$179

MODEMS

MICROCOM ERA 2	\$359
PC Internal 1200 Baud w/software, 4 Yr. Warranty	

HAYES 1200 Standalone	\$439
SMARTMODEM 1200B w/software	\$369

QUBIE Standalone	\$329
Internal	\$299

POPCOM Internal or Standalone	CALL
--------------------------------------	------

PROMETHEUS PROMODEM 1200	\$299
---------------------------------	-------

Minimum order \$100. Prices & availability subject to change. We ship UPS. Shipping/handling charges vary. COD requires cash, money order, cashier or certified check only. For advance payment, please call first for workorder number. Personal & Company check take 3 weeks to clear. 20% restocking fee on returns. No PO's or foreign orders.

HARD DRIVES

TALL GRASS TECHNOLOGY

20 MB w/20 MB Backup	\$2,399
35 MB w/45 MB Backup	\$3,799
70 MB w/60 MB Backup	\$5,999
Controller Card	\$140
Cartridge	\$40

QUBIE 10MB	CALL
-------------------	------

EVEREX 10MB	\$699
--------------------	-------

MAYNARD 10MB/30MB

10MB/WS-1	\$888	10MB/WS-2	\$1,029
30MB/WS1A	\$1999	30MB/WS-2A	\$2,099
WS-1 Gemini	\$1049	WS-2 Gemini	\$1149
"The Gemini" includes 10MB Hard Disk & Half Ht. Floppy			

FLOPPY DRIVES

TEAC HALF HEIGHT 55B-DSDD	\$109
----------------------------------	-------

CDC Full Ht. - DSDD	\$139
----------------------------	-------

TANDON 100-2	\$139
Full Ht. DSDD	

★ SUPER SPECIALS ★

64K RAM Set of 9 chips	\$25
-------------------------------	------

HAYES 1200 Standalone	\$439
SMARTMODEM 1200B w/software	\$369

8087 CHIP	\$109
------------------	-------

JUKI 6100	\$399
------------------	-------

MAYNARD 10MB/WS-2	\$1,029
--------------------------	---------

IBM PC Keyboard (original)	CALL
-----------------------------------	------

OKIDATA 92P	\$349
93P	\$549
INCLUDES PLUG & PLAY 84P	\$649

BROTHER HR-25 (23CPS)	\$599
HR-35 (36CPS)	\$849

KEYTRONIC Deluxe Keyboard KB5151	\$179
---	-------

ORCHID TECHNOLOGY

Blossom 64-K (to 384K)	\$249
Turbo 186	CALL



NO SURCHARGE ON COD, VISA or MC

AMEX 5%

NETWORKING

ORCHID TECHNOLOGY

PC Net PLUS Starter Kit	\$799
PC netBlossom, PC turbo, PC netPlusRam	CALL

IRMALINE

CALL FOR YOUR BEST PRICES

MULTI-DISPLAY CARDS

PERSYST Mono OR Color	\$199
BOB Color	CALL

AST MonoGraph Plus w/clock & PP	\$369
Serial Port Option	\$30

EVEREX Graphics Edge	CALL
-----------------------------	------

MYLEX	CALL
--------------	------

TECMAR Graphics Master	\$429
-------------------------------	-------

HERCULES Mono Graphics	\$319
Color Graphics	\$169

NEW STB Graphix Plus II	\$299
--------------------------------	-------

VUTEK Color with Parallel & Serial	CALL
---	------

PARADISE NEW Modular Card	\$299
----------------------------------	-------

MULTI-FUNCTION CARDS

ORCHID TECHNOLOGY

Blossom 64K (to 384K)	\$249
PC net/upgrades	CALL

NEW QUADBOARD 0-K (to 384K)	\$219
------------------------------------	-------

AST SIX PAK with 64K (to 384K)	\$249
---------------------------------------	-------

AST MEGA PLUS with 64K (to 512K)	\$249
---	-------

MISC. ADD ONS

8087 CHIP	\$109
------------------	-------

CABLE Parallel	\$20
Serial	\$25
Keyboard Extension, 6 ft.	\$10

PLATINUM DISKETTES Box of 10	\$29
-------------------------------------	------

VERBATIM Datalife DSDD Box of 10	\$27
---	------

COMPUTER ACCESSORIES POWER DIRECTOR P2	\$109
P12	\$149

STANDBY POWER SUPPLY 200 WATTS	\$279
300 WATTS	\$379
Surge Protection, up to 30 minutes Standby Power	

WILL CALL: Please call first for workorder number.

COMPU

805-498-6635

3541 OLD CONEJO ROAD, SUITE 102, THOUSAND OAKS, CA 91320

TELEX 888522

Ad #193

PRINTER RIBBONS

	PRICE	PER RIBBON	PER DOZEN
ANADIX 9500		10.50	109.80
APPLE DMP		5.25	52.20
C. ITOH PROWRITER		5.25	52.20
EPSON MX-FX 70/80		5.00	48.00
EPSON MX-FX 100		6.75	69.00
GEMINI 10-10X-15-15X		2.50	23.40
IBM HARMONICA 1/2"		6.75	78.00
IBM HARMONICA 3/4"		7.95	92.40
IBM 4-COLOR		15.75	180.00
IDS MICROPRISM-480		5.75	58.80
IDS PAPER TIGER 460/560		6.75	78.00
IDS PRISM		7.95	92.40
IDS 4-COLOR		15.75	180.00
NEC - 3500 M/S Non Flip		6.25	69.00
NEC - 3500 NYLON		9.00	96.00
NEC PC-8023A		5.25	52.20
OKIDATA 80/82/83/92		2.50	23.40
OKIDATA - 84		5.00	57.00
RADIO SHACK DMP-2100		7.50	87.00
RADIO SHACK LP VI & VIII		5.75	58.80
SILVER REED EX 550 S/S		5.00	57.00
SILVER REED EX 550 NYLON		9.00	105.00
TOSHIBA - 1350		7.50	87.00
XEROX 610/620 M/S		5.95	66.00

Add \$3.00 Ship. & Hand. — To Order Call
Toll Free 1-800-742-1122

In MI (313) 569-3218 or Write for our Catalog
DWIGHT COMPANY, INC.
15565 Northland Drive - West Tower
Southfield, Michigan 48075-6496

Inquiry 359


IN LESS THAN 3 MINUTES

Your IBM Model 50, 60, 65, 75, 85 or 95 Electronic Typewriter can be a computer printer or terminal using our interface modules:

Model 5060 RS232 Serial
Model 5060-CP Centronics Parallel

Both Versions
can be easily
installed and
require NO
modifica-
tions to the
typewriter.

A 2K buffer is
standard, 8K optional.



**CMC CALIFORNIA MICRO
COMPUTER**

9323 Warbler Ave., Fountain Valley, CA 92708
(714) 964-9301

Inquiry 124

Monitor Mover Gives Back the Desk



- Models to fit most CRT's
- Rotates 360° on base
- Adjustable height
- Support tray swivels and tilts
- Holds up to 50 lbs
- Clamp, screw and wall mountings

Lintek

P.O. Box 8056
Grand Rapids, MI 49508
(616) 241-4040

Inquiry 183

BLUE BOOK

Prices shown for thousands
of computers, software, and
peripherals.

Each listing includes sug-
gested list, avg. retail, whole-
sale, and used prices for all the
geographical regions of the
United States.

Send \$12.95 + \$.50 postage to:

NCDA
National Computer Dealers Association
5420 Hwy. 6 North
Houston, Texas 77084

Inquiry 55

C SOFTWARE DEVELOPMENT PCDOS/MSDOS

- FULL C COMPILER PER K&R
- Inline 8087 or Assembler
Floating Point
- Full 1MB Addressing for
Code or Data
- Transcendental Functions
- MSDOS 1.1/2.0 LIBRARY SUPPORT
- Program Chaining using Exec
- Environment Available to Main
- **c-window™** C SOURCE CODE
DEBUGGER
- Variable Display & Alteration
Using C Expression
- FAST 8088/8086 ASSEMBLER

Combined Package — \$199

Call or write:

c-systems Fullerton, CA 92634
P.O. Box 3253 714-637-5362
TM c-systems

Inquiry 124

UNLIMITED PERIPHERALS

Disk Trays	
Amaray Media Mate 5	\$12
Ring King Data Defender w/Lock	16
Joysticks	
Hayes Mach II	33
Hayes Mach III	41
Hayes Paddles	30
Wico Boss	11
Wico Original Bat Handle	17
Ribbons	
Prowriter/Imagewriter	5
Okidata 82/Gemini 10x/15x	2
MX/FX 80	5
10" Colors Available! Add 30%	
RAM 64K	
150 nano sec—set of 9	35
Accessories	
Hayes Smartmodem 1200	440
Astar RF Modulator (Apple/IBM)	25
Astar Fan w/surge protection	29
Brooks Surge Stopper VCN 4-6	\$25

SOFTWARE TOO!!

25201 La Paz, Laguna Hills, CA 92653
MASTERCARD/VISA ACCEPTED
(CALIF) 1-800-982-5800
(OUTSIDE CALIF) 1-800-633-4787

Inquiry 319

So You Love Your Work Keep It Fun

Let our fast stand alone

Cobol Cross Reference

take the drudgery out of programming!

Your IBM PC w/128K, DOS 2.0, one disk drive and
our Program:

- Will cross reference and/or print Source
Code
- Will flag duplicate data names and invalid
references.
- Will allow more than 1400 data names and
11,000 references
- Will process all versions of Cobol
- Will be "personalized" with your name on
the report heading.

Invest \$25⁰⁰ in your future

Send check or money order to:

Meta System Inc. of Alaska
2806 Iris Drive
Anchorage, Alaska 99503
Phone 907-243-8619

Inquiry 205

HARD DISK BOOT + DATA SECURITY

FiXT ends
boot hassles,
stops data
thieves—

DATAMAC, DAVONG,
GREAT LAKES, IOMEGA,
XEBEC, ZOBEX, others.

No-Slot Installation for
IBM PC, COMPAQ, COLUMBIA
\$70 - \$95 + tax/shpg



**GOLDEN BOW
SYSTEMS**
Box 3039
San Diego
CA 92103
619/298-9349

Inquiry 124

NEW!

SafeSkin
KEYBOARD PROTECTOR

Remains in place during keyboard use.
Prevents damage from liquid spills, dust,
ashes, etc. Fits like a second skin, excellent
feel. Homewor and numeric locators.
Available for: IBM-PC, Apple IIe, Radio
Shack Model 100, Commodore 64.
Send \$29.95, check or M.O., Visa & MC
include exp. date. Specify computer type.
Dealer inquiries invited. Free brochure
available.

MERRITT Computer Products, Inc.
2925 LBJ, #180 / Dallas, Texas 75234
(214) 942-1142

Inquiry 203

4164 64K DYNAMIC 200ns 9/39.95

41256 256K DYNAMIC 200ns 29.95

STATIC RAMS

2101	256x4	(450ns)	1.95
5101	256x4	(450ns)(cmos)	3.95
2102-1	1024x4	(450ns)	.89
2102L-4	1024x1	(450ns)(LP)	.99
2102L-2	1024x1	(250ns)(LP)	1.45
2125	1024x1	(45ns)	2.95
2111	256x4	(450ns)	2.95
2111L	256x4	(450ns)(LP)	2.95
2112	256x4	(450ns)	2.99
2114	1024x4	(450ns)	8/9.95
2114-25	1024x4	(250ns)	8/10.95
2114L-4	1024x4	(450ns)(LP)	8/12.95
2114L-3	1024x4	(300ns)(LP)	8/13.45
2114L-2	1024x4	(200ns)(LP)	8/13.95
2114L-15	1024x4	(150ns)(LP)	8/19.95
TC5514	1024x4	(650ns)(cmos)	4.95
2141	4096x1	(200ns)	2.95
2147	4096x1	(55ns)	4.95
2148	1024x4	(70ns)	4.95
TMS4044-4	4096x1	(450ns)	3.49
TMS4044-3	4096x1	(300ns)	3.99
TMS4044-2	4096x1	(200ns)	4.49
TMS4044-1	4096x1	(200ns)(LP)	4.95
UPD410	4096x1	(100ns)	3.95
MK4118	1024x8	(250ns)	9.95
TMM2016-200	2048x8	(200ns)	4.15
TMM2016-150	2048x8	(150ns)	4.95
TMM2016-100	2048x8	(100ns)	6.15
HM6116-4	2048x8	(200ns)(cmos)	4.75
HM6116-3	2048x8	(150ns)(cmos)	8/9.95
HM6116-2	2048x8	(120ns)(cmos)	6.95
HM6116LP-4	2048x8	(200ns)(cmos)(LP)	4.95
HM6116LP-3	2048x8	(150ns)(cmos)(LP)	5.95
HM6116LP-2	2048x8	(120ns)(cmos)(LP)	8.95
TC5516	2048x8	(250ns)	9.95
TMS4016	2048x8	(200ns)	6.95
Z-6132	4096x8	(300ns)(Qstat)	34.95
HM6264P-15	8192x8	(150ns)(cmos)	24.95
HM6264LP-15	8192x8	(150ns)(cmos)(LP)	27.95
HM6264LP-12	8192x8	(120ns)(cmos)(LP)	29.95

LP-Low power Qstat-Quasi-Static

DYNAMIC RAMS

TMS4627	4096x1	(250ns)	1.95
2107	4096x1	(200ns)	1.95
MMS280	4096x1	(300ns)	1.95
TMS4050	4096x1	(300ns)	1.95
UPD411	4096x1	(300ns)	1.95
TMS4060	4096x1	(300ns)	1.95
MK4108	8192x1	(200ns)	.49
MMS298	8192x1	(250ns)	.49
4116-300	16384x1	(300ns)	8/6.95
4116-250	16384x1	(250ns)	8/6.95
4116-200	16384x1	(200ns)	8/8.95
4116-150	16384x1	(150ns)	8/10.95
4116-120	16384x1	(120ns)	8/12.95
2118	16384x1	(150ns)(5v)	4.95
MK4332	32768x1	(200ns)	9.95
4164-200	65536x1	(200ns)(5v)	9/39.95
4164-150	65536x1	(150ns)(5v)	9/44.95
4164-120	65536x1	(120ns)(5v)	8.95
MCM6665	65536x1	(200ns)(5v)	6.95
TMS4164-20	65536x1	(200ns)(5v)	6.95
TMS4164-15	65536x1	(150ns)(5v)	7.95
4164-REFRESH	65536x1	(150ns)(5v)(REFRESH)	8.95
TMS4416-20	16384x4	(200ns)(5v)	8.95
TMS4416-15	16384x4	(150ns)(5v)	9.95
41256-200	262144x1	(200ns)(5v)	29.95
41256-150	262144x1	(150ns)(5v)	31.95

5v-Single 5 Volt Supply REFRESH-Pin 1 Refresh

EPROMS

1702	256x8	(1us)	4.50
2708	1024x8	(450ns)	3.95
2758	1024x8	(450ns)(5v)	5.95
2716-6	2048x8	(650ns)	2.95
2716	2048x8	(450ns)(5v)	3.95
2716-1	2048x8	(350ns)(5v)	4.95
TMS2516	2048x8	(450ns)(5v)	4.95
TMS2716	2048x8	(450ns)	7.95
TMS2532	4096x8	(450ns)(5v)	4.95
2732	4096x8	(450ns)(5v)	4.95
2732A-4	4096x8	(450ns)(5v)(21V PGM)	4.95
2732A-35	4096x8	(350ns)(5v)(21V PGM)	4.95
2732A	4096x8	(250ns)(5v)(21V PGM)	6.95
2732A-2	4096x8	(200ns)(5v)(21V PGM)	10.95
2764	8192x8	(450ns)(5v)	5.95
2764-250	8192x8	(250ns)(5v)	6.95
2764-200	8192x8	(200ns)(5v)	11.95
TMS2564	8192x8	(450ns)(5v)	10.95
MCM68764	8192x8	(450ns)(5v)(24 pin)	24.95
27128-45	16384x8	(450ns)(5v)	16.95
27128-30	16384x8	(300ns)(5v)	18.95
27128	16384x8	(250ns)(5v)	19.95

5V-Single 5 Volt Supply 21V PGM-Program at 21 Volts

★★★★HIGH TECH★★★★

NEC μ PD7220 \$39.95

GRAPHICS DISPLAY CONTROLLER

- * FOUR MEGABIT BIT-MAPPED DISPLAY MEMORY
- * DRAWS LINES, ARCS, CIRCLES & RECTANGLES AT 1.2 MILLION PIXELS PER SECOND
- * ZOOM, PAN, WINDOWING, AND LIGHT PEN CAPABILITIES
- * DMA TRANSFER WITH 8257 OR 8237
- * UP TO 1024 x 1024 PIXEL GRAPHICS OR 256 x 100 CHARACTERS


★★★★SPOTLIGHT★★★★

CRYSTALS

32.768 KHz	1.95
1.0 MHz	3.95
1.8432	2.95
2.0	2.95
2.097152	2.95
2.4576	2.95
3.2768	2.95
3.579545	2.95
4.0	2.95
4.032	2.95
5.0	2.95
5.0688	2.95
5.185	2.95
5.7143	2.95
6.0	2.95
6.144	2.95
6.5536	2.95
8.0	2.95
10.0	2.95
10.738635	2.95
14.31818	2.95
15.0	2.95
16.0	2.95
17.430	2.95
18.0	2.95
18.432	2.95
20.0	2.95
22.1184	2.95
24.0	2.95
32.0	2.95

CRYSTAL OSCILLATORS

1.0MHz	7.95	8.0	7.95
1.8432	7.95	10.0	7.95
2.0	7.95	12.0	7.95
2.4576	7.95	15.0	7.95
2.5	7.95	18.0	7.95
4.0	7.95	18.432	7.95
5.0688	7.95	20.0	7.95
6.0	7.95	24.0	7.95
6.144	7.95		



74LS00

74LS00	24	74LS189	8.95
74LS01	25	74LS190	.89
74LS02	25	74LS191	.89
74LS03	25	74LS192	.79
74LS04	24	74LS193	.79
74LS05	25	74LS194	.69
74LS08	28	74LS195	.69
74LS09	29	74LS196	.79
74LS10	25	74LS197	.79
74LS11	35	74LS221	.89
74LS12	35	74LS240	.95
74LS13	45	74LS241	.99
74LS14	59	74LS242	.99
74LS15	35	74LS243	.99
74LS20	25	74LS244	1.29
74LS21	29	74LS245	1.49
74LS22	25	74LS247	.75
74LS26	29	74LS248	.99
74LS27	29	74LS249	.99
74LS28	35	74LS251	.59
74LS30	25	74LS253	.89
74LS32	29	74LS257	.79
74LS33	55	74LS258	.59
74LS37	35	74LS259	2.75
74LS38	35	74LS260	.59
74LS40	25	74LS261	2.25
74LS42	49	74LS266	.55
74LS47	75	74LS273	1.49
74LS48	75	74LS275	3.35
74LS49	75	74LS279	.49
74LS51	25	74LS280	1.98
74LS54	29	74LS283	.89
74LS55	29	74LS290	.89
74LS56	1.25	74LS293	.89
74LS73	39	74LS295	.99
74LS74	35	74LS298	.89
74LS75	39	74LS299	1.75
74LS76	39	74LS322	3.50
74LS78	49	74LS323	3.50
74LS83	60	74LS324	1.75
74LS85	69	74LS328	2.50
74LS86	39	74LS352	1.29
74LS90	55	74LS353	1.29
74LS91	89	74LS363	1.35
74LS92	55	74LS364	1.95
74LS93	55	74LS365	.49
74LS95	75	74LS366	.49
74LS96	89	74LS367	.45
74LS107	39	74LS368	.45
74LS109	39	74LS373	1.39
74LS112	39	74LS374	1.39
74LS113	39	74LS375	.95
74LS114	39	74LS377	1.39
74LS122	45	74LS378	1.18
74LS123	79	74LS379	1.35
74LS124	2.90	74LS385	3.90
74LS125	49	74LS386	.45
74LS126	49	74LS390	1.19
74LS132	59	74LS393	1.19
74LS133	59	74LS394	1.19
74LS136	39	74LS396	1.89
74LS137	99	74LS399	1.49
74LS138	55	74LS424	3.95
74LS139	55	74LS447	.95
74LS145	1.20	74LS490	1.95
74LS147	2.49	74LS540	1.95
74LS148	1.35	74LS541	1.95
74LS151	55	74LS624	3.99
74LS153	55	74LS640	2.20
74LS154	1.90	74LS645	2.20
74LS155	69	74LS668	1.69
74LS156	69	74LS669	1.89
74LS157	65	74LS670	1.49
74LS158	59	74LS674	14.95
74LS160	69	74LS682	3.20
74LS161	65	74LS683	3.20
74LS162	69	74LS684	3.20
74LS163	65	74LS685	3.20
74LS164	69	74LS688	2.40
74LS165	95	74LS689	3.20
74LS166	1.95	81LS95	1.49
74LS168	1.75	81LS96	1.49
74LS169	1.75	25LS2518	4.13
74LS170	1.49	25LS2521	2.80
74LS173	69	25LS2538	3.74
74LS174	55	25LS2569	2.80
74LS175	55	74LS31	2.19
74LS181	2.15	26LS32	2.19

GENERATORS BIT RATE

MC14411	11.95
BR1941	11.95
4702	12.95
COM5016	16.95
COM8116	10.95
MM5307	10.95

FUNCTION

MC4024	3.95
LM555	1.49
XR2206	3.75
8038	3.95

CRT CONTROLLERS

6845	12.95
68845	19.95
6847	11.95
68047	24.95
HD46505SP	15.95
MC1372	6.95
8275	29.95
7220	39.95
CRT5027	19.95
CRT5037	34.95
TMS9918A	39.95
OP8350	49.95

DISK CONTROLLERS

1771	15.95
1791	23.95
1793	23.95
1795	23.95
1797	23.95
2791	39.95
2793	39.95
2795	39.95
2797	39.95
8272	19.95
UPD765	19.95
MB8876	29.95
MB8877	34.95
1691	7.95
2143	7.95

KEYBOARD CHIPS

AY5-2376	11.95
AY5-3600 STD	11.95
AY5-3600 PRO	11.95

CLOCK CIRCUITS

MM5314	4.95
MM5369	1.95
MM5369-EST	1.95
MM5375	4.95
MM58167	8.95
MM58174	11.95
MSM5832	3.95

Z-80 2.5 MHz

Z80-CPU	2.49
Z80-CTC	2.95
Z80-DART	7.95
Z80-DMA	8.95
Z80-PIO	2.95
Z80-SIO /0	9.95
Z80-SIO /1	9.95
Z80-SIO /2	9.95
Z80-SIO /9	9.95

4.0 MHz

Z80A-CPU	2.95
Z80A-CTC	3.95
Z80A-DART	8.95
Z80A-DMA	9.95
Z80A-PIO	3.95
Z80A-SIO/0	10.95
Z80A-SIO/1	10.95
Z80A-SIO/2	10.95
Z80A-SIO/9	10.95

HM6264P-15 8Kx8 STATIC 24.95 SSI263 SPEECH SYNTHESIZER 39.95

74S00			
74S00	.32	74S135	.89
74S02	.35	74S138	.85
74S03	.35	74S139	.85
74S04	.35	74S140	.85
74S05	.35	74S141	.85
74S06	.35	74S142	.85
74S07	.35	74S143	.85
74S08	.35	74S144	.85
74S09	.35	74S145	.85
74S10	.35	74S146	.85
74S11	.35	74S147	.85
74S12	.35	74S148	.85
74S13	.35	74S149	.85
74S14	.35	74S150	.85
74S15	.35	74S151	.85
74S16	.35	74S152	.85
74S17	.35	74S153	.85
74S18	.35	74S154	.85
74S19	.35	74S155	.85
74S20	.35	74S156	.85
74S21	.35	74S157	.85
74S22	.35	74S158	.85
74S23	.35	74S159	.85
74S24	.35	74S160	.85
74S25	.35	74S161	.85
74S26	.35	74S162	.85
74S27	.35	74S163	.85
74S28	.35	74S164	.85
74S29	.35	74S165	.85
74S30	.35	74S166	.85
74S31	.35	74S167	.85
74S32	.35	74S168	.85
74S33	.35	74S169	.85
74S34	.35	74S170	.85
74S35	.35	74S171	.85
74S36	.35	74S172	.85
74S37	.35	74S173	.85
74S38	.35	74S174	.85
74S39	.35	74S175	.85
74S40	.35	74S176	.85
74S41	.35	74S177	.85
74S42	.35	74S178	.85
74S43	.35	74S179	.85
74S44	.35	74S180	.85
74S45	.35	74S181	.85
74S46	.35	74S182	.85
74S47	.35	74S183	.85
74S48	.35	74S184	.85
74S49	.35	74S185	.85
74S50	.35	74S186	.85
74S51	.35	74S187	.85
74S52	.35	74S188	.85
74S53	.35	74S189	.85
74S54	.35	74S190	.85
74S55	.35	74S191	.85
74S56	.35	74S192	.85
74S57	.35	74S193	.85
74S58	.35	74S194	.85
74S59	.35	74S195	.85
74S60	.35	74S196	.85
74S61	.35	74S197	.85
74S62	.35	74S198	.85
74S63	.35	74S199	.85
74S64	.35	74S200	.85
74S65	.35	74S201	.85
74S66	.35	74S202	.85
74S67	.35	74S203	.85
74S68	.35	74S204	.85
74S69	.35	74S205	.85
74S70	.35	74S206	.85
74S71	.35	74S207	.85
74S72	.35	74S208	.85
74S73	.35	74S209	.85
74S74	.35	74S210	.85
74S75	.35	74S211	.85
74S76	.35	74S212	.85
74S77	.35	74S213	.85
74S78	.35	74S214	.85
74S79	.35	74S215	.85
74S80	.35	74S216	.85
74S81	.35	74S217	.85
74S82	.35	74S218	.85
74S83	.35	74S219	.85
74S84	.35	74S220	.85
74S85	.35	74S221	.85
74S86	.35	74S222	.85
74S87	.35	74S223	.85
74S88	.35	74S224	.85
74S89	.35	74S225	.85
74S90	.35	74S226	.85
74S91	.35	74S227	.85
74S92	.35	74S228	.85
74S93	.35	74S229	.85
74S94	.35	74S230	.85
74S95	.35	74S231	.85
74S96	.35	74S232	.85
74S97	.35	74S233	.85
74S98	.35	74S234	.85
74S99	.35	74S235	.85
74S00	.35	74S236	.85

CMOS			
4000	.29	4532	1.95
4001	.25	4538	1.95
4002	.25	4539	1.95
4006	.89	4541	1.95
4007	.29	4543	1.95
4008	.95	4553	5.79
4009	.39	4555	.95
4010	.45	4556	.95
4011	.25	4558	2.45
4012	.25	4560	4.25
4013	.38	4569	3.49
4014	.79	4581	1.95
4015	.39	4582	1.95
4016	.39	4584	.75
4017	.69	4585	.75
4018	.75	45151	12.95
4019	.39	4702	12.95
4020	.75	4724	1.50
4021	.79	74C00	.35
4022	.79	74C02	.35
4023	.29	74C04	.35
4024	.69	74C08	.35
4025	.29	74C10	.35
4026	1.65	74C14	.59
4027	.45	74C20	.35
4028	.69	74C30	.35
4029	.79	74C32	.35
4030	.39	74C42	1.29
4034	1.95	74C48	1.99
4035	.85	74C73	.65
4040	.75	74C74	.65
4041	.75	74C76	.80
4042	.69	74C83	1.95
4043	.85	74C85	1.95
4044	.79	74C86	.39
4046	.85	74C89	4.50
4047	.65	74C90	1.19
4048	.35	74C95	.99
4050	.35	74C150	5.75
4051	.79	74C151	2.25
4052	1.99	74C154	3.25
4053	.79	74C157	1.75
4054	.69	74C162	.69
4056	.39	74C161	1.19
4058	.39	74C162	1.19
4059	.29	74C163	1.19
4070	.35	74C164	1.39
4071	.25	74C165	2.00
4072	.29	74C173	.79
4073	.29	74C174	1.19
4075	.29	74C175	1.19
4076	.79	74C192	1.49
4077	.59	74C193	1.49
4078	.39	74C195	.75
4081	.29	74C200	5.75
4082	.29	74C221	1.75
4085	.95	74C244	2.25
4086	.95	74C273	2.45
4089	.49	74C274	2.45
4094	.29	74C901	.85
4098	2.49	74C902	.85
4099	1.95	74C903	.85
14409	12.95	74C905	10.95
14410	12.95	74C906	.95
14411	11.95	74C907	1.00
14412	12.95	74C908	2.00
14419	7.95	74C909	2.75
14433	14.95	74C910	9.95
4502	.95	74C911	8.95
4503	.65	74C912	8.95
4507	1.25	74C914	.95
4508	1.95	74C915	1.19
4510	.85	74C918	2.75
4511	.85	74C920	17.95
4512	.85	74C921	15.95
4514	1.25	74C922	4.49
4515	.75	74C923	4.95
4516	1.55	74C925	5.95
4518	.85	74C926	7.95
4519	.39	74C927	7.95
4520	.65	74C928	7.95
4521	4.99	74C929	19.95
4522	1.25	74C930	4.95
4526	1.25	80C95	.85
4527	1.95	80C96	.95
4528	1.19	80C97	.95
4529	2.95	80C98	1.20
4531	.95		

HIGH SPEED CMOS			
A new family of high speed CMOS logic featuring the speed of low power Schottky (8ns typical gate propagation delay), combined with the advantages of CMOS: very low power consumption, superior noise immunity, and improved output drive.			
74HC00			
74HC: Operate at CMOS logic levels and are ideal for new, all-CMOS designs.			
74HC00	.59	74HC175	.99
74HC02	.59	74HC193	1.25
74HC04	.59	74HC194	1.04
74HC08	.59	74HC195	1.09
74HC10	.59	74HC238	1.35
74HC11	.59	74HC240	1.85
74HC12	.59	74HC241	1.85
74HC20	.59	74HC242	1.89
74HC27	.59	74HC243	1.89
74HC30	.59	74HC244	1.89
74HC32	.69	74HC245	1.89
74HC51	.59	74HC251	.85
74HC74	.75	74HC257	.85
74HC75	.85	74HC259	1.39
74HC85	1.35	74HC273	1.89
74HC86	.69	74HC299	4.99
74HC93	1.19	74HC367	.95
74HC125	1.19	74HC373	2.25
74HC132	1.19	74HC374	2.25
74HC138	.99	74HC393	1.39
74HC139	.99	74HC4017	1.99
74HC151	.89	74HC4020	1.39
74HC153	.89	74HC4024	1.39
74HC154	2.49	74HC4040	1.39
74HC157	.89	74HC4049	.89
74HC161	1.15	74HC4050	.89
74HC164	1.25	74HC4060	1.29
74HC166	2.95	74HC4511	2.39
74HC174	.99	74HC4538	2.29

74HCT00			
74HCT: Direct, drop-in replacements for LS TTL and can be intermixed with 74LS in the same circuit.			
74HCT00	.69	74HCT175	1.09
74HCT02	.69	74HCT193	1.39
74HCT04	.69	74HCT194	1.19
74HCT08	.69	74HCT195	1.29
74HCT10	.69	74HCT238	1.49
74HCT11	.69	74HCT240	2.19
74HCT12	.69	74HCT241	2.19
74HCT20	.69	74HCT242	2.19
74HCT27	.69	74HCT243	2.19
74HCT30	.69	74HCT244	2.19
74HCT32	.79	74HCT245	2.19
74HCT51	.69	74HCT251	1.09
74HCT74	.95	74HCT257	.95
74HCT75	.95	74HCT259	1.59
74HCT85	1.49	74HCT273	2.09
74HCT86	.79	74HCT299	5.25
74HCT93	1.29	74HCT367	1.09
74HCT125	1.29	74HCT373	2.49
74HCT132	1.29	74HCT374	2.49
74HCT138	1.15	74HCT393	1.59
74HCT139	1.15	74HCT4017	2.19
74HCT151	1.05	74HCT4020	1.59
74HCT153	1.05	74HCT4024	1.75
74HCT154	2.95	74HCT4040	.95
74HCT157	.99	74HCT4049	.99
74HCT161	1.29	74HCT4050	.99
74HCT164	1.39	74HCT4060	1.49
74HCT166	3.05	74HCT4511	2.69
74HCT174	1.09	74HCT4538	2.59

VOLTAGE REGULATORS			
TO-220 CASE PACKAGE			
7805T	.75	7905T	.85
7808T	.75	7908T	.85
7812T	.75	7912T	.85
7815T	.75	7915T	.85
7824T	.75	7924T	.85
TO-3 CASE PACKAGE			
7805K	1.39	7905K	1.49
7812K	1.39	7912K	1.49
7815K	1.39	7915K	1.49
7824K	1.39	7924K	1.49
TO-92 CASE PACKAGE			
78L05	.69	79L05	.79
78L12	.69	79L12	.79
78L15	.69	79L15	.79
OTHER VOLTAGE REGS			
78M05C	5volt 1/2amp	TO-220	.35
LM323K	5volt 3amp	TO-3	4.95
LM338K	Adj. 5amp	TO-3	3.95
78H05K	5volt 5amp	TO-3	9.95
78H12K	12volt 5amp	TO-3	9.95
78P05K	5volt 10amp	TO-3	14.95
UA78540	FAIRCHILD	DIP	1.95


LINEAR			
LM301	.34	LM567	.89
LM301H	.79	NE570	3.95
LM307	.45	NE571	2.95
LM308	.69	NE590	2.50
LM308H	1.15	NE592	.98
LM309H	1.95	LM709	.98
LM309K	1.25	LM710	.75
LM310	1.75	LM711	.79
LM311	.64	LM723	.49
LM311H	.89	LM723H	.55
LM312H	1.75	LM733	.98
LM317K	3.95	LM741	.35
LM317T	1.19	LM741H-14	.35
LM318	1.49	LM741H	.40
LM318H	1.55	LM747	.69
LM319H	1.90	LM748	.59
LM319	1.25	LM1014	1.19
LM320 see 7900		LM1303	1.95
LM322	1.65	LM1310	1.49
LM323K	4.95	LM1313	1.95
LM324	.59	MC1349	1.89
LM329	.65	MC1350	1.19
LM331	3.95	MC1358	1.69
LM334	1.19	MC1372	1.95
LM335	1.49	LM1414	1.59
LM336	1.75	LM1488	.69
LM337T	1.95	LM1488	.69
LM337K	3.95	LM1489	.69
LM338K	3.95	LM1496	.85
LM340	.99	LM1508H	3.10
LM340 see 7800		LM1507	2.59
LM348	.99	LM1812	8.25
LM350K	4.95	LM1830	3.50
LM350T	4.60	LM1871	5.49
LM358	.69	LM1872	5.49
LM359	1.75	LM1877	3.59
LM376	.75	LM1889	1.95
LM377	1.95	LM1896	1.75
LM378	2.50	ULN2003	1.29
LM379	4.50	XR2206	3.75
LM380	.85	LM2020	2.95
LM380B-8	1.10	LM2878	2.25
LM381	1.60	LM2900	.85
LM382	1.60	LM2901	1.00
LM383	1.95	MPQ2907	1.95
LM384	1.95	LM2917	2.95
LM386	.89	LM3900	.99
LM387	1.40	LM3905	1.25
LM389	1.35	LM3909	.98
LM390	1.95	LM3911	2.25
LM392	.69	LM3914	3.95
LM394	1.25	LM3917	3.95
LM394H	4.60	LM3916	3.95
LM399H	5.00	MC4024	3.95
NE531	3.95	MC4044	4.50
CE555	.65	RC4136	1.25
CE555	.65	RC4157	1.25
NE558	1.49	LM4250	1.75
NE564	2.95	LM4500	3.25
LM565	.99	RC4558	.69
LM566	1.49	LM13600	1.49

DB25S RS232 FEMALE SOLDER CUP 2.25

BARGAIN HUNTERS CORNER BMC BX-80 PRINTER

- * 80 CPS DOT MATRIX PRINTER
- * PRINTS BI-DIRECTIONAL IN 40, 80, 71 OR 142 COLUMNS IN NORMAL, DOUBLE WIDTH OR COMPRESSED TEXT.
- * PRINT SUPERScript AS WELL AS SUPERB GRAPHICS IN CHARACTER OR BIT IMAGE.

\$199.95



SPECIAL ENDS 3/31/85

HARD TO FIND "SNAPABLE" HEADERS

Can easily be snapped apart to make any size header, all with .1" centers

1x36	STRAIGHT LEAD	.99
2x40	STRAIGHT LEAD	2.49
2x40	RIGHT ANGLE	2.99

SHORTING BLOCKS



SPACED AT .1" CENTERS
IDEAL FOR DISK DRIVES
OR ANY .1" HEADER

5/1.00


DIP SWITCHES

4 POSITION	.85
5 POSITION	.90
6 POSITION	.90
7 POSITION	.95
8 POSITION	.95
10 POSITION	1.29

RF MODULATOR (ASTEC UM1082)

- QUANTITIES LIMITED
- * PRESET TO CHANNEL 3
 - * USE TO BUILD TV-COMPUTER INTERFACE
 - * .5 VOLT OPERATION

\$6.95



DB25P RS232 MALE SOLDER CUP 1.90

CAPACITORS TANTALUM

1.0µf	15V .40	.47µf	35V .50
6.8	15V .70	1.0	35V .45
10	15V .80	2.2	35V .65
22	15V 1.35	4.7	16V .85
.22	35V .40	10	35V 1.00

DISC

10µf	50V .05	560	50V .05
22	50V .05	680	50V .05
25	50V .05	820	50V .05
27	50V .05	.001µf	50V .05
33	50V .05	.0015	50V .05
47	50V .05	.0022	50V .05
56	50V .05	.005	50V .05
68	50V .05	.01	50V .07
82	50V .05	.02	50V .07
100	50V .05	.05	50V .07
220	50V .05	.1	12V .10

MONOLITHIC

.01µf	50V .14	1µf	50V .18
.047µf	50V .15	.47µf	50V .25

ELECTROLYTIC

RADIAL		AXIAL	
1µf	25V .14	1µf	50V .14
2.2	35V .15	.67	16V .14
4.7	50V .15	10	16V .14
10	50V .15	10	50V .16
47	35V .18	22	16V .14
100	16V .18	47	50V .20
220	35V .20	100	16V .20
470	25V .30	100	35V .25
2200	16V .60	220	25V .30
		330	16V .40
		550	16V .42
		1000	16V .60
		2200	16V .70
		6000	16V .85

COMPUTER GRADE

44,000µf 30V 3.95 6000 16V .85

LED DISPLAYS

HP5082-7760	CA	.43"	1.29
MAN-72	CC	3"	.99
MAN-74	CC	3"	.99
FND-357(359)	CC	.375"	1.25
FND-500(503)	CC	.5"	1.49
FND-507(510)	CA	.5"	1.49
TIL-311 4x7 HEX W/LOGIC	270"	9.95	

DIFFUSED LEDS

	1.99	100-up
JUMBO RED	T1 1/4	.09
JUMBO GREEN	T1 1/4	.15
JUMBO YELLOW	T1 1/4	.15
MOUNTING HDW	T1 1/4	.09
MINI RED	T1	.09
MINI GREEN	T1	.15
MINI YELLOW	T1	.15
RECT RED	2x5mm	.25
RECT GREEN	2x5mm	.27
RECT YELLOW	2x5mm	.30

DIP CONNECTORS

DESCRIPTION	ORDER BY	CONTACTS								
		8	14	16	18	20	22	24	28	40
HIGH RELIABILITY TOOLED ST IC SOCKETS	AUGATxxST	.99	.99	.99	1.69	1.89	1.89	1.99	2.49	2.99
HIGH RELIABILITY TOOLED WW IC SOCKETS	AUGATxxWW	1.30	1.80	2.10	2.40	2.50	2.90	3.15	3.70	5.40
COMPONENT CARRIES (DIP HEADERS)	ICCxx	.49	.59	.69	.99	.99	.99	.99	1.09	1.49
RIBBON CABLE DIP PLUGS (IDC)	IDPxx	---	.95	.95	---	---	---	1.75	---	2.95


FOR ORDERING INSTRUCTIONS SEE IDC CONNECTORS BELOW

D-SUBMINIATURE

DESCRIPTION	ORDER BY	CONTACTS				
		9	15	25	37	50
SOLDER CUP	MALE DBxxP	1.19	1.59	1.90	2.85	4.25
	FEMALE DBxxS	1.50	1.85	2.25	3.90	5.25
RIGHT ANGLE	MALE DBxxPR	1.65	2.20	3.00	4.83	---
PC SOLDER	FEMALE DBxxSR	2.18	3.03	3.00	6.19	---
WIRE WRAP	MALE DBxxPWW	1.69	2.56	3.89	5.60	---
	FEMALE DBxxSWW	2.76	4.27	6.84	9.95	---
IDC RIBBON CABLE	MALE IDBxxP	2.95	3.90	4.75	6.95	---
	FEMALE IDBxxS	3.25	4.29	5.25	7.95	---
HOODS	BLACK HOOD-B	---	.39	---	---	---
	GREY HOOD	.89	.99	.99	1.09	1.19

MOUNTING HARDWARE-\$1.00

FOR ORDERING INSTRUCTIONS SEE IDC CONNECTORS BELOW



IDB37S



DB37S



DB25SR

TEXTOL ZERO INSERTION FORCE SOCKETS AND RECEPTACLES



SCREWDRIVER CLAMP
ECONO ZIF

LEVER CLAMP
ZIF SOCKET

WW RECEPTACLES
ZIF RECEPTACLE

TYPE	CONTACTS				
	14	16	24	28	40
ECONO ZIF	---	4.95	6.75	7.75	9.95
ZIF SOCKET	4.95	4.95	5.95	6.95	9.95
ZIF RECEPTACLE	8.25	8.75	9.75	10.50	12.75

IDC CONNECTORS

DESCRIPTION	ORDER BY	CONTACTS					
		10	20	26	34	40	50
SOLDER HEADER	IDHxxS	.82	1.29	1.68	2.20	2.58	3.24
RIGHT ANGLE SOLDER HEADER	IDHxxSR	.85	1.35	1.76	2.31	2.72	3.39
WW HEADER	IDHxxW	1.86	2.98	3.84	4.50	5.28	6.63
RIGHT ANGLE WW HEADER	IDHxxWR	2.05	3.28	4.22	4.45	4.80	7.30
RIBBON HEADER SOCKET	IDSxx	.79	.99	1.39	1.59	1.99	2.25
RIBBON HEADER	IDMxx	---	5.50	6.25	7.00	7.50	8.50
RIBBON EDGE CARD	IDExx	1.75	2.25	2.65	2.75	3.80	3.95

ORDERING INSTRUCTIONS: INSERT THE NUMBER OF CONTACTS IN THE POSITION MARKED "xx" OF THE "ORDER BY" PART NUMBER LISTED. EXAMPLE: A 10 PIN RIGHT ANGLE HOLDER STYLE WOULD BE IDH10SR



IDH20WR



IDE50

RIBBON CABLE

CONTACTS	SINGLE COLOR		COLOR CODED	
	1'	10'	1'	10'
10	.18	1.60	.83	7.30
16	.28	2.50	1.00	8.80
20	.36	3.20	1.25	11.00
25	.45	4.00	1.32	11.60
26	.46	4.10	1.32	11.60
34	.61	5.40	1.65	14.50
40	.72	6.40	1.92	16.80
50	.89	7.50	2.50	22.00

JDR Microdevices
1224 S. Bascom Avenue, San Jose, CA 95128

800-538-5000 • 800-662-6279 (CA) • (408) 995-5430
FAX (408) 275-8415 • Telex 171-110

RETAIL STORE - 1256 S. BASCOM AVENUE
HOURS: M-W-F, 9-5 TU-TH, 9-9 SAT, 10-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING


TERMS: Minimum order \$10.00. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb. and foreign orders may require additional shipping charges - please contact our sales department for the amount. CA. residents must include 6% sales tax. Bay Area and LA residents include 6%. All merchandise is warranted for 90 days unless otherwise stated. Prices are subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sale.

© Copyright 1984 JDR Microdevices

IBM PC PROTOTYPE CARD WITH DECODING CIRCUITRY \$29.95

WIRE WRAP PROTOTYPE CARDS

FR-4 EPOXY GLASS LAMINATE
WITH GOLD-PLATED EDGE-CARD FINGERS



IBM-PR2

BOTH CARDS HAVE SILK SCREENED LEGENDS
AND INCLUDES MOUNTING BRACKET

IBM-PR1 WITH +5V AND GROUND PLANE \$27.95
IBM-PR2 AS ABOVE WITH DECODING CIRCUITRY \$29.95

S-100

P100-1 BARE - NO FOIL PADS \$15.15
P100-2 HORIZONTAL BUS \$21.80
P100-3 VERTICAL BUS \$21.80
P100-4 SINGLE FOIL PADS PER HOLE \$22.75

APPLE

P500-1 BARE - NO FOIL PADS \$15.15
P500-3 HORIZONTAL BUS \$22.75
P500-4 SINGLE FOIL PADS PER HOLE \$21.80
7060-45 FOR APPLE IIe AUX SLOT \$30.00

GENERAL PURPOSE

22/44 PIN EDGE-CARD (.156" SPACING)

P441-1 BARE - NO FOIL PADS 4.5" x 6.0" \$9.45
P441-3 VERTICAL BUS 4.5" x 6.0" \$13.95
P441-4 SINGLE FOIL PADS 4.5" x 6.0" \$14.20
P442-1 BARE - NO FOIL PADS 4.5" x 9.0" \$10.40
P442-3 VERTICAL BUS 4.5" x 9.0" \$14.20
P442-4 SINGLE FOIL PADS 4.5" x 9.0" \$13.50

36/72 PIN EDGE-CARD (.1" SPACING)

P721-1 BARE - NO FOIL PADS 4.5" x 6.0" \$9.45
P721-3 VERTICAL BUS 4.5" x 6.0" \$13.25
P721-4 SINGLE FOIL PADS 4.5" x 6.0" \$14.20
P722-1 BARE - NO FOIL PADS 4.5" x 9.0" \$10.40
P722-3 VERTICAL BUS 4.5" x 9.0" \$14.20
P722-4 SINGLE FOIL PADS 4.5" x 9.0" \$15.15

BARE GLASS BOARDS

NO EDGE-CARD FINGERS OR FOIL

P25x45 2.5" x 4.5" \$2.40
P45x65 4.5" x 6.5" \$4.70
P45x85 4.5" x 8.5" \$6.20
P45x170 4.5" x 17.0" \$11.35
P85x170 8.5" x 17.0" \$18.95

EXTENDER CARDS

IBM \$45.00
APPLE \$45.00
MULTIBUS \$86.00

WIRE WRAP WIRE PRECUT AND STRIPPED

Note: 1 inch of insulation is stripped on each end. A 3.5" wire has only 1.5" of insulation.

LENGTH (INCHES)	100	500	1000
2.5	1.60	4.70	8.20
3	1.60	4.70	8.20
3.5	1.65	5.00	8.90
4	1.75	5.40	9.60
4.5	1.80	5.75	10.30
5	1.85	6.10	11.00
5.5	1.90	6.50	11.75
6	2.00	6.85	12.50
6.5	2.30	7.80	14.30
7	2.40	8.20	15.05
7.5	2.50	8.55	15.85
8	2.60	8.95	16.60
8.5	2.65	9.30	17.40
9	2.70	9.80	18.15
9.5	2.80	10.00	18.95
10	2.90	10.50	19.70

PRECUT ASSORTMENT IN ASSORTED COLORS \$27.50

100ea: 5.5", 6", 6.5", 7"
250ea: 2.5", 4.5", 5"
500ea: .3", 3.5", 4"

SPOOLS

100 feet \$4.30 250 feet \$7.25
500 feet \$13.25 1000 feet \$21.95
Please specify color:
Blue, Black, Yellow or Red

GE NICKEL-CADIUM RECHARGABLE BATTERIES

NI-CAD CHARGER PACKAGE
PRICE INCLUDES CHARGER (WALL PLUG),
BATTERIES, & MODULAR BATTERY HOLDER

AAA CELLS QTY. 2 \$11.71
AA CELLS QTY. 2 \$11.71
C CELLS QTY. 2 \$13.21
D CELLS QTY. 2 \$13.21
9 VOLT QTY. 1 \$13.21

BATTERIES ONLY

AAA CELLS PKG. 2 \$6.07 pr.
AA CELLS PKG. 1 \$3.03 ea.
C CELLS PKG. 1 \$3.78 ea.
D CELLS PKG. 1 \$3.78 ea.
9 VOLT PKG. 1 \$7.57 ea.

DISK DRIVES

TANDON

TM 100-1 5 1/4" (FOR IBM) SS/DD \$199.00
TM 100-2 5 1/4" (FOR IBM) DS/DD \$199.95

MPI

MPI-B52 5 1/4" (FOR IBM) DS/DD \$139.95

TEAC

FD-55B 1/2 HEIGHT DS/DD \$139.95
FD-55F 1/2 HEIGHT DS/QUAD \$200.00

SHUGART

SA 400L 5 1/4" (40 TRACK) SS/DD \$199.95
SA 460 5 1/4" (80 TRACK) DS/QUAD \$199.95


8" DISK DRIVES

FD100-8 BY SIEMENS, SHUGART 801 EQUIV. \$199.95
SS/DD 10/129.95 ea. \$149.95


FD200-8 BY SIEMENS, SHUGART 851 EQUIV. \$195.00
DS/DD 10/185.00 ea. \$195.00

JFORMAT-2 \$49.95
SUPPORT FOR QUAD DENSITY DRIVES
FROM TALL TREE SYSTEMS

PLEASE INCLUDE SUFFICIENT AMOUNT FOR SHIPPING ON ABOVE ITEMS



TEAC FD-55B



TANDON TM100-2

DISK DRIVE CABINETS

CABINET #1 \$29.95

- Fits one full height 5 1/4" disk drive
- Color matches Apple

CABINET #2 \$79.00

- Fits one full height 5 1/4" disk drive
- Complete with power supply, switch, line cord, fuse and standard power connector
- Please specify Grey or Tan

CABINET #3 \$89.95

- Fits two half height 5 1/4" disk drives
- Complete with power supply, switch, line cord, fuse and standard power connectors

8" DISK DRIVE CABINETS

ALSO AVAILABLE-PLEASE CALL


PLEASE INCLUDE SUFFICIENT AMOUNT FOR SHIPPING ON ABOVE ITEMS

SWITCHING POWER SUPPLIES



PS-IBM \$175.00

- FOR IBM PC-XT COMPATIBLE
- 130 WATTS
- +5V @ 15A, +12V @ 4.2A
- +5V @ 5A, +12V @ 5A
- ONE YEAR WARRANTY



PS-A \$49.95

- USE TO POWER APPLE TYPE SYSTEMS
- +5V @ 4A, +12V @ 2.5A
- +12V @ 1A
- +5V @ 5A, +12V @ 5A
- APPLE POWER CONNECTOR



PS-3 \$39.95

- AS USED IN APPLE III
- +5V @ 4A, +12V @ 2.5A
- +12V @ 1A
- +5V @ 5A, +12V @ 30A
- 15.5" x 4.5" x 2", .884 LBS.



PS-ASTEC \$19.95

- CAN POWER TWO 5 1/4" FDDs
- +5V @ 2.5A, +12V @ 2A
- +12V @ 1A
- +5V @ 5A IF +12V IS NOT USED
- 6.3" x 4.0" x 1.9"

OK INDUSTRIES

EX-1 IC EXTRACTION TOOL

- ONE PIECE METAL CONSTRUCTION
- EASILY EXTRACTS 8-24 PIN DEVICES
- LOW COST \$2.19



EX-2 IC EXTRACTION TOOL

- EXTRACTS 24-40 PIN DEVICES
- HEAVY DUTY METAL CONSTRUCTION
- GROUND LUGS FOR MOS EXTRACTIONS
- EASY ONE HAND OPERATION \$12.74



IC INSERTION TOOLS

INS-1416 for 14-16 pin IC's \$5.15
MOS-1416 for 14-16 pin IC's \$10.92
MOS-2428 for 24-28 pin IC's \$10.92
MOS-40 for 40 pin IC's \$12.43
MOS series insertion tools have metal construction and include grounding lug for CMOS applications.

INS-1416 INS-2428

BW-630 WIRE WRAP GUN


- BATTERY POWERED-USES 2 NI-CAD C CELLS (NOT INCLUDED)
- POSITIVE INDEXING
- ANTI-OVERWRAP DEVICE \$41.55



WSU-30 WIRE WRAP TOOLS


- WRAPS, STRIPS, AND UNWRAPS
- WSU-30M WRAPS AN EXTRA TURN OF INSULATION

WSU-30 \$8.84 / WSU-30M \$10.14



WIRE WRAP TERMINALS

WWT-1 SLOTTED 25 / \$7.06
WWT-2 SINGLE SIDED 25 / \$4.25
WWT-3 IC SOCKET 25 / \$7.06
WWT-4 DOUBLE SIDED 25 / \$2.80
INS-1 INSERTION TOOL \$3.64



WIRE DISPENSER

- WITH 50' ROLL OF WIRE
- BUILT IN PLUNGER CUTS WIRE
- BUILT IN STRIPPER STRIPES 1"
- REFILLABLE

WD-30 \$6.50 WD-30TRI \$9.50

Specify Blue, white, With 50' of each:
Yellow or Red Red, Blue and White




SOCKET-WRAP I.D.™

- SLIPS OVER WIRE WRAP PINS
- IDENTIFIES PIN NUMBERS ON WRAP
- SIDE OF BOARD
- CAN WRITE ON PLASTIC, SUCH AS IC #

PINS	PART#	PK. OF	PRICE
8	IDWRAP 08	10	1.95
14	IDWRAP 14	10	1.95
16	IDWRAP 16	10	1.95
18	IDWRAP 18	5	1.95
20	IDWRAP 20	5	1.95
22	IDWRAP 22	5	1.95
24	IDWRAP 24	5	1.95
28	IDWRAP 28	5	1.95
40	IDWRAP 40	5	1.95

PLEASE ORDER BY NUMBER OF PACKAGES (PK. OF)



TRANSFORMERS FRAME STYLE

12.6V AC	2 AMP	4.95
12.6V AC CT	2 AMP	5.95
12.6V AC CT	4 AMP	7.95
12.6V AC CT	8 AMP	10.95
25.2V AC CT	2 AMP	7.95

PLUG CASE STYLE

12V AC	250ma	3.95
12V AC	500ma	4.95
12V AC	1 AMP	5.95
12V AC	2 AMP	6.95

DC ADAPTER

6, 9, 12V DC SELECTABLE WITH
UNIVERSAL ADAPTER 8.95

MICROCOMPUTER HARDWARE HANDBOOK


FROM ELCOMP \$14.95

Over 800 pages of manufacturer's data sheets on the most commonly used IC's

- TTL - 74, 74LS & 74F
- CMOS
- Voltage regulators
- Memory - RAM, ROM, EPROM
- CPU's - 6800, 6500, Z80, 8080, 8085 & 8086/8
- MPU Support & Interface, 6800, 6500, Z80, 8200, etc.



ORDER TOLL FREE
800-538-5000
800-662-6279
(CALIFORNIA RESIDENTS)



20 MHz DUAL TRACE OSCILLOSCOPE FROM RAMSEY ELECTRONICS


UNSURPASSED QUALITY AT AN UNBEATABLE PRICE

- BAND WIDTH- DC: DC TO 20MHz (-3db)
- AC: 10Hz TO 20MHz (-3db)
- SWEEP TIME- 2 μSEC TO .5 SEC. DIV ON 20 RANGES
- VERT. / HORIZ. DEFLECTION: 5mV TO 20V, DIV ON 20 RANGES
- COMPLETE MANUAL AND HIGH QUALITY
- HOOK-ON PROBES INCLUDED
- INPUT IMPEDANCE: 1 MEG OHM
- TV VIDEO SYNC FILTER
- X, Y AND Z AXIS OPERATION
- 110/220 VOLT 50/60Hz OPERATION
- COMPONENT TESTER
- LP CONSUMPTION - 19 WATTS
- BUILT IN CALIBRATOR
- AUTOMATIC OR TRIGGERED TIMEBASE

\$399.95
WITH PROBES

FULL ONE YEAR
WARRANTY

MULTIMETER PEN



AUTO RANGING, POLARITY & DECIMAL!

- LARGE 3 1/2" DIGIT DISPLAY
- DATA HOLD SWITCH FREEZES READING
- FAST, AUDIBLE CONTINUITY TEST
- LOW BATTERY INDICATOR
- OVERLOAD PROTECTION
- ONLY 1 1/4" x 6 1/4" x 3/4"
- DC VOLTS .1mV-500V
- AC VOLTS 1mV-500V
- .1 OHM-20 MEG OHMS
- WEIGHS ONLY 2.3 OUNCES
- LOW PARTS COUNT-CUSTOM 80 PIN LSI INSURES RELIABILITY
- INCLUDES MANUAL, BATTERIES, SOFT CASE, 2 PROBE TIPS, AND ALLIGATOR CLIP



ONLY
\$49.95

TEAC-FD55B DS/DD 1/2 HT. **139.95**
FOR IBM PC

MPI-B52 DS/DD FULL HT. **139.95**
FOR IBM PC

**EPROM PROGRAMMER
FOR APPLE COMPUTERS
RP525 \$79.95**

- LOW COST
- DUPLICATE OR BURN ANY STANDARD 2700 SERIES EPROM
- MENU DRIVEN SOFTWARE INCLUDED-NO ADDITIONAL SOFTWARE REQUIRED
- AUTOMATIC SELECTION FOR 2716, 2732, 2732A, 2764 & 27128
- LED INDICATORS FOR ACTIVITY
- HIGH SPEED WRITE ALGORITHM
- NO EXTERNAL POWER SUPPLY



MAXIMIZE YOUR IBM PC OR XT!
MAXIMUM FLEXIBILITY-All of the most asked for support features on one card plus SOFTDISK and SPOOL software to increase your PC's productivity!
MAXIMUM PERFORMANCE PER DOLLAR-Compare features with the best selling multifunction card and save!
MAXIMUM RELIABILITY-The MAXIMIZER features the highest quality 4-LAYER board construction, sockets for all RAM, and is backed by a full
ONE YEAR WARRANTY



SIGMA DESIGNS, INC.

MAXIMIZER

COMPARE!

	MAXIMIZER	AST 6-PACK +
Maximum Memory	384K / 512K	384K
RS 232 Serial	2"	1
Parallel Port	1	1
Clock Calendar	YES	YES
Game Adaptor	Optional	Optional


with optional 128K MAXISTACK
second serial port optional

\$259⁹⁵
(64K)

OPTIONS:


2nd Serial Port	49.95
Game Adaptor	29.95
128K Maxistack	159.95
Additional 64K Ram	39.95

APPLE ACCESSORIES




**BAL-525
\$139.95**

- * 1/2 HEIGHT-ALPS MECHANISM
- * 100% APPLE COMPATIBLE
- * FULL 1 YEAR WARRANTY




**BAL-500
\$169.95**

- * TEAC MECHANISM- DIRECT DRIVE
- * 100% APPLE COMPATIBLE- 35 TRACK
- * 40 TRACK WHEN USED WITH OPTIONAL CONTROLLER



**MITAC
AD-1
\$179.95**

- * FULL HEIGHT SHUGART MECHANISM
- * DIRECT REPLACEMENT FOR APPLE DISK II



**JDR 16K
RAM CARD
\$39.95**

- BARE PC CARD AND INSTRUCTIONS \$9.95
- * 2 YEAR WARRANTY
- * EXPAND YOUR 48K APPLE TO 64K
- * USE IN PLACE OF APPLE LANGUAGE CARD

OTHER ACCESSORIES

BMC BX-80	\$249.00
CONTROLLER CARD	\$49.95
VIEWMAX-80	\$159.95
VIEWMAX-80e	\$129.95
GRAPHMAX	\$129.95
THUNDERCLOCK	\$129.95
KRAFT JOYSTICK	\$39.95
POWER SUPPLY	\$49.95
ZVM-123 GREEN MON	\$105.00
BMC AU9191U COLOR MON	\$279.00

DISKETTE FILE


\$8.95

IF PURCHASED
WITH 50 DISKETTES
OR MORE

\$9.95 IF PURCHASED ALONE

**BY DEALING DIRECT WITH THE
FACTORY, WE CAN MAKE THIS
UNBEATABLE OFFER**

- * ATTRACTIVE, SMOKED ACRYLIC CASE WITH SIX INDEXED DIVIDERS
- * RUGGED, HIGH QUALITY CONSTRUCTION
- * HOLDS 70 5 1/4" DISKETTES, WITH ROOM TO SPARE



***NASHUA DISKETTES**

**5 1/4" SOFT SECTOR
DOUBLE SIDED, DOUBLE DENSITY
WITH HUB RINGS**

BULK PACKAGED IN FACTORY SEALED BAGS OF 50. INCLUDES DISKETTE SLEEVES AND WRITE PROTECT TABS. IDEAL FOR SCHOOLS, CLUBS, AND USERS GROUPS. THIS IS A SPECIAL PURCHASE. QUANTITIES ARE LIMITED. 5 YEAR WARRANTY.

\$1.39ea.
QTY 250

\$1.49ea.
QTY 100

\$1.59ea.
QTY 50

*NASHUA DISKETTES WERE JUDGED TO HAVE THE HIGHEST POLISH AND RECORDED AMPLITUDE OF ANY DISKETTES TESTED.
(SEE "COMPARING FLOPPY DISKS", BYTE9/84)

DISK DRIVES FOR YOUR IBM

TEAC FD55B 1/2 HEIGHT	MPI 52B (same as Tandon)	TANDON TM 100-2
\$139.95	\$139.95	\$199.95


**WANT TO ADD
AN INTERNAL
HARD DISK
DRIVE TO YOUR
IBM PC?**

**....BUT DISCOVER
THAT YOUR POWER
SUPPLY CAN'T
HANDLE THE LOAD?**

*JDR HAS CAREFULLY
SELECTED THE HIGHEST
QUALITY FULLY IBM
COMPATIBLE POWER
SUPPLY AVAILABLE.*

**COMPARE
THESE FEATURES**

- * XT COMPATIBLE
- * 1 YEAR WARRANTY
- * HIGH QUALITY CONSTRUCTION
- * PLUG COMPATIBLE CONNECTORS
- * FITS INTO EXISTING MOUNTING HOLES
- * SOLID 130 WATT OUTPUT
+5V @ 15A +12V @ 4.2A
-5V @ .5A -12V @ .5A




\$175.00

VERBATIM

DATALIFE DISKETTES

SS/DD SOFT	\$29.95
SS/DD 10 SECTOR	\$29.95
DS/DD SOFT	\$34.95



JDR Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128

800-538-5000 • 800-662-6279 (CA) • (408) 995-5430

FAX (408) 275-8415 • Telex 171-110

RETAIL STORE - 1256 S. BASCOM AVENUE
HOURS: M-W-F, 9-5 TU-TH, 9-9 SAT, 10-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: Minimum order \$10.00. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb. and foreign orders may require additional shipping charges - please contact our sales department for the amount. CA. residents must include 6% sales tax. Bay Area and LA residents include 6 1/2%. All merchandise is warranted for 90 days unless otherwise stated. Prices are subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sale.

U·N·C·L·A·S·S·I·F·I·E·D A·D·S

NEEDED: Information on or public-domain software for Commodore 64 to develop educational and social skills of mentally handicapped adults. Also, we will share the programs we have developed. Mrs. M. Worsman, Pennine House, 39 Well St., Bradford, West Yorkshire BD1 5RE, England.

WANTED: Information on computers/hardware to videotape high-resolution/double high-resolution drawings and animation without flickering. Want equipment to transform signal to NTSC or computer with such capability (now using an Apple IIe and Add Wor board that does not generate true NTSC output). Marianne Unger, 1313 Good St., Reading, PA 19602.

NEEDED: Tax-deductible donation of computers (Apple II, IBM PC, or compatible), monitors, and printers for Appalachian students in biology and pre-medicine. Shipping will be paid. Dr. H. W. Elmore, Department of Biology, Marshall University, Huntington, WV 25701, (304) 696-3638 or 696-3148.

WANTED: Donation of a Macintosh or Apple IIe to be used by Miss Pantipa Isaramongkolpant, Multiple Cropping Project, Faculty of Agriculture, Chiangmai University, Thailand 50002. For shipping fee and arrangements, call John Dennis (Department of Rural Sociology, Cornell University, Ithaca, NY 14850) at (607) 256-3159.

WANTED: Tax-exempt, nonprofit organization working with teenagers seeks donation of personal computer equipment for word processing. Fully tax-deductible. Will pay shipping. Especially interested in letter-quality printer. Northwest Indiana Youth for Christ, POB 537, Valparaiso, IN 46383.

WANTED: Private elementary school seeks to purchase Apple II+ at low cost or receive as donation. Dr. Peter Hulick, James River Day School, 5039 Boonsboro Rd., Lynchburg, VA 24503.

NEEDED: Boy Scout Troop #397 seeks tax-deductible donation of Apple II, IBM PC, Kaypro, or compatible. Troop #397, 243 42nd St., Copiague, NY 11726.

WANTED: Educational institution seeks tax-deductible donations of microcomputer, disk drives, monitor, and printer. Cardozo Computer Users' Group, Cardozo School of Law, 55 Fifth Ave., New York, NY 10003.

WANTED: Nonprofit publisher of *Education Week* newspaper needs PC and Apple computers and peripherals of all types in exchange for tax benefit and printed recognition. Janice Lopez, *Education Week*, 1255 Twenty-third St. NW, Washington, DC 20036, (202) 466-5190.

NEEDED: Nonprofit state college art department with computer graphics skills needs graphics equipment to update curriculum and improve student employment profile. Anything will do: CPUs, RGB monitors, video input, printers, disk drives, plotters, graphics tablets, and video film recorder. Desmond McLean, Art Department, Memorial Hall, Glassboro State College, Glassboro, NJ 08028, (609) 863-7366/7081.

WANTED: Charitable nonprofit organization seeks donation of computers, peripherals, printers, monitors, terminals, disk drives, memory expansion, etc. Certified tax-deductible receipts furnished. Will pay reasonable shipping. Holdeman International, POB 329, West Point, MS 39773.

WANTED: Tax-exempt, nonprofit educational organization seeks donation of microcomputers and peripherals. Donation is tax-deductible; will provide receipts and pay reasonable shipping. Baton Rouge Astronomical Society, 11683 Flamingo Dr., Baton Rouge, LA 70814.

WANTED: Information on an available cut-sheet feeder that accommodates 11-inch-wide paper and fits a Brother HR-35 printer. Michael L. Cook, 3318 Wimberg Ave., Evansville, IN 47712.

FOR SALE: BYTE, September 1975 through December 1984, 112 consecutive issues. Best offer for all. R. F. Nichol, 25747 Date St., San Bernardino, CA 92404, (714) 862-1252.

WANTED: Documentation for Motorola Experimenter II 6800 board. Schematic for Burroughs EA2300 10-column calculator. Correspondence with hackers using Tano Dragon, APF M-I, or TS1000. B. R. Pogue, POB 111, Thatcher, AZ 85552.

FOR SALE: HP 86 computer, HP interface bus 82937A, HP dual-disk drives 250K each, and HP 82913A monitor; \$2500 or trade for Apple IIe. Rick

Crowsey, 9599 Southeast Valley Court, Hobe Sound, FL 33455, (305) 840-1633 or 546-8560.

WANTED: Religion department at private Lutheran college seeks donation of Apple IIe, TRS-80 Model III, or any comparable model with disk drive. Shannon Jung, Department of Religion, Concordia College, Moorhead, MN 56560, (218) 299-3435.

FOR SALE: BYTE, July 1976 (volume 1, number 11) through December 1982, marked but complete; \$190 includes UPS shipping in U.S. Jerry Nelson, 3 Hill Rd., St. James, NY 11780, (516) 862-9351.

FOR SALE: Lobo MAX-80 (128K, serial ports, runs eight 5-inch/8-inch hard-disk drives, clock, 5-MHz Z80, function/numeric keypad, RAM drive) with two Shugart 160K drives, books, and original documentation; \$1250. Stewart Dean, POB 120, Lake Hill, NY 12448, (914) 679-7637.

FOR SALE: BYTE, September 1975 through present in good condition. Missing May 1980 and January 1982. \$250 includes shipping. D. M. Wyckoff, 5419 Mariposa Ave., Citrus Heights, CA 95610, (916) 967-6790 home, (916) 322-7484 work.

FOR SALE: New Radio Shack Model 16B with two disk drives, printer, hard-disk drive, and modem. Haas Honda, Route 1, Box 7, Marietta, OH 45750, (614) 374-4044.

FOR SALE: Magnavox Odyssey 1, the original video-game machine. Excellent condition; make an offer. William Blair, 909 East Emerson, Morton, IL 61550, (309) 266-7032.

FOR SALE: MS-DOS/CP/M-86 S-100 system, 12 slots, 8088/8087/8089 CPUs, 128K CMOS RAM, 64K low-power RAM (all static), battery-backed-up clock, two serial and two parallel ports, Jade bus probe, kludge card, two 8-inch DS/DD drives, one 5¼-inch SS/DD drive, ADM-2A CRT; \$2450. Flexible; must sell. Dan Pritchard, 4721 Bali Court, Albuquerque, NM 87111.

WANTED: Other Olivetti M20 owners to share ideas and information. Kurt Moeller, POB 193, Chico, CA 95927, (916) 893-0887.

FOR SALE: TI 59 programmable calculator with PC-100C thermal printer, includes over a dozen magnetic cards and two rolls of printer paper; \$100. Ed Cundy, Lyme Rd., Hanover, NH 03755, (603) 643-5004 evenings.

NEEDED: Correspondent who has knowledge of the KORG SAS-20 music keyboard's operating system. Looking for help in interfacing with computer and programming new ROM packs. Bill Tomlinson, 1038 West Mill St., Kewanee, IL 61443.

NEEDED: Victor 9000 owner wants to exchange ideas with other Victor users. Philippe Ciraud-Lanoue, 18 Bd de Perpigna, 17200 Royan, France.

WANTED: Back issues of BYTE, June through September 1982 and August 1983 through May 1984. Will pay \$15 and postage. W. Michael Yearick, 305 July Lane #285, Copperas Cove, TX 76522.

WANTED: CompuPro system. Other multiuser systems considered. Alan Born, POB 272, Tiburon, CA 94920, (415) 924-6352.

FOR SALE: TRS-80 Model I, like-new condition, 5¼- and 8-inch disks, parallel and RS-232C ports. Passport 300/1200-bps auto-answer auto-dial modem, brand new; \$325. Anadex 9501 graphics printer; \$800. Joe Ruby, 6641 Northwest 22 Court, Margate, FL 33063, (305) 972-6641.

WANTED: Eagle PC II user wants to join/form support group to share information, advice. Prefer NYC area, but eager to correspond with Eagle users anywhere. M. C. Scarino, 55B Brighton #10 Court,

.....
Unclassified Ads must be noncommercial, from readers who have computer equipment to buy, sell, or trade on a one-time basis. All requests for donated computer equipment must be from nonprofit organizations. Programs to be exchanged must be written by the individual or be in the public domain. Ads must be typed double-spaced, contain 50 words or less, and include full name and address. This is a free service; ads are printed as space permits. BYTE reserves the right to reject any unclassified ad that does not meet these criteria. When you submit your ad (BYTE, Unclassified Ads, POB 372, Hancock, NH 03449), please allow at least four months for it to appear.

Brooklyn, NY 11235, (718) 646-6988.

FOR SALE: Heath H-89 Z80 computer with 64K memory, Z-37 double-density floppy-disk controller with two SS/DD disk drives, full documentation. Excellent condition; \$1450. Mike Ullis, 337 Cody Rd., San Dimas, CA 91773, (714) 592-3133 after 5 p.m.

WANTED: Schematics, service manuals, or other information on the GCE Vectrex video-game unit and the prototype Vectrex computer add-on unit. Want to contact anyone interested in interfacing the Vectrex to other computer hardware. Dennis Lo, 1862 East Broadway, Vancouver, BC V5T 1Y1, Canada.

NEEDED: Information on TI 99/4A, circuit diagrams, and hardware. Roy Antaw, 47 Park Ave., Ashfield, New South Wales 2131, Australia.

FOR SALE: Columbia MPC, 384K, two disks, color-graphics board, monochrome monitor, Gemini-10X printer, 1200-bps modem, and more. Will telephone support first month; \$3500 for everything. Richard Platkin, 222 3rd St., Troy, NY 12180, (518) 271-7449.

FOR SALE: S-100 static memory boards. CompuPro: two RAM IV (16K) and one RAM IIa (8K). All 4 MHz, used but in excellent working condition; \$100 for 16K and \$75 for 8K or offer. Also, Industrial Microsystems: two 8K at 2 MHz (use 2102s); \$50 each or offer. Arnold Cohen, 41-34 52nd St., Apt. 3L, Woodside, NY 11377, (212) 446-0399.

FOR SALE: Centronics printer Model 779, parallel interface, friction feed; \$500. Anderson-Jacobson IBM Selectric keyboard/printer terminal, serial interface (to 1200 bps); \$600. Both work well. Manuals included; prices negotiable. Jeffrey Katz, 160 West 87th St., New York, NY 10024, (212) 873-6717.

FOR SALE: Level II ROM set with instructions; \$100. Disk-drive upgrade for Model III or 4, less drives; \$225. Frank Weatherford, Route 12, Hildaway Hill #36, Gray, TN 37615.

FOR SALE: Ohio Scientific timesharing system with 104K, 80-megabyte hard disk, two 8-inch floppy-disk drives; \$8000. Also, extra boards to reconfigure system to support extra users/peripherals. Dana Humfleet, 665 East Dublin-Granville #300, Columbus, OH 43229, (614) 436-9510.

FOR SALE: HP 85 with 7470 plotter, HP1B interface, RS-232C serial port and ROM drawer, 16K expansion module. All manuals included; best offer. Dave Fiske, 8139 Van Noord, North Hollywood, CA 91605, (818) 848-4429 days, (818) 989-2070 evenings.

FOR SALE: Zenith Z-90 computer with 64K, Z-37 disk drive, warranty; make offer. Scott Kudika, 237 Main St., New Kensington, PA 15068, (412) 282-4756.

WANTED: Schematic diagram for Digital Equipment Corp. LA-30P DECwriter. Elwood Jackson, 34 Have-lock Dr., Rochester, NY 14615, (716) 621-3266 or 682-4308.

FOR SALE: BYTE, September 1975 through July 1984. Complete set except July and September 1983 issues. Best offer over \$300 plus shipping. Thomas Aulicino, 2014 59th St., Brooklyn, NY 11204.

WANTED: Manuals or hardware helpful in interfacing an old Kennedy 3110 nine-track 800-bpi, 25-ips bare Magtape deck to an H11 (O-bus) or DEC PDP-11 Unibus system. A. DuRea, 101 Indian Lane, Oak Ridge, TN 37830, (615) 483-0784.

FOR SALE: S-100 computer, motherboard mounted inside ADDS Regent 25 terminal, 4-MHz Z80 CPU, two serial and three parallel ports, 64K RAM, 8-inch and 5¼-inch DD controller. Two Shugart 8-inch SS/DD drives. Used by church camp for three years; \$2000 or best offer. D. Golowka, 6510 Lindley Ave., Reseda, CA 91335, (818) 705-6631.

WANTED: Will pay good price for used Apple disk drives, memory cards, modems, and other equipment. Would like to trade tips and techniques useful on an Apple II+ or IIe. Jared Edis, POB 1772, Summerland, BC V0H 1Z0 Canada, (604) 494-9934.

FOR SALE: Fortune 32:16 small-business computer; console plus two terminals. Expandable to 12 users, 20-megabyte hard disk, 512K (also expandable), new June 1983, moderate use; \$15,000. Epson MX-100 dot-matrix printer; \$500. D. F. S., POB 9687, Colorado Springs, CO 80909, (303) 471-4633.

FOR SALE: Hazeltine 1500 terminal, 80 by 24 lines, upper/lowercase, well-designed keyboard, dust cover, excellent condition; \$250 or best offer. Christopher Pettus, 10920 Palms Blvd. #110, Los Angeles, CA 90034, (213) 202-8925. ■

ARTICLE#	PAGE	ARTICLE	AUTHOR(S)
1	98	The HP Integral Personal Computer	Robinson
2	104	Ciarcia's Circuit Cellar: Build a Serial EPROM Programmer	Ciarcia
3	120	The Macintosh Office	Markoff, Robinson
4	138	C to Pascal	Carnevale
5	147	Simulate a Servo System	Stauffer
6	163	Introduction to Image Processing	Star
7	177	The Birth of a Computer	Nash
8	199	A Low-Cost Data-Acquisition System	Okamura, Aghai-Tabriz
9	207	Fourier Smoothing Without the Fast Fourier Transform	Aubanel, Oldham
10	223	Paranoia: A Floating-Point Benchmark	Karpinski
11	239	Modeling Mass-Action Kinetics	Curtis
12	251	Viewing Molecules with the Macintosh	Kirkland
13	263	Laboratory Interfacing	Ford
14	269	Interfacing for Data Acquisition	Clune
15	291	NewWord	Heilborn, Reel
16	295	Janus/Ada	Welch
17	302	The Epson Geneva PX-8	Malloy
18	311	Two Modula-2 Compilers for the IBM PC	Bowyer
19	317	E-Mail for the Masses	Rash
20	325	Mannesmann Tally MT 160	Welch
21	339	Computing at Chaos Manor: Troubles	Pournelle
22	369	BYTE Japan: Disks and Printers	Raike
23	371	BYTE West Coast: What Next?	Markoff, Robinson, Shapiro
24	379	BYTE U.K.: Realizing a Dream	Pountain
25	387	Computers and Law: Copying Mass-Marketed Software	Sterne, Saidman

COVER STORY WINS

The product description prepared by BYTE's Gregg Williams and Ken Sheldon on "The Data General/One" is number one in the BOMB results for November. Dr. Leo D. Bores wins \$100 for his feature story on the "AGAT: A Soviet Apple II Computer," which came in second. Jerry Pournelle's "NCC Reflections," from Computing at Chaos Manor, placed third. In fourth place is "The MC68020 32-bit Microprocessor" by Paul F. Groepler and James Kennedy. These two authors will split the \$50 bonus. And in fifth place is Steve Ciarcia's Circuit Cellar speech-recognition invention, "The Lis'ner 1000."

BYTE ADVERTISING SALES STAFF:

J. Peter Huestis, Advertising Sales Manager, 70 Main Street, Peterborough, NH 03458, tel. (603) 924-9281

NEW ENGLAND

ME, NH, VT, MA, RI
Paul McPherson Jr. (617) 262-1160
McGraw-Hill Publications
575 Boylston Street
Boston, MA 02116

ATLANTIC

NY, NYC, CT
Dick McGurk (212) 512-3588
Leah Goldman (212) 512-2096
McGraw-Hill Publications
1221 Avenue of the Americas—
39th Floor
New York, NY 10020

EAST

PA (EAST), NJ (SOUTH),
MD, VA, W.VA., DE, D.C.
Daniel Ferro (215) 496-3833
McGraw-Hill Publications
Three Parkway
Philadelphia, PA 19102

SOUTHEAST

NC, SC, GA, FL, AL, TN
Maggie M. Dorvee (404) 252-0626
McGraw-Hill Publications
4170 Ashford-Dunwoody Road—
Suite 420
Atlanta, GA 30319

MIDWEST

IL, MO, KS, IA, ND, SD, MN, WI, NB
Bob Denmead (312) 751-3740
McGraw-Hill Publications
Blair Building
645 North Michigan Ave.
Chicago, IL 60611

GREAT LAKES, OHIO REGION

MI, OH, PA (ALLEGHENY), KY, IN,
EASTERN CANADA
Mike Kisseberth (313) 352-9760
McGraw-Hill Publications
4000 Town Center—Suite 770
Southfield, MI 48075

SOUTHWEST, ROCKY MOUNTAIN

UT, CO, WY, OK, TX, AR, MS, LA
Dennis Riley (214) 458-2400
McGraw-Hill Publications
Prestonwood Tower—Suite 907
5151 Beltline
Dallas, TX 75240

SOUTH PACIFIC

SOUTHERN CA, AZ, NM, LAS VEGAS
Jack Anderson (714) 557-6292
McGraw-Hill Publications
3001 Red Hill Ave.
Building #1—Suite 222
Costa Mesa, CA 92626

Karen Niles (213) 480-5243, 487-1160

McGraw-Hill Publications
3333 Wilshire Boulevard #407
Los Angeles, CA 90010

NORTH PACIFIC

HI, WA, OR, ID, MT, NORTHERN CA,
NV (except LAS VEGAS), W. CANADA
David Jern (415) 362-4600
McGraw-Hill Publications
425 Battery Street
San Francisco, CA 94111

Bill McAfee (415) 964-0624

McGraw-Hill Publications
1000 Elwell Court—Suite 225
Palo Alto, CA 94303

WEST COAST SURPLUS

AND RETAIL ACCOUNTS
Tom Harvey (805) 964-8577
3463 State Street—Suite 256
Santa Barbara, CA 93105

Post Card Mailings

National
Bradley Browne (603) 924-6166
BYTE Publications
70 Main Street
Peterborough, NH 03458

International Advertising Sales Representatives:

Mr. Hans Csokor
Publimedia
Reisnerstrasse 61
A-1037 Vienna, Austria

Mrs. Gurit Gepner
McGraw-Hill Publishing Co.
PO Box 2156
Bat Yam, 59121 Israel
866 561 321 39

Mr. Fritz Krusebecker
McGraw-Hill Publishing Co.
Liebigstrasse 19
D-6000 Frankfurt/Main 1
West Germany
72 01 81

Mrs. Maria Sarmiento
Pedro Teixeira 8, Off. 320
Iberia Mart I
Madrid 4, Spain
45 52 891

Mr. Andrew Karnig
Andrew Karnig & Associates
Finnbodavagen
S-131 31 Nacka, Sweden
46-8-44 0005

Mr. Jean Christian Acis
McGraw-Hill Publishing Co.
17 rue Georges Bizet
F 75116 Paris
France
720 33 42

Mr. Arthur Scheffer
McGraw-Hill Publishing Co.
34 Dover St.
London W1X 3RA
England 01 493 1451

Mr. Savio Pesavento
McGraw-Hill Publishing Co.
Via Flavio Baracchini 1
20123 Milan, Italy
86 90 656

Seavex Ltd.
400 Orchard Road, #10-01
Singapore 0923
Republic of Singapore
Tel: 734-9790
Telex: RS35539 SEAVEX

Seavex Ltd.
503 Wilson House
19-27 Wyndham St.
Central, Hong Kong
Tel: 5-260149
Telex: 60904 SEVEX HX

Hiro Morita
McGraw-Hill Publishing Co.
Overseas Corp.
Room 1528
Kasumigaseki Bldg.
3-2-5 Kasumigaseki,
Chiyoda-Ku
Tokyo 100, Japan
581 9811

R·E·A·D·E·R S·E·R·V·I·C·E

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
1 1st PLACE SYSTEMS	226	67 COMPUTER MAIL ORDER	260, 261	123 GOLD HILL COMPUTER	119	368 MANAGEMENT INFO. SOURCE	262
2 2500 AD SOFTWARE	396, 397	68 COMPUTER PARTS MERCHANT	431	124 GOLDEN BOW SYSTEMS	471	194 MANX SOFTWARE SYS.	52
3 4-5-6 WORLD	390	69 COMPUTER SOURCE	400	125 GREAT SALT LAKE COMP	456, 457	195 MANX SOFTWARE SYS.	53
4 800 SOFTWARE	195	* COMPUTER WAREHOUSE	189	* GRYPHON MICRO PROD.	94	196 MARIACHI OY.	127
5 A.S.T. RESEARCH	19	70 COMPUTERBANC	60	126 GTEK INC.	91	197 MARK WILLIAMS CO.	75
6 A.S.T. RESEARCH	19	71 COMPUTERS AND MORE	342	127 H&E COMPUTRONICS	87	198 MARVEL SOFTWARE	282
7 AB COMPUTERS	192	72 CONROY-LAPOINTE	124, 125	128 HADAX ELECTRONICS	430	199 MARYMAC INDUSTRIES	442
8 ABC DATA PRODUCTS	400	73 CONROY-LAPOINTE	124, 125	371 HALLOCK SYSTEMS	232	200 MASTERBYTE COMP. OF N.Y.	92
9 ACL INC.	229	74 CONROY-LAPOINTE	124, 125	130 HANZON DATA INC.	70	201 MAXELL DATA PRODUCTS	7
10 ADDMASTER CORP.	430	75 COSMOS	146	131 HARMONY VIDEO & COMP.	78	202 MAYNARD ELECTRONICS	15
11 ADV. COMP. PROD.	429	76 CROMEMCO	5	132 HARMONY VIDEO & COMP.	411	358 MEGATEL	66
12 ADV. COMPUTER SYS.	381	77 CUESTA SYSTEMS	370	133 HAYES MICROCOMP. PROD.	290	203 MERRITT COMP. PRODUCTS	471
13 ADV. DIGITAL CORP.	273	78 CUSTOM COMP. TECH.	432	134 HEATH COMPANY	187	204 MET-CHEM INT'L CORP.	322
14 ADV. DIGITAL CORP.	273	79 CUSTOM COMP. TECH.	433	135 HERCULES COMPUTER TECH.	25	205 META SYSTEM INC.	471
336 AFTEK	275	80 CYMA CORPORATION	206	136 HERMES PRECISA INT'L	213	206 MFI ENTERPRISES INC.	258
337 AFTEK	391	81 CYMA CORPORATION	206	138 HOFFMAN INT'L	382	207 MICRO AGE COMP. STORES INC.	141
15 ALF PRODUCTS, INC.	144	361 DAISY DATA TERMINALS CORP.	447	139 HOUSTON INSTR./BAUSCH&LOMB	283	208 MICRO DATA BASE SYS.	181
16 ALLIED MICRO DEVICES	450	82 DATA EXCHANGE	450	140 HUMAN DESIGNED SYSTEMS	288	209 MICRO DATA BASE SYS. 356, 357	
18 AMBER SYSTEMS	129	83 DATA EXCHANGE	322	* HYPERON SOFTWARE	354	210 MICRO DESIGN INT'L	309
19 AMBER SYSTEMS	172, 173	85 DATA SPEC	94	143 IBM CORP.	136, 137	211 MICRO MART, INC.	72, 73
21 AMER. DESIGN COMPONENTS	445	86 DATA SPEC	94	339 IBM - (ISG) SERVICES	401	212 MICRO PRODUCTS, INC.	434
366 AMPERE INC.	186	44 DATA TRANSLATION INC.	316	145 INFOCOM	56, 57	355 MICROCOMPUTER ACCESSORIES	331
22 AMPRO COMPUTERS INC.	86	87 DATASOUTH COMP. CORP.	310	146 INNOVATIVE SOFTWARE	406, 407	356 MICROCOMPUTER ACCESSORIES	331
* APPLE COMPUTER INC.	CII, 1	88 DECISION RESOURCES	135	147 INOVION CORP.	24	* MICROMINT INC.	408
23 APPLEWARE, INC.	384	360 DECMATION	450	148 INPUT/OUTPUT TECHNOLOGY	55	215 MICROPROCESSORS UNLTD.	444
187 APPLIED SOFTWARE TECH.	243	372 DIGITAL PRODUCTS INC.	334	149 INTEGRAND	413	216 MICROSIM	432
24 APROPOS TECHNOLOGY	444	* DIGITAL RESEARCH COMP.	67	150 INTELLIGENT DATA SYS. INC.	45	217 MICROSIM CORP.	26
349 ARTISOFT	76	89 DIRECT-CONNECT DEVICES	442	151 INTERACTIVE STRUCTURES	54	218 MICROSIM CORP.	26
350 ARTISOFT	76	90 DISCOUNT COMPUTER	150	152 INTERACTIVE STRUCTURES	68	* MICROSOFT CORP.	167
25 ASHTON-TATE	348, 349	* DISCOUNT COMPUTER CENTERS	398	153 INTERACTIVE STRUCTURES	90	* MICROSOFT CORP.	169
26 AUSTIN SCIENTIFIC	32	91 DISKETTE CONNECTION	411	154 INTERFACE TECH. CORP.	414, 415	* MICROSOFT CORP.	171
27 AVOCET	219	92 DISKS PLUS	447	156 IOMEGA	373	* MICROSOFT CORP.	315
28 B&B ELECTRONICS	450	93 DISK WORLD, INC.	440	157 IOMEGA	375	219 MICROSTUF, INC.	363
* B&C MICROSYSTEMS	447	94 DISPLAY TELECOMMUNCTNS.	458, 459	158 IOMEGA	377	309 MICRO-TERM, INC.	84
344 BASF SYSTEMS	279	95 DOKAY COMP. PROD. INC.	448, 449	159 JADE COMP. PROD.	451	220 MICROTIME	4
29 BAY TECHNICAL ASSOC.	23	96 DOW JONES SOFTWARE	227	160 JADE COMP. PROD.	452, 453	221 MICROWAY	238
30 BINARY TECHNOLOGY	384	97 DOW JONES SOFTWARE	378	161 JAMECO ELECTRONICS	220, 221	40 MICRO	66
32 BLAISE COMPUTING INC.	190	359 DWIGHT CO., INC.	471	162 IDR MICRODEVICES INC.	472, 473	222 MIDWEST MICRO-PERIPHERALS	180
33 BORLAND INT'L	20, 21	98 DYSAN CORP.	61	163 IDR MICRODEVICES INC.	474, 475	* MINORITY INDUSTRIES	50
34 BORLAND INT'L	28, 29	345 EASTMAN KODAK CO.	12, 13	164 IDR MICRODEVICES INC.	476	223 MODTECH INTERNATIONAL	241
* BOTTOM LINE, THE	268	346 EASTMAN KODAK CO.	284, 285	165 IIM-PAK	196, 197	224 MODULA SYS. CORP.	69
* BYTE PUBL. INC.	392	* ECONOMY SOFTWARE	157	166 JUKI INDUSTRY OF AMERICA	299	225 MOORE BUSINESS CENTERS	76
* BYTE BACK ISSUES	412	101 ECOSOFT	30	335 KADAK PRODUCTS	74	226 MTI SYSTEMS CORP.	186
* BYTE SUBSCRIBER NOTICE	410	102 EDUCATIONAL MICROCOMP.	390	168 KEITHLEY/DAS	329	227 MULTI-TECH SYSTEMS	224
* BYTE SUBSCRIBER SERVICE	350	103 ELECTRONIC PROTECTION DEV.	162	169 KENSINGTON MICROWARE	58	367 MYTECH	410
37 BYTEK COMP. SYS. CORP.	86	104 ELEKTEK	188	170 KEYWORD OFFICE TECH.	149	228 N.B.S.	92
* C WARE/DESMET C.	266	180 ELEXOR	444	171 KIMTRON	145	229 NAT'L. PUBLIC DOMAIN SFTW.	450
* C-SYSTEMS	471	* ELLIS COMPUTING INC.	93	172 KRUEGER TECHNOLOGY	446	342 NATIONAL INSTRUMENTS	34
38 C. ITOH DIGITAL PRODUCTS	38	* EMPIRICAL RESEARCH GROUP	158	173 LABORATORY MICROSYS.	30	55 NCDA	471
39 C. ITOH DIGITAL PRODUCTS	38	105 ENCHANTED FOREST	442	174 LANGLEY-STCLAIR	244	230 NCR	35
* CALIF. DIGITAL	460, 461	107 EPSON AMERICA	277	175 LARK SOFTWARE	404	343 NEC HOME ELECTR. USA	265
* CALIF. MICRO COMP.	471	108 ERICSSON COMPUTER CO.	62, 63	176 LATTICE, INC.	333	232 NEC INFORMATION SYS.	CIII
42 CANDELARIA WORKS	450	109 EXPOTEK	254	177 LAWSON LABS	400	233 NEW GENERATION SYS.	368
43 CAPITAL EQUIPMENT CORP.	230	110 EXPRESS BUSINESS SOFTWARE	18	178 LEADING EDGE PROD.	49	234 NORTH HILLS CORP.	442
45 CDR SYSTEMS	322	111 FALCON SAFETY PROD.	134	179 LEVEL 5 RESEARCH	322	235 NORTH HILLS CORP.	354
* CERMETEK MICROELECTRONICS	179	369 FORTRON, INC.	438	181 LIFEBOAT ASSOC.	300, 301	* NRI SCHOOLS ELECTR. DIV.	385
48 CHIPSOFT, INC.	447	370 FORTRON, INC.	438	182 LINDE TECHNOLOGY INC.	193	236 OPEN SYSTEMS/UCCCL	351
49 CHORUS DATA SYSTEMS	79	113 FOX & GELLER INC.	152	183 LINTEK INC.	471	237 OPTO-22	336
50 CMA MICRO COMP. DIV.	70	114 FOX SOFTWARE INC.	384	184 LIONHEART PRESS	430	238 OPTO-22	336
362 COGITATE	444	115 FRIENDLY COMPUTER	78	185 LOGICAL DEVICES	346	239 ORCHID TECHNOLOGY	271
51 COMP. COMPNTS. UNLTD.	464, 465	116 FUJITSU AMERICA	184	186 LOGICAL DEVICES	447	240 ORION INSTRUMENTS	218
52 COMP. COMPNTS. UNLTD.	466, 467	117 FUJITSU AMERICA	185	188 LOMAS DATA PRODUCTS	267	241 ORYX SYSTEMS	418, 419
54 COMPETITIVE EDGE	84	120 GENERAL TECHNOLOGY	77	190 LYBEN COMP. SYS.	382	242 ORYX SYSTEMS	418, 419
56 COMPUDEC	16	121 GIFFORD COMP. SYS./ZITEL CORP.	215	191 LYCO COMPUTER	222	243 ORYX SYSTEMS	418, 419
57 COMPUMAIL	470	122 GILTRONIX, INC.	322	192 MACMILLAN SOFTWARE	248, 249	244 PACIFIC EXCHANGES	442, 444, 447, 450
58 COMPUPRO	46, 47			193 MAGNUM PC	280	245 PARAGON COURSEWARE	444
59 COMPUSERVE	376					246 PC NETWORK	204, 205
60 COMPUTER AFFAIRS INC.	314					247 PC PIPELINE	450
61 COMPUTER AFFAIRS INC.	405					248 PC'S LIMITED	439
62 COMPUTER BROKERAGE SERV.	308					249 PERSOFT INC.	151
347 COMPUTER CAREERS	353					250 PIPELINE COMPUTER	469
63 COMPUTER CHANNEL	417					252 POCKET TECHNOLOGY	247
* COMPUTER CHRONICLES	323					254 POLAROID CORP.	88, 89
64 COMPUTER CONNECTION INC.	435					255 PRINCETON GRAPHIC SYS.	36, 37
65 COMPUTER DISCOUNT PROD.	437					334 PRIORITY ONE	443
* COMPUTER FRIENDS	231					256 PROGRAMMERS SHOP	341
66 COMPUTER INNOVATIONS	347						

TO GET FURTHER information on the products advertised in BYTE, either pick up your touch-tone telephone and use AIMS or fill out the reader service card. Either way full instructions are provided following this reader service index which is provided as an additional service by the publisher, who assumes no liability for errors or omissions. *Correspond directly with company.

1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 26

* Correspond directly with company.

INTERNATIONAL ADVERTISING SECTION

500	AMERICAN BUYING & EXPORT	32C
*	BYTE	32B
501	CASIO COMPUTER CO.	32D
502	HIGH TECH. ELECTRONICS	32A

No domestic inquiries, please

SUBSCRIBERS ONLY!

**Use BYTE'S Automated Inquiry Management System
Available 24 Hours, 7 Days a Week**

- 1) Write your Subscriber Number, as printed on your Subscriber I.D. Card, in boxes in Step 4 below. (Do not add 0's to fill in blank boxes)
- 2) Write numbers for information desired in boxes in Step 6b below. (Do not add 0's to fill in blank boxes.)

3) Now, on a Touch-Tone telephone dial: **(413) 442-2668** and wait for voice commands.

4) When AIMS says: "Enter Subscriber Number"
(Enter by pushing the numbers and symbols [# or * enclosed in the boxes] on telephone pad ignoring blank boxes)
Enter #

5) When AIMS says "Enter magazine code & issue code"
Enter 1 # 2 5 #

6a) When AIMS says “Enter (next) Inquiry Number”
Enter one inquiry selection from below (ignore blank boxes)

b) Repeat 6a as needed (maximum 17 inquiry numbers)

1.	6.	10.	14.
2.	7.	11.	15.
3.	8.	12.	16.
4.	9.	13.	17.
5.			

- 7) End session by entering * * 9 1 # #
- 8) Hang up after hearing final message

If you are a subscriber and need assistance, call (603) 924-9281.

If you are not a subscriber fill out the subscription card found in this issue or, call BYTE Circulation 800-258-5485.


NO OTHER LETTER-QUALITY PRINTER CAN TOUCH OUR NEW SPINWRITER FOR SPEED AND EASE-OF-USE.

Introducing the Spinwriter 8850.

Our newest, and fastest, Spinwriter® printer operates at over 550 words-per-minute. And is extraordinarily easy to operate.

For one thing the Spinwriter 8850 takes care of basic settings such as pitch and forms length automatically. Of course you can also change either

printer available for the IBM® PC. It's still one of the few that works with all IBM PC software, as well as all other popular packages. You'll notice even its looks are compatible.



THE 8850 JOINS THE HIGHLY-RELIABLE SPINWRITER LINE.

one at the touch of a button. It also has a unique control panel. With large, legible alphanumeric LED's to indicate the specific operating status.



UNIQUE LED DISPLAY TELLS USER EVERYTHING FROM THE FACT THAT PAPER IS OUT



TO THE FACT THE COVER IS OPEN.

make a Spinwriter a Spinwriter.

The first choice of IBM PC users.

The Spinwriter printer was the first totally plug compatible letter-quality

Spinwriter printers also give you capabilities you won't find on other printers. Like a selection of 80 different print styles.

And, nine easily installed forms handling options that can accelerate your printed output even more. Spinwriter printers also have an enviable record for reliability.

In fact, several

CHANGE FORMS LENGTH AT THE PRESS OF A BUTTON.

years without a failure is not unusual. No wonder there are more Spinwriter printers hooked up to IBM PC's than any other letter-quality printer.

How to get up to speed.

For more information on the Spinwriter 8850 or our two companion



THE 8850 PLUGS RIGHT INTO THE IBM PC.

models, just call NEC Information Systems at: 1-800-343-4419; in Massachusetts call (617)264-8635.

Also available at:

Entre, 1-800-HI

ENTRE: Sears Business System Centers, 1-

800-228-2200;

and Comput-erland

stores, (In California)

1-800-321-1101; (Out-

side California) 1-800-

423-3008. Find out why

more and more IBM PC users

are saying,

"NEC and me."

NEC AND ME

NEC Information Systems, Inc.
1414 Mass. Ave.
Dept. 1610
Boxborough, MA 01719



TANDY... Clearly Superior™

It's evident when you can cover the MS-DOS market with a line of computers unmatched in performance and value.

Tandy brings you not one, but three solutions to the personal computer dilemma.

Like the IBM PC-AT, the Tandy 2000 performs up to three times faster than the IBM PC. Disk storage is double the PC's. Our color graphics offer twice the resolution, twice the colors. The Tandy 2000 personal computer starts at just \$2499.

Or how about a system that does everything an IBM PC XT

does—but costs at least \$1400 less? The new ten-megabyte Tandy 1200 HD is compatible with virtually all XT software and hardware . . . yet it's priced at only \$2999.

Our new Tandy 1000 comes complete with software. We call it DeskMate™, and it's six programs on one disk.

The Tandy 1000 has many features that cost extra on the IBM PC. Like adapters to use a monitor, printer, joysticks

and light pen, plus a Disk Operating System and BASIC—all for only \$1199.

For the best in technology, support, service and value, stop by your local Radio Shack Computer Center. We invite comparison!

Available at over 1200
Radio Shack Computer Centers and at
participating Radio Shack stores and dealers

Radio Shack®
COMPUTER CENTERS
A DIVISION OF TANDY CORPORATION

Inquiry 268



Engineered for Excellence

We've introduced the latest in technology for over 60 years. The Tandy 1000 and 2000 represent the state of the art in performance, quality and price.

*Plus applicable use/sales tax. Tandy 2000, 1200 HD and 1000 prices do not include monitor and apply at Radio Shack Computer Centers and participating stores and dealers. IBM/registered TM International Business Machines Corp.